Stavros G Memtsoudis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1960954/publications.pdf

Version: 2024-02-01

325 papers 12,207 citations

20759 60 h-index 98 g-index

326 all docs $\begin{array}{c} 326 \\ \\ \text{docs citations} \end{array}$

times ranked

326

9283 citing authors

#	Article	IF	CITATIONS
1	Validation of the STOP-Bang Questionnaire as a Screening Tool for Obstructive Sleep Apnea among Different Populations: A Systematic Review and Meta-Analysis. PLoS ONE, 2015, 10, e0143697.	1.1	423
2	Association between driving pressure and development of postoperative pulmonary complications in patients undergoing mechanical ventilation for general anaesthesia: a meta-analysis of individual patient data. Lancet Respiratory Medicine, the, 2016, 4, 272-280.	5.2	404
3	Perioperative Comparative Effectiveness of Anesthetic Technique in Orthopedic Patients. Anesthesiology, 2013, 118, 1046-1058.	1.3	402
4	Tranexamic acid use and postoperative outcomes in patients undergoing total hip or knee arthroplasty in the United States: retrospective analysis of effectiveness and safety. BMJ, The, 2014, 349, g4829-g4829.	3.0	347
5	Protective <i>versus</i> Conventional Ventilation for Surgery. Anesthesiology, 2015, 123, 66-78.	1.3	291
6	Perioperative Pulmonary Outcomes in Patients with Sleep Apnea After Noncardiac Surgery. Anesthesia and Analgesia, 2011, 112, 113-121.	1.1	276
7	Society of Anesthesia and Sleep Medicine Guidelines on Preoperative Screening and Assessment of Adult Patients With Obstructive Sleep Apnea. Anesthesia and Analgesia, 2016, 123, 452-473.	1.1	258
8	Beyond Repeated-Measures Analysis of Variance. Regional Anesthesia and Pain Medicine, 2012, 37, 99-105.	1.1	257
9	National Trends in Anterior Cervical Fusion Procedures. Spine, 2010, 35, 1454-1459.	1.0	196
10	Anaesthetic care of patients undergoing primary hip and knee arthroplasty: consensus recommendations from the International Consensus on Anaesthesia-Related Outcomes after Surgery group (ICAROS) based on a systematic review and meta-analysis. British Journal of Anaesthesia, 2019, 123, 269-287.	1.5	186
11	Does Obstructive Sleep Apnea Influence Perioperative Outcome? A Qualitative Systematic Review for the Society of Anesthesia and Sleep Medicine Task Force on Preoperative Preparation of Patients with Sleep-Disordered Breathing. Anesthesia and Analgesia, 2016, 122, 1321-1334.	1.1	182
12	Perioperative Outcomes after Unilateral and Bilateral Total Knee Arthroplasty. Anesthesiology, 2009, 111, 1206-1216.	1.3	178
13	In-hospital Complications and Mortality of Unilateral, Bilateral, and Revision TKA: Based on an estimate of 4,159,661 Discharges. Clinical Orthopaedics and Related Research, 2008, 466, 2617-2627.	0.7	172
14	The Usefulness of Transesophageal Echocardiography During Intraoperative Cardiac Arrest in Noncardiac Surgery. Anesthesia and Analgesia, 2006, 102, 1653-1657.	1.1	171
15	The Efficacy of Tranexamic Acid in Total Knee Arthroplasty: A Network Meta-Analysis. Journal of Arthroplasty, 2018, 33, 3090-3098.e1.	1.5	171
16	The Impact of Sleep Apnea on Postoperative Utilization of Resources and Adverse Outcomes. Anesthesia and Analgesia, 2014, 118, 407-418.	1.1	160
17	Inpatient Falls after Total Knee Arthroplasty. Anesthesiology, 2014, 120, 551-563.	1.3	159
18	Trends in In-Hospital Major Morbidity and Mortality After Total Joint Arthroplasty. Anesthesia and Analgesia, 2012, 115, 321-327.	1.1	142

#	Article	IF	CITATIONS
19	Association of Multimodal Pain Management Strategies with Perioperative Outcomes and Resource Utilization. Anesthesiology, 2018, 128, 891-902.	1.3	142
20	In-Hospital Surgical Site Infections after Primary Hip and Knee Arthroplasty â€" Incidence and Risk Factors. Journal of Arthroplasty, 2013, 28, 385-389.	1.5	130
21	The Efficacy of Tranexamic Acid in Total Hip Arthroplasty: A Network Meta-analysis. Journal of Arthroplasty, 2018, 33, 3083-3089.e4.	1.5	128
22	Trends in Demographics, Comorbidity Profiles, In-Hospital Complications and Mortality Associated With Primary Knee Arthroplasty. Journal of Arthroplasty, 2009, 24, 518-527.	1.5	125
23	Tranexamic Acid Use in Total Joint Arthroplasty: The Clinical Practice Guidelines Endorsed by the American Association of Hip and Knee Surgeons, American Society of Regional Anesthesia and Pain Medicine, American Academy of Orthopaedic Surgeons, Hip Society, and Knee Society. Journal of Arthroplasty. 2018, 33, 3065-3069.	1.5	125
24	Opioid prescription levels and postoperative outcomes in orthopedic surgery. Pain, 2017, 158, 2422-2430.	2.0	124
25	Society of Anesthesia and Sleep Medicine Guideline on Intraoperative Management of Adult Patients With Obstructive Sleep Apnea. Anesthesia and Analgesia, 2018, 127, 967-987.	1.1	119
26	Risk Factors for Perioperative Mortality After Lower Extremity Arthroplasty: A Population-Based Study of 6,901,324 Patient Discharges. Journal of Arthroplasty, 2010, 25, 19-26.	1.5	108
27	The Safety of Tranexamic Acid in Total Joint Arthroplasty: A Direct Meta-Analysis. Journal of Arthroplasty, 2018, 33, 3070-3082.e1.	1.5	108
28	Risk factors for pulmonary embolism after hip and knee arthroplasty: a population-based study. International Orthopaedics, 2009, 33, 1739-1745.	0.9	103
29	Sleep Apnea and Total Joint Arthroplasty under Various Types of Anesthesia. Regional Anesthesia and Pain Medicine, 2013, 38, 274-281.	1.1	102
30	Postoperative delirium in total knee and hip arthroplasty patients: a study of perioperative modifiable risk factors. British Journal of Anaesthesia, 2018, 120, 999-1008.	1.5	102
31	Trends in mortality, complications, and demographics for primary hip arthroplasty in the United States. International Orthopaedics, 2009, 33, 643-651.	0.9	101
32	Perioperative Morbidity and Mortality After Anterior, Posterior, and Anterior/Posterior Spine Fusion Surgery. Spine, 2011, 36, 1867-1877.	1.0	96
33	Demographics and Perioperative Outcome in Patients with Depression and Anxiety Undergoing Total Joint Arthroplasty: A Population-Based Study. Psychosomatics, 2013, 54, 149-157.	2.5	96
34	A Rude Awakening â€" The Perioperative Sleep Apnea Epidemic. New England Journal of Medicine, 2013, 368, 2352-2353.	13.9	95
35	Perioperative Mortality in Patients with Pulmonary Hypertension Undergoing Major Joint Replacement. Anesthesia and Analgesia, 2010, 111, 1110-1116.	1.1	93
36	Anesthesia and Analgesia Practice Pathway Options for Total Knee Arthroplasty. Regional Anesthesia and Pain Medicine, 2017, 42, 683-697.	1.1	93

#	Article	IF	CITATIONS
37	Neuraxial and Combined Neuraxial/General Anesthesia Compared to General Anesthesia for Major Truncal and Lower Limb Surgery: A Systematic Review and Meta-analysis. Anesthesia and Analgesia, 2017, 125, 1931-1945.	1.1	89
38	Addition of Infiltration Between the Popliteal Artery and the Capsule of the Posterior Knee and Adductor Canal Block to Periarticular Injection Enhances Postoperative Pain Control in Total Knee Arthroplasty: A Randomized Controlled Trial. Anesthesia and Analgesia, 2019, 129, 526-535.	1.1	89
39	Consensus Statement from the Consensus Conference on Bilateral Total Knee Arthroplasty Group. Clinical Orthopaedics and Related Research, 2013, 471, 2649-2657.	0.7	88
40	Enhanced Recovery After Surgery in the United States. JAMA - Journal of the American Medical Association, 2019, 321, 1049.	3.8	87
41	The Metabolic Syndrome in Patients Undergoing Knee and Hip Arthroplasty. Journal of Arthroplasty, 2012, 27, 1743-1749.e1.	1.5	83
42	The impact of peripheral nerve blocks on perioperative outcome in hip and knee arthroplasty—a population-based study. Pain, 2016, 157, 2341-2349.	2.0	83
43	Increased In-hospital Complications After Primary Posterior versus Primary Anterior Cervical Fusion. Clinical Orthopaedics and Related Research, 2011, 469, 649-657.	0.7	82
44	Tranexamic acid in total joint arthroplasty: the endorsed clinical practice guides of the American Association of Hip and Knee Surgeons, American Society of Regional Anesthesia and Pain Medicine, American Academy of Orthopaedic Surgeons, Hip Society, and Knee Society. Regional Anesthesia and Pain Medicine, 2019, 44, 7-11.	1.1	79
45	Superior Trunk Block. Anesthesiology, 2019, 131, 521-533.	1.3	78
46	Peripheral nerve block anesthesia/analgesia for patients undergoing primary hip and knee arthroplasty: recommendations from the International Consensus on Anesthesia-Related Outcomes after Surgery (ICAROS) group based on a systematic review and meta-analysis of current literature. Regional Anesthesia and Pain Medicine, 2021, 46, 971-985.	1.1	77
47	Comparative Perioperative Outcomes Associated With Neuraxial Versus General Anesthesia for Simultaneous Bilateral Total Knee Arthroplasty. Regional Anesthesia and Pain Medicine, 2012, 37, 638-644.	1.1	76
48	Does the Impact of the Type of Anesthesia on Outcomes Differ by Patient Age and Comorbidity Burden?. Regional Anesthesia and Pain Medicine, 2014, 39, 112-119.	1.1	76
49	Body Mass Index More Than 45 kg/m2 as a Cutoff Point Is Associated With Dramatically Increased Postoperative Complications in Total Knee Arthroplasty and Total Hip Arthroplasty. Journal of Arthroplasty, 2016, 31, 749-753.	1.5	74
50	Periprosthetic Infection Recurrence After 2-Stage Exchange Arthroplasty: Failure or Fate?. Journal of Arthroplasty, 2017, 32, 526-531.	1.5	73
51	Subsartorial adductor canal vs femoral nerve block for analgesia after total knee replacement. International Orthopaedics, 2015, 39, 673-680.	0.9	72
52	Rheumatoid Arthritis vs Osteoarthritis in Patients Receiving Total Knee Arthroplasty: Perioperative Outcomes. Journal of Arthroplasty, 2014, 29, 308-313.	1.5	71
53	A nationwide analysis of risk factors for in-hospital myocardial infarction after total joint arthroplasty. International Orthopaedics, 2015, 39, 777-786.	0.9	70
54	Utilization of Critical Care Services among Patients Undergoing Total Hip and Knee Arthroplasty. Anesthesiology, 2012, 117, 107-116.	1.3	69

#	Article	IF	CITATIONS
55	Enhanced recovery after surgery components and perioperative outcomes: a nationwide observational study. British Journal of Anaesthesia, 2020, 124, 638-647.	1.5	69
56	Bilateral Total Knee Arthroplasty. Anesthesia and Analgesia, 2011, 113, 784-790.	1.1	68
57	Trends in the Use of Regional Anesthesia. Regional Anesthesia and Pain Medicine, 2016, 41, 43-49.	1.1	68
58	Metabolic Syndrome and Lumbar Spine Fusion Surgery. Spine, 2012, 37, 989-995.	1.0	64
59	Lack of Association Between the Use of Nerve Blockade and the Risk of Postoperative Chronic Opioid Use Among Patients Undergoing Total Knee Arthroplasty: Evidence From the Marketscan Database. Anesthesia and Analgesia, 2017, 125, 999-1007.	1.1	62
60	In-Hospital Morbidity and Postoperative Revisions After Direct Anterior vs Posterior Total Hip Arthroplasty. Journal of Arthroplasty, 2018, 33, 1421-1425.e1.	1.5	62
61	Aspirin for elective hip and knee arthroplasty: a multimodal thromboprophylaxis protocol. International Orthopaedics, 2012, 36, 1995-2002.	0.9	61
62	Epidemiology and risk factors for perioperative mortality after total hip and knee arthroplasty. Journal of Orthopaedic Research, 2012, 30, 1811-1821.	1.2	60
63	Incidence of Local Anesthetic Systemic Toxicity in Orthopedic Patients Receiving Peripheral Nerve Blocks. Regional Anesthesia and Pain Medicine, 2017, 42, 442-445.	1.1	59
64	Perioperative outcomes and type of anesthesia in hip surgical patients: An evidence based review. World Journal of Orthopedics, 2014, 5, 336.	0.8	58
65	Rate and Risk Factors for Periprosthetic Joint Infection Among 36,494 Primary Total Hip Arthroplasties. Journal of Arthroplasty, 2018, 33, 1166-1170.	1.5	58
66	Steroid Modulation of Cytokine Release and Desmosine Levels in Bilateral Total Knee Replacement. Journal of Bone and Joint Surgery - Series A, 2012, 94, 2120-2127.	1.4	57
67	Mortality of Patients With Respiratory Insufficiency and Adult Respiratory Distress Syndrome After Surgery. Journal of Intensive Care Medicine, 2012, 27, 306-311.	1.3	57
68	Analytic Reviews: Prevention of Central Venous Catheter Bloodstream Infections. Journal of Intensive Care Medicine, 2010, 25, 131-138.	1.3	56
69	In-Hospital Patient Falls After Total Joint Arthroplasty. Journal of Arthroplasty, 2012, 27, 823-828.e1.	1.5	56
70	Perioperative mortality after lumbar spinal fusion surgery: an analysis of epidemiology and risk factors. European Spine Journal, 2012, 21, 1633-1639.	1.0	55
71	Obesity as a risk factor for poor outcome in COVID-19-induced lung injury: the potential role of undiagnosed obstructive sleep apnoea. British Journal of Anaesthesia, 2020, 125, e262-e263.	1.5	53
72	Trends in Lung Surgery. Chest, 2006, 130, 1462-1470.	0.4	49

#	Article	IF	Citations
73	Perioperative Morbidity and Mortality Following Bilateral Total Hip Arthroplasty. Journal of Arthroplasty, 2014, 29, 142-148.	1.5	49
74	Critical Care Issues in the Patient After Major Joint Replacement. Journal of Intensive Care Medicine, 2007, 22, 92-104.	1.3	48
75	Trends in Bilateral Total Knee Arthroplasties: 153,259 Discharges between 1990 and 2004. Clinical Orthopaedics and Related Research, 2009, 467, 1568-1576.	0.7	48
76	Comparative in-hospital morbidity and mortality after revision versus primary thoracic and lumbar spine fusion. Spine Journal, 2010, 10, 881-889.	0.6	48
77	An Analysis of the Safety of Epidural and Spinal Neuraxial Anesthesia in More Than 100,000 Consecutive Major Lower Extremity Joint Replacements. Regional Anesthesia and Pain Medicine, 2013, 38, 515-519.	1.1	48
78	Patient, Surgery, and Hospital Related Risk Factors for Surgical Site Infections following Total Hip Arthroplasty. Scientific World Journal, The, 2015, 2015, 1-9.	0.8	47
79	Anesthetic Care for Orthopedic Patients. Anesthesiology, 2016, 124, 608-623.	1.3	47
80	Risk factors for postoperative delirium in patients undergoing lower extremity joint arthroplasty: a retrospective population-based cohort study. Regional Anesthesia and Pain Medicine, 2019, 44, 934-943.	1.1	46
81	Non-opioid analgesic modes of pain management are associated with reduced postoperative complications and resource utilisation: a retrospective study of obstructive sleep apnoea patients undergoing elective joint arthroplasty. British Journal of Anaesthesia, 2019, 122, 131-140.	1.5	46
82	Therapeutic efficacy and dose-limiting toxicity of auger-electronvs. beta emitters in radioimmunotherapy with internalizing antibodies: Evaluation of 125I-vs. 131I-labeled CO17-1A in a human colorectal cancer model., 1998, 76, 738-748.		45
83	Safety and Efficacy of Multimodal Thromboprophylaxis Following Total Knee Arthroplasty. Journal of Arthroplasty, 2013, 28, 575-579.	1.5	45
84	Use of perioperative hydroxyethyl starch 6% and albumin 5% in elective joint arthroplasty and association with adverse outcomes: a retrospective population based analysis. BMJ, The, 2015, 350, h1567-h1567.	3.0	45
85	Variability in Anesthetic Care for Total Knee Arthroplasty. American Journal of Medical Quality, 2015, 30, 172-179.	0.2	45
86	Cardiac Arrest and Seizures Caused by Local Anesthetic Systemic Toxicity After Peripheral Nerve Blocks. Regional Anesthesia and Pain Medicine, 2016, 41, 5-21.	1.1	45
87	Lack of Association Between the Use of Nerve Blockade and the Risk of Persistent Opioid Use Among Patients Undergoing Shoulder Arthroplasty: Evidence From the Marketscan Database. Anesthesia and Analgesia, 2017, 125, 1014-1020.	1.1	45
88	Assessment of Intercostal Nerve Block Analgesia for Thoracic Surgery. JAMA Network Open, 2021, 4, e2133394.	2.8	45
89	Experimental studies on the role of antibody fragments in cancer radio-immunotherapy: Influence of radiation dose and dose rate on toxicity and anti-tumor efficacy., 1998, 77, 787-795.		44
90	Opioids for Acute Pain Management in Patients With Obstructive Sleep Apnea: A Systematic Review. Anesthesia and Analgesia, 2018, 127, 988-1001.	1.1	44

#	Article	IF	CITATIONS
91	Perioperative Morbidity and Mortality of Same-day Bilateral TKAs: Incidence and Risk Factors. Clinical Orthopaedics and Related Research, 2014, 472, 111-120.	0.7	43
92	Total hip and total knee arthroplasties: trends and disparities revisited. American Journal of Orthopedics, 2010, 39, E95-102.	0.7	43
93	Do race, gender, and source of payment impact on anesthetic technique for inguinal hernia repair?. Journal of Clinical Anesthesia, 2006, 18, 328-333.	0.7	41
94	Is obstructive sleep apnea associated with difficult airway? Evidence from a systematic review and meta-analysis of prospective and retrospective cohort studies. PLoS ONE, 2018, 13, e0204904.	1.1	40
95	Have Bilateral Total Knee Arthroplasties Become Safer?: A Population-Based Trend Analysis. Clinical Orthopaedics and Related Research, 2013, 471, 17-25.	0.7	39
96	Peripheral Nerve Blocks in Shoulder Arthroplasty: How Do They Influence Complications and Length of Stay?. Clinical Orthopaedics and Related Research, 2014, 472, 1482-1488.	0.7	39
97	Pre-existing Disparities and Potential Implications for the Rapid Expansion of Telemedicine in Response to the Coronavirus Disease 2019 Pandemic. Medical Care, 2021, 59, 694-698.	1.1	38
98	Comparative Safety of Simultaneous and Staged Anterior and Posterior Spinal Surgery. Spine, 2012, 37, 247-255.	1.0	37
99	Blood Transfusions in Total Hip and Knee Arthroplasty: An Analysis of Outcomes. Scientific World Journal, The, 2014, 2014, 1-10.	0.8	36
100	Perioperative pain control after total knee arthroplasty: An evidence based review of the role of peripheral nerve blocks. World Journal of Orthopedics, 2014, 5, 225.	0.8	36
101	Infection Following Simultaneous Bilateral Total Knee Arthroplasty. Journal of Arthroplasty, 2013, 28, 92-95.	1.5	35
102	Cancellation of Elective Surgery and Intensive Care Unit Capacity in New York State: A Retrospective Cohort Analysis. Anesthesia and Analgesia, 2020, 131, 1337-1341.	1.1	34
103	Enhanced Recovery after Lumbar Spine Fusion. Anesthesiology, 2020, 133, 350-363.	1.3	34
104	Liposomal Bupivacaine Does Not Reduce Inpatient Opioid Prescription or Related Complications after Knee Arthroplasty. Anesthesiology, 2018, 129, 689-699.	1.3	33
105	Propofol for Sedation in Neuro-Intensive Care. Neurocritical Care, 2006, 4, 054-062.	1.2	32
106	Perioperative Pulmonary Circulatory Changes During Bilateral Total Hip Arthroplasty Under Regional Anesthesia. Regional Anesthesia and Pain Medicine, 2010, 35, 417-421.	1.1	32
107	The effect of low versus high tidal volume ventilation on inflammatory markers in healthy individuals undergoing posterior spine fusion in the prone position: a randomized controlled trial. Journal of Clinical Anesthesia, 2012, 24, 263-269.	0.7	32
108	Impact of Intravenous Acetaminophen on Perioperative Opioid Utilization and Outcomes in Open Colectomies. Anesthesiology, 2018, 129, 77-88.	1.3	32

#	Article	IF	Citations
109	Factors influencing unexpected disposition after orthopedic ambulatory surgery. Journal of Clinical Anesthesia, 2012, 24, 89-95.	0.7	30
110	Bilateral Total Knee Arthroplasty Guidelines: Are We There Yet?. Journal of Knee Surgery, 2013, 26, 273-280.	0.9	30
111	Infection risk assessment in patients undergoing primary total knee arthroplasty. International Orthopaedics, 2018, 42, 87-94.	0.9	30
112	New Onset Depression and Anxiety After Spinal Fusion Surgery. Spine, 2020, 45, 1161-1169.	1.0	30
113	Cure of metastatic human colonic cancer in mice with radiolabeled monoclonal antibody fragments. Clinical Cancer Research, 2000, 6, 4900-7.	3.2	30
114	Modifiable factors associated with postoperative delirium after hip fracture repair. European Journal of Anaesthesiology, 2020, 37, 649-658.	0.7	29
115	Regional Anesthesia and Analgesia in Critically III Patients. Regional Anesthesia and Pain Medicine, 2012, 37, 537-544.	1.1	28
116	Does Limb Preconditioning Reduce Pain After Total Knee Arthroplasty? A Randomized, Double-blind Study. Clinical Orthopaedics and Related Research, 2014, 472, 1467-1474.	0.7	28
117	Additives to local anesthetics for peripheral nerve blocks or local anesthesia: a review of the literature. Pain Management, 2015, 5, 117-128.	0.7	28
118	Perioperative Inflammatory Response in Total Knee Arthroplasty Patients. Regional Anesthesia and Pain Medicine, 2010, 35, 412-416.	1.1	27
119	Changes in Anesthesia-Related Factors in Ambulatory Knee and Shoulder Surgery. Regional Anesthesia and Pain Medicine, 2011, 36, 327-331.	1.1	27
120	Postoperative Hypoxemia in Orthopedic Patients with Obstructive Sleep Apnea. HSS Journal, 2011, 7, 2-8.	0.7	27
121	Tranexamic Acid Administration is Associated With a Decreased Odds of Prosthetic Joint Infection Following Primary Total Hip and Primary Total Knee Arthroplasty: A National Database Analysis. Journal of Arthroplasty, 2021, 36, 1109-1113.	1.5	27
122	Hip fracture characteristics and outcomes during COVID-19: a large retrospective national database review. British Journal of Anaesthesia, 2021, 127, 15-22.	1.5	27
123	Do Hospitals Performing Frequent Neuraxial Anesthesia for Hip and Knee Replacements Have Better Outcomes?. Anesthesiology, 2018, 129, 428-439.	1.3	26
124	Implant retention after acute and hematogenous periprosthetic hip and knee infections: Whom, when and how?. World Journal of Orthopedics, 2016, 7, 546.	0.8	26
125	Impact of Melatonin on Sleep and Pain After Total Knee Arthroplasty Under Regional Anesthesia With Sedation: A Double-Blind, Randomized, Placebo-Controlled Pilot Study. Journal of Arthroplasty, 2015, 30, 2370-2375.	1.5	25
126	Association between same day discharge total knee and total hip arthroplasty and risks of cardiac/pulmonary complications and readmission: a population-based observational study. BMJ Open, 2019, 9, e031260.	0.8	25

#	Article	IF	CITATIONS
127	Trends in total knee and hip arthroplasty recipients: a retrospective cohort study. Regional Anesthesia and Pain Medicine, 2019, 44, 854-859.	1.1	25
128	Anesthesia and analgesia for total knee arthroplasty. Minerva Anestesiologica, 2018, 84, 1406-1412.	0.6	24
129	Perioperative Management of the Patient With Obstructive Sleep Apnea: A Narrative Review. Anesthesia and Analgesia, 2021, 132, 1231-1243.	1.1	23
130	Multimodal Pain Management and Postoperative Outcomes in Lumbar Spine Fusion Surgery. Spine, 2020, 45, 580-589.	1.0	22
131	Machine learning approaches in predicting ambulatory same day discharge patients after total hip arthroplasty. Regional Anesthesia and Pain Medicine, 2021, 46, 779-783.	1.1	22
132	Intravenous Acetaminophen Does Not Reduce Inpatient Opioid Prescription or Opioid-Related Adverse Events Among Patients Undergoing Spine Surgery. Anesthesia and Analgesia, 2018, 127, 1221-1228.	1.1	21
133	The impact of obesity on resource utilization among patients undergoing total joint arthroplasty. International Orthopaedics, 2019, 43, 269-274.	0.9	21
134	Trends in Comorbidities and Complications Among Patients Undergoing Hip Fracture Repair. Anesthesia and Analgesia, 2021, 132, 475-484.	1.1	21
135	Fascial plane blocks: a narrative review of the literature. Regional Anesthesia and Pain Medicine, 2021, 46, 600-617.	1.1	21
136	Change in Off-Label Use of Bone Morphogenetic Protein in Spine Surgery and Associations with Adverse Outcome. Global Spine Journal, 2016, 6, 650-659.	1.2	20
137	The Perioperative Surgical Home model facilitates change implementation in anesthetic technique within a clinical pathway for total knee arthroplasty. Healthcare, 2016, 4, 334-339.	0.6	20
138	Perioperative Morbidity of Same-Day and Staged Bilateral Total Hip Arthroplasty. Journal of Arthroplasty, 2017, 32, 2974-2979.e1.	1.5	20
139	Tranexamic acid and orthopedic surgery-the search for the holy grail of blood conservation. Annals of Translational Medicine, 2015, 3, 77.	0.7	20
140	Nerve stimulator versus ultrasound guidance for placement of popliteal catheters for foot and ankle surgery. Journal of Clinical Anesthesia, 2012, 24, 44-50.	0.7	19
141	Trends in Same-Day Bilateral Total Knee Arthroplasty. Journal of Arthroplasty, 2014, 29, 1713-1716.	1.5	19
142	Adherence to a Multimodal Analgesic Clinical Pathway. Regional Anesthesia and Pain Medicine, 2017, 42, 368-371.	1.1	19
143	Effects of a multimodal analgesic pathway with transversus abdominis plane block for lumbar spine fusion: a prospective feasibility trial. European Spine Journal, 2019, 28, 2077-2086.	1.0	19
144	Risk factors for new-onset depression or anxiety following total joint arthroplasty: the role of chronic opioid use. Regional Anesthesia and Pain Medicine, 2019, 44, 990-997.	1.1	19

#	Article	IF	Citations
145	Anterior Quadratus Lumborum Block Does Not Provide Superior Pain Control after Hip Arthroscopy: A Double-blinded Randomized Controlled Trial. Anesthesiology, 2021, 135, 433-441.	1.3	19
146	Correlation Between Centrally Versus Peripherally Transduced Venous Pressure in Prone Patients Undergoing Posterior Spine Surgery. Spine, 2008, 33, E643-E647.	1.0	18
147	Association of opioid prescription and perioperative complications in obstructive sleep apnea patients undergoing total joint arthroplasties. Sleep and Breathing, 2018, 22, 115-121.	0.9	18
148	Neuraxial anaesthesia techniques and postoperative outcomes among joint arthroplasty patients: is spinal anaesthesia the best option?. British Journal of Anaesthesia, 2018, 121, 842-849.	1.5	18
149	Perioperative Morbidity and Mortality of Same-admission Staged Bilateral TKA. Clinical Orthopaedics and Related Research, 2015, 473, 190-197.	0.7	17
150	A pragmatic approach to evaluating new techniques in regional anesthesia and acute pain medicine. Pain Management, 2018, 8, 475-485.	0.7	17
151	ERAS guidelines for hip and knee replacement $\hat{a}\in$ need for reanalysis of evidence and recommendations?. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 243-245.	1.2	17
152	Interaction between peri-operative blood transfusion, tidal volume, airway pressure and postoperative ARDS: an individual patient data meta-analysis. Annals of Translational Medicine, 2018, 6, 23-23.	0.7	17
153	Multimodal prophylaxis in patients with a history of venous thromboembolism undergoing primary elective hip arthroplasty. Bone and Joint Journal, 2020, 102-B, 71-77.	1.9	16
154	Pulmonary complications after spine surgery. World Journal of Orthopedics, 2012, 3, 156.	0.8	16
155	Urine Desmosine as a Marker of Lung Injury following Total Knee Arthroplasty. A Pilot Study. HSS Journal, 2009, 5, 154-158.	0.7	15
156	Staging Bilateral Total Knee Arthroplasty During the Same Hospitalization: The Impact of Timing. Journal of Arthroplasty, 2015, 30, 1172-1176.	1.5	15
157	Trends in Inpatient Resource Utilization and Complications Among Total Joint Arthroplasty Recipients: A Retrospective Cohort Study. Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews, 2018, 2, e058.	0.4	15
158	Trends in Comorbidities and Complications Among Patients Undergoing Inpatient Spine Surgery. Spine, 2020, 45, 1299-1308.	1.0	15
159	Obstructive Sleep Apnea, Obesity, and Noninvasive Ventilation: Considerations During the COVID-19 Pandemic. Anesthesia and Analgesia, 2020, 131, 318-322.	1.1	15
160	Cost-effectiveness Analysis of Preoperative Screening Strategies for Obstructive Sleep Apnea among Patients Undergoing Elective Inpatient Surgery. Anesthesiology, 2020, 133, 787-800.	1.3	15
161	Do Neuraxial Techniques Affect Perioperative Outcomes? The Story of Vantage Points and Number Games. Anesthesia and Analgesia, 2014, 119, 501-502.	1.1	14
162	Surgical approach does not affect deep infection rate after primary total hip arthroplasty. HIP International, 2019, 29, 597-602.	0.9	14

#	Article	IF	CITATIONS
163	Association of perioperative midazolam use and complications: a population-based analysis. Regional Anesthesia and Pain Medicine, 2022, 47, 228-233.	1.1	14
164	Hemodynamic effects of angiotensin inhibitors in elderly hypertensives undergoing total knee arthroplasty under regional anesthesia. Journal of the American Society of Hypertension, 2014, 8, 644-651.	2.3	13
165	Risk factors for reintubation after anterior cervical discectomy and fusion surgery: evaluation of three observational data sets. Canadian Journal of Anaesthesia, 2020, 67, 42-56.	0.7	13
166	Enhanced Recovery Implementation and Perioperative Outcomes in Posterior Fusion Patients. Spine, 2020, 45, E1039-E1046.	1.0	13
167	Radioimmunotherapy of colorectal cancer in small volume disease and in an adjuvant setting: preclinical evaluation in comparison to equitoxic chemotherapy and initial results of an ongoing phase-I/II clinical trial. Anticancer Research, 1999, 19, 2427-32.	0.5	13
168	Autonomic Mechanisms in the Age-Related Hypotensive Effect of Propofol. Anesthesia and Analgesia, 2005, 100, 111-115.	1.1	12
169	Anesthesia type and perioperative outcome: open colectomies in the United States. Journal of Surgical Research, 2015, 193, 684-692.	0.8	12
170	Same-Day Surgery Does Not Increase Deep Infection Risk in Bilateral Total Hip Arthroplasty Patients. Journal of Arthroplasty, 2016, 31, 237-241.	1.5	12
171	Characterization of Re-admission and Emergency Department Visits Within 90ÂDays Following Lower-Extremity Arthroplasty. HSS Journal, 2018, 14, 271-281.	0.7	12
172	Tranexamic acid administration during total joint arthroplasty surgery is not associated with an increased risk of perioperative seizures: a national database analysis. Regional Anesthesia and Pain Medicine, 2020, 45, 505-508.	1.1	12
173	The Utilization of Regional Anesthesia Among Pediatric Patients: A Retrospective Study. HSS Journal, 2020, 16, 425-435.	0.7	12
174	Fast-track hip and knee arthroplastyhow fast?. British Journal of Anaesthesia, 2021, 126, 348-349.	1.5	12
175	Perioperative comparative effectiveness research. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2011, 25, 535-547.	1.7	11
176	Factors associated with hospital admission after rotator cuff repair: the role of peripheral nerve blockade. Journal of Clinical Anesthesia, 2015, 27, 566-573.	0.7	11
177	Outcomes Associated with Early Postoperative Noninvasive Ventilation in Bariatric Surgical Patients with Sleep Apnea. Journal of Clinical Sleep Medicine, 2016, 12, 1507-1516.	1.4	11
178	Demographics, outcomes, and risk factors for adverse events associated with primary and revision total hip arthroplasties in the United States. American Journal of Orthopedics, 2010, 39, E72-7.	0.7	11
179	Chest Tube Suction-Associated Unilateral Negative Pressure Pulmonary Edema in a Lung Transplant Patient. Anesthesia and Analgesia, 2005, 101, 38-40.	1.1	10
180	Suboptimal Diagnostic Accuracy of Obstructive Sleep Apnea in One Database Does Not Invalidate Previous Observational Studies. Anesthesiology, 2016, 124, 1192-1193.	1.3	10

#	Article	IF	Citations
181	Trends in Perioperative Practice and Resource Utilization in Patients With Obstructive Sleep Apnea Undergoing Joint Arthroplasty. Anesthesia and Analgesia, 2017, 125, 66-77.	1.1	10
182	Are Case Volume and Facility Complexity Level Associated With Postoperative Complications After Hip Fracture Surgery in the Veterans Affairs Healthcare System?. Clinical Orthopaedics and Related Research, 2019, 477, 177-190.	0.7	10
183	Association between sex and perioperative opioid prescribing for total joint arthroplasty: a retrospective population-based study. British Journal of Anaesthesia, 2021, 126, 1217-1225.	1.5	10
184	Bariatric surgery and total knee/hip arthroplasty: an analysis of the impact of sequence and timing on outcomes. Regional Anesthesia and Pain Medicine, 2021, 46, 941-945.	1,1	10
185	Comparative utility of centrally versus peripherally transduced venous pressure monitoring in the perioperative period in spine surgery patients. Journal of Clinical Anesthesia, 2012, 24, 542-548.	0.7	9
186	Blood Conservation. Journal of Orthopaedic Research, 2014, 32, S81-9.	1.2	9
187	Discharge Against Medical Advice of Elderly Inpatients in the United States. Journal of the American Geriatrics Society, 2017, 65, 2094-2099.	1.3	9
188	The impact of anesthesia and surgical provider characteristics on outcomes after spine surgery. European Spine Journal, 2019, 28, 2112-2121.	1.0	9
189	Increased Use of Intra-Articular Steroid Injection to Treat Osteoarthritis is Associated With Chronic Opioid Dependence After Later Total Knee Arthroplasty But Not Total Hip Arthroplasty. Journal of Arthroplasty, 2020, 35, 1979-1982.	1.5	9
190	Elective orthopedic surgery during COVID-19. Regional Anesthesia and Pain Medicine, 2021, 46, 825-827.	1.1	9
191	Pediatric Tibial Spine Fractures: Exploring Case Burden by Age and Sex. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110272.	0.8	9
192	Disparities in the provision of regional anesthesia and analgesia in total joint arthroplasty: The role of patient and hospital level factors. Journal of Clinical Anesthesia, 2021, 75, 110440.	0.7	9
193	The Utility of Urine Desmosine as a Marker of Lung Injury in Spine Surgery. HSS Journal, 2010, 6, 160-163.	0.7	8
194	Sleep apnea in total joint arthroplasty patients and the role for cardiac biomarkers for risk stratification: an exploration of feasibility. Biomarkers in Medicine, 2016, 10, 265-300.	0.6	8
195	The Impact of Hypotensive Epidural Anesthesia on Distal and Proximal Tissue Perfusion in Patients Undergoing Total Hip Arthroplasty. Journal of Anesthesia & Clinical Research, 2013, 04, 366.	0.1	8
196	An Overview of Commonly Used Data Sources in Observational Research in Anesthesia. Anesthesia and Analgesia, 2022, 134, 548-558.	1.1	8
197	The Perioperative Use of Benzodiazepines for Major Orthopedic Surgery in the United States. Anesthesia and Analgesia, 2022, 134, 486-495.	1.1	8
198	Utilization of machine learning methods for predicting surgical outcomes after total knee arthroplasty. PLoS ONE, 2022, 17, e0263897.	1.1	8

#	Article	IF	Citations
199	Transesophageal Echocardiography During Cardiac Arrest in Orthopedic Surgery Patients: A Report of Two Cases and a Review of the Literature. HSS Journal, 2013, 9, 275-277.	0.7	7
200	Critical Care in Patients Undergoing Lumbar Spine Fusion. Journal of Intensive Care Medicine, 2014, 29, 275-284.	1.3	7
201	Patient Safety and Comparative Effectiveness of Anesthetic Technique in Open Lung Resections. Chest, 2015, 148, 722-730.	0.4	7
202	Use of Topical Tranexamic Acid Reduces Direct and Indirect Blood Loss and Transfusion Rates in Revision Total Hip Arthroplasty. HSS Journal, 2020, 16, 285-292.	0.7	7
203	Fascial Plane Blocks for Cardiac Surgery: New Frontiers in Analgesia and Nomenclature. Anesthesia and Analgesia, 2020, 131, 125-126.	1.1	7
204	Persistent opioid use after surgical treatment of paediatric fracture. British Journal of Anaesthesia, 2021, 126, 1192-1199.	1.5	7
205	Effect of portable negative pressure units on expelled aerosols in the operating room environment. Regional Anesthesia and Pain Medicine, 2022, 47, 426-429.	1.1	7
206	Which Outcomes Related to Regional Anesthesia Are Most Important for Orthopedic Surgery Patients?. Anesthesiology Clinics, 2014, 32, 809-821.	0.6	6
207	Perioperative Research Fellowship. Regional Anesthesia and Pain Medicine, 2014, 39, 363-367.	1.1	6
208	Blood Conservation. Journal of Arthroplasty, 2014, 29, 65-70.	1.5	6
209	Invasive Mechanical Ventilation in California Over 2000-2009: Implications for Emergency Medicine. Western Journal of Emergency Medicine, 2015, 16, 696-706.	0.6	6
210	Blood Transfusions May Have Limited Effect on Muscle Oxygenation After Total Knee Arthroplasty. HSS Journal, 2015, 11, 136-142.	0.7	6
211	Provider Board Certification Status and Practice Patterns in Total Knee Arthroplasty. Academic Medicine, 2016, 91, 79-86.	0.8	6
212	A matched case–control comparison of hospital costs and outcomes for knee replacement patients admitted postoperatively to acute care versus rehabilitation. Journal of Anesthesia, 2017, 31, 785-788.	0.7	6
213	Perioperative impact of sleep apnea in a high-volume specialty practice with a strong focus on regional anesthesia: a database analysis. Regional Anesthesia and Pain Medicine, 2019, 44, 303-308.	1.1	6
214	Return to Normal: Prioritizing Elective Surgeries With Low Resource Utilization. Anesthesia and Analgesia, 2020, 131, e99-e102.	1.1	6
215	Trends and Outcomes in Pediatric Patients Undergoing Scoliosis Repair: A Population-Based Study. Anesthesia and Analgesia, 2020, 131, 1890-1900.	1.1	6
216	Bilateral vs Unilateral Total Knee Arthroplasty: Racial Variation in Utilization and In-Hospital Major Complication Rates. Journal of Arthroplasty, 2021, 36, 1310-1317.	1.5	6

#	Article	IF	Citations
217	Five-year follow-up to assess long-term sustainability of changing clinical practice regarding anesthesia and regional analgesia for lower extremity arthroplasty. Korean Journal of Anesthesiology, 2020, 73, 401-407.	0.9	6
218	Perioperative Use of Antifibrotic Medications Associated With Lower Rate of Manipulation After Primary TKA: An Analysis of 101,366 Patients. Journal of Arthroplasty, 2022, 37, S1010-S1015.e1.	1.5	6
219	Regional anesthesia techniques and postoperative delirium: systematic review and meta-analysis. Minerva Anestesiologica, 2022, 88, .	0.6	6
220	Bilateral total knee arthroplasties: a call for practice guidelines. Journal of Clinical Anesthesia, 2013, 25, 171-172.	0.7	5
221	Optimizing Intraoperative Blood Management for One-Stage Bilateral Total Knee Arthroplasty. HSS Journal, 2018, 14, 202-210.	0.7	5
222	Regional Anesthesia and Readmission Rates After Total Knee Arthroplasty. Anesthesia and Analgesia, 2019, 128, 1319-1327.	1.1	5
223	Recommendations for resuming elective spine surgery in the COVID-19 era. British Journal of Anaesthesia, 2020, 125, e339-e341.	1.5	5
224	Venous thromboembolism and prophylaxis therapy after elective spine surgery: a population-based study. Canadian Journal of Anaesthesia, 2021, 68, 345-357.	0.7	5
225	Machine Learning Approaches to Define Candidates for Ambulatory Single Level Laminectomy Surgery. Global Spine Journal, 2021, , 219256822097983.	1.2	5
226	Regional anaesthesia quality indicators for adult patients undergoing nonâ€cardiac surgery: a systematic review. Anaesthesia, 2021, 76, 89-99.	1.8	5
227	Risk factors for postoperative delirium in patients undergoing lower extremity joint arthroplasty: a retrospective population-based cohort study. Regional Anesthesia and Pain Medicine, 2021, 46, 94-95.	1.1	5
228	Development and Internal Validation of Machine Learning Algorithms for Predicting Hyponatremia After TJA. Journal of Bone and Joint Surgery - Series A, 2022, 104, 265-270.	1.4	5
229	Perioperative management in complex spine surgery. Minerva Anestesiologica, 2022, 88, .	0.6	5
230	Pulmonary circulatory changes after bilateral total knee arthroplasty during regional anesthesia. Journal of Clinical Anesthesia, 2013, 25, 4-8.	0.7	4
231	Incidence of Laminectomy and Imaging After Neuraxial Anesthesia. Anesthesia and Analgesia, 2014, 119, 1451-1452.	1.1	4
232	Anesthesia, Outcomes, and Public Health. Regional Anesthesia and Pain Medicine, 2014, 39, 192-194.	1.1	4
233	The Effect of Regional Analgesia on Vascular Tone in Hip Arthroplasty Patients. HSS Journal, 2016, 12, 125-131.	0.7	4
234	Clinical Indicators of the Need for Telemetry Postoperative Monitoring in Patients With Suspected Obstructive Sleep Apnea Undergoing Total Knee Arthroplasty. Regional Anesthesia and Pain Medicine, 2018, 43, 43-49.	1.1	4

#	Article	IF	Citations
235	Regional anesthesia and pain management in patients with sleep apnea. Current Opinion in Anaesthesiology, 2019, 32, 683-689.	0.9	4
236	Thirty-Day Outcomes After Bilateral Total Hip Arthroplasty in a Nationwide Cohort. Arthroplasty Today, 2020, 6, 405-409.	0.8	4
237	Modifiable Analgesia-/Anesthesia-Related Factors and Risk of Severe Gastrointestinal Complications After Lower Extremity Total Joint Arthroplasty: A Nationwide Analysis. Journal of Arthroplasty, 2020, 35, 2624-2630.e2.	1.5	4
238	Improving Safety of Bilateral Knee Arthroplasty: Impact of Selection Criteria on Perioperative Outcome. HSS Journal, 2022, 18, 248-255.	0.7	4
239	Differential Perioperative Outcomes in Patients With Obstructive Sleep Apnea, Obesity, or a Combination of Both Undergoing Open Colectomy: A Population-Based Observational Study. Anesthesia and Analgesia, 2021, 133, 755-764.	1.1	4
240	Disparities in care, public health and the role of the anesthesiologist. Regional Anesthesia and Pain Medicine, 2019, 44, 837-838.	1.1	4
241	Regional anesthesia in patients with significant comorbid disease. Minerva Anestesiologica, 2013, 79, 1281-90.	0.6	4
242	Factors influencing patient disposition after ambulatory herniorrhaphy. Ambulatory Surgery, 2005, 12, 67-73.	0.1	3
243	Inhospital Complications and Mortality of Patients Undergoing Primary Unilateral, Bilateral, and Revision Total Knee Arthroplasty: A Study of 4169489 Hospital Discharges in the United States Between 1990 and 2004. Journal of Arthroplasty, 2008, 23, 316.	1.5	3
244	Influence of Intraaortic Balloon Pump Counterpulsation on Transesophageal Echocardiography Derived Determinants of Diastolic Function. PLoS ONE, 2015, 10, e0118788.	1.1	3
245	Obstructive sleep apnea in adult patients: considerations for anesthesia and acute pain management. Pain Management, 2015, 5, 37-46.	0.7	3
246	Does blood transfusion type affect complication and length of stay following same-day bilateral total knee arthroplasty?. Journal of Orthopaedics, 2018, 15, 308-312.	0.6	3
247	Changes in the augmentation index and postoperative orthostatic intolerance in orthopedic surgery: a prospective cohort study. Canadian Journal of Anaesthesia, 2018, 65, 1012-1028.	0.7	3
248	What Can Regional Anesthesiology and Acute Pain Medicine Learn from "Big Data�. Anesthesiology Clinics, 2018, 36, 467-478.	0.6	3
249	Anaesthesia provider volume and perioperative outcomes in total joint arthroplasty surgery. British Journal of Anaesthesia, 2019, 123, 679-687.	1.5	3
250	Impact of obstructive sleep apnea on perioperative complications among patients undergoing hysterectomy: a population-based analysis. Sleep Medicine, 2019, 56, 117-122.	0.8	3
251	Preoperative Echocardiography in Hip Fracture Patients: A Waste of Time or Good Practice?. Anesthesia and Analgesia, 2019, 128, 207-208.	1.1	3
252	Unrecognized Obstructive Sleep Apnea and Postoperative Cardiovascular Complications. JAMA - Journal of the American Medical Association, 2019, 321, 1774.	3.8	3

#	Article	IF	CITATIONS
253	A Multidisciplinary Perioperative Intervention to Improve Positive Airway Pressure Adherence in Patients With Obstructive Sleep Apnea. A& A Practice, 2020, 14, 119-122.	0.2	3
254	Bilateral Total Knee Arthroplasty and In-Hospital Opioid Dispension: A Population-Based Study. Journal of Arthroplasty, 2020, 35, 3581-3586.	1.5	3
255	Ultrasound guidance for peripheral nerve blocks: an observational trend study of national data. Regional Anesthesia and Pain Medicine, 2020, 45, 681-683.	1.1	3
256	State of the anaesthesia workforce in the United States: trends and geographic variation in nurse anaesthetist to physician anaesthesiologist ratios. British Journal of Anaesthesia, 2021, 126, e19-e21.	1.5	3
257	In Reply. Anesthesiology, 2014, 120, 246-247.	1.3	3
258	Editors' commentary. Regional Anesthesia and Pain Medicine, 2020, 45, 755-756.	1.1	3
259	Risk of chronic opioid use after simultaneous versus staged bilateral knee arthroplasty. Regional Anesthesia and Pain Medicine, 2021, 46, 405-409.	1.1	3
260	Health Services Research in Anesthesia: A Brief Overview of Common Methodologies. Anesthesia and Analgesia, 2022, 134, 540-547.	1.1	3
261	Is There Synergistic Effect Between Obesity and Hypoalbuminemia on Postoperative Outcomes Among Primary Total Shoulder Arthroplasty Recipients?. HSS Journal, 2022, 18, 504-511.	0.7	3
262	Pulmonary thrombectomy in a patient with hemoglobin Nottingham. Perfusion (United Kingdom), 2007, 22, 299-301.	0.5	2
263	Rhabdomyolysis is a Potential Complication of Total Hip Arthroplasty in the Morbidly Obese. HSS Journal, 2013, 9, 200-202.	0.7	2
264	Perioperative Management in Hepatic Resections: Comparative Effectiveness of Neuraxial Anesthesia and Disparity of Care Patterns. Anesthesia and Analgesia, 2018, 127, 855-863.	1.1	2
265	Response to Letter to the Editor on "The Safety of Tranexamic Acid in Total Joint Arthroplasty: A Direct Meta-Analysis― Journal of Arthroplasty, 2018, 33, 3368-3369.	1.5	2
266	Chronic opioid use and long-term mortality: a global problem. British Journal of Anaesthesia, 2020, 124, 17-19.	1.5	2
267	Enhanced Recovery Components for Posterior Lumbar Spine Fusion. Clinical Spine Surgery, 2021, Publish Ahead of Print, .	0.7	2
268	Case Report: 100-year-old COVID-positive Hip Fracture Patient for Hemiarthroplasty Under Spinal Anesthesia. Gerontology and Geriatric Medicine, 2020, 6, 233372142095676.	0.8	2
269	The Use of Critical Care Services After Orthopedic Surgery at a High-Volume Orthopedic Medical Center: A Retrospective Study. HSS Journal, 2022, 18, 344-350.	0.7	2
270	The world needs our science: broadening the research pipeline in anesthesiology. Regional Anesthesia and Pain Medicine, 2021, 46, 164-168.	1.1	2

#	Article	IF	CITATIONS
271	Utilisation of prescription cannabinoids in different surgical cohorts in the United States: a population-based study. British Journal of Anaesthesia, 2022, 128, e341-e342.	1.5	2
272	Tramadol prescribed at discharge is associated with lower odds of chronic opioid use after elective total joint arthroplasty. Regional Anesthesia and Pain Medicine, 2022, 47, 560-565.	1.1	2
273	Perioperative Outcomes in Orthopedic Surgery. Scientific World Journal, The, 2015, 2015, 1-2.	0.8	1
274	Perioperative blood transfusions. BMJ, The, 2015, 350, h3153-h3153.	3.0	1
275	Patient preference survey: are patients willing to delay surgery if obstructive sleep apnea is suspected?. BMC Anesthesiology, 2018, 18, 128.	0.7	1
276	Cost of Care for Patients With Pre-Existing Comorbidities Undergoing Total Joint Arthroplasty: A Retrospective Cohort Study Evaluating Disease-Specific Perioperative Care. Journal of Arthroplasty, 2019, 34, 2846-2854.e2.	1.5	1
277	An Observational Study of Cerebral Blood Flow Velocity Evaluation in the Prone Position During Posterior Lumbar Surgery. Anesthesia and Analgesia, 2019, 129, 487-492.	1.1	1
278	Outcome Selection and Methodological Quality of Major and Minor Shoulder Surgery Studies: A Scoping Review. Clinical Orthopaedics and Related Research, 2019, 477, 606-619.	0.7	1
279	Regional Anesthesia. Anesthesiology, 2019, 131, 1205-1206.	1.3	1
280	General Assembly, Prevention, Operating Room - Anesthesia Matters: Proceedings of International Consensus on Orthopedic Infections. Journal of Arthroplasty, 2019, 34, S93-S95.	1.5	1
281	Enhanced Recovery After Surgery Protocols: Clinical Pathways Tailored for Obstructive Sleep Apnea Patients. Anesthesia and Analgesia, 2020, 131, 1635-1639.	1.1	1
282	The Impact of Immunization and Use of Oseltamivir on Influenza-Related Hospitalizations: A Population-Based Study. Journal of Primary Care and Community Health, 2021, 12, 215013272110059.	1.0	1
283	Preliminary analysis of factors affecting publication of abstracts presented during the 2017 American Society of Regional Anesthesia and Pain Medicine spring annual meeting. Regional Anesthesia and Pain Medicine, 2022, 47, 192-193.	1.1	1
284	Microvascular response to transfusion in elective spine surgery. World Journal of Orthopedics, 2017, 8, 49.	0.8	1
285	General versus spinal anesthesia in joint arthroplasties. Annals of Translational Medicine, 2015, 3, 161.	0.7	1
286	Trends in discontinuation of buprenorphine following elective orthopedic surgery: a national database analysis. Regional Anesthesia and Pain Medicine, 2022, 47, 573-575.	1.1	1
287	Trends in the Use of Epidural Steroid Injections to Treat Back Pain Before Spine Surgery. Pain Medicine, 2022, 23, 2089-2091.	0.9	1
288	TRENDS IN THE PREVALENCE OF PULMONARY COMORBIDITIES AND COMPLICATIONS AFTER PRIMARY TOTAL KNEE ARTHROPLASTY: UNITED STATES 1990–2004. Chest, 2007, 132, 547C.	0.4	0

#	Article	IF	CITATIONS
289	Reply to: Do race, gender, and source of payment impact on anesthetic technique for inguinal hernia repair?. Journal of Clinical Anesthesia, 2007, 19, 76-77.	0.7	O
290	P186. Demographics Utilization and Outcomes Associated with Anterior Cervical Fusion Procedures: United States, 1990–2004. Spine Journal, 2008, 8, 189S-190S.	0.6	0
291	In Reply:. Anesthesiology, 2013, 118, 1234-1235.	1.3	0
292	Outcomes Research in Perioperative Medicine. Advances in Anesthesiology, 2014, 2014, 1-10.	0.1	0
293	Guest Editorial: Perioperative Pain Management in Orthopaedic Surgery: Editorial Comment. Clinical Orthopaedics and Related Research, 2014, 472, 1375-1376.	0.7	0
294	Impact of Regional Anesthesia on Perioperative Outcomes. Current Anesthesiology Reports, 2015, 5, 209-216.	0.9	0
295	Reply to Dr Hiscock et al. Regional Anesthesia and Pain Medicine, 2018, 43, 649-650.	1.1	0
296	Reply. Pain, 2018, 159, 806-807.	2.0	0
297	In Response. Anesthesia and Analgesia, 2018, 126, 732-732.	1.1	0
298	Same-Day Surgery Does Not Increase the Manipulation Under Anesthesia and Reoperation Rates for Stiffness Following Bilateral Total Knee Arthroplasty. Journal of Arthroplasty, 2019, 34, 2646-2651.	1.5	0
299	In Reply. Anesthesiology, 2019, 130, 515-516.	1.3	0
300	Perioperative Screening for Sleep Apnea. Anesthesia and Analgesia, 2019, 129, 1454-1455.	1.1	0
301	Hospital-level Neuraxial Use in Orthopedics: Reply. Anesthesiology, 2019, 130, 1088-1089.	1.3	0
302	Surgeon–anaesthesiologist team case volume and perioperative outcomes in total joint arthroplasty. British Journal of Anaesthesia, 2020, 125, e395-e396.	1.5	0
303	Lack of July effect in the utilization of neuraxial and peripheral nerve block in US teaching hospitals: a retrospective analysis. Regional Anesthesia and Pain Medicine, 2020, 45, 357-361.	1.1	0
304	Factors affecting need for manipulation after total knee arthroplasty: a retrospective case–control cohort study. British Journal of Anaesthesia, 2021, 126, e29-e31.	1.5	0
305	Evaluation of trends in continuous peripheral nerve block utilization for total knee arthroplasty within and outside the Veterans Affairs Healthcare System. Regional Anesthesia and Pain Medicine, 2022, 47, rapm-2021-102731.	1.1	0
306	UTILITY OF TRANSESOPHAGEAL ECHOCARDIOGRAPHY DURING INTRAOPERATIVE CARDIAC ARREST. Chest, 2005, 128, 167S.	0.4	0

#	Article	IF	CITATIONS
307	TEMPORAL TRENDS IN LUNG RESECTION SURGERY, UNITED STATES, 1988 TO 2002. Chest, 2005, 128, 206S.	0.4	0
308	Successful Management of a Trauma Patient With Pulmonary Hemorrhage Using a Wire-Guided Bronchial Blocker. Journal of Trauma, 2007, 63, E127-E129.	2.3	0
309	Don't Patients Have Two Knees?. Anesthesiology, 2010, 113, 257-258.	1.3	0
310	Risk and Benefits of Bilateral Total Knee Replacement Surgery. , 2014, , 267-280.		0
311	The Pathophysiologic Events of Total Joint Replacement Surgery. , 2014, , 41-49.		0
312	In Reply. Anesthesiology, 2014, 121, 669-669.	1.3	0
313	Patient safety and comparative effectiveness of anesthetic technique in lung resections: A population-based analysis Journal of Clinical Oncology, 2015, 33, e12612-e12612.	0.8	0
314	Perioperative Medicine: Defining the Anesthesiologist's Role in Shaping Perioperative Outcomes. , 2016, , 1-14.		0
315	Reply to Deflandre and Lacroix. Regional Anesthesia and Pain Medicine, 2019, 44, 754.2-755.	1.1	0
316	Risks and Benefits of Bilateral Total Knee Replacement Surgery. , 2020, , 343-355.		0
317	Superior Trunk Block <i>versus</i> Interscalene Block: Reply. Anesthesiology, 2020, 132, 1286-1286.	1.3	0
318	Perioperative Care of the Orthopedic Patient with Sleep-Disordered Breathing: Obstructive Sleep Apnea., 2020,, 245-256.		0
319	The Pathophysiologic Events of Total Joint Replacement Surgery. , 2020, , 63-71.		0
320	Excess Readmission-Based Penalty: Is Arthroplasty Different From the Other Outcomes?. Journal of Surgical Orthopaedic Advances, 2018, 27, 286-294.	0.1	0
321	Factors associated with long-term opioid use in paediatric surgical patients. European Journal of Anaesthesiology, 2022, 39, 277-278.	0.7	0
322	Minimally invasive pedicle-based non-fusion stabilization of the lumbar spine. Journal of Neurosurgical Sciences, 2016, 60, 134-6.	0.3	0
323	Reply to â€~Can we trust the black box?'. Regional Anesthesia and Pain Medicine, 2022, 47, 338.2-339.	1.1	0
324	Anaesthesia practice in the first wave of the COVID-19 outbreak in the United States: a population-based cohort study. British Journal of Anaesthesia, 2022, , .	1.5	0

#	Article	lF	CITATIONS
325	Outcomes After Orthopedic Trauma Surgery – What is the Role of the Anesthesia Choice?. Anesthesiology Clinics, 2022, , .	0.6	0