

Stavros G Memtsoudis

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1960954/stavros-g-memtsoudis-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

298
papers

8,632
citations

52
h-index

83
g-index

326
ext. papers

10,654
ext. citations

3.8
avg. IF

6.28
L-index

#	Paper	IF	Citations
298	Association of perioperative midazolam use and complications: a population-based analysis.. <i>Regional Anesthesia and Pain Medicine</i> , 2022 ,	3.4	1
297	Factors associated with long-term opioid use in paediatric surgical patients.. <i>European Journal of Anaesthesiology</i> , 2022 , 39, 277-278	2.3	
296	Evaluation of trends in continuous peripheral nerve block utilization for total knee arthroplasty within and outside the Veterans Affairs Healthcare System. <i>Regional Anesthesia and Pain Medicine</i> , 2022 , 47, 62-63	3.4	
295	Health Services Research in Anesthesia: A Brief Overview of Common Methodologies.. <i>Anesthesia and Analgesia</i> , 2022 , 134, 540-547	3.9	2
294	An Overview of Commonly Used Data Sources in Observational Research in Anesthesia.. <i>Anesthesia and Analgesia</i> , 2022 , 134, 548-558	3.9	1
293	The Perioperative Use of Benzodiazepines for Major Orthopedic Surgery in the United States.. <i>Anesthesia and Analgesia</i> , 2022 , 134, 486-495	3.9	2
292	Utilization of machine learning methods for predicting surgical outcomes after total knee arthroplasty.. <i>PLoS ONE</i> , 2022 , 17, e0263897	3.7	0
291	Utilisation of prescription cannabinoids in different surgical cohorts in the United States: a population-based study.. <i>British Journal of Anaesthesia</i> , 2022 ,	5.4	0
290	Anaesthesia practice in the first wave of the COVID-19 outbreak in the United States: a population-based cohort study.. <i>British Journal of Anaesthesia</i> , 2022 ,	5.4	
289	Pediatric Tibial Spine Fractures: Exploring Case Burden by Age and Sex. <i>Orthopaedic Journal of Sports Medicine</i> , 2022 , 10, 2325967121S0052	3.5	
288	Risk factors for postoperative delirium in patients undergoing lower extremity joint arthroplasty: a retrospective population-based cohort study. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 94-95	3.4	1
287	Risk of chronic opioid use after simultaneous versus staged bilateral knee arthroplasty. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 405-409	3.4	3
286	The world needs our science: broadening the research pipeline in anesthesiology. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 164-168	3.4	
285	Assessment of Intercostal Nerve Block Analgesia for Thoracic Surgery: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2021 , 4, e2133394	10.4	2
284	Perioperative Management of the Patient With Obstructive Sleep Apnea: A Narrative Review. <i>Anesthesia and Analgesia</i> , 2021 , 132, 1231-1243	3.9	7
283	Pre-existing Disparities and Potential Implications for the Rapid Expansion of Telemedicine in Response to the Coronavirus Disease 2019 Pandemic. <i>Medical Care</i> , 2021 , 59, 694-698	3.1	6
282	Association between sex and perioperative opioid prescribing for total joint arthroplasty: a retrospective population-based study. <i>British Journal of Anaesthesia</i> , 2021 , 126, 1217-1225	5.4	1

281	Persistent opioid use after surgical treatment of paediatric fracture. <i>British Journal of Anaesthesia</i> , 2021 , 126, 1192-1199	5.4	2
280	Fascial plane blocks: a narrative review of the literature. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 600-617	3.4	3
279	Differential Perioperative Outcomes in Patients With Obstructive Sleep Apnea, Obesity, or a Combination of Both Undergoing Open Colectomy: A Population-Based Observational Study. <i>Anesthesia and Analgesia</i> , 2021 , 133, 755-764	3.9	1
278	Anterior Quadratus Lumborum Block Does Not Provide Superior Pain Control after Hip Arthroscopy: A Double-blinded Randomized Controlled Trial. <i>Anesthesiology</i> , 2021 , 135, 433-441	4.3	5
277	Hip fracture characteristics and outcomes during COVID-19: a large retrospective national database review. <i>British Journal of Anaesthesia</i> , 2021 , 127, 15-22	5.4	4
276	Machine learning approaches in predicting ambulatory same day discharge patients after total hip arthroplasty. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 779-783	3.4	10
275	Bilateral vs Unilateral Total Knee Arthroplasty: Racial Variation in Utilization and In-Hospital Major Complication Rates. <i>Journal of Arthroplasty</i> , 2021 , 36, 1310-1317	4.4	2
274	Tranexamic Acid Administration is Associated With a Decreased Odds of Prosthetic Joint Infection Following Primary Total Hip and Primary Total Knee Arthroplasty: A National Database Analysis. <i>Journal of Arthroplasty</i> , 2021 , 36, 1109-1113	4.4	6
273	Venous thromboembolism and prophylaxis therapy after elective spine surgery: a population-based study. <i>Canadian Journal of Anaesthesia</i> , 2021 , 68, 345-357	3	2
272	Factors affecting need for manipulation after total knee arthroplasty: a retrospective case-control cohort study. <i>British Journal of Anaesthesia</i> , 2021 , 126, e29-e31	5.4	
271	Trends in Comorbidities and Complications Among Patients Undergoing Hip Fracture Repair. <i>Anesthesia and Analgesia</i> , 2021 , 132, 475-484	3.9	11
270	Machine Learning Approaches to Define Candidates for Ambulatory Single Level Laminectomy Surgery. <i>Global Spine Journal</i> , 2021 , 2192568220979835	2.7	1
269	State of the anaesthesia workforce in the United States: trends and geographic variation in nurse anaesthetist to physician anaesthesiologist ratios. <i>British Journal of Anaesthesia</i> , 2021 , 126, e19-e21	5.4	1
268	The Impact of Immunization and Use of Oseltamivir on Influenza-Related Hospitalizations: A Population-Based Study. <i>Journal of Primary Care and Community Health</i> , 2021 , 12, 21501327211005906	2.1	
267	Elective orthopedic surgery during COVID-19. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 825-827	3.4	5
266	Bariatric surgery and total knee/hip arthroplasty: an analysis of the impact of sequence and timing on outcomes. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 941-945	3.4	1
265	Peripheral nerve block anesthesia/analgesia for patients undergoing primary hip and knee arthroplasty: recommendations from the International Consensus on Anesthesia-Related Outcomes after Surgery (ICAROS) group based on a systematic review and meta-analysis of current literature. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 971-985	3.4	6
264	Pediatric Tibial Spine Fractures: Exploring Case Burden by Age and Sex. <i>Orthopaedic Journal of Sports Medicine</i> , 2021 , 9, 23259671211027237	3.5	3

263	Disparities in the provision of regional anesthesia and analgesia in total joint arthroplasty: The role of patient and hospital level factors. <i>Journal of Clinical Anesthesia</i> , 2021 , 75, 110440	1.9	1
262	Regional anaesthesia quality indicators for adult patients undergoing non-cardiac surgery: a systematic review. <i>Anaesthesia</i> , 2021 , 76 Suppl 1, 89-99	6.6	1
261	Reply to 'Can we trust the black box?'. <i>Regional Anesthesia and Pain Medicine</i> , 2021 ,	3.4	
260	Trends and Outcomes in Pediatric Patients Undergoing Scoliosis Repair: A Population-Based Study. <i>Anesthesia and Analgesia</i> , 2020 , 131, 1890-1900	3.9	1
259	Thirty-Day Outcomes After Bilateral Total Hip Arthroplasty in a Nationwide Cohort. <i>Arthroplasty Today</i> , 2020 , 6, 405-409	2	0
258	Cancellation of Elective Surgery and Intensive Care Unit Capacity in New York State: A Retrospective Cohort Analysis. <i>Anesthesia and Analgesia</i> , 2020 , 131, 1337-1341	3.9	20
257	Modifiable Analgesia-/Anesthesia-Related Factors and Risk of Severe Gastrointestinal Complications After Lower Extremity Total Joint Arthroplasty: A Nationwide Analysis. <i>Journal of Arthroplasty</i> , 2020 , 35, 2624-2630.e2	4.4	2
256	Ultrasound guidance for peripheral nerve blocks: an observational trend study of national data. <i>Regional Anesthesia and Pain Medicine</i> , 2020 ,	3.4	2
255	Enhanced recovery after surgery components and perioperative outcomes: a nationwide observational study. <i>British Journal of Anaesthesia</i> , 2020 , 124, 638-647	5.4	29
254	Multimodal prophylaxis in patients with a history of venous thromboembolism undergoing primary elective hip arthroplasty. <i>Bone and Joint Journal</i> , 2020 , 102-B, 71-77	5.6	6
253	Fascial Plane Blocks for Cardiac Surgery: New Frontiers in Analgesia and Nomenclature. <i>Anesthesia and Analgesia</i> , 2020 , 131, 125-126	3.9	5
252	Modifiable factors associated with postoperative delirium after hip fracture repair: An age-stratified retrospective cohort study. <i>European Journal of Anaesthesiology</i> , 2020 , 37, 649-658	2.3	18
251	ERAS guidelines for hip and knee replacement - need for reanalysis of evidence and recommendations?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020 , 91, 243-245	4.3	8
250	Case Report: 100-year-old COVID-positive Hip Fracture Patient for Hemiarthroplasty Under Spinal Anesthesia. <i>Gerontology and Geriatric Medicine</i> , 2020 , 6, 2333721420956766	2.3	1
249	Perioperative Care of the Orthopedic Patient with Sleep-Disordered Breathing: Obstructive Sleep Apnea 2020 , 245-256		
248	The Pathophysiologic Events of Total Joint Replacement Surgery 2020 , 63-71		
247	Five-year follow-up to assess long-term sustainability of changing clinical practice regarding anesthesia and regional analgesia for lower extremity arthroplasty. <i>Korean Journal of Anesthesiology</i> , 2020 , 73, 401-407	3.8	3
246	Risks and Benefits of Bilateral Total Knee Replacement Surgery 2020 , 343-355		

245	Superior Trunk Block versus Interscalene Block: Reply. <i>Anesthesiology</i> , 2020 , 132, 1286	4.3	
244	Obesity as a risk factor for poor outcome in COVID-19-induced lung injury: the potential role of undiagnosed obstructive sleep apnoea. <i>British Journal of Anaesthesia</i> , 2020 , 125, e262-e263	5.4	36
243	Enhanced Recovery after Lumbar Spine Fusion: A Randomized Controlled Trial to Assess the Quality of Patient Recovery. <i>Anesthesiology</i> , 2020 , 133, 350-363	4.3	13
242	Cost-effectiveness Analysis of Preoperative Screening Strategies for Obstructive Sleep Apnea among Patients Undergoing Elective Inpatient Surgery. <i>Anesthesiology</i> , 2020 , 133, 787-800	4.3	7
241	Use of Topical Tranexamic Acid Reduces Direct and Indirect Blood Loss and Transfusion Rates in Revision Total Hip Arthroplasty. <i>HSS Journal</i> , 2020 , 16, 285-292	2	2
240	Trends in Comorbidities and Complications Among Patients Undergoing Inpatient Spine Surgery. <i>Spine</i> , 2020 , 45, 1299-1308	3.3	6
239	Multimodal Pain Management and Postoperative Outcomes in Lumbar Spine Fusion Surgery: A Population-based Cohort Study. <i>Spine</i> , 2020 , 45, 580-589	3.3	10
238	A Multidisciplinary Perioperative Intervention to Improve Positive Airway Pressure Adherence in Patients With Obstructive Sleep Apnea: A Case Series. <i>A&A Practice</i> , 2020 , 14, 119-122	0.8	1
237	Enhanced Recovery After Surgery Protocols: Clinical Pathways Tailored for Obstructive Sleep Apnea Patients. <i>Anesthesia and Analgesia</i> , 2020 , 131, 1635-1639	3.9	
236	Obstructive Sleep Apnea, Obesity, and Noninvasive Ventilation: Considerations During the COVID-19 Pandemic. <i>Anesthesia and Analgesia</i> , 2020 , 131, 318-322	3.9	7
235	Surgeon-anaesthesiologist team case volume and perioperative outcomes in total joint arthroplasty. <i>British Journal of Anaesthesia</i> , 2020 , 125, e395-e396	5.4	
234	Tranexamic acid administration during total joint arthroplasty surgery is not associated with an increased risk of perioperative seizures: a national database analysis. <i>Regional Anesthesia and Pain Medicine</i> , 2020 , 45, 505-508	3.4	7
233	Recommendations for resuming elective spine surgery in the COVID-19 era. <i>British Journal of Anaesthesia</i> , 2020 , 125, e339-e341	5.4	2
232	Enhanced Recovery Implementation and Perioperative Outcomes in Posterior Fusion Patients. <i>Spine</i> , 2020 , 45, E1039-E1046	3.3	2
231	Bilateral Total Knee Arthroplasty and In-Hospital Opioid Dispensation: A Population-Based Study. <i>Journal of Arthroplasty</i> , 2020 , 35, 3581-3586	4.4	0
230	Lack of July effect in the utilization of neuraxial and peripheral nerve block in US teaching hospitals: a retrospective analysis. <i>Regional Anesthesia and Pain Medicine</i> , 2020 , 45, 357-361	3.4	
229	Return to Normal: Prioritizing Elective Surgeries With Low Resource Utilization. <i>Anesthesia and Analgesia</i> , 2020 , 131, e99-e102	3.9	4
228	New Onset Depression and Anxiety After Spinal Fusion Surgery: Incidence and Risk Factors. <i>Spine</i> , 2020 , 45, 1161-1169	3.3	17

227	The Utilization of Regional Anesthesia Among Pediatric Patients: A Retrospective Study. <i>HSS Journal</i> , 2020 , 16, 425-435	2	0
226	Risk factors for reintubation after anterior cervical discectomy and fusion surgery: evaluation of three observational data sets. <i>Canadian Journal of Anaesthesia</i> , 2020 , 67, 42-56	3	9
225	Increased Use of Intra-Articular Steroid Injection to Treat Osteoarthritis is Associated With Chronic Opioid Dependence After Later Total Knee Arthroplasty But Not Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2020 , 35, 1979-1982	4.4	5
224	Risk factors for postoperative delirium in patients undergoing lower extremity joint arthroplasty: a retrospective population-based cohort study. <i>Regional Anesthesia and Pain Medicine</i> , 2019 ,	3.4	21
223	Anaesthesia provider volume and perioperative outcomes in total joint arthroplasty surgery. <i>British Journal of Anaesthesia</i> , 2019 , 123, 679-687	5.4	0
222	Impact of obstructive sleep apnea on perioperative complications among patients undergoing hysterectomy: a population-based analysis. <i>Sleep Medicine</i> , 2019 , 56, 117-122	4.6	2
221	Tranexamic acid in total joint arthroplasty: the endorsed clinical practice guides of the American Association of Hip and Knee Surgeons, American Society of Regional Anesthesia and Pain Medicine, American Academy of Orthopaedic Surgeons, Hip Society, and Knee Society. <i>Regional Anesthesia and Pain Medicine</i> , 2019 , 44, 7-11	3.4	36
220	Same-Day Surgery Does Not Increase the Manipulation Under Anesthesia and Reoperation Rates for Stiffness Following Bilateral Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2019 , 34, 2646-2651	4.4	
219	An Observational Study of Cerebral Blood Flow Velocity Evaluation in the Prone Position During Posterior Lumbar Surgery. <i>Anesthesia and Analgesia</i> , 2019 , 129, 487-492	3.9	1
218	Surgical approach does not affect deep infection rate after primary total hip arthroplasty. <i>HIP International</i> , 2019 , 29, 597-602	1.7	11
217	The impact of obesity on resource utilization among patients undergoing total joint arthroplasty. <i>International Orthopaedics</i> , 2019 , 43, 269-274	3.8	13
216	Cost of Care for Patients With Pre-Existing Comorbidities Undergoing Total Joint Arthroplasty: A Retrospective Cohort Study Evaluating Disease-Specific Perioperative Care. <i>Journal of Arthroplasty</i> , 2019 , 34, 2846-2854.e2	4.4	1
215	Anaesthetic care of patients undergoing primary hip and knee arthroplasty: consensus recommendations from the International Consensus on Anaesthesia-Related Outcomes after Surgery group (ICAROS) based on a systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2019 , 123, 269-287	5.4	74
214	Effects of a multimodal analgesic pathway with transversus abdominis plane block for lumbar spine fusion: a prospective feasibility trial. <i>European Spine Journal</i> , 2019 , 28, 2077-2086	2.7	10
213	The impact of anesthesia and surgical provider characteristics on outcomes after spine surgery. <i>European Spine Journal</i> , 2019 , 28, 2112-2121	2.7	2
212	Reply to Deflandre and Lacroix. <i>Regional Anesthesia and Pain Medicine</i> , 2019 , 44, 754-755	3.4	
211	Enhanced Recovery After Surgery in the United States: From Evidence-Based Practice to Uncertain Science?. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 1049-1050	27.4	54
210	Perioperative impact of sleep apnea in a high-volume specialty practice with a strong focus on regional anesthesia: a database analysis. <i>Regional Anesthesia and Pain Medicine</i> , 2019 , 44, 303-308	3.4	4

209	Association between same day discharge total knee and total hip arthroplasty and risks of cardiac/pulmonary complications and readmission: a population-based observational study. <i>BMJ Open</i> , 2019 , 9, e031260	3	14
208	Risk factors for new-onset depression or anxiety following total joint arthroplasty: the role of chronic opioid use. <i>Regional Anesthesia and Pain Medicine</i> , 2019 ,	3-4	11
207	In Reply. <i>Anesthesiology</i> , 2019 , 130, 515-516	4-3	
206	Trends in total knee and hip arthroplasty recipients: a retrospective cohort study. <i>Regional Anesthesia and Pain Medicine</i> , 2019 , 44, 854-859	3-4	10
205	Regional anesthesia and pain management in patients with sleep apnea: can they improve outcomes?. <i>Current Opinion in Anaesthesiology</i> , 2019 , 32, 683-689	2-9	1
204	Regional Anesthesia and Readmission Rates After Total Knee Arthroplasty. <i>Anesthesia and Analgesia</i> , 2019 , 128, 1319-1327	3-9	2
203	Outcome Selection and Methodological Quality of Major and Minor Shoulder Surgery Studies: A Scoping Review. <i>Clinical Orthopaedics and Related Research</i> , 2019 , 477, 606-619	2-2	1
202	Are Case Volume and Facility Complexity Level Associated With Postoperative Complications After Hip Fracture Surgery in the Veterans Affairs Healthcare System?. <i>Clinical Orthopaedics and Related Research</i> , 2019 , 477, 177-190	2-2	5
201	Hospital-level Neuraxial Use in Orthopedics: Reply. <i>Anesthesiology</i> , 2019 , 130, 1088-1089	4-3	
200	Superior Trunk Block: A Phrenic-sparing Alternative to the Interscalene Block: A Randomized Controlled Trial. <i>Anesthesiology</i> , 2019 , 131, 521-533	4-3	37
199	General Assembly, Prevention, Operating Room - Anesthesia Matters: Proceedings of International Consensus on Orthopedic Infections. <i>Journal of Arthroplasty</i> , 2019 , 34, S93-S95	4-4	1
198	Non-opioid analgesic modes of pain management are associated with reduced postoperative complications and resource utilisation: a retrospective study of obstructive sleep apnoea patients undergoing elective joint arthroplasty. <i>British Journal of Anaesthesia</i> , 2019 , 122, 131-140	5-4	29
197	Addition of Infiltration Between the Popliteal Artery and the Capsule of the Posterior Knee and Adductor Canal Block to Periarticular Injection Enhances Postoperative Pain Control in Total Knee Arthroplasty: A Randomized Controlled Trial. <i>Anesthesia and Analgesia</i> , 2019 , 129, 526-535	3-9	57
196	Association of Multimodal Pain Management Strategies with Perioperative Outcomes and Resource Utilization: A Population-based Study. <i>Anesthesiology</i> , 2018 , 128, 891-902	4-3	91
195	Intravenous Acetaminophen Does Not Reduce Inpatient Opioid Prescription or Opioid-Related Adverse Events Among Patients Undergoing Spine Surgery. <i>Anesthesia and Analgesia</i> , 2018 , 127, 1221-1228	3-9	13
194	Optimizing Intraoperative Blood Management for One-Stage Bilateral Total Knee Arthroplasty. <i>HSS Journal</i> , 2018 , 14, 202-210	2	2
193	In-Hospital Morbidity and Postoperative Revisions After Direct Anterior vs Posterior Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2018 , 33, 1421-1425.e1	4-4	40
192	The Efficacy of Tranexamic Acid in Total Knee Arthroplasty: A Network Meta-Analysis. <i>Journal of Arthroplasty</i> , 2018 , 33, 3090-3098.e1	4-4	90

191	The Safety of Tranexamic Acid in Total Joint Arthroplasty: A Direct Meta-Analysis. <i>Journal of Arthroplasty</i> , 2018 , 33, 3070-3082.e1	4.4	64
190	Does blood transfusion type affect complication and length of stay following same-day bilateral total knee arthroplasty?. <i>Journal of Orthopaedics</i> , 2018 , 15, 308-312	1.6	1
189	Postoperative delirium in total knee and hip arthroplasty patients: a study of perioperative modifiable risk factors. <i>British Journal of Anaesthesia</i> , 2018 , 120, 999-1008	5.4	61
188	Association of opioid prescription and perioperative complications in obstructive sleep apnea patients undergoing total joint arthroplasties. <i>Sleep and Breathing</i> , 2018 , 22, 115-121	3.1	13
187	The Efficacy of Tranexamic Acid in Total Hip Arthroplasty: A Network Meta-analysis. <i>Journal of Arthroplasty</i> , 2018 , 33, 3083-3089.e4	4.4	66
186	Neuraxial anaesthesia techniques and postoperative outcomes among joint arthroplasty patients: is spinal anaesthesia the best option?. <i>British Journal of Anaesthesia</i> , 2018 , 121, 842-849	5.4	11
185	What Can Regional Anesthesiology and Acute Pain Medicine Learn from "Big Data"?. <i>Anesthesiology Clinics</i> , 2018 , 36, 467-478	2.3	3
184	Reply. <i>Pain</i> , 2018 , 159, 806-807	8	
183	In Response. <i>Anesthesia and Analgesia</i> , 2018 , 126, 732	3.9	
182	Impact of Intravenous Acetaminophen on Perioperative Opioid Utilization and Outcomes in Open Colectomies: A Claims Database Analysis. <i>Anesthesiology</i> , 2018 , 129, 77-88	4.3	25
181	Tranexamic Acid Use in Total Joint Arthroplasty: The Clinical Practice Guidelines Endorsed by the American Association of Hip and Knee Surgeons, American Society of Regional Anesthesia and Pain Medicine, American Academy of Orthopaedic Surgeons, Hip Society, and Knee Society. <i>Journal of Arthroplasty</i> , 2018 , 33, 3065-3069	4.4	73
180	Do Hospitals Performing Frequent Neuraxial Anesthesia for Hip and Knee Replacements Have Better Outcomes?. <i>Anesthesiology</i> , 2018 , 129, 428-439	4.3	23
179	Excess Readmission-Based Penalty: Is Arthroplasty Different From the Other Outcomes?. <i>Journal of Surgical Orthopaedic Advances</i> , 2018 , 27, 286-294	0.3	
178	Interaction between peri-operative blood transfusion, tidal volume, airway pressure and postoperative ARDS: an individual patient data meta-analysis. <i>Annals of Translational Medicine</i> , 2018 , 6, 23	3.2	8
177	Clinical Indicators of the Need for Telemetry Postoperative Monitoring in Patients With Suspected Obstructive Sleep Apnea Undergoing Total Knee Arthroplasty. <i>Regional Anesthesia and Pain Medicine</i> , 2018 , 43, 43-49	3.4	2
176	Rate and Risk Factors for Periprosthetic Joint Infection Among 36,494 Primary Total Hip Arthroplasties. <i>Journal of Arthroplasty</i> , 2018 , 33, 1166-1170	4.4	38
175	Infection risk assessment in patients undergoing primary total knee arthroplasty. <i>International Orthopaedics</i> , 2018 , 42, 87-94	3.8	25
174	Reply to Dr Hiscock et al. <i>Regional Anesthesia and Pain Medicine</i> , 2018 , 43, 649-650	3.4	

173	Trends in Inpatient Resource Utilization and Complications Among Total Joint Arthroplasty Recipients: A Retrospective Cohort Study. <i>Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews</i> , 2018 , 2, e058	1.2	8
172	Perioperative Management in Hepatic Resections: Comparative Effectiveness of Neuraxial Anesthesia and Disparity of Care Patterns. <i>Anesthesia and Analgesia</i> , 2018 , 127, 855-863	3.9	2
171	Anesthesia and analgesia for total knee arthroplasty. <i>Minerva Anestesiologica</i> , 2018 , 84, 1406-1412	1.9	9
170	A pragmatic approach to evaluating new techniques in regional anesthesia and acute pain medicine. <i>Pain Management</i> , 2018 , 8, 475-485	2.3	8
169	Is obstructive sleep apnea associated with difficult airway? Evidence from a systematic review and meta-analysis of prospective and retrospective cohort studies. <i>PLoS ONE</i> , 2018 , 13, e0204904	3.7	23
168	Society of Anesthesia and Sleep Medicine Guideline on Intraoperative Management of Adult Patients With Obstructive Sleep Apnea. <i>Anesthesia and Analgesia</i> , 2018 , 127, 967-987	3.9	76
167	Opioids for Acute Pain Management in Patients With Obstructive Sleep Apnea: A Systematic Review. <i>Anesthesia and Analgesia</i> , 2018 , 127, 988-1001	3.9	27
166	Characterization of Re-admission and Emergency Department Visits Within 90 Days Following Lower-Extremity Arthroplasty. <i>HSS Journal</i> , 2018 , 14, 271-281	2	7
165	Patient preference survey: are patients willing to delay surgery if obstructive sleep apnea is suspected?. <i>BMC Anesthesiology</i> , 2018 , 18, 128	2.4	1
164	Response to Letter to the Editor on "The Safety of Tranexamic Acid in Total Joint Arthroplasty: A Direct Meta-Analysis". <i>Journal of Arthroplasty</i> , 2018 , 33, 3368-3369	4.4	2
163	Changes in the augmentation index and postoperative orthostatic intolerance in orthopedic surgery: a prospective cohort study. <i>Canadian Journal of Anaesthesia</i> , 2018 , 65, 1012-1028	3	2
162	Liposomal Bupivacaine Does Not Reduce Inpatient Opioid Prescription or Related Complications after Knee Arthroplasty: A Database Analysis. <i>Anesthesiology</i> , 2018 , 129, 689-699	4.3	20
161	Incidence of Local Anesthetic Systemic Toxicity in Orthopedic Patients Receiving Peripheral Nerve Blocks. <i>Regional Anesthesia and Pain Medicine</i> , 2017 , 42, 442-445	3.4	39
160	A matched case-control comparison of hospital costs and outcomes for knee replacement patients admitted postoperatively to acute care versus rehabilitation. <i>Journal of Anesthesia</i> , 2017 , 31, 785-788	2.2	3
159	Lack of Association Between the Use of Nerve Blockade and the Risk of Postoperative Chronic Opioid Use Among Patients Undergoing Total Knee Arthroplasty: Evidence From the MarketScan Database. <i>Anesthesia and Analgesia</i> , 2017 , 125, 999-1007	3.9	45
158	Discharge Against Medical Advice of Elderly Inpatients in the United States. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2094-2099	5.6	6
157	Trends in Perioperative Practice and Resource Utilization in Patients With Obstructive Sleep Apnea Undergoing Joint Arthroplasty. <i>Anesthesia and Analgesia</i> , 2017 , 125, 66-77	3.9	8
156	Neuraxial and Combined Neuraxial/General Anesthesia Compared to General Anesthesia for Major Truncal and Lower Limb Surgery: A Systematic Review and Meta-analysis. <i>Anesthesia and Analgesia</i> , 2017 , 125, 1931-1945	3.9	55

155	Perioperative Morbidity of Same-Day and Staged Bilateral Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2017 , 32, 2974-2979.e1	4.4	12
154	Adherence to a Multimodal Analgesic Clinical Pathway: A Within-Group Comparison of Staged Bilateral Knee Arthroplasty Patients. <i>Regional Anesthesia and Pain Medicine</i> , 2017 , 42, 368-371	3.4	17
153	Anesthesia and Analgesia Practice Pathway Options for Total Knee Arthroplasty: An Evidence-Based Review by the American and European Societies of Regional Anesthesia and Pain Medicine. <i>Regional Anesthesia and Pain Medicine</i> , 2017 , 42, 683-697	3.4	54
152	Opioid prescription levels and postoperative outcomes in orthopedic surgery. <i>Pain</i> , 2017 , 158, 2422-2430		91
151	Lack of Association Between the Use of Nerve Blockade and the Risk of Persistent Opioid Use Among Patients Undergoing Shoulder Arthroplasty: Evidence From the MarketScan Database. <i>Anesthesia and Analgesia</i> , 2017 , 125, 1014-1020	3.9	30
150	Periprosthetic Infection Recurrence After 2-Stage Exchange Arthroplasty: Failure or Fate?. <i>Journal of Arthroplasty</i> , 2017 , 32, 526-531	4.4	49
149	Microvascular response to transfusion in elective spine surgery. <i>World Journal of Orthopedics</i> , 2017 , 8, 49-56	2.2	1
148	The impact of peripheral nerve blocks on perioperative outcome in hip and knee arthroplasty-a population-based study. <i>Pain</i> , 2016 , 157, 2341-2349	8	62
147	The Effect of Regional Analgesia on Vascular Tone in Hip Arthroplasty Patients. <i>HSS Journal</i> , 2016 , 12, 125-31	2	4
146	The Perioperative Surgical Home model facilitates change implementation in anesthetic technique within a clinical pathway for total knee arthroplasty. <i>Healthcare</i> , 2016 , 4, 334-339	1.8	15
145	Suboptimal Diagnostic Accuracy of Obstructive Sleep Apnea in One Database Does Not Invalidate Previous Observational Studies. <i>Anesthesiology</i> , 2016 , 124, 1192-3	4.3	9
144	Same-Day Surgery Does Not Increase Deep Infection Risk in Bilateral Total Hip Arthroplasty Patients. <i>Journal of Arthroplasty</i> , 2016 , 31, 237-41	4.4	6
143	Association between driving pressure and development of postoperative pulmonary complications in patients undergoing mechanical ventilation for general anaesthesia: a meta-analysis of individual patient data. <i>Lancet Respiratory Medicine</i> , 2016 , 4, 272-80	35.1	264
142	Sleep apnea in total joint arthroplasty patients and the role for cardiac biomarkers for risk stratification: an exploration of feasibility. <i>Biomarkers in Medicine</i> , 2016 , 10, 265-300	2.3	6
141	Body Mass Index More Than 45 kg/m(2) as a Cutoff Point Is Associated With Dramatically Increased Postoperative Complications in Total Knee Arthroplasty and Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2016 , 31, 749-53	4.4	55
140	Implant retention after acute and hematogenous periprosthetic hip and knee infections: Whom, when and how?. <i>World Journal of Orthopedics</i> , 2016 , 7, 546-52	2.2	16
139	Outcomes Associated with Early Postoperative Noninvasive Ventilation in Bariatric Surgical Patients with Sleep Apnea. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 1507-1516	3.1	7
138	Perioperative Medicine: Defining the Anesthesiologist's Role in Shaping Perioperative Outcomes 2016 , 1-14		

137	Cardiac Arrest and Seizures Caused by Local Anesthetic Systemic Toxicity After Peripheral Nerve Blocks: Should We Still Fear the Reaper?. <i>Regional Anesthesia and Pain Medicine</i> , 2016 , 41, 5-21	3.4	29
136	Trends in the Use of Regional Anesthesia: Neuraxial and Peripheral Nerve Blocks. <i>Regional Anesthesia and Pain Medicine</i> , 2016 , 41, 43-9	3.4	44
135	Anesthetic Care for Orthopedic Patients: Is There a Potential for Differences in Care?. <i>Anesthesiology</i> , 2016 , 124, 608-23	4.3	27
134	Does Obstructive Sleep Apnea Influence Perioperative Outcome? A Qualitative Systematic Review for the Society of Anesthesia and Sleep Medicine Task Force on Preoperative Preparation of Patients with Sleep-Disordered Breathing. <i>Anesthesia and Analgesia</i> , 2016 , 122, 1321-34	3.9	136
133	Provider Board Certification Status and Practice Patterns in Total Knee Arthroplasty. <i>Academic Medicine</i> , 2016 , 91, 79-86	3.9	5
132	Society of Anesthesia and Sleep Medicine Guidelines on Preoperative Screening and Assessment of Adult Patients With Obstructive Sleep Apnea. <i>Anesthesia and Analgesia</i> , 2016 , 123, 452-73	3.9	192
131	Change in Off-Label Use of Bone Morphogenetic Protein in Spine Surgery and Associations with Adverse Outcome. <i>Global Spine Journal</i> , 2016 , 6, 650-659	2.7	11
130	Minimally invasive pedicle-based non-fusion stabilization of the lumbar spine. <i>Journal of Neurosurgical Sciences</i> , 2016 , 60, 134-6	1.3	
129	A nationwide analysis of risk factors for in-hospital myocardial infarction after total joint arthroplasty. <i>International Orthopaedics</i> , 2015 , 39, 777-86	3.8	53
128	Perioperative morbidity and mortality of same-admission staged bilateral TKA. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 190-7	2.2	10
127	Use of perioperative hydroxyethyl starch 6% and albumin 5% in elective joint arthroplasty and association with adverse outcomes: a retrospective population based analysis. <i>BMJ, The</i> , 2015 , 350, h1567	5.9	40
126	Blood Transfusions May Have Limited Effect on Muscle Oxygenation After Total Knee Arthroplasty. <i>HSS Journal</i> , 2015 , 11, 136-42	2	5
125	Additives to local anesthetics for peripheral nerve blocks or local anesthesia: a review of the literature. <i>Pain Management</i> , 2015 , 5, 117-28	2.3	16
124	Variability in anesthetic care for total knee arthroplasty: an analysis from the anesthesia quality institute. <i>American Journal of Medical Quality</i> , 2015 , 30, 172-9	1.1	38
123	Impact of Regional Anesthesia on Perioperative Outcomes. <i>Current Anesthesiology Reports</i> , 2015 , 5, 209-216		
122	Factors associated with hospital admission after rotator cuff repair: the role of peripheral nerve blockade. <i>Journal of Clinical Anesthesia</i> , 2015 , 27, 566-73	1.9	9
121	Impact of Melatonin on Sleep and Pain After Total Knee Arthroplasty Under Regional Anesthesia With Sedation: A Double-Blind, Randomized, Placebo-Controlled Pilot Study. <i>Journal of Arthroplasty</i> , 2015 , 30, 2370-5	4.4	12
120	Staging Bilateral Total Knee Arthroplasty During the Same Hospitalization: The Impact of Timing. <i>Journal of Arthroplasty</i> , 2015 , 30, 1172-6	4.4	8

119	Anesthesia type and perioperative outcome: open colectomies in the United States. <i>Journal of Surgical Research</i> , 2015 , 193, 684-92	2.5	10
118	Subsartorial adductor canal vs femoral nerve block for analgesia after total knee replacement. <i>International Orthopaedics</i> , 2015 , 39, 673-80	3.8	62
117	Patient Safety and Comparative Effectiveness of Anesthetic Technique in Open Lung Resections. <i>Chest</i> , 2015 , 148, 722-730	5.3	7
116	Protective versus Conventional Ventilation for Surgery: A Systematic Review and Individual Patient Data Meta-analysis. <i>Anesthesiology</i> , 2015 , 123, 66-78	4.3	224
115	Invasive Mechanical Ventilation in California Over 2000-2009: Implications for Emergency Medicine. <i>Western Journal of Emergency Medicine</i> , 2015 , 16, 696-706	3.3	3
114	Influence of intraaortic balloon pump counterpulsation on transesophageal echocardiography derived determinants of diastolic function. <i>PLoS ONE</i> , 2015 , 10, e0118788	3.7	1
113	Validation of the STOP-Bang Questionnaire as a Screening Tool for Obstructive Sleep Apnea among Different Populations: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015 , 10, e0143697	3.7	297
112	Patient, Surgery, and Hospital Related Risk Factors for Surgical Site Infections following Total Hip Arthroplasty. <i>Scientific World Journal, The</i> , 2015 , 2015, 979560	2.2	38
111	Obstructive sleep apnea in adult patients: considerations for anesthesia and acute pain management. <i>Pain Management</i> , 2015 , 5, 37-46	2.3	3
110	General versus spinal anesthesia in joint arthroplasties. <i>Annals of Translational Medicine</i> , 2015 , 3, 161	3.2	1
109	Tranexamic acid and orthopedic surgery-the search for the holy grail of blood conservation. <i>Annals of Translational Medicine</i> , 2015 , 3, 77	3.2	12
108	Patient safety and comparative effectiveness of anesthetic technique in lung resections: A population-based analysis.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e12612-e12612	2.2	
107	Peripheral nerve blocks in shoulder arthroplasty: how do they influence complications and length of stay?. <i>Clinical Orthopaedics and Related Research</i> , 2014 , 472, 1482-8	2.2	32
106	Blood conservation. <i>Journal of Orthopaedic Research</i> , 2014 , 32 Suppl 1, S81-9	3.8	8
105	Hemodynamic effects of angiotensin inhibitors in elderly hypertensives undergoing total knee arthroplasty under regional anesthesia. <i>Journal of the American Society of Hypertension</i> , 2014 , 8, 644-51		11
104	Critical care in patients undergoing lumbar spine fusion: a population-based study. <i>Journal of Intensive Care Medicine</i> , 2014 , 29, 275-84	3.3	7
103	Tranexamic acid use and postoperative outcomes in patients undergoing total hip or knee arthroplasty in the United States: retrospective analysis of effectiveness and safety. <i>BMJ, The</i> , 2014 , 349, g4829	5.9	262
102	Trends in same-day bilateral total knee arthroplasty. <i>Journal of Arthroplasty</i> , 2014 , 29, 1713-6	4.4	16

101	Perioperative morbidity and mortality following bilateral total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2014 , 29, 142-8	4.4	40
100	Blood conservation. <i>Journal of Arthroplasty</i> , 2014 , 29, 65-70	4.4	4
99	Inpatient falls after total knee arthroplasty: the role of anesthesia type and peripheral nerve blocks. <i>Anesthesiology</i> , 2014 , 120, 551-63	4.3	139
98	The impact of sleep apnea on postoperative utilization of resources and adverse outcomes. <i>Anesthesia and Analgesia</i> , 2014 , 118, 407-418	3.9	127
97	Blood transfusions in total hip and knee arthroplasty: an analysis of outcomes. <i>Scientific World Journal, The</i> , 2014 , 2014, 623460	2.2	27
96	Outcomes Research in Perioperative Medicine 2014 , 2014, 1-10		
95	Perioperative outcomes and type of anesthesia in hip surgical patients: An evidence based review. <i>World Journal of Orthopedics</i> , 2014 , 5, 336-43	2.2	44
94	Incidence of laminectomy and imaging after neuraxial anesthesia. <i>Anesthesia and Analgesia</i> , 2014 , 119, 1451-2	3.9	3
93	Which outcomes related to regional anesthesia are most important for orthopedic surgery patients?. <i>Anesthesiology Clinics</i> , 2014 , 32, 809-21	2.3	5
92	Perioperative research fellowship: planning, implementation, experience. <i>Regional Anesthesia and Pain Medicine</i> , 2014 , 39, 363-7	3.4	4
91	Anesthesia, outcomes, and public health: changing health care while "asleep". <i>Regional Anesthesia and Pain Medicine</i> , 2014 , 39, 192-4	3.4	2
90	Does the impact of the type of anesthesia on outcomes differ by patient age and comorbidity burden?. <i>Regional Anesthesia and Pain Medicine</i> , 2014 , 39, 112-9	3.4	55
89	Rheumatoid arthritis vs osteoarthritis in patients receiving total knee arthroplasty: perioperative outcomes. <i>Journal of Arthroplasty</i> , 2014 , 29, 308-13	4.4	57
88	Perioperative morbidity and mortality of same-day bilateral TKAs: incidence and risk factors. <i>Clinical Orthopaedics and Related Research</i> , 2014 , 472, 111-20	2.2	31
87	Does limb preconditioning reduce pain after total knee arthroplasty? A randomized, double-blind study. <i>Clinical Orthopaedics and Related Research</i> , 2014 , 472, 1467-74	2.2	19
86	Perioperative pain control after total knee arthroplasty: An evidence based review of the role of peripheral nerve blocks. <i>World Journal of Orthopedics</i> , 2014 , 5, 225-32	2.2	25
85	In reply. <i>Anesthesiology</i> , 2014 , 120, 246-7	4.3	2
84	In reply. <i>Anesthesiology</i> , 2014 , 121, 669	4.3	

83	Risk and Benefits of Bilateral Total Knee Replacement Surgery 2014 , 267-280		
82	The Pathophysiologic Events of Total Joint Replacement Surgery 2014 , 41-49		
81	Consensus statement from the consensus conference on bilateral total knee arthroplasty group. <i>Clinical Orthopaedics and Related Research</i> , 2013 , 471, 2649-57	2.2	65
80	Transesophageal echocardiography during cardiac arrest in orthopedic surgery patients: a report of two cases and a review of the literature. <i>HSS Journal</i> , 2013 , 9, 275-7	2	4
79	Rhabdomyolysis is a Potential Complication of Total Hip Arthroplasty in the Morbidly Obese. <i>HSS Journal</i> , 2013 , 9, 200-2	2	2
78	Pulmonary circulatory changes after bilateral total knee arthroplasty during regional anesthesia. <i>Journal of Clinical Anesthesia</i> , 2013 , 25, 4-8	1.9	3
77	In-hospital surgical site infections after primary hip and knee arthroplasty--incidence and risk factors. <i>Journal of Arthroplasty</i> , 2013 , 28, 385-9	4.4	114
76	Infection following simultaneous bilateral total knee arthroplasty. <i>Journal of Arthroplasty</i> , 2013 , 28, 92-5	4.4	30
75	Safety and efficacy of multimodal thromboprophylaxis following total knee arthroplasty: a comparative study of preferential aspirin vs. routine coumadin chemoprophylaxis. <i>Journal of Arthroplasty</i> , 2013 , 28, 575-9	4.4	37
74	Demographics and perioperative outcome in patients with depression and anxiety undergoing total joint arthroplasty: a population-based study. <i>Psychosomatics</i> , 2013 , 54, 149-57	2.6	75
73	Have bilateral total knee arthroplasties become safer? A population-based trend analysis. <i>Clinical Orthopaedics and Related Research</i> , 2013 , 471, 17-25	2.2	32
72	Bilateral total knee arthroplasty guidelines: are we there yet?. <i>Journal of Knee Surgery</i> , 2013 , 26, 273-9	2.4	25
71	A rude awakening--the perioperative sleep apnea epidemic. <i>New England Journal of Medicine</i> , 2013 , 368, 2352-3	59.2	75
70	Sleep apnea and total joint arthroplasty under various types of anesthesia: a population-based study of perioperative outcomes. <i>Regional Anesthesia and Pain Medicine</i> , 2013 , 38, 274-81	3.4	91
69	An analysis of the safety of epidural and spinal neuraxial anesthesia in more than 100,000 consecutive major lower extremity joint replacements. <i>Regional Anesthesia and Pain Medicine</i> , 2013 , 38, 515-9	3.4	41
68	Perioperative comparative effectiveness of anesthetic technique in orthopedic patients. <i>Anesthesiology</i> , 2013 , 118, 1046-58	4.3	314
67	In reply. <i>Anesthesiology</i> , 2013 , 118, 1234-5	4.3	
66	The Impact of Hypotensive Epidural Anesthesia on Distal and Proximal Tissue Perfusion in Patients Undergoing Total Hip Arthroplasty. <i>Journal of Anesthesia & Clinical Research</i> , 2013 , 4, 366	3	8

65	Regional anesthesia in patients with significant comorbid disease. <i>Minerva Anestesiologica</i> , 2013 , 79, 1281-90	1.9	4
64	Perioperative mortality after lumbar spinal fusion surgery: an analysis of epidemiology and risk factors. <i>European Spine Journal</i> , 2012 , 21, 1633-9	2.7	46
63	The metabolic syndrome in patients undergoing knee and hip arthroplasty: trends and in-hospital outcomes in the United States. <i>Journal of Arthroplasty</i> , 2012 , 27, 1743-1749.e1	4.4	69
62	Aspirin for elective hip and knee arthroplasty: a multimodal thromboprophylaxis protocol. <i>International Orthopaedics</i> , 2012 , 36, 1995-2002	3.8	51
61	Nerve stimulator versus ultrasound guidance for placement of popliteal catheters for foot and ankle surgery. <i>Journal of Clinical Anesthesia</i> , 2012 , 24, 44-50	1.9	15
60	The effect of low versus high tidal volume ventilation on inflammatory markers in healthy individuals undergoing posterior spine fusion in the prone position: a randomized controlled trial. <i>Journal of Clinical Anesthesia</i> , 2012 , 24, 263-9	1.9	31
59	Factors influencing unexpected disposition after orthopedic ambulatory surgery. <i>Journal of Clinical Anesthesia</i> , 2012 , 24, 89-95	1.9	22
58	Comparative utility of centrally versus peripherally transduced venous pressure monitoring in the perioperative period in spine surgery patients. <i>Journal of Clinical Anesthesia</i> , 2012 , 24, 542-8	1.9	8
57	Mortality of patients with respiratory insufficiency and adult respiratory distress syndrome after surgery: the obesity paradox. <i>Journal of Intensive Care Medicine</i> , 2012 , 27, 306-11	3.3	50
56	Epidemiology and risk factors for perioperative mortality after total hip and knee arthroplasty. <i>Journal of Orthopaedic Research</i> , 2012 , 30, 1811-21	3.8	49
55	In-hospital patient falls after total joint arthroplasty: incidence, demographics, and risk factors in the United States. <i>Journal of Arthroplasty</i> , 2012 , 27, 823-8.e1	4.4	48
54	Steroid modulation of cytokine release and desmosine levels in bilateral total knee replacement: a prospective, double-blind, randomized controlled trial. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012 , 94, 2120-7	5.6	52
53	Trends in in-hospital major morbidity and mortality after total joint arthroplasty: United States 1998-2008. <i>Anesthesia and Analgesia</i> , 2012 , 115, 321-7	3.9	122
52	Utilization of critical care services among patients undergoing total hip and knee arthroplasty: epidemiology and risk factors. <i>Anesthesiology</i> , 2012 , 117, 107-16	4.3	55
51	Regional anesthesia and analgesia in critically ill patients: a systematic review. <i>Regional Anesthesia and Pain Medicine</i> , 2012 , 37, 537-44	3.4	20
50	Comparative perioperative outcomes associated with neuraxial versus general anesthesia for simultaneous bilateral total knee arthroplasty. <i>Regional Anesthesia and Pain Medicine</i> , 2012 , 37, 638-44	3.4	65
49	Comparative safety of simultaneous and staged anterior and posterior spinal surgery. <i>Spine</i> , 2012 , 37, 247-55	3.3	26
48	Metabolic syndrome and lumbar spine fusion surgery: epidemiology and perioperative outcomes. <i>Spine</i> , 2012 , 37, 989-95	3.3	56

47	Beyond repeated-measures analysis of variance: advanced statistical methods for the analysis of longitudinal data in anesthesia research. <i>Regional Anesthesia and Pain Medicine</i> , 2012 , 37, 99-105	3.4	192
46	Pulmonary complications after spine surgery. <i>World Journal of Orthopedics</i> , 2012 , 3, 156-61	2.2	12
45	Perioperative morbidity and mortality after anterior, posterior, and anterior/posterior spine fusion surgery. <i>Spine</i> , 2011 , 36, 1867-77	3.3	88
44	Changes in anesthesia-related factors in ambulatory knee and shoulder surgery: United States 1996-2006. <i>Regional Anesthesia and Pain Medicine</i> , 2011 , 36, 327-31	3.4	23
43	Bilateral total knee arthroplasty: risk factors for major morbidity and mortality. <i>Anesthesia and Analgesia</i> , 2011 , 113, 784-90	3.9	58
42	Perioperative pulmonary outcomes in patients with sleep apnea after noncardiac surgery. <i>Anesthesia and Analgesia</i> , 2011 , 112, 113-21	3.9	231
41	Perioperative comparative effectiveness research. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , 2011 , 25, 535-47	4	8
40	Increased in-hospital complications after primary posterior versus primary anterior cervical fusion. <i>Clinical Orthopaedics and Related Research</i> , 2011 , 469, 649-57	2.2	72
39	Postoperative hypoxemia in orthopedic patients with obstructive sleep apnea. <i>HSS Journal</i> , 2011 , 7, 2-8	2	25
38	Prevention of central venous catheter bloodstream infections. <i>Journal of Intensive Care Medicine</i> , 2010 , 25, 131-8	3.3	44
37	Comparative in-hospital morbidity and mortality after revision versus primary thoracic and lumbar spine fusion. <i>Spine Journal</i> , 2010 , 10, 881-9	4	44
36	Perioperative pulmonary circulatory changes during bilateral total hip arthroplasty under regional anesthesia. <i>Regional Anesthesia and Pain Medicine</i> , 2010 , 35, 417-21	3.4	25
35	National trends in anterior cervical fusion procedures. <i>Spine</i> , 2010 , 35, 1454-9	3.3	166
34	Perioperative mortality in patients with pulmonary hypertension undergoing major joint replacement. <i>Anesthesia and Analgesia</i> , 2010 , 111, 1110-6	3.9	69
33	Perioperative inflammatory response in total knee arthroplasty patients: impact of limb preconditioning. <i>Regional Anesthesia and Pain Medicine</i> , 2010 , 35, 412-6	3.4	21
32	The utility of urine desmosine as a marker of lung injury in spine surgery. <i>HSS Journal</i> , 2010 , 6, 160-3	2	8
31	Risk factors for perioperative mortality after lower extremity arthroplasty: a population-based study of 6,901,324 patient discharges. <i>Journal of Arthroplasty</i> , 2010 , 25, 19-26	4.4	89
30	Don't Patients Have Two Knees?. <i>Anesthesiology</i> , 2010 , 113, 257-258	4.3	

29	Demographics, outcomes, and risk factors for adverse events associated with primary and revision total hip arthroplasties in the United States. <i>American Journal of Orthopedics</i> , 2010 , 39, E72-7		10
28	Total hip and total knee arthroplasties: trends and disparities revisited. <i>American Journal of Orthopedics</i> , 2010 , 39, E95-102		39
27	Trends in demographics, comorbidity profiles, in-hospital complications and mortality associated with primary knee arthroplasty. <i>Journal of Arthroplasty</i> , 2009 , 24, 518-27	4.4	103
26	Trends in bilateral total knee arthroplasties: 153,259 discharges between 1990 and 2004. <i>Clinical Orthopaedics and Related Research</i> , 2009 , 467, 1568-76	2.2	46
25	Urine desmosine as a marker of lung injury following total knee arthroplasty. A pilot study. <i>HSS Journal</i> , 2009 , 5, 154-8	2	13
24	Trends in mortality, complications, and demographics for primary hip arthroplasty in the United States. <i>International Orthopaedics</i> , 2009 , 33, 643-51	3.8	85
23	Risk factors for pulmonary embolism after hip and knee arthroplasty: a population-based study. <i>International Orthopaedics</i> , 2009 , 33, 1739-45	3.8	88
22	Perioperative outcomes after unilateral and bilateral total knee arthroplasty. <i>Anesthesiology</i> , 2009 , 111, 1206-16	4.3	147
21	Inhospital Complications and Mortality of Patients Undergoing Primary Unilateral, Bilateral, and Revision Total Knee Arthroplasty: A Study of 4169489 Hospital Discharges in the United States Between 1990 and 2004. <i>Journal of Arthroplasty</i> , 2008 , 23, 316	4.4	3
20	Correlation between centrally versus peripherally transduced venous pressure in prone patients undergoing posterior spine surgery. <i>Spine</i> , 2008 , 33, E643-7	3.3	14
19	In-hospital complications and mortality of unilateral, bilateral, and revision TKA: based on an estimate of 4,159,661 discharges. <i>Clinical Orthopaedics and Related Research</i> , 2008 , 466, 2617-27	2.2	152
18	Pulmonary thrombectomy in a patient with hemoglobin Nottingham. <i>Perfusion (United Kingdom)</i> , 2007 , 22, 299-301	1.9	2
17	Critical care issues in the patient after major joint replacement. <i>Journal of Intensive Care Medicine</i> , 2007 , 22, 92-104	3.3	42
16	Reply to: Do race, gender, and source of payment impact on anesthetic technique for inguinal hernia repair?. <i>Journal of Clinical Anesthesia</i> , 2007 , 19, 76-77	1.9	
15	Successful management of a trauma patient with pulmonary hemorrhage using a wire-guided bronchial blocker. <i>Journal of Trauma</i> , 2007 , 63, E127-9		
14	The usefulness of transesophageal echocardiography during intraoperative cardiac arrest in noncardiac surgery. <i>Anesthesia and Analgesia</i> , 2006 , 102, 1653-7	3.9	131
13	Do race, gender, and source of payment impact on anesthetic technique for inguinal hernia repair?. <i>Journal of Clinical Anesthesia</i> , 2006 , 18, 328-33	1.9	28
12	Trends in lung surgery: United States 1988 to 2002. <i>Chest</i> , 2006 , 130, 1462-70	5.3	42

11	Propofol for sedation in neuro-intensive care. <i>Neurocritical Care</i> , 2006 , 4, 54-62	3.3	24
10	Autonomic mechanisms in the age-related hypotensive effect of propofol. <i>Anesthesia and Analgesia</i> , 2005 , 100, 111-115	3.9	10
9	Chest tube suction-associated unilateral negative pressure pulmonary edema in a lung transplant patient. <i>Anesthesia and Analgesia</i> , 2005 , 101, 38-40, table of contents	3.9	6
8	Factors influencing patient disposition after ambulatory herniorrhaphy. <i>Ambulatory Surgery</i> , 2005 , 12, 67-73		2
7	Cure of metastatic human colonic cancer in mice with radiolabeled monoclonal antibody fragments. <i>Clinical Cancer Research</i> , 2000 , 6, 4900-7	12.9	28
6	Radioimmunotherapy of colorectal cancer in small volume disease and in an adjuvant setting: preclinical evaluation in comparison to equitoxic chemotherapy and initial results of an ongoing phase-I/II clinical trial. <i>Anticancer Research</i> , 1999 , 19, 2427-32	2.3	13
5	Therapeutic efficacy and dose-limiting toxicity of Auger-electron vs. beta emitters in radioimmunotherapy with internalizing antibodies: evaluation of 125I- vs. 131I-labeled CO17-1A in a human colorectal cancer model. <i>International Journal of Cancer</i> , 1998 , 76, 738-48	7.5	40
4	Experimental studies on the role of antibody fragments in cancer radio-immunotherapy: Influence of radiation dose and dose rate on toxicity and anti-tumor efficacy. <i>International Journal of Cancer</i> , 1998 , 77, 787-95	7.5	40
3	The Use of Critical Care Services After Orthopedic Surgery at a High-Volume Orthopedic Medical Center: A Retrospective Study. <i>HSS Journal</i> , 155633162110551	2	
2	Improving Safety of Bilateral Knee Arthroplasty: Impact of Selection Criteria on Perioperative Outcome. <i>HSS Journal</i> , 155633162110148	2	1
1	Is There Synergistic Effect Between Obesity and Hypoalbuminemia on Postoperative Outcomes Among Primary Total Shoulder Arthroplasty Recipients?. <i>HSS Journal</i> , 155633162210832	2	