
Hadi Tabibi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1961783/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A Case-Control Study on Dietary Acid Load in Relation to Glioma. Nutrition and Cancer, 2022, 74, 1644-1651.	2.0	4
2	Effects of Soy Isoflavones on Glycemic Parameters and Blood Pressure in Peritoneal Dialysis Patients: A Randomized, Double Blind, Placebo-Controlled Trial. Iranian Journal of Kidney Diseases, 2021, 1, 134-142.	0.1	1
3	Effects of soy isoflavones on serum systemic and vascular inflammation markers and oxidative stress in peritoneal dialysis patients: A randomized controlled trial. Phytotherapy Research, 2020, 34, 3011-3018.	5.8	12
4	Effects of soy isoflavones on serum lipids and lipoprotein (a) in peritoneal dialysis patients. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 1382-1388.	2.6	9
5	Effects of isoflavones on bone turnover markers in peritoneal dialysis patients: a randomized controlled trial. International Urology and Nephrology, 2020, 52, 1367-1376.	1.4	4
6	Associations of Body Composition, Muscle Function, and Physical Activity with Mortality in Peritoneal Dialysis Patients. Iranian Journal of Kidney Diseases, 2020, 14, 224-230.	0.1	6
7	Patterns of nutrients intakes in relation to glioma: A case-control study. Clinical Nutrition, 2019, 38, 1406-1413.	5.0	6
8	Tea and coffee consumption in relation to glioma: a case-control study. European Journal of Nutrition, 2019, 58, 103-111.	3.9	19
9	Prevalence of Protein-Energy Wasting and Its Association With Cardiovascular Disease Risk Factors in Iranian Peritoneal Dialysis Patients. Iranian Journal of Kidney Diseases, 2019, 13, 48-55.	0.1	4
10	Dietary Intake and Its Related Factors in Peritoneal Dialysis Patients in Tehran, Iran. Iranian Journal of Kidney Diseases, 2019, 13, 269-276.	0.1	0
11	Prevalence of dynapenic obesity and sarcopenic obesity and their associations with cardiovascular disease risk factors in peritoneal dialysis patients. Kidney Research and Clinical Practice, 2018, 37, 404-413.	2.2	29
12	Prevalence of Sarcopenia and Dynapenia and Their Determinants in Iranian Peritoneal Dialysis Patients. Iranian Journal of Kidney Diseases, 2018, 12, 53-60.	0.1	17
13	Effects of Flaxseed Oil on Serum Bone Turnover Markers in Hemodialysis Patients: a Randomized Controlled Trial. Iranian Journal of Kidney Diseases, 2018, 12, 215-222.	0.1	6
14	Effects of flaxseed oil on blood hepcidin and hematologic factors in hemodialysis patients. Hemodialysis International, 2017, 21, 549-556.	0.9	5
15	Adherence to the Dietary Approaches to Stop Hypertension-style diet in relation to glioma: a case–control study. British Journal of Nutrition, 2016, 115, 1108-1116.	2.3	29
16	Effect of flaxseed oil on serum systemic and vascular inflammation markers and oxidative stress in hemodialysis patients: a randomized controlled trial. International Urology and Nephrology, 2016, 48, 1335-1341.	1.4	36
17	Effects of Ginger on Serum Lipids and Lipoproteins in Peritoneal Dialysis Patients: A Randomized Controlled Trial. Peritoneal Dialysis International, 2016, 36, 140-145.	2.3	33
18	Effects of Flaxseed Oil on Serum Lipids and Lipoproteins in Hemodialysis Patients: a Randomized Controlled Trial. Iranian Journal of Kidney Diseases, 2016, 10, 405-412.	0.1	9

Hadi Tabibi

#	Article	IF	CITATIONS
19	Pomegranate <i>(Punicagranatum)</i> juice decreases lipid peroxidation, but has no effect on plasma advanced glycated end-products in adults with type 2 diabetes: a randomized double-blind clinical trial. Food and Nutrition Research, 2015, 59, 28551.	2.6	43
20	Renal anemia and L-carnitine therapy in hemodialysis patients. Journal of Clinical Nutrition & Dietetics, 2015, 01, .	0.3	0
21	Association of malnutrition-inflammation score, dialysis-malnutrition score and serum albumin with novel risk factors for cardiovascular diseases in hemodialysis patients. Renal Failure, 2015, 37, 113-116.	2.1	15
22	Effects of ginger on serum glucose, advanced glycation end products, and inflammation in peritoneal dialysis patients. Nutrition, 2015, 31, 703-707.	2.4	53
23	Inflammation and l-carnitine therapy in hemodialysis patients: a review. Clinical and Experimental Nephrology, 2015, 19, 331-335.	1.6	22
24	Comparison of various scoring methods for the diagnosis of protein–energy wasting in hemodialysis patients. International Urology and Nephrology, 2014, 46, 999-1004.	1.4	28
25	Comparison of novel risk factors for cardiovascular disease between hemodialysis patients with and without protein-energy wasting. International Urology and Nephrology, 2014, 46, 2015-2020.	1.4	6
26	Effects of flaxseed consumption on systemic inflammation and serum lipid profile in hemodialysis patients with lipid abnormalities. Hemodialysis International, 2013, 17, 275-281.	0.9	53
27	Effects of Combined Lipoic Acid and Pyridoxine on Albuminuria, Advanced Glycation End-Products, and Blood Pressure in Diabetic Nephropathy. International Journal for Vitamin and Nutrition Research, 2013, 83, 77-85.	1.5	32
28	Prevalence of Protein-energy Wasting and Its Various Types in Iranian Hemodialysis Patients: A New Classification. Renal Failure, 2012, 34, 1200-1205.	2.1	10
29	Effects of Omega-3 Fatty Acids on Serum Lipids, Lipoprotein (a), and Hematologic Factors in Hemodialysis Patients. Renal Failure, 2011, 33, 892-898.	2.1	36
30	Effects of l-carnitine Supplement on Serum Amyloid A and Vascular Inflammation Markers in Hemodialysis Patients: A Randomized Controlled Trial. , 2011, 21, 485-491.		17
31	Dietary assessment of hemodialysis patients in <scp>T</scp> ehran, <scp>I</scp> ran. Hemodialysis International, 2011, 15, 530-537.	0.9	6
32	Effects of Marine Omega-3 Fatty Acids on Serum Systemic and Vascular Inflammation Markers and Oxidative Stress in Hemodialysis Patients. Annals of Nutrition and Metabolism, 2011, 58, 197-202.	1.9	29
33	Effects of <scp>l</scp> â€carnitine supplement on serum inflammatory cytokines, Câ€reactive protein, lipoprotein (a), and oxidative stress in hemodialysis patients with Lp (a) hyperlipoproteinemia. Hemodialysis International, 2010, 14, 498-504.	0.9	56
34	Effects of Soy Consumption on Serum Lipids and Apoproteins in Peritoneal Dialysis Patients: A Randomized Controlled Trial. Peritoneal Dialysis International, 2010, 30, 611-618.	2.3	25
35	Effects of <scp>L</scp> -Carnitine supplement on plasma coagulation and anticoagulation factors in hemodialysis patients. Renal Failure, 2010, 32, 1109-1114.	2.1	31
36	Effects of Soy Consumption on Oxidative Stress, Blood Homocysteine, Coagulation Factors, and Phosphorus in Peritoneal Dialysis Patients. , 2009, 19, 389-395.		23