

Geoffrey T Fong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1963621/publications.pdf>

Version: 2024-02-01

513
papers

26,056
citations

7568

77
h-index

9589

142
g-index

525
all docs

525
docs citations

525
times ranked

16269
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessing use of inhalable nicotine products within complex markets: the dilemma of heated tobacco products. <i>Tobacco Control</i> , 2024, 33, 103-109.	3.2	5
2	Characterisation of vaping liquids used in vaping devices across four countries: results from an analysis of selected vaping liquids reported by users in the 2016 ITC Four Country Smoking and Vaping Survey. <i>Tobacco Control</i> , 2023, 32, 51-59.	3.2	5
3	Quasi-experimental evaluation of Kenya's pictorial health warnings versus Zambia's single text-only warning: findings from the International Tobacco Control (ITC) Project. <i>Tobacco Control</i> , 2023, 32, 139-145.	3.2	3
4	Smokers' awareness of filter ventilation, and how they believe it affects them: findings from the ITC Four Country Survey. <i>Tobacco Control</i> , 2023, 32, 93-98.	3.2	5
5	Evaluating the impact of plain packaging among Canadian smokers: findings from the 2018 and 2020 ITC Smoking and Vaping Surveys. <i>Tobacco Control</i> , 2023, 32, 153-162.	3.2	9
6	Differential impact of the Canadian point-of-sale tobacco display bans on quit attempts and smoking cessation outcomes by sex, income and education: longitudinal findings from the ITC Canada Survey. <i>Tobacco Control</i> , 2023, 32, 599-606.	3.2	3
7	Prevalence, perceptions and factors associated with menthol cigarette smoking: findings from the ITC Kenya and Zambia Surveys. <i>Tobacco Control</i> , 2023, 32, 709-714.	3.2	1
8	Impact of Canada's menthol cigarette ban on quitting among menthol smokers: pooled analysis of pre- and post-evaluation from the ITC Project and the Ontario Menthol Ban Study and projections of impact in the USA. <i>Tobacco Control</i> , 2023, 32, 734-738.	3.2	12
9	Beyond the European Union Tobacco Products Directive: smokers' and recent quitters' support for further tobacco control measures (2016-2018). <i>Tobacco Control</i> , 2022, 31, 765-769.	3.2	6
10	Characteristics and changes over time of nicotine vaping products used by vapers in the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. <i>Tobacco Control</i> , 2022, 31, e66-e73.	3.2	8
11	Evaluating the impact of menthol cigarette bans on cessation and smoking behaviours in Canada: longitudinal findings from the Canadian arm of the 2016-2018 ITC Four Country Smoking and Vaping Surveys. <i>Tobacco Control</i> , 2022, 31, 556-563.	3.2	48
12	Increasing Cannabis Use Is Associated With Poorer Cigarette Smoking Cessation Outcomes: Findings From the ITC Four Country Smoking and Vaping Surveys, 2016-2018. <i>Nicotine and Tobacco Research</i> , 2022, 24, 53-59.	2.6	18
13	Secondhand Smoke Exposure in European Countries With Different Smoke-Free Legislation: Findings From the EUREST-PLUS ITC Europe Surveys. <i>Nicotine and Tobacco Research</i> , 2022, 24, 85-92.	2.6	5
14	Combating the tobacco epidemic in North America: challenges and opportunities. <i>Tobacco Control</i> , 2022, 31, 169-172.	3.2	6
15	Demand for Factory-Made Cigarettes and Roll-Your-Own Tobacco and Differences Between Age and Socioeconomic Groups: Findings From the International Tobacco Control Netherlands Survey. <i>Nicotine and Tobacco Research</i> , 2022, 24, 529-535.	2.6	2
16	Responses to potential nicotine vaping product flavor restrictions among regular vapers using non-tobacco flavors: Findings from the 2020 ITC Smoking and Vaping Survey in Canada, England and the United States. <i>Addictive Behaviors</i> , 2022, 125, 107152.	3.0	18
17	Age-Related Interactions on Key Theoretical Determinants of Smoking Cessation: Findings from the ITC Four Country Smoking and Vaping Surveys (2016-2020). <i>Nicotine and Tobacco Research</i> , 2022, 24, 679-689.	2.6	3
18	The Predictive Utility of Valuing the Future for Smoking Cessation: Findings from the ITC 4 Country Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 631.	2.6	1

#	ARTICLE	IF	CITATIONS
19	Was COVID-19 associated with increased cigarette purchasing, consumption, and smoking at home among US smokers in early 2020? Findings from the US arm of the International Tobacco Control (ITC) Four Country Smoking and Vaping Survey. <i>Addictive Behaviors</i> , 2022, 129, 107276.	3.0	4
20	Attitudes towards smoking and COVID-19, and changes in smoking behaviors before and after the outbreak of COVID-19: A nationwide cross-sectional survey study in China. <i>Tobacco Induced Diseases</i> , 2022, 20, 1-5.	0.6	5
21	Cardiovascular Outcomes among Combustible-Tobacco and Electronic Nicotine Delivery System (ENDS) Users in Waves 1 through 5 of the Population Assessment of Tobacco and Health (PATH) Study, 2013-2019. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4137.	2.6	4
22	Methods of the 2020 (Wave 1) International Tobacco Control (ITC) Korea Survey. <i>Tobacco Prevention and Cessation</i> , 2022, 8, 1-9.	0.4	5
23	Perspective on Cancer Control: Whither the Tobacco Endgame for Canada?. <i>Current Oncology</i> , 2022, 29, 2081-2090.	2.2	1
24	Who Are More Likely to Have Quit Intentions among Malaysian Adult Smokers? Findings from the 2020 ITC Malaysia Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3035.	2.6	4
25	E-cigarette prevalence among Malaysian adults and types and flavors of e-cigarette products used by cigarette smokers who vape: Findings from the 2020 ITC Malaysia Survey. <i>Tobacco Induced Diseases</i> , 2022, 20, 1-7.	0.6	9
26	Do number of smoking friends and changes over time predict smoking relapse? Findings from the International Tobacco Control Four-Country Survey. <i>Journal of Substance Abuse Treatment</i> , 2022, 138, 108763.	2.8	5
27	Methods of the 2020 (Wave 1) International Tobacco Control (ITC) Malaysia survey. <i>Tobacco Induced Diseases</i> , 2022, 20, 1-10.	0.6	2
28	Reasons for using e-cigarettes and support for e-cigarette regulations: Findings from the 2020 ITC Malaysia Survey. <i>Tobacco Induced Diseases</i> , 2022, 20, 1-7.	0.6	6
29	Do Smokers' Perceptions of the Harmfulness of Nicotine Replacement Therapy and Nicotine Vaping Products as Compared to Cigarettes Influence Their Use as an Aid for Smoking Cessation? Findings from the ITC Four Country Smoking and Vaping Surveys. <i>Nicotine and Tobacco Research</i> , 2022, 24, 1413-1421.	2.6	11
30	Cognitive function following SARS-CoV-2 infection in a population-representative Canadian sample. <i>Brain, Behavior, & Immunity - Health</i> , 2022, 21, 100454.	2.5	7
31	Receiving and giving electronic cigarettes as gifts in China: Findings from International Tobacco Control China Survey. <i>Preventive Medicine Reports</i> , 2022, 27, 101763.	1.8	3
32	Factors associated with changes in flavored tobacco products used: Findings from wave 2 and wave 3 (2014-2016) of the population assessment of tobacco and health (PATH) study. <i>Addictive Behaviors</i> , 2022, 130, 107290.	3.0	5
33	Do post-quitting experiences predict smoking relapse among former smokers in Australia and the United Kingdom? Findings from the International Tobacco Control Surveys. <i>Drug and Alcohol Review</i> , 2022, 41, 883-889.	2.1	3
34	Associations Between Noticing Nicotine Vaping Product Health Warning Labels, Harm Perceptions, and Use Among Adult Vapers, Current and Former Smokers. Findings From the 2018 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2022, 24, 1020-1027.	2.6	1
35	Evaluating the Outcomes of the Menthol Cigarette Ban in England by Comparing Menthol Cigarette Smoking Among Youth in England, Canada, and the US, 2018-2020. <i>JAMA Network Open</i> , 2022, 5, e2210029.	5.9	13
36	The differential impact of the 2000 Canadian Graphic Warning Label policy on smoking prevalence by sex and education: A Difference-In-Difference-In-Difference Model. <i>Nicotine and Tobacco Research</i> , 2022, , .	2.6	2

#	ARTICLE	IF	CITATIONS
37	Brazilian smokers are ready for the ban on flavour additives in tobacco to be implemented. <i>Preventive Medicine</i> , 2022, 160, 107074.	3.4	5
38	Brain and behavior in health communication: The Canadian COVID-19 Experiences Project. <i>Brain, Behavior, & Immunity - Health</i> , 2022, 22, 100467.	2.5	5
39	Differences in cigarette smoking quit attempts and cessation between adults who did and did not take up nicotine vaping: Findings from the ITC four country smoking and vaping surveys. <i>Addictive Behaviors</i> , 2022, 132, 107339.	3.0	13
40	Local Brand Smoking Among Adult Smokers: Findings from the Wave 5 International Tobacco Control China Survey in China, 2015. <i>China CDC Weekly</i> , 2022, 4, 452-459.	2.3	0
41	Oral Nicotine Product Awareness and Use Among People Who Smoke and Vape in the U.S.. <i>American Journal of Preventive Medicine</i> , 2022, 63, 611-618.	3.0	8
42	Predictive Power of Dependence Measures for Quitting Smoking. Findings From the 2016 to 2018 ITC Four Country Smoking and Vaping Surveys. <i>Nicotine and Tobacco Research</i> , 2021, 23, 276-285.	2.6	15
43	What kind of smoking identity following quitting would elevate smokers relapse risk?. <i>Addictive Behaviors</i> , 2021, 112, 106654.	3.0	7
44	Identifying factors that conjointly influence nicotine vaping product relative harm perception among smokers and recent ex-smokers: Findings from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Drug and Alcohol Dependence</i> , 2021, 218, 108370.	3.2	6
45	Adults' E-Cigarette Flavor Use and Cigarette Quit Attempts: Population Assessment of Tobacco and Health Study Findings. <i>American Journal of Preventive Medicine</i> , 2021, 60, 300-302.	3.0	7
46	Costs of vaping: evidence from ITC Four Country Smoking and Vaping Survey. <i>Tobacco Control</i> , 2021, 30, 94-97.	3.2	14
47	Gender Differences in Reasons for Using Electronic Cigarettes and Product Characteristics: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 678-686.	2.6	15
48	Transitions in frequency of hookah smoking among youth and adults: findings from waves 1 and 2 of the Population Assessment of Tobacco and Health (PATH) study, 2013-15. <i>Addiction</i> , 2021, 116, 936-948.	3.3	11
49	Trends in Social Norms Towards Smoking Between 2002 and 2015 Among Daily Smokers: Findings From the International Tobacco Control Four Country Survey (ITC 4C). <i>Nicotine and Tobacco Research</i> , 2021, 23, 203-211.	2.6	8
50	Achieving the Goals of Healthy China 2030 Depends on Increasing Smoking Cessation in China: Comparative Findings from the ITC Project in China, Japan, and the Republic of Korea. <i>China CDC Weekly</i> , 2021, 3, 463-467.	2.3	7
51	The efficacy of health warnings and package branding on perceptions of cannabis products among youth and young adults. <i>Drug and Alcohol Review</i> , 2021, 40, 637-646.	2.1	12
52	How Does the Use of Flavored Nicotine Vaping Products Relate to Progression Toward Quitting Smoking? Findings From the 2016 and 2018 ITC 4CV Surveys. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1490-1497.	2.6	17
53	Age as a predictor of quit attempts and quit success in smoking cessation: findings from the International Tobacco Control Four-Country survey (2002-14). <i>Addiction</i> , 2021, 116, 2509-2520.	3.3	22
54	Patterns of Non-Cigarette Tobacco and Nicotine Use Among Current Cigarette Smokers and Recent Quitters: Findings From the 2020 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1611-1616.	2.6	23

#	ARTICLE	IF	CITATIONS
55	Self-Reported Quit Aids and Assistance Used By Smokers At Their Most Recent Quit Attempt: Findings from the 2020 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1699-1707.	2.6	22
56	E-Cigarette Flavors and Frequency of E-Cigarette Use among Adult Dual Users Who Attempt to Quit Cigarette Smoking in the United States: Longitudinal Findings from the PATH Study 2015/16â€“2016/17. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4373.	2.6	7
57	Biobehavioral Aspects of the COVID-19 Pandemic: A Review. <i>Psychosomatic Medicine</i> , 2021, 83, 309-321.	2.0	21
58	Smokersâ€™ cognitive and behavioural reactions during the early phase of the COVID-19 pandemic: Findings from the 2020 ITC Four Country Smoking and Vaping Survey. <i>PLoS ONE</i> , 2021, 16, e0252427.	2.5	48
59	Support for New Zealand's Smokefree 2025 goal and key measures to achieve it: findings from the ITC New Zealand Survey. <i>Australian and New Zealand Journal of Public Health</i> , 2021, 45, 554-561.	1.8	8
60	â€œDonâ€™t Knowâ€• Responses for Nicotine Vaping Product Features among Adult Vapers: Findings from the 2018 and 2020 ITC Four Country Smoking and Vaping Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7928.	2.6	2
61	Which tobacco control policies do smokers support? Findings from the International Tobacco Control Four Country Smoking and Vaping Survey. <i>Preventive Medicine</i> , 2021, 149, 106600.	3.4	15
62	Menthol and Mint Cigarettes and Cigars: Initiation and Progression in Youth, Young Adults and Adults in Waves 1â€“4 of the PATH Study, 2013â€“2017. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1318-1326.	2.6	24
63	Characterizing Heated Tobacco Product Use Among Adult Cigarette Smokers and Nicotine Vaping Product Users in the 2018 ITC Four Country Smoking & Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, , .	2.6	9
64	Effects of and challenges to bans on menthol and other flavors in tobacco products. <i>Tobacco Prevention and Cessation</i> , 2021, 7, 1-3.	0.4	3
65	Quasi-experimentally examining the impact of introducing tobacco pictorial health warnings: Findings from the International Tobacco Control (ITC) 4C and Netherlands surveys in the Netherlands, Australia, Canada, United Kingdom, and the United States. <i>Drug and Alcohol Dependence</i> , 2020, 207, 107818.	3.2	7
66	Contraband Cigarette Purchasing from First Nation reserves in Ontario and Quebec: Findings from the 2002â€“2014 ITC Canada Survey. <i>International Journal of Drug Policy</i> , 2020, 75, 102612.	3.3	3
67	Awareness, trial and use of heated tobacco products among adult cigarette smokers and e-cigarette users: findings from the 2018 ITC Four Country Smoking and Vaping Survey. <i>Tobacco Control</i> , 2020, , tobaccocontrol-2020-055985.	3.2	21
68	Transitions in product use during the implementation of the European Tobacco Products Directive: cohort study findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii10-iii17.	0.3	5
69	Changes in electronic cigarette use and label awareness among smokers before and after the European Tobacco Products Directive implementation in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii62-iii67.	0.3	3
70	Awareness of Marketing of Heated Tobacco Products and Cigarettes and Support for Tobacco Marketing Restrictions in Japan: Findings from the 2018 International Tobacco Control (ITC) Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8418.	2.6	14
71	Reasons for Regularly Using Heated Tobacco Products among Adult Current and Former Smokers in Japan: Finding from 2018 ITC Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8030.	2.6	30
72	Cannabis health knowledge and risk perceptions among Canadian youth and young adults. <i>Harm Reduction Journal</i> , 2020, 17, 54.	3.2	22

#	ARTICLE	IF	CITATIONS
73	Support for Minimum Legal Sales Age Laws Set to Age 21 Across Australia, Canada, England, and United States: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2020, 22, 2266-2270.	2.6	8
74	Do smokers want to protect non-smokers from the harms of second-hand smoke in cars? Findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii108-iii112.	0.3	2
75	Transitions from and to roll-your-own tobacco, perceptions and health beliefs among smokers: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii18-iii25.	0.3	4
76	Changes in responses to nicotine vaping product warnings and leaflets in England compared with Canada, the US and Australia: findings from the 2016â€“2018 ITC Four Country Smoking and Vaping Surveys. <i>Tobacco Control</i> , 2020, , tobaccocontrol-2020-055739.	3.2	5
77	Role of e-cigarettes and pharmacotherapy during attempts to quit cigarette smoking: The PATH Study 2013-16. <i>PLoS ONE</i> , 2020, 15, e0237938.	2.5	48
78	Perceptions, Predictors of and Motivation for Quitting among Smokers from Six European Countries from 2016 to 2018: Findings from EUREST-PLUS ITC Europe Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6263.	2.6	10
79	Patterns of Use of Vaping Products among Smokers: Findings from the 2016â€“2018 International Tobacco Control (ITC) New Zealand Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6629.	2.6	6
80	Evaluating the impact of the Tobacco Products Directive within the context of the FCTC in Europeâ€“findings from the EUREST-PLUS ITC Europe Surveys: introductory Commentary. <i>European Journal of Public Health</i> , 2020, 30, iii1-iii3.	0.3	0
81	Awareness and use of heated tobacco products among adult smokers in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii78-iii83.	0.3	18
82	Awareness and correlates of noticing changes to cigarette packaging design after implementation of the European Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii98-iii107.	0.3	4
83	Support for e-cigarette policies among smokers in seven European countries: longitudinal findings from the 2016â€“18 EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii68-iii77.	0.3	5
84	Social norms for e-cigarettes and smoking: associations with initiation of e-cigarette use, intentions to quit smoking and quit attempts: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii46-iii54.	0.3	10
85	Impact of the Tobacco Products Directive on self-reported exposure to e-cigarette advertising, promotion and sponsorship in smokersâ€“findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii55-iii61.	0.3	7
86	Quitting behaviours and cessation methods used in eight European Countries in 2018: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii26-iii33.	0.3	10
87	Self-Reported Exposure to Secondhand Smoke and Support for Complete Smoking Bans in Multiunit Housing Among Smokers in the United States, Canada, and the United Kingdom. <i>Preventing Chronic Disease</i> , 2020, 17, E147.	3.4	6
88	Evaluating the impact of introducing standardized packaging with larger health-warning labels in England: findings from adult smokers within the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii91-iii97.	0.3	13
89	Effectiveness of tobacco warning labels before and after implementation of the European Tobacco Products Directiveâ€“findings from the longitudinal EUREST-PLUS ITC Europe surveys. <i>European Journal of Public Health</i> , 2020, 30, iii84-iii90.	0.3	5
90	Cessation behaviours among smokers of menthol and flavoured cigarettes following the implementation of the EU Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii34-iii37.	0.3	10

#	ARTICLE	IF	CITATIONS
91	Changes in Smoking and Vaping over 18 Months among Smokers and Recent Ex-Smokers: Longitudinal Findings from the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7084.	2.6	8
92	The Association of E-cigarette Flavors With Satisfaction, Enjoyment, and Trying to Quit or Stay Abstinent From Smoking Among Regular Adult Vapers From Canada and the United States: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2020, 22, 1831-1841.	2.6	42
93	European adult smokers' perceptions of the harmfulness of e-cigarettes relative to combustible cigarettes: cohort findings from the 2016 and 2018 EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii38-iii45.	0.3	11
94	Effectiveness of Text-Only Cigarette Health Warnings in Japan: Findings from the 2018 International Tobacco Control (ITC) Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 952.	2.6	4
95	Secondhand Smoke Exposure in Public Places and Support for Smoke-Free Laws in Japan: Findings from the 2018 ITC Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 979.	2.6	10
96	Cannabis labelling and consumer understanding of THC levels and serving sizes. <i>Drug and Alcohol Dependence</i> , 2020, 208, 107843.	3.2	33
97	Methods of the International Tobacco Control (ITC) EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii4-iii9.	0.3	21
98	Tobacco industry pricing undermines tobacco tax policy: A tale from Bangladesh. <i>Preventive Medicine</i> , 2020, 132, 105991.	3.4	8
99	Perceptions of Harmfulness of Heated Tobacco Products Compared to Combustible Cigarettes among Adult Smokers in Japan: Findings from the 2018 ITC Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2394.	2.6	35
100	Survey Methods of the 2018 International Tobacco Control (ITC) Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2598.	2.6	4
101	Adult perceptions of the relative harm of tobacco products and subsequent tobacco product use: Longitudinal findings from waves 1 and 2 of the population assessment of tobacco and health (PATH) study. <i>Addictive Behaviors</i> , 2020, 106, 106337.	3.0	43
102	International differences in patterns of cannabis use among adult cigarette smokers: Findings from the 2018 ITC Four Country Smoking and Vaping Survey. <i>International Journal of Drug Policy</i> , 2020, 79, 102754.	3.3	31
103	Concurrent Daily and Non-Daily Use of Heated Tobacco Products with Combustible Cigarettes: Findings from the 2018 ITC Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2098.	2.6	32
104	The double-edged relationship between COVID-19 stress and smoking: Implications for smoking cessation. <i>Tobacco Induced Diseases</i> , 2020, 18, 63.	0.6	141
105	Perceived relative harm of heated tobacco products (IQOS), e-cigarettes, and cigarettes among adults in Canada: Findings from the ITC Project. <i>Tobacco Induced Diseases</i> , 2020, 18, 1-5.	0.6	16
106	Considerations for an Individual-Level Population Notification System for Pandemic Response: A Review and Prototype. <i>Journal of Medical Internet Research</i> , 2020, 22, e19930.	4.3	14
107	The Importance of Reducing Smoking in China: To Achieve Healthy China 2030 While Reducing the Severity of the COVID-19 Pandemic. <i>China CDC Weekly</i> , 2020, 2, 404-406.	2.3	2
108	Are health conditions and concerns about health effects of smoking predictive of quitting? Findings from the ITC 4CV Survey (2016-2018). <i>Tobacco Prevention and Cessation</i> , 2020, 6, 1-10.	0.4	6

#	ARTICLE	IF	CITATIONS
109	Reasons for stopping e-cigarette use among smokers: findings from the 2018 ITC New Zealand Survey. <i>New Zealand Medical Journal</i> , 2020, 133, 117-121.	0.5	0
110	Impact of tobacco control policies on smoking prevalence and quit ratios in 27 European Union countries from 2006 to 2014. <i>Tobacco Control</i> , 2019, 28, tobaccocontrol-2017-054119.	3.2	85
111	Disentangling the roles of point-of-sale ban, tobacco retailer density and proximity on cessation and relapse among a cohort of smokers: findings from ITC Canada Survey. <i>Tobacco Control</i> , 2019, 28, tobaccocontrol-2017-054081.	3.2	9
112	Impact of the WHO FCTC over the first decade: a global evidence review prepared for the Impact Assessment Expert Group. <i>Tobacco Control</i> , 2019, 28, s119-s128.	3.2	147
113	Trend in the affordability of tobacco products in Bangladesh: findings from the ITC Bangladesh Surveys. <i>Tobacco Control</i> , 2019, 28, s20-s30.	3.2	26
114	Strengthening Policy-Relevant Tobacco Research Capacity in Low- and Middle-Income Countries: Challenges, Opportunities, and Lessons Learned. <i>Nicotine and Tobacco Research</i> , 2019, 21, 1140-1143.	2.6	7
115	Impact assessment of the WHO FCTC over its first decade: methodology of the expert group. <i>Tobacco Control</i> , 2019, 28, s84-s88.	3.2	8
116	Association between tax structure and cigarette consumption: findings from the International Tobacco Control Policy Evaluation (ITC) Project. <i>Tobacco Control</i> , 2019, 28, s31-s36.	3.2	18
117	The Impact of Income and Taxation in a Price-Tiered Cigarette Market: findings from the ITC Bangladesh Surveys. <i>Tobacco Control</i> , 2019, 28, s37-s44.	3.2	5
118	Predicting the future of smoking in a rapidly evolving nicotine market. <i>Addiction</i> , 2019, 114, 3-5.	3.3	0
119	Factors associated with quit attempts and smoking cessation in Brazil: findings from the International Tobacco Control Brazil Survey. <i>Public Health</i> , 2019, 174, 127-133.	2.9	3
120	State-Level Affordability of Factory-Made Cigarettes among Current US Smokers: Findings from the ITC US Survey, 2003-2015. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2439.	2.6	0
121	Impact of adding and removing warning label messages from cigarette packages on adult smokers' awareness about the health harms of smoking: findings from the ITC Canada Survey. <i>Tobacco Control</i> , 2019, 28, e56-e63.	3.2	8
122	Perceptions of effectiveness and believability of pictorial and text-only health warning labels for cannabis products among Canadian youth. <i>International Journal of Drug Policy</i> , 2019, 73, 24-31.	3.3	24
123	Beliefs among Adult Smokers and Quitters about Nicotine and De-nicotinized Cigarettes in the 2016-17 ITC New Zealand Survey. <i>Tobacco Regulatory Science (discontinued)</i> , 2019, 5, 400-409.	0.2	3
124	Identifying factors associated with quit intentions among smokers from two nationally representative samples in Africa: Findings from the ITC Kenya and Zambia Surveys. <i>Preventive Medicine Reports</i> , 2019, 15, 100951.	1.8	13
125	Socioeconomic patterns of smoking cessation behavior in low and middle-income countries: Emerging evidence from the Global Adult Tobacco Surveys and International Tobacco Control Surveys. <i>PLoS ONE</i> , 2019, 14, e0220223.	2.5	27
126	The impact of vaping and regulatory environment on cigarette demand: behavioral economic perspective across four countries. <i>Addiction</i> , 2019, 114, 123-133.	3.3	11

#	ARTICLE	IF	CITATIONS
127	Prevalence of awareness, ever-use and current use of nicotine vaping products (NVPs) among adult current smokers and ex-smokers in 14 countries with differing regulations on sales and marketing of NVPs: cross-sectional findings from the ITC Project. <i>Addiction</i> , 2019, 114, 1060-1073.	3.3	66
128	Methods of the ITC Four Country Smoking and Vaping Survey, wave 1 (2016). <i>Addiction</i> , 2019, 114, 6-14.	3.3	74
129	A new classification system for describing concurrent use of nicotine vaping products alongside cigarettes (so-called "dual use"): findings from the ITC 4 Country Smoking and Vaping wave 1 Survey. <i>Addiction</i> , 2019, 114, 24-34.	3.3	57
130	Characteristics of nicotine vaping products used by participants in the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 15-23.	3.3	27
131	Impact of China National Tobacco Company's "Premiumization" Strategy: longitudinal findings from the ITC China Surveys (2006-2015). <i>Tobacco Control</i> , 2019, 28, s68-s76.	3.2	12
132	Prices, use restrictions and electronic cigarette use—evidence from wave 1 (2016) US data of the ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 115-122.	3.3	7
133	Prevalence of vaping and smoking among adolescents in Canada, England, and the United States: repeat national cross sectional surveys. <i>BMJ: British Medical Journal</i> , 2019, 365, l2219.	2.3	217
134	Indicators of cigarette smoking dependence and relapse in former smokers who vape compared with those who do not: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 49-60.	3.3	19
135	Awareness and interest in lung cancer screening among current and former smokers: findings from the ITC United States Survey. <i>Cancer Causes and Control</i> , 2019, 30, 733-745.	1.8	10
136	Cross-country comparison of cigarette and vaping product marketing exposure and use: findings from 2016 ITC Four Country Smoking and Vaping Survey. <i>Tobacco Control</i> , 2019, 29, tobaccocontrol-2018-054650.	3.2	8
137	An Economic Analysis of the Pre-Deeming US Market for Nicotine Vaping Products. <i>Tobacco Regulatory Science (discontinued)</i> , 2019, 5, 169-181.	0.2	24
138	Differences in norms towards the use of nicotine vaping products among adult smokers, former smokers and nicotine vaping product users: cross-sectional findings from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 97-106.	3.3	13
139	Cigarette Affordability in China, 2006-2015: Findings from International Tobacco Control China Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1205.	2.6	16
140	How Are Self-Reported Physical and Mental Health Conditions Related to Vaping Activities among Smokers and Quitters: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1412.	2.6	9
141	Analysis of Gender Differences in the Impact of Taxation and Taxation Structure on Cigarette Consumption in 17 ITC Countries. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1275.	2.6	4
142	Reasons for regular vaping and for its discontinuation among smokers and recent ex-smokers: findings from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 35-48.	3.3	74
143	Cannabis use among a nationally representative cross-sectional sample of smokers and non-smokers in the Netherlands: results from the 2015 ITC Netherlands Gold Magic Survey. <i>BMJ Open</i> , 2019, 9, E024497.	1.9	19
144	Rules about smoking and vaping in the home: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 107-114.	3.3	6

#	ARTICLE	IF	CITATIONS
145	Where Do Vapers Buy Their Vaping Supplies? Findings from the International Tobacco Control (ITC) 4 Country Smoking and Vaping Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 338.	2.6	37
146	Secondhand smoke exposure and support for smoke-free policies in cities and rural areas of China from 2009 to 2015: a population-based cohort study (the ITC China Survey). <i>BMJ Open</i> , 2019, 9, e031891.	1.9	12
147	Impact of the WHO FCTC on tobacco control: perspectives from stakeholders in 12 countries. <i>Tobacco Control</i> , 2019, 28, s129-s135.	3.2	24
148	Attitudes of Korean smokers towards smoke-free public places: findings from the longitudinal ITC Korea Survey, 2005–2010. <i>BMJ Open</i> , 2019, 9, e025298.	1.9	7
149	How the New European Union’s (Pictorial) Tobacco Health Warnings Influence Quit Attempts and Smoking Cessation: Findings from the 2016–2017 International Tobacco Control (ITC) Netherlands Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4260.	2.6	2
150	Use of Heated Tobacco Products within Indoor Spaces: Findings from the 2018 ITC Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4862.	2.6	13
151	Prevalence, Use Behaviors, and Preferences among Users of Heated Tobacco Products: Findings from the 2018 ITC Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4630.	2.6	51
152	Biomarkers of Exposure Among “Dual Users” of Tobacco Cigarettes and Electronic Cigarettes in Canada. <i>Nicotine and Tobacco Research</i> , 2019, 21, 1259-1266.	2.6	43
153	Discussions between health professionals and smokers about nicotine vaping products: results from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 71-85.	3.3	17
154	Examining the relationship of vaping to smoking initiation among US youth and young adults: a reality check. <i>Tobacco Control</i> , 2019, 28, 629-635.	3.2	155
155	Are the Same Health Warnings Effective Across Different Countries? An Experimental Study in Seven Countries. <i>Nicotine and Tobacco Research</i> , 2019, 21, 887-895.	2.6	36
156	Exposure to and perceptions of health warning labels on nicotine vaping products: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 134-143.	3.3	10
157	U.S. adult perceptions of the harmfulness of tobacco products: descriptive findings from the 2013–14 baseline wave 1 of the path study. <i>Addictive Behaviors</i> , 2019, 91, 180-187.	3.0	40
158	Association between tobacco prices and smoking onset: evidence from the TCP India Survey. <i>Tobacco Control</i> , 2019, 28, s3-s8.	3.2	7
159	Tobacco taxation, illegal cigarette supply and geography: findings from the ITC Uruguay Surveys. <i>Tobacco Control</i> , 2019, 28, s53-s60.	3.2	7
160	Longer duration of smoking abstinence is associated with waning cessation fatigue. <i>Behaviour Research and Therapy</i> , 2019, 115, 12-18.	3.1	5
161	Price, tax and tobacco product substitution in Zambia: findings from the ITC Zambia Surveys. <i>Tobacco Control</i> , 2019, 28, s45-s52.	3.2	25
162	The association between smokers’ self-reported health problems and quitting: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. <i>Tobacco Prevention and Cessation</i> , 2019, 5, 49.	0.4	12

#	ARTICLE	IF	CITATIONS
163	A decade of cigarette taxation in Bangladesh: lessons learnt for tobacco control. Bulletin of the World Health Organization, 2019, 97, 221-229.	3.3	19
164	Attitudes towards tobacco control policies among smokers of menthol, other flavored and unflavored cigarettes: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2019, 17, .	0.6	0
165	SHS exposure in public places and support for smoke-free laws in Japan: Findings from the 2018 ITC Japan Survey. Tobacco Induced Diseases, 2019, 17, .	0.6	0
166	Effectiveness of text-only cigarette health warnings in Japan: Findings from the 2018 International Tobacco Control (ITC) Japan Survey. Tobacco Induced Diseases, 2019, 17, .	0.6	0
167	Awareness of cigarette and heated tobacco products marketing and support for tobacco marketing restrictions in Japan: Findings from the 2018 ITC Japan Survey. Tobacco Induced Diseases, 2019, 17, .	0.6	0
168	The role of income and psychological distress in the relationship between work loss and smoking cessation: Findings from three International Tobacco Control (ITC) Europe countries. Tobacco Prevention and Cessation, 2019, 5, 42.	0.4	0
169	The Association Between State Value-Added Taxes and Tobacco Use in Indiaâ€”Evidence From GATS and TCP India Survey. Nicotine and Tobacco Research, 2018, 20, 1344-1352.	2.6	10
170	The Impact of Implementing Tobacco Control Policies: The 2017 Tobacco Control Policy Scorecard. Journal of Public Health Management and Practice, 2018, 24, 448-457.	1.4	107
171	A longitudinal study into the reciprocal effects of identities and smoking behaviour: Findings from the ITC Netherlands Survey. Social Science and Medicine, 2018, 200, 249-257.	3.8	21
172	Construct and Predictive Validity of Three Measures of Intention to Quit Smoking: Findings From the International Tobacco Control (ITC) Netherlands Survey. Nicotine and Tobacco Research, 2018, 20, 1101-1108.	2.6	32
173	Response to Letter to the Editor by Benmarhnia T, Leas E, Hendrickson E, Trinidad D, Strong D, Pierce J. The Potential Influence of Regulatory Environment for e-cigarettes on the Effectiveness of e-cigarettes for Smoking Cessation: Different Reasons to Temper the Conclusions From Inadequate Data. Nicotine and Tobacco Research, 2018, 20, 660-661.	2.6	0
174	Path analysis of warning label effects on negative emotions and quit attempts: A longitudinal study of smokers in Australia, Canada, Mexico, and the US. Social Science and Medicine, 2018, 197, 226-234.	3.8	103
175	Correlates of Transitions in Tobacco Product Use by U.S. Adult Tobacco Users between 2013â€”2014 and 2014â€”2015: Findings from the PATH Study Wave 1 and Wave 2. International Journal of Environmental Research and Public Health, 2018, 15, 2556.	2.6	15
176	Transitions in Tobacco Product Use by U.S. Adults between 2013â€”2014 and 2014â€”2015: Findings from the PATH Study Wave 1 and Wave 2. International Journal of Environmental Research and Public Health, 2018, 15, 2515.	2.6	26
177	Smokersâ€™ support for tobacco endgame measures in Canada: findings from the 2016 International Tobacco Control Smoking and Vaping Survey. CMAJ Open, 2018, 6, E412-E422.	2.4	28
178	Factors associated with changing cigarette consumption patterns among low-intensity smokers: Longitudinal findings across four waves (2008â€”2012) of ITC Mexico Survey. Addictive Behaviors Reports, 2018, 8, 154-163.	1.9	11
179	Response to â€œRapid Nicotine Ratio and Successful Quitting: Acceptable Explanationâ€”by the Authors of â€œNicotine Metabolite Ratio (NMR) Prospectively Predicts Smoking Relapse: Longitudinal Findings from ITC Surveys in Five Countriesâ€” Nicotine and Tobacco Research, 2018, 20, 909-909.	2.6	0
180	Support for a point-of-sale cigarette display ban among smokers: findings from the international tobacco control (ITC) Netherlands survey. BMC Public Health, 2018, 18, 740.	2.9	2

#	ARTICLE	IF	CITATIONS
181	The impact and relevance of tobacco control research in low-and middle-income countries globally and to the US. <i>Addictive Behaviors</i> , 2018, 87, 162-168.	3.0	27
182	Delay discounting and e-cigarette use: An investigation in current, former, and never cigarette smokers. <i>Drug and Alcohol Dependence</i> , 2018, 191, 165-173.	3.2	14
183	Reported exposure to E-cigarette advertising and promotion in different regulatory environments: Findings from the International Tobacco Control Four Country (ITC-4C) Survey. <i>Preventive Medicine</i> , 2018, 112, 130-137.	3.4	13
184	Cross-border purchasing of cigarettes among smokers in Six Countries of the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A13.	0.6	8
185	The purchase sources of and price paid for cigarettes in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A16.	0.6	6
186	Receiving support to quit smoking and quit attempts among smokers with and without smoking related diseases: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A14.	0.6	11
187	Social norms towards smoking and electronic cigarettes among adult smokers in seven European Countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A15.	0.6	13
188	Dependence, plans to quit, quitting self-efficacy and past cessation behaviours among menthol and other flavoured cigarette users in Europe: The EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A19.	0.6	7
189	Increase of electronic cigarette use and awareness in Brazil: findings from a country that has strict regulatory requirements for electronic cigarette sales, import, and advertising. <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.6	3
190	Beliefs and rules about vaping in home and smoke-free public places: findings from the ITC 4-country project. <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.6	1
191	Impact of tobacco control policies on smoking prevalence and quit ratios in 27 European Union countries from 2006 - 2014. <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.6	3
192	Do European smokers opt for partial or total bans on smoking in homes and cars? Findings from the ITC 6 European Country Survey (EUREST-PLUS Project). <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.6	1
193	Use of electronic cigarettes across 13 ITC countries with different regulatory environments. <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.6	5
194	Study protocol of EUREST-PLUS - European Regulatory Science on Tobacco: Policy Implementation to Reduce Lung Disease. <i>Tobacco Induced Diseases</i> , 2018, 16, A2.	0.6	39
195	Characteristics and correlates of electronic cigarette product attributes and undesirable events during e-cigarette use in six countries of the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A1.	0.6	14
196	Extent and correlates of self-reported exposure to tobacco advertising, promotion and sponsorship in smokers: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.6	8
197	Quitting behaviors and cessation assistance used among smokers with anxiety or depression: Findings among six countries of the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.6	9
198	Impact of anti-smoking advertising on health-risk knowledge and quit attempts across 6 European countries from the EUREST-PLUS ITC Europe Survey. <i>Tobacco Induced Diseases</i> , 2018, 16, A5.	0.6	7

#	ARTICLE	IF	CITATIONS
199	Characterising smokers of menthol and flavoured cigarettes, their attitudes towards tobacco regulation, and the anticipated impact of the Tobacco Products Directive on their smoking and quitting behaviours: The EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A4.	0.6	27
200	Quitting activity and use of cessation assistance reported by smokers in eight European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, .	0.6	31
201	Patterns of tobacco use, quit attempts, readiness to quit and self-efficacy among smokers with anxiety or depression: Findings among six countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A9.	0.6	11
202	Cigarette brand loyalty among smokers in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A12.	0.6	9
203	Secondhand exposure to e-cigarette aerosols among smokers: A cross-sectional study in six European countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A11.	0.6	10
204	Knowledge of the health risks of smoking and impact of cigarette warning labels among tobacco users in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A10.	0.6	20
205	The Conceptual Model and Methods of Wave 1 (2016) of the EUREST-PLUS ITC 6 European Countries Survey. Tobacco Induced Diseases, 2018, 16, A3.	0.6	35
206	Tobacco Control Policies in the Republic of Korea and the Methods of the ITC Korea Surveys. Journal of the Korean Society for Research on Nicotine and Tobacco, 2018, 9, S1-S10.	0.3	6
207	Awareness and Use of E-cigarettes and Vaping Behaviors among Korean Adult Smokers: ITC 2016 Korean Study. Journal of the Korean Society for Research on Nicotine and Tobacco, 2018, 9, S11-S21.	0.3	10
208	Awareness of Korean Adults Smokers about National Smoking Cessation Program in Korea: Findings from the 2016 International Tobacco Control Policy Evaluation Survey_Korea. Journal of the Korean Society for Research on Nicotine and Tobacco, 2018, 9, S22-S30.	0.3	3
209	Tobacco Related Knowledge Is Associated with Heaviness of Smoking Index (HSI) and Intention to Quit among Korean Smokers: Findings from 2016 ITC Korea Survey. Journal of the Korean Society for Research on Nicotine and Tobacco, 2018, 9, S31-S38.	0.3	3
210	Change of Support for Smoke-Free Area and Perception of Effectiveness of Smoking Ban Policy among Korean Smokers: Findings from the 2010, 2016 International Tobacco Control Policy Evaluation Survey in Korea. Journal of the Korean Society for Research on Nicotine and Tobacco, 2018, 9, S39-S50.	0.3	6
211	The association between the awareness of the effects of smoking/secondhand smoke and the desire to quit. Tobacco Induced Diseases, 2018, 16, .	0.6	4
212	The use of and beliefs about menthol cigarettes among Brazilian smokers: findings from Wave 3 (2016-17) of the ITC Brazil Survey. Tobacco Induced Diseases, 2018, 16, .	0.6	1
213	Effectiveness of TAPS bans and public support for point-of-sale (POS) bans in Brazil: findings from the ITC Brazil Survey, 2009-17. Tobacco Induced Diseases, 2018, 16, .	0.6	0
214	Low knowledge among Zambian smokers and the need for large pictorial health warnings: findings from the ITC Zambia Wave 2 survey. Tobacco Induced Diseases, 2018, 16, .	0.6	0
215	Awareness of tobacco advertising, promotion and sponsorship in four states: findings from TCP India survey - Wave 1 and Wave 2. Tobacco Induced Diseases, 2018, 16, .	0.6	0
216	Evaluating the impact of health warnings in Brazil over 7 years (2009 - 2016): findings from the ITC Brazil Wave 1-3 surveys. Tobacco Induced Diseases, 2018, 16, .	0.6	0

#	ARTICLE	IF	CITATIONS
217	Over-time changes in reactions to pictorial health warning labels and association with quitting behavior among adult smokers in Thailand: findings from ITC Thailand survey (2005 - 2012). Tobacco Induced Diseases, 2018, 16, .	0.6	0
218	Trends in SHS exposure and smokers' support for smoke-free laws in China: findings from the ITC China survey, 2007 - 15. Tobacco Induced Diseases, 2018, 16, .	0.6	0
219	An empirical analysis of the impact of income change and cigarette taxation in a price-tiered cigarette market of Bangladesh. Tobacco Induced Diseases, 2018, 16, .	0.6	0
220	Factors associated with quit attempts and smoking cessation in Brazil: findings from the International Tobacco Control Brazil Survey. Tobacco Induced Diseases, 2018, 16, .	0.6	0
221	Factors associated with intention to quit among tobacco users in India: findings from TCP India survey - Wave 1 and Wave 2. Tobacco Induced Diseases, 2018, 16, .	0.6	0
222	Does change in perception of tobacco risk affect smokers' behaviour? - An empirical analysis. Tobacco Induced Diseases, 2018, 16, .	0.6	0
223	Prevalence, perceptions and predictors of menthol cigarettes among African smokers: findings from the ITC Kenya and Zambia Surveys. Tobacco Induced Diseases, 2018, 16, .	0.6	2
224	The long road to smokefree bars in the Netherlands: findings from the ITC Netherlands Survey 2008-2016. Tobacco Induced Diseases, 2018, 16, .	0.6	0
225	Evidence of the continuing weak impact of China's health warnings: longitudinal findings over nine years (2006 to 2013 - 15) from the ITC China project. Tobacco Induced Diseases, 2018, 16, .	0.6	0
226	A pre-post evaluation of and public support for smoke-free policies at the 2016 Rio Olympics: findings from the ITC Brazil survey, 2012 - 17. Tobacco Induced Diseases, 2018, 16, .	0.6	0
227	Who is more likely to have a quit intention in Brazil's major cities? Findings from the ITC Brazil Wave 3 Survey. Tobacco Induced Diseases, 2018, 16, .	0.6	0
228	Effectiveness of the ban on tobacco industry sponsorship in Brazil: findings from the ITC Brazil Wave 1 to 3 Surveys (2009 to 2016 - 17). Tobacco Induced Diseases, 2018, 16, .	0.6	0
229	Reasons for e-cigarette use and perceptions of harm in Brazil: findings from the ITC Brazil Wave 2 (2012-13) and 3 (2016-17) surveys. Tobacco Induced Diseases, 2018, 16, .	0.6	0
230	Prevalence of flavored cigarettes and e-cigarettes in Uruguay: findings from the Wave 5 of the ITC Uruguay survey. Tobacco Induced Diseases, 2018, 16, .	0.6	0
231	Depression symptoms and quitting among a nationally representative sample of smokers from Africa. Tobacco Induced Diseases, 2018, 16, .	0.6	0
232	Evaluating the European Union (EU) Tobacco Products Directive: Findings from the EUREST-PLUS ITC cohort study among six EU Member States (MS). Tobacco Induced Diseases, 2018, 16, .	0.6	0
233	Undesirable events during electronic cigarette use prior to the implementation of Article 20 of the European Union Tobacco Products Directive: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, .	0.6	0
234	Prevalence and correlates of different smoking bans in homes and cars among smokers in 6 Countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A8.	0.6	8

#	ARTICLE	IF	CITATIONS
235	Smoking in public places in six European countries: Findings from the EUREST-PLUS ITC Europe Survey. Tobacco Induced Diseases, 2018, 16, A18.	0.6	0
236	Correlates of the support for smoke-free policies among smokers: A cross-sectional study in six European countries of the EUREST-PLUS ITC EUROPE SURVEYS. Tobacco Induced Diseases, 2018, 16, A17.	0.6	4
237	A framework for evaluating the public health impact of e-cigarettes and other vaporized nicotine products. Addiction, 2017, 112, 8-17.	3.3	131
238	Design and methods of the Population Assessment of Tobacco and Health (PATH) Study. Tobacco Control, 2017, 26, 371-378.	3.2	642
239	How do consumers perceive differences in risk across nicotine products? A review of relative risk perceptions across smokeless tobacco, e-cigarettes, nicotine replacement therapy and combustible cigarettes. Tobacco Control, 2017, 26, e49-e58.	3.2	87
240	Does the Regulatory Environment for E-Cigarettes Influence the Effectiveness of E-Cigarettes for Smoking Cessation?: Longitudinal Findings From the ITC Four Country Survey. Nicotine and Tobacco Research, 2017, 19, 1268-1276.	2.6	56
241	The role of negative affect and message credibility in perceived effectiveness of smokeless tobacco health warning labels in Navi Mumbai, India and Dhaka, Bangladesh: A moderated-mediation analysis. Addictive Behaviors, 2017, 73, 22-29.	3.0	21
242	Effectiveness of Switching Smoking-Cessation Medications Following Relapse. American Journal of Preventive Medicine, 2017, 53, e63-e70.	3.0	12
243	Implementation of key demand-reduction measures of the WHO Framework Convention on Tobacco Control and change in smoking prevalence in 126 countries: an association study. Lancet Public Health, The, 2017, 2, e166-e174.	10.0	182
244	Nicotine Metabolite Ratio (NMR) Prospectively Predicts Smoking Relapse: Longitudinal Findings From ITC Surveys in Five Countries. Nicotine and Tobacco Research, 2017, 19, 1040-1047.	2.6	25
245	The need for a comprehensive framework. Addiction, 2017, 112, 22-24.	3.3	6
246	Cross-country comparison of smokers' reasons for thinking about quitting over time: findings from the International Tobacco Control Four Country Survey (ITC-4C), 2002-2015. Tobacco Control, 2017, 26, 641-648.	3.2	12
247	Noticing cigarette health warnings and support for new health warnings among non-smokers in China: findings from the International Tobacco Control project (ITC) China survey. BMC Public Health, 2017, 17, 476.	2.9	10
248	Developing Consistent and Transparent Models of E-cigarette Use: Reply to Glantz and Soneji et al.. Nicotine and Tobacco Research, 2017, 19, 268-270.	2.6	3
249	The Application of a Decision-Theoretic Model to Estimate the Public Health Impact of Vaporized Nicotine Product Initiation in the United States. Nicotine and Tobacco Research, 2017, 19, 149-159.	2.6	83
250	A Novel Method for Evaluating the Acceptability of Substitutes for Cigarettes: The Experimental Tobacco Marketplace. Tobacco Regulatory Science (discontinued), 2017, 3, 266-279.	0.2	20
251	Identity change among smokers and ex-smokers: Findings from the ITC Netherlands Survey.. Psychology of Addictive Behaviors, 2017, 31, 465-478.	2.1	17
252	The impact of the 2009/2010 enhancement of cigarette health warning labels in Uruguay: longitudinal findings from the International Tobacco Control (ITC) Uruguay Survey. Tobacco Control, 2016, 25, tobaccocontrol-2014-051742.	3.2	29

#	ARTICLE	IF	CITATIONS
253	Awareness of Tobacco-Related Health Harms among Vulnerable Populations in Bangladesh: Findings from the International Tobacco Control (ITC) Bangladesh Survey. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 848.	2.6	14
254	Impact of Graphic Pack Warnings on Adult Smokers's™ Quitting Activities: Findings from the ITC Southeast Asia Survey (2005-2014). <i>Journal of Smoking Cessation</i> , 2016, 11, 124-134.	1.0	13
255	Attrition analysed in five waves of a longitudinal yearly survey of smokers: findings from the ITC Netherlands survey. <i>European Journal of Public Health</i> , 2016, 26, 693-699.	0.3	25
256	Educating smokers about the risk of blindness - insights to improve tobacco product health warning labels. <i>Tobacco Induced Diseases</i> , 2016, 14, 30.	0.6	1
257	An examination of the effectiveness of health warning labels on smokeless tobacco products in four states in India: findings from the TCP India cohort survey. <i>BMC Public Health</i> , 2016, 16, 1246.	2.9	15
258	Determinants of intentions to quit smoking among adult smokers in Bangladesh: findings from the International Tobacco Control (ITC) Bangladesh wave 2 survey. <i>Global Health Research and Policy</i> , 2016, 1, 11.	3.6	29
259	Smokers's™ reactions to the new larger health warning labels on plain cigarette packs in Australia: findings from the ITC Australia project. <i>Tobacco Control</i> , 2016, 25, 181-187.	3.2	38
260	Differences in Quit Attempts and Cigarette Smoking Abstinence Between Whites and African Americans in the United States: Literature Review and Results From the International Tobacco Control US Survey. <i>Nicotine and Tobacco Research</i> , 2016, 18, S79-S87.	2.6	101
261	The Impact of Cigarette Packaging Design Among Young Females in Canada: Findings From a Discrete Choice Experiment. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1348-1356.	2.6	38
262	Educational differences in the impact of pictorial cigarette warning labels on smokers: findings from the International Tobacco Control (ITC) Europe surveys. <i>Tobacco Control</i> , 2016, 25, 325-332.	3.2	20
263	Exporting an Inherently Harmful Product: The Marketing of Virginia Slims Cigarettes in the United States, Japan, and Korea. <i>Journal of Business Ethics</i> , 2016, 139, 161-181.	6.0	22
264	Differences in Cigarette Design and Metal Content across Five Countries: Results from the International Tobacco Control (ITC) Project. <i>Tobacco Regulatory Science (discontinued)</i> , 2016, 2, 166-175.	0.2	5
265	Predictors of quit intentions among adult smokers in Mauritius: Findings from the ITC Mauritius Survey. <i>Tobacco Prevention and Cessation</i> , 2016, 2, .	0.4	6
266	Social impacts on adult use of tobacco: findings from the International Tobacco Control Project India, Wave 1 Survey. <i>WHO South-East Asia Journal of Public Health</i> , 2016, 5, 123.	0.7	8
267	Misperceptions about "light" cigarettes among smokers in Zambia: Findings from the International Tobacco Control (ITC) Zambia Survey. <i>Tobacco Prevention and Cessation</i> , 2016, 2, .	0.4	1
268	Trends and socioeconomic differences in policy triggers for thinking about quitting smoking: Findings from the International Tobacco Control (ITC) Europe Surveys. <i>Drug and Alcohol Dependence</i> , 2015, 155, 154-162.	3.2	8
269	Evaluation of smoke-free policies in seven cities in China, 2007-2012. <i>Tobacco Control</i> , 2015, 24, iv14-iv20.	3.2	17
270	Changes in tar yields and cigarette design in samples of Chinese cigarettes, 2009 and 2012. <i>Tobacco Control</i> , 2015, 24, iv60-iv63.	3.2	5

#	ARTICLE	IF	CITATIONS
271	Perceived acceptability of female smoking in China: findings from waves 1 to 3 of the ITC China Survey. Tobacco Control, 2015, 24 Suppl 4, tobaccocontrol-2015-052380.	3.2	19
272	The lower effectiveness of text-only health warnings in China compared to pictorial warnings in Malaysia: findings from the ITC project. Tobacco Control, 2015, 24 Suppl 4, tobaccocontrol-2015-052616.	3.2	18
273	Predictors of smoking cessation behavior among Bangladeshi adults: findings from ITC Bangladesh survey. Tobacco Induced Diseases, 2015, 13, 23.	0.6	25
274	The importance of the belief that "light" cigarettes are smoother in misperceptions of the harmfulness of "light" cigarettes in the Republic of Korea: a nationally representative cohort study. BMC Public Health, 2015, 15, 1108.	2.9	13
275	Differential responsiveness to cigarette price by education and income among adult urban Chinese smokers: findings from the ITC China Survey. Tobacco Control, 2015, 24, iii76-iii82.	3.2	15
276	Predictors of Successful Quitting among Thai Adult Smokers: Evidence from ITC-SEA (Thailand) Survey. International Journal of Environmental Research and Public Health, 2015, 12, 12095-12109.	2.6	11
277	Temporal self-regulation theory: a neurobiologically informed model for physical activity behavior. Frontiers in Human Neuroscience, 2015, 9, 117.	2.0	81
278	Longer term impact of cigarette package warnings in Australia compared with the United Kingdom and Canada. Health Education Research, 2015, 30, 67-80.	1.9	29
279	The prevalence of brand switching among adult smokers in the USA, 2006-2011: findings from the ITC US surveys. Tobacco Control, 2015, 24, 609-615.	3.2	13
280	Trends in cigarette pricing and purchasing patterns in a sample of US smokers: findings from the ITC US Surveys (2002-2011). Tobacco Control, 2015, 24, iii4-iii10.	3.2	20
281	Smoking-related thoughts and microbehaviours, and their predictive power for quitting. Tobacco Control, 2015, 24, 354-361.	3.2	20
282	Impact of the 'Giving Cigarettes is Giving Harm' campaign on knowledge and attitudes of Chinese smokers. Tobacco Control, 2015, 24, iv28-iv34.	3.2	26
283	Neighbourhood deprivation and smoking and quit behaviour among smokers in Mexico: findings from the ITC Mexico Survey. Tobacco Control, 2015, 24, iii56-iii63.	3.2	18
284	Determinants of smoking-induced deprivation in China. Tobacco Control, 2015, 24, iv35-iv39.	3.2	6
285	The association between tax structure and cigarette price variability: findings from the ITC Project. Tobacco Control, 2015, 24, iii88-iii93.	3.2	28
286	Toxic metal and nicotine content of cigarettes sold in China, 2009 and 2012. Tobacco Control, 2015, 24, iv55-iv59.	3.2	22
287	Weight control belief and its impact on the effectiveness of tobacco control policies on quit attempts: findings from the ITC 4 Country Survey. Tobacco Control, 2015, 24, iii41-iii47.	3.2	14
288	The heterogeneous effects of cigarette prices on brand choice in China: implications for tobacco control policy. Tobacco Control, 2015, 24, iii25-iii32.	3.2	14

#	ARTICLE	IF	CITATIONS
289	The use of legal, illegal and roll-your-own cigarettes to increasing tobacco excise taxes and comprehensive tobacco control policies: findings from the ITC Uruguay Survey. <i>Tobacco Control</i> , 2015, 24, iii17-iii24.	3.2	18
290	Smokers' sensory beliefs mediate the relation between smoking a light/low tar cigarette and perceptions of harm. <i>Tobacco Control</i> , 2015, 24, iv21-iv27.	3.2	12
291	Methods of the International Tobacco Control (ITC) China Survey: Waves 1, 2 and 3. <i>Tobacco Control</i> , 2015, 24, iv1-iv5.	3.2	14
292	Effect of cigarette tax increase in combination with mass media campaign on smoking behaviour in Mauritius: findings from the ITC Mauritius Survey. <i>Tobacco Control</i> , 2015, 24, iii71-iii75.	3.2	14
293	Individual and interpersonal triggers to quit smoking in China: a cross-sectional analysis. <i>Tobacco Control</i> , 2015, 24, iv40-iv47.	3.2	21
294	What cigarette price is required for smokers to attempt to quit smoking? Findings from the ITC Korea Waves 2 and 3 Survey. <i>Tobacco Control</i> , 2015, 24, iii48-iii55.	3.2	9
295	Cigarette price and other factors associated with brand choice and brand loyalty in Zambia: findings from the ITC Zambia Survey. <i>Tobacco Control</i> , 2015, 24, iii33-iii40.	3.2	10
296	Gender Differences in Medication Use and Cigarette Smoking Cessation: Results From the International Tobacco Control Four Country Survey. <i>Nicotine and Tobacco Research</i> , 2015, 17, 463-472.	2.6	164
297	Social Marketing in Malaysia: Cognitive, Affective, and Normative Mediators of the TAK NAK Antismoking Advertising Campaign. <i>Journal of Health Communication</i> , 2015, 20, 1166-1176.	2.4	8
298	Australian smokers' support for plain or standardised packs before and after implementation: findings from the ITC Four Country Survey. <i>Tobacco Control</i> , 2015, 24, 616-621.	3.2	29
299	Trends in E-Cigarette Awareness, Trial, and Use Under the Different Regulatory Environments of Australia and the United Kingdom. <i>Nicotine and Tobacco Research</i> , 2015, 17, 1203-1211.	2.6	66
300	Use of stop-smoking medications in the United States before and after the introduction of varenicline. <i>Addiction</i> , 2015, 110, 346-355.	3.3	20
301	Time Perspective as a Predictor of Healthy Behaviors and Disease-Mediating States. , 2015, , 339-352.		26
302	Prevalence and Patterns of Tobacco Use in Bangladesh from 2009 to 2012: Evidence from International Tobacco Control (ITC) Study. <i>PLoS ONE</i> , 2015, 10, e0141135.	2.5	60
303	The effect of tobacco additives on smoking initiation and maintenance. <i>Cadernos De Saude Publica</i> , 2015, 31, 223-225.	1.0	6
304	Patterns and Predictors of Smokeless Tobacco Use among Adults in Bangladesh: Findings from the International Tobacco Control (ITC) Bangladesh Survey. <i>PLoS ONE</i> , 2014, 9, e101934.	2.5	15
305	Toxic Metal Concentrations in Cigarettes Obtained from U.S. Smokers in 2009: Results from the International Tobacco Control (ITC) United States Survey Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 202-217.	2.6	95
306	Awareness, Trial, and Current Use of Electronic Cigarettes in 10 Countries: Findings from the ITC Project. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 11691-11704.	2.6	129

#	ARTICLE	IF	CITATIONS
307	Socioeconomic and country variations in cross-border cigarette purchasing as tobacco tax avoidance strategy. Findings from the ITC Europe Surveys. <i>Tobacco Control</i> , 2014, 23, i30-i38.	3.2	32
308	Cigarette Smokersâ€™ Use of Unconventional Tobacco Products and Associations With Quitting Activity: Findings From the ITC-4 U.S. Cohort. <i>Nicotine and Tobacco Research</i> , 2014, 16, 672-681.	2.6	49
309	The price sensitivity of cigarette consumption in Bangladesh: evidence from the International Tobacco Control (ITC) Bangladesh Wave 1 (2009) and Wave 2 (2010) Surveys. <i>Tobacco Control</i> , 2014, 23, i39-i47.	3.2	41
310	Mediational pathways of the impact of cigarette warning labels on quit attempts.. <i>Health Psychology</i> , 2014, 33, 1410-1420.	1.6	102
311	The effect of cigarette prices on brand-switching in China: a longitudinal analysis of data from the ITC China Survey. <i>Tobacco Control</i> , 2014, 23, i54-i60.	3.2	26
312	Changes in Effectiveness of Cigarette Health Warnings Over Time in Canada and the United States, 2002â€“2011. <i>Nicotine and Tobacco Research</i> , 2014, 16, 536-543.	2.6	72
313	Chinese smokersâ€™ cigarette purchase behaviours, cigarette prices and consumption: findings from the ITC China Survey. <i>Tobacco Control</i> , 2014, 23, i67-i72.	3.2	24
314	Trends in the use of premium and discount cigarette brands: findings from the ITC US Surveys (2002â€“2011). <i>Tobacco Control</i> , 2014, 23, i48-i53.	3.2	40
315	Cigarette tax avoidance and evasion: findings from the International Tobacco Control Policy Evaluation (ITC) Project. <i>Tobacco Control</i> , 2014, 23, i13-i22.	3.2	35
316	Who purchases cigarettes from cheaper sources in China? Findings from the ITC China Survey. <i>Tobacco Control</i> , 2014, 23, i97-i101.	3.2	9
317	The distribution of cigarette prices under different tax structures: findings from the International Tobacco Control Policy Evaluation (ITC) Project. <i>Tobacco Control</i> , 2014, 23, i23-i29.	3.2	37
318	The choice of discount brand cigarettes: a comparative analysis of International Tobacco Control surveys in Canada and the USA (2002â€“2005). <i>Tobacco Control</i> , 2014, 23, i86-i96.	3.2	13
319	The economics of tobacco control: evidence from the International Tobacco Control (ITC) Policy Evaluation Project. <i>Tobacco Control</i> , 2014, 23, i1-i3.	3.2	3
320	Prepaid Monetary Incentivesâ€™ Predictors of Taking the Money and Completing the Survey. <i>Sociological Methods and Research</i> , 2014, 43, 338-355.	6.8	8
321	A novel approach to estimating the prevalence of untaxed cigarettes in the USA: findings from the 2009 and 2010 international tobacco control surveys. <i>Tobacco Control</i> , 2014, 23, i61-i66.	3.2	23
322	Investigating the Effectiveness of Pictorial Health Warnings in Mauritius: Findings From the ITC Mauritius Survey. <i>Nicotine and Tobacco Research</i> , 2014, 16, 1240-1247.	2.6	24
323	Switching Between Menthol and Nonmenthol Cigarettes: Findings From the U.S. Cohort of the International Tobacco Control Four Country Survey. <i>Nicotine and Tobacco Research</i> , 2014, 16, 1255-1265.	2.6	39
324	Cigarette brand loyalty in Australia: findings from the ITC Four Country Survey. <i>Tobacco Control</i> , 2014, 23, i73-i79.	3.2	21

#	ARTICLE	IF	CITATIONS
325	Patient Tobacco Use in Optometric Practice. <i>Optometry and Vision Science</i> , 2014, 91, 769-777.	1.2	11
326	Time perspective as a determinant of smoking cessation in four countries: Direct and mediated effects from the International Tobacco Control (ITC) 4-Country Surveys. <i>Addictive Behaviors</i> , 2014, 39, 1183-1190.	3.0	25
327	Cigarette graphic warning labels and smoking prevalence in Canada: a critical examination and reformulation of the FDA regulatory impact analysis. <i>Tobacco Control</i> , 2014, 23, i7-i12.	3.2	91
328	Awareness of pro-tobacco advertising and promotion and beliefs about tobacco use: Findings from the Tobacco Control Policy (TCP) India Pilot Survey. <i>Journal of Epidemiology and Global Health</i> , 2014, 4, 303.	2.9	8
329	Socioeconomic status and smokers' number of smoking friends: Findings from the International Tobacco Control (ITC) Four Country Survey. <i>Drug and Alcohol Dependence</i> , 2014, 143, 158-166.	3.2	64
330	Correlates of exposure to secondhand smoke (SHS) at home among non-smoking adults in Bangladesh: findings from the ITC Bangladesh survey. <i>BMC Pulmonary Medicine</i> , 2014, 14, 117.	2.0	38
331	Cognitive and personality factors in the prediction of health behaviors: an examination of total, direct and indirect effects. <i>Journal of Behavioral Medicine</i> , 2014, 37, 1057-1068.	2.1	35
332	Reported Exposures to Anti-smoking Messages and Their Impact on Chinese Smoker's Subsequent Quit Attempts. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 667-676.	1.7	18
333	The impact of televised tobacco control advertising content on campaign recall: Evidence from the International Tobacco Control (ITC) United Kingdom Survey. <i>BMC Public Health</i> , 2014, 14, 432.	2.9	13
334	Are there income differences in the impact of a national reimbursement policy for smoking cessation treatment and accompanying media attention? Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Drug and Alcohol Dependence</i> , 2014, 140, 183-190.	3.2	7
335	The relation between number of smoking friends, and quit intentions, attempts, and success: Findings from the International Tobacco Control (ITC) Four Country Survey. <i>Psychology of Addictive Behaviors</i> , 2014, 28, 1144-1152.	2.1	62
336	The relation between price and daily consumption of cigarettes and bidis: Findings from the Tobacco Control Policy Evaluation Wave 1 Survey. <i>Indian Journal of Cancer</i> , 2014, 51, 83.	0.2	10
337	Smokeless tobacco product prices and taxation in Bangladesh: Findings from the International Tobacco Control Survey. <i>Indian Journal of Cancer</i> , 2014, 51, 33.	0.2	20
338	Quit history, intentions to quit, and reasons for considering quitting among tobacco users in India: Findings from the Tobacco Control Policy Evaluation India Wave 1 Survey. <i>Indian Journal of Cancer</i> , 2014, 51, 39.	0.2	25
339	Time perspective as a predictor of smoking status: findings from the International Tobacco Control (ITC) Surveys in Scotland, France, Germany, China, and Malaysia. <i>BMC Public Health</i> , 2013, 13, 346.	2.9	34
340	Conscientiousness Versus Executive Function as Predictors of Health Behaviors and Health Trajectories. <i>Annals of Behavioral Medicine</i> , 2013, 45, 398-399.	2.9	24
341	Electronic Nicotine Delivery Systems. <i>American Journal of Preventive Medicine</i> , 2013, 44, 207-215.	3.0	563
342	PP003 ACCEPTABILITY OF FEMALE SMOKING & SMOKELESS TOBACCO USE IN INDIA: FINDINGS FROM THE TCP INDIA SURVEY. <i>Respiratory Medicine</i> , 2013, 107, S20.	2.9	0

#	ARTICLE	IF	CITATIONS
343	Stronger pack warnings predict quitting more than weaker ones: finding from the ITC Malaysia and Thailand surveys. Tobacco Induced Diseases, 2013, 11, 20.	0.6	37
344	Impact of reduced ignition propensity cigarette regulation on consumer smoking behavior and quit intentions: evidence from 6 waves (2004-11) of the ITC Four Country Survey. Tobacco Induced Diseases, 2013, 11, 26.	0.6	3
345	Effectiveness of stop-smoking medications: findings from the International Tobacco Control (ITC) Four Country Survey. Addiction, 2013, 108, 193-202.	3.3	76
346	Patterns of cognitive dissonance-reducing beliefs among smokers: a longitudinal analysis from the International Tobacco Control (ITC) Four Country Survey. Tobacco Control, 2013, 22, 52-58.	3.2	120
347	Longitudinal Associations Between Smoking Cessation Medications and Alcohol Consumption Among Smokers in the International Tobacco Control Four Country Survey. Alcoholism: Clinical and Experimental Research, 2013, 37, 804-810.	2.4	12
348	Cigarette prices, cigarette expenditure and smoking-induced deprivation: findings from the International Tobacco Control Mexico survey. Tobacco Control, 2013, 22, 223-226.	3.2	8
349	Adult Smokers' Reactions to Pictorial Health Warning Labels on Cigarette Packs in Thailand and Moderating Effects of Type of Cigarette Smoked: Findings From the International Tobacco Control Southeast Asia Survey. Nicotine and Tobacco Research, 2013, 15, 1339-1347.	2.6	55
350	Urban Chinese Smokers From Lower Socioeconomic Backgrounds Face More Barriers to Quitting: Results From the International Tobacco Control-China Survey. Nicotine and Tobacco Research, 2013, 15, 1044-1051.	2.6	13
351	Assessing secondhand smoke exposure with reported measures. Tobacco Control, 2013, 22, 156-163.	3.2	118
352	Impact of national smoke-free legislation on home smoking bans: findings from the International Tobacco Control Policy Evaluation Project Europe Surveys. Tobacco Control, 2013, 22, e2-e9.	3.2	118
353	Relationship of Cigarette-Related Perceptions to Cigarette Design Features: Findings From the 2009 ITC U.S. Survey. Nicotine and Tobacco Research, 2013, 15, 1943-1947.	2.6	27
354	Temporal Self-Regulation Theory: Integrating Biological, Psychological, and Ecological Determinants of Health Behavior Performance. , 2013, , 35-53.		30
355	Comparing the Experience of Regret and Its Predictors Among Smokers in Four Asian Countries: Findings From the ITC Surveys in Thailand, South Korea, Malaysia, and China. Nicotine and Tobacco Research, 2013, 15, 1663-1672.	2.6	23
356	Age and educational inequalities in smoking cessation due to three population-level tobacco control interventions: findings from the International Tobacco Control (ITC) Netherlands Survey. Health Education Research, 2013, 28, 83-91.	1.9	19
357	Impact of point-of-sale tobacco display bans: findings from the International Tobacco Control Four Country Survey. Health Education Research, 2013, 28, 898-910.	1.9	68
358	Effectiveness of Antismoking Media Messages and Education Among Adolescents in Malaysia and Thailand: Findings From the International Tobacco Control Southeast Asia Project. Nicotine and Tobacco Research, 2013, 15, 482-491.	2.6	19
359	Understanding the relationship between socioeconomic status, smoking cessation services provided by the health system and smoking cessation behavior in Brazil. Cadernos De Saude Publica, 2013, 29, 485-495.	1.0	10
360	Evaluating the Effectiveness of France's Indoor Smoke-Free Law 1 Year and 5 Years after Implementation: Findings from the ITC France Survey. PLoS ONE, 2013, 8, e66692.	2.5	32

#	ARTICLE	IF	CITATIONS
361	Evaluation of the smoking ban in public places in France one year and five years after its implementation: Findings from the ITC France survey. <i>Bulletin Epidemiologique Hebdomadaire</i> , 2013, 20, 217-223.	0.0	6
362	Perceived Risk and Quitting Behaviors: Results From the ITC 4-Country Survey. <i>American Journal of Health Behavior</i> , 2012, 36, 681-692.	1.4	49
363	When a tax increase fails as a tobacco control policy: the ITC China project evaluation of the 2009 cigarette tax increase in China: Table 1. <i>Tobacco Control</i> , 2012, 21, 381.1-381.	3.2	9
364	The influence of newspaper coverage and a media campaign on smokers' support for smoke-free bars and restaurants and on secondhand smoke harm awareness: findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Tobacco Control</i> , 2012, 21, 24-29.	3.2	43
365	Tobacco taxes as a tobacco control strategy. <i>Tobacco Control</i> , 2012, 21, 172-180.	3.2	491
366	Pathways of Change Explaining the Effect of Smoke-Free Legislation on Smoking Cessation in the Netherlands. An Application of the International Tobacco Control Conceptual Model. <i>Nicotine and Tobacco Research</i> , 2012, 14, 1474-1482.	2.6	33
367	Support for removal of point-of-purchase tobacco advertising and displays: findings from the International Tobacco Control (ITC) Canada survey. <i>Tobacco Control</i> , 2012, 21, 555-559.	3.2	23
368	Predictors of car smoking rules among smokers in France, Germany and the Netherlands. <i>European Journal of Public Health</i> , 2012, 22, 17-22.	0.3	16
369	Comparative impact of smoke-free legislation on smoking cessation in three European countries. <i>European Journal of Public Health</i> , 2012, 22, 4-9.	0.3	45
370	Outdoor smoking behaviour and support for outdoor smoking restrictions before and after France's national smoking ban. <i>European Journal of Public Health</i> , 2012, 22, 29-34.	0.3	29
371	Smoking cessation interventions from health care providers before and after the national smoke-free law in France. <i>European Journal of Public Health</i> , 2012, 22, 23-28.	0.3	6
372	Tobacco control in Europe: A deadly lack of progress. <i>European Journal of Public Health</i> , 2012, 22, 1-3.	0.3	10
373	Association of Sociodemographic Factors, Smoking-Related Beliefs, and Smoking Restrictions With Intention to Quit Smoking in Korean Adults: Findings From the ITC Korea Survey. <i>Journal of Epidemiology</i> , 2012, 22, 21-27.	2.4	32
374	Can the Dutch Government really be abandoning smokers to their fate?. <i>Lancet, The</i> , 2012, 379, 121-122.	13.7	9
375	Support for tobacco control interventions: do country of origin and socioeconomic status make a difference?. <i>International Journal of Public Health</i> , 2012, 57, 777-786.	2.3	16
376	Do time perspective and sensation-seeking predict quitting activity among smokers? Findings from the International Tobacco Control (ITC) Four Country Survey. <i>Addictive Behaviors</i> , 2012, 37, 1307-1313.	3.0	38
377	Incidence and correlates of receiving cigarettes as gifts and selecting preferred brand because it was gifted: Findings from the ITC China Survey. <i>BMC Public Health</i> , 2012, 12, 996.	2.9	23
378	Positive impact of Australian "blindness"™ tobacco warning labels: findings from the ITC four country survey. <i>Australasian journal of optometry, The</i> , 2012, 95, 590-598.	1.3	29

#	ARTICLE	IF	CITATIONS
379	Does smoke-free legislation and smoking outside bars increase feelings of stigmatization among smokers? Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Health and Place</i> , 2012, 18, 1436-1440.	3.3	3
380	Effectiveness of the European Union text-only cigarette health warnings: findings from four countries. <i>European Journal of Public Health</i> , 2012, 22, 693-699.	0.3	31
381	The potential impact of plain packaging of cigarette products among Brazilian young women: an experimental study. <i>BMC Public Health</i> , 2012, 12, 737.	2.9	45
382	Time perspective and weight management behaviors in newly diagnosed Type 2 diabetes: a mediational analysis. <i>Journal of Behavioral Medicine</i> , 2012, 35, 569-580.	2.1	43
383	Knowledge of Health Effects and Intentions to Quit Among Smokers in India: Findings From the Tobacco Control Policy (TCP) India Pilot Survey. <i>International Journal of Environmental Research and Public Health</i> , 2012, 9, 564-578.	2.6	55
384	Cessation assistance reported by smokers in 15 countries participating in the International Tobacco Control (ITC) policy evaluation surveys. <i>Addiction</i> , 2012, 107, 197-205.	3.3	97
385	The association between exposure to point-of-sale anti-smoking warnings and smokers' interest in quitting and quit attempts: findings from the International Tobacco Control Four Country Survey. <i>Addiction</i> , 2012, 107, 425-433.	3.3	25
386	Tobacco expenditure, smoking-induced deprivation and financial stress: Results from the International Tobacco Control (ITC) Four-Country Survey. <i>Drug and Alcohol Review</i> , 2012, 31, 664-671.	2.1	32
387	Knowledge about the relationship between smoking and blindness in Canada, the United States, the United Kingdom, and Australia: results from the International Tobacco Control Four-Country Project. <i>Optometry - Journal of the American Optometric Association</i> , 2011, 82, 310-317.	0.6	31
388	Socioeconomic Differences in the Effectiveness of the Removal of the "Light" Descriptor on Cigarette Packs: Findings from the International Tobacco Control (ITC) Thailand Survey. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 2170-2180.	2.6	5
389	Usage Patterns of Stop Smoking Medications in Australia, Canada, the United Kingdom, and the United States: Findings from the 2006-2008 International Tobacco Control (ITC) Four Country Survey. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 222-233.	2.6	30
390	Socio-Economic Variation in Price Minimizing Behaviors: Findings from the International Tobacco Control (ITC) Four Country Survey. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 234-252.	2.6	81
391	How Do Price Minimizing Behaviors Impact Smoking Cessation? Findings from the International Tobacco Control (ITC) Four Country Survey. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 1671-1691.	2.6	53
392	Socioeconomic Differences in Exposure to Tobacco Smoke Pollution (TSP) in Bangladeshi Households with Children: Findings from the International Tobacco Control (ITC) Bangladesh Survey. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 842-860.	2.6	30
393	Beyond light and mild: cigarette brand descriptors and perceptions of risk in the International Tobacco Control (ITC) Four Country Survey. <i>Addiction</i> , 2011, 106, 1166-1175.	3.3	83
394	Prospective predictors of quitting behaviours among adult smokers in six cities in China: findings from the International Tobacco Control (ITC) China Survey. <i>Addiction</i> , 2011, 106, 1335-1345.	3.3	59
395	Prevalence and predictors of smoking in "smoke-free" bars. Findings from the International Tobacco Control (ITC) Europe Surveys. <i>Social Science and Medicine</i> , 2011, 72, 1643-1651.	3.8	45
396	The use of cessation assistance among smokers from China: Findings from the ITC China Survey. <i>BMC Public Health</i> , 2011, 11, 75.	2.9	23

#	ARTICLE	IF	CITATIONS
397	Smokers' reactions to FDA regulation of tobacco products: Findings from the 2009 ITC United States survey. <i>BMC Public Health</i> , 2011, 11, 941.	2.9	31
398	Support and correlates of support for banning smoking in cars with children: findings from the ITC Four Country Survey. <i>European Journal of Public Health</i> , 2011, 21, 360-365.	0.3	36
399	The Appeal of Smokeless Tobacco Products Among Young Canadian Smokers: The Impact of Pictorial Health Warnings and Relative Risk Messages. <i>Nicotine and Tobacco Research</i> , 2011, 13, 373-383.	2.6	38
400	A cross-sectional study on levels of secondhand smoke in restaurants and bars in five cities in China. <i>Tobacco Control</i> , 2011, 20, 397-402.	3.2	9
401	Gender empowerment and female-to-male smoking prevalence ratios. <i>Bulletin of the World Health Organization</i> , 2011, 89, 195-202.	3.3	215
402	Knowledge of health effects and intentions to quit among smokeless tobacco users in India: findings from the International Tobacco Control Policy Evaluation (ITC) India Pilot Survey. <i>Asian Pacific Journal of Cancer Prevention</i> , 2011, 12, 1233-8.	1.2	27
403	Effectiveness of an HIV/STD Risk-Reduction Intervention for Adolescents When Implemented by Community-Based Organizations: A Cluster-Randomized Controlled Trial. <i>American Journal of Public Health</i> , 2010, 100, 720-726.	2.7	87
404	Use of less expensive cigarettes in six cities in China: findings from the International Tobacco Control (ITC) China Survey. <i>Tobacco Control</i> , 2010, 19, i63-i68.	3.2	20
405	Is web interviewing a good alternative to telephone interviewing? Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>BMC Public Health</i> , 2010, 10, 351.	2.9	54
406	Methods of the International Tobacco Control (ITC) China Survey. <i>Tobacco Control</i> , 2010, 19, i1-i5.	3.2	41
407	The impact of the United Kingdom's national smoking cessation strategy on quit attempts and use of cessation services: Findings from the International Tobacco Control Four Country Survey. <i>Nicotine and Tobacco Research</i> , 2010, 12, S64-S71.	2.6	33
408	Socioeconomic disparities in quit intentions, quit attempts, and smoking abstinence among smokers in four western countries: Findings from the International Tobacco Control Four Country Survey. <i>Nicotine and Tobacco Research</i> , 2010, 12, S20-S33.	2.6	281
409	Understanding the impact of the Smoke-Free Ontario Act on hospitality establishments' outdoor environments: a survey of restaurants and bars. <i>Tobacco Control</i> , 2010, 19, 165-167.	3.2	9
410	Cigarettes sold in China: design, emissions and metals. <i>Tobacco Control</i> , 2010, 19, i47-i53.	3.2	54
411	Effect of Differing Levels of Tobacco-Specific Nitrosamines in Cigarette Smoke on the Levels of Biomarkers in Smokers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1389-1398.	2.5	49
412	Support for and Reported Compliance Among Smokers With Smoke-Free Policies in Air-Conditioned Hospitality Venues in Malaysia and Thailand: Findings From the International Tobacco Control Southeast Asia Survey. <i>Asia-Pacific Journal of Public Health</i> , 2010, 22, 98-109.	1.0	30
413	Individual-level factors associated with intentions to quit smoking among adult smokers in six cities of China: findings from the ITC China Survey. <i>Tobacco Control</i> , 2010, 19, i6-i11.	3.2	72
414	Predictors of smoking cessation among adult smokers in Malaysia and Thailand: Findings from the International Tobacco Control Southeast Asia Survey. <i>Nicotine and Tobacco Research</i> , 2010, 12, S34-S44.	2.6	85

#	ARTICLE	IF	CITATIONS
415	The impact of reduced ignition propensity cigarette regulation on smoking behaviour in a cohort of Ontario smokers. <i>Injury Prevention</i> , 2010, 16, 420-422.	2.4	4
416	One Size Does Not Fit All When it Comes to Smoking Cessation: Observations from the International Tobacco Control Policy Evaluation Project. <i>Nicotine and Tobacco Research</i> , 2010, 12, S1-S3.	2.6	10
417	Self-reported price of cigarettes, consumption and compensatory behaviours in a cohort of Mexican smokers before and after a cigarette tax increase. <i>Tobacco Control</i> , 2010, 19, 481-487.	3.2	50
418	Motivational factors predict quit attempts but not maintenance of smoking cessation: Findings from the International Tobacco Control Four country project. <i>Nicotine and Tobacco Research</i> , 2010, 12, S4-S11.	2.6	187
419	Predictors of smoking in cars with nonsmokers: Findings from the 2007 Wave of the International Tobacco Control Four Country Survey. <i>Nicotine and Tobacco Research</i> , 2010, 12, 374-380.	2.6	28
420	Health knowledge and perception of risks among Chinese smokers and non-smokers: findings from the Wave 1 ITC China Survey. <i>Tobacco Control</i> , 2010, 19, i18-i23.	3.2	87
421	Perceptions of tobacco health warnings in China compared with picture and text-only health warnings from other countries: an experimental study. <i>Tobacco Control</i> , 2010, 19, i69-i77.	3.2	61
422	Quitting smoking in China: findings from the ITC China Survey. <i>Tobacco Control</i> , 2010, 19, i12-i17.	3.2	54
423	Efficacy of a Theory-Based Abstinence-Only Intervention Over 24 Months. <i>JAMA Pediatrics</i> , 2010, 164, 152-9.	3.0	164
424	Quitting smoking and change in alcohol consumption in the International Tobacco Control (ITC) Four Country Survey. <i>Drug and Alcohol Dependence</i> , 2010, 110, 101-107.	3.2	26
425	Temporal self-regulation theory: looking forward. <i>Health Psychology Review</i> , 2010, 4, 83-92.	8.6	44
426	Assessing the impact of cigarette package health warning labels: a cross-country comparison in Brazil, Uruguay and Mexico. <i>Salud Publica De Mexico</i> , 2010, 52, S206-S215.	0.4	70
427	The impact of pictures on the effectiveness of tobacco warnings. <i>Bulletin of the World Health Organization</i> , 2009, 87, 640-643.	3.3	148
428	An Experimental Investigation of the Interactive Effects of Alcohol and Sexual Arousal on Intentions to Have Unprotected Sex. <i>Basic and Applied Social Psychology</i> , 2009, 31, 226-233.	2.1	25
429	Smokers' responses toward cigarette pack warning labels in predicting quit intention, stage of change, and self-efficacy. <i>Nicotine and Tobacco Research</i> , 2009, 11, 248-253.	2.6	61
430	Reported awareness of tobacco advertising and promotion in China compared to Thailand, Australia and the USA. <i>Tobacco Control</i> , 2009, 18, 222-227.	3.2	36
431	Does the availability of single cigarettes promote or inhibit cigarette consumption? Perceptions, prevalence and correlates of single cigarette use among adult Mexican smokers. <i>Tobacco Control</i> , 2009, 18, 431-437.	3.2	36
432	The impact of smokefree legislation in Scotland: results from the Scottish ITC Scotland/UK longitudinal surveys. <i>European Journal of Public Health</i> , 2009, 19, 198-205.	0.3	68

#	ARTICLE	IF	CITATIONS
433	Smoking Beliefs and Behavior Among Youth in Malaysia and Thailand. <i>American Journal of Health Behavior</i> , 2009, 33, .	1.4	27
434	Longitudinal evaluation of smoke-free Scotland on pub and home drinking behavior: Findings from the International Tobacco Control Policy Evaluation Project. <i>Nicotine and Tobacco Research</i> , 2009, 11, 619-626.	2.6	27
435	Attitudes and beliefs about secondhand smoke and smoke-free policies in four countries: Findings from the International Tobacco Control Four Country Survey. <i>Nicotine and Tobacco Research</i> , 2009, 11, 642-649.	2.6	100
436	Impact of graphic and text warnings on cigarette packs: findings from four countries over five years. <i>Tobacco Control</i> , 2009, 18, 358-364.	3.2	291
437	Adult smokers' perception of the role of religion and religious leadership on smoking and association with quitting: A comparison between Thai Buddhists and Malaysian Muslims. <i>Social Science and Medicine</i> , 2009, 69, 1025-1031.	3.8	58
438	How reactions to cigarette packet health warnings influence quitting: findings from the ITC Four-Country survey. <i>Addiction</i> , 2009, 104, 669-675.	3.3	238
439	Do risk-minimizing beliefs about smoking inhibit quitting? Findings from the International Tobacco Control (ITC) Four-Country Survey. <i>Preventive Medicine</i> , 2009, 49, 219-223.	3.4	37
440	Environmental Influences on Tobacco Use: Evidence from Societal and Community Influences on Tobacco Use and Dependence. <i>Annual Review of Clinical Psychology</i> , 2009, 5, 433-458.	12.3	76
441	An experimental investigation of tobacco smoke pollution in cars. <i>Nicotine and Tobacco Research</i> , 2009, 11, 627-634.	2.6	94
442	The effects of smoking norms and attitudes on quitting intentions in Malaysia, Thailand and four Western nations: A cross-cultural comparison. <i>Psychology and Health</i> , 2009, 24, 95-107.	2.2	45
443	Regret and rationalization among smokers in Thailand and Malaysia: Findings from the International Tobacco Control Southeast Asia Survey.. <i>Health Psychology</i> , 2009, 28, 457-464.	1.6	26
444	Smoking beliefs and behavior among youth in Malaysia and Thailand. <i>American Journal of Health Behavior</i> , 2009, 33, 366-75.	1.4	14
445	Exploring the effectiveness of cigarette warning labels: findings from the United States and United Kingdom arms of the International Tobacco Control (ITC) Four Country Survey. <i>International Journal of Nonprofit and Voluntary Sector Marketing</i> , 2008, 13, 263-274.	0.8	13
446	Smokers' use of nicotine replacement therapy for reasons other than stopping smoking: findings from the ITC Four Country Survey. <i>Addiction</i> , 2008, 103, 1696-1703.	3.3	46
447	Prevalence and correlates of roll-your-own smoking in Thailand and Malaysia: Findings of the ITC-South East Asia Survey. <i>Nicotine and Tobacco Research</i> , 2008, 10, 907-915.	2.6	25
448	Levels and correlates of awareness of tobacco promotional activities among adult smokers in Malaysia and Thailand: findings from the International Tobacco Control Southeast Asia (ITC-SEA) Survey. <i>Tobacco Control</i> , 2008, 17, 46-52.	3.2	26
449	Patterns of Smoking Among Adolescents in Malaysia and Thailand: Findings From the International Tobacco Control Southeast Asia Survey. <i>Asia-Pacific Journal of Public Health</i> , 2008, 20, 193-203.	1.0	45
450	What happened to smokers' beliefs about light cigarettes when "light/mild" brand descriptors were banned in the UK? Findings from the International Tobacco Control (ITC) Four Country Survey. <i>Tobacco Control</i> , 2008, 17, 256-262.	3.2	67

#	ARTICLE	IF	CITATIONS
451	Does smoke-free Ireland have more smoking inside the home and less in pubs than the United Kingdom? Findings from the international tobacco control policy evaluation project. <i>European Journal of Public Health</i> , 2008, 18, 63-65.	0.3	35
452	Executive function moderates the intention-behavior link for physical activity and dietary behavior. <i>Psychology and Health</i> , 2008, 23, 309-326.	2.2	195
453	A Social Neuroscience Perspective on Physical Activity. <i>Journal of Sport and Exercise Psychology</i> , 2008, 30, 432-449.	1.2	21
454	Temporal self-regulation theory: A model for individual health behavior. <i>Health Psychology Review</i> , 2007, 1, 6-52.	8.6	466
455	Revising the machine smoking regime for cigarette emissions: implications for tobacco control policy. <i>Tobacco Control</i> , 2007, 16, 8-14.	3.2	72
456	Prevalence of behaviors related to cigarette-caused fires: a survey of Ontario smokers. <i>Injury Prevention</i> , 2007, 13, 237-242.	2.4	13
457	Smoking in Movies, Implicit Associations of Smoking With the Self, and Intentions to Smoke. <i>Psychological Science</i> , 2007, 18, 559-563.	3.3	112
458	Text and Graphic Warnings on Cigarette Packages. <i>American Journal of Preventive Medicine</i> , 2007, 32, 202-209.	3.0	376
459	Australian smokers support stronger regulatory controls on tobacco: findings from the ITC Four-Country Survey. <i>Australian and New Zealand Journal of Public Health</i> , 2007, 31, 164-169.	1.8	27
460	Smokers' reactions to cigarette package warnings with graphic imagery and with only text: a comparison between Mexico and Canada. <i>Salud Publica De Mexico</i> , 2007, 49, s233-s240.	0.4	99
461	Support for and reported compliance with smoke-free restaurants and bars by smokers in four countries: findings from the International Tobacco Control (ITC) Four Country Survey. <i>Tobacco Control</i> , 2006, 15, iii34-iii41.	3.2	126
462	Tobacco Denormalization and Industry Beliefs Among Smokers from Four Countries. <i>American Journal of Preventive Medicine</i> , 2006, 31, 225-232.	3.0	219
463	Remembering the message: The use of a reminder cue to increase condom use following a safer sex intervention.. <i>Health Psychology</i> , 2006, 25, 438-443.	1.6	43
464	Exposure to Tobacco Marketing and Support for Tobacco Control Policies. <i>American Journal of Health Behavior</i> , 2006, 30, 700-709.	1.4	7
465	Showing leads to doing: graphic cigarette warning labels are an effective public health policy. <i>European Journal of Public Health</i> , 2006, 16, 223-224.	0.3	24
466	Socioeconomic and country variations in knowledge of health risks of tobacco smoking and toxic constituents of smoke: results from the 2002 International Tobacco Control (ITC) Four Country Survey. <i>Tobacco Control</i> , 2006, 15, iii65-iii70.	3.2	166
467	Cigarette purchase patterns in four countries and the relationship with cessation: findings from the International Tobacco Control (ITC) Four Country Survey. <i>Tobacco Control</i> , 2006, 15, iii59-iii64.	3.2	84
468	Legislation on smoking in enclosed public places in Scotland: how will we evaluate the impact?. <i>Journal of Public Health</i> , 2006, 28, 24-30.	1.8	47

#	ARTICLE	IF	CITATIONS
469	The conceptual framework of the International Tobacco Control (ITC) Policy Evaluation Project. Tobacco Control, 2006, 15, iii3-iii11.	3.2	317
470	Determinants and consequences of smoke-free homes: findings from the International Tobacco Control (ITC) Four Country Survey. Tobacco Control, 2006, 15, iii42-iii50.	3.2	226
471	Smokers' reactions to reduced ignition propensity cigarettes. Tobacco Control, 2006, 15, 45-49.	3.2	14
472	Socioeconomic variations in nicotine dependence, self-efficacy, and intention to quit across four countries: findings from the International Tobacco Control (ITC) Four Country Survey. Tobacco Control, 2006, 15, iii71-iii75.	3.2	210
473	Cigarette Yields and Human Exposure: A Comparison of Alternative Testing Regimens. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1495-1501.	2.5	102
474	Effectiveness of cigarette warning labels in informing smokers about the risks of smoking: findings from the International Tobacco Control (ITC) Four Country Survey. Tobacco Control, 2006, 15, iii19-iii25.	3.2	398
475	Methods of the International Tobacco Control (ITC) Four Country Survey. Tobacco Control, 2006, 15, iii12-iii18.	3.2	274
476	Building the evidence base for effective tobacco control policies: the International Tobacco Control Policy Evaluation Project (the ITC Project). Tobacco Control, 2006, 15, iii1-iii2.	3.2	35
477	Individual-level predictors of cessation behaviours among participants in the International Tobacco Control (ITC) Four Country Survey. Tobacco Control, 2006, 15, iii83-iii94.	3.2	362
478	Reductions in tobacco smoke pollution and increases in support for smoke-free public places following the implementation of comprehensive smoke-free workplace legislation in the Republic of Ireland: findings from the ITC Ireland/UK Survey. Tobacco Control, 2006, 15, iii51-iii58.	3.2	309
479	Effects of the 2003 advertising/promotion ban in the United Kingdom on awareness of tobacco marketing: findings from the International Tobacco Control (ITC) Four Country Survey. Tobacco Control, 2006, 15, iii26-iii33.	3.2	56
480	Why Breastfeed? A longitudinal test of the reasons model among first-time mothers. Psychology and Health, 2005, 20, 443-466.	2.2	8
481	HIV/STD Risk Reduction Interventions for African American and Latino Adolescent Girls at an Adolescent Medicine Clinic. JAMA Pediatrics, 2005, 159, 440.	3.0	216
482	Smoking Topography, Brand Switching, and Nicotine Delivery: Results from an In vivo Study. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 1370-1375.	2.5	155
483	Smoker Awareness of and Beliefs About Supposedly Less-Harmful Tobacco Products. American Journal of Preventive Medicine, 2005, 29, 85-90.	3.0	75
484	Establishing a causal chain: Why experiments are often more effective than mediational analyses in examining psychological processes.. Journal of Personality and Social Psychology, 2005, 89, 845-851.	2.8	1,760
485	The Impact of Cigarette Warning Labels and Smoke-free Bylaws on Smoking Cessation. Canadian Journal of Public Health, 2004, 95, 201-204.	2.3	60
486	The near-universal experience of regret among smokers in four countries: Findings from the International Tobacco Control Policy Evaluation Survey. Nicotine and Tobacco Research, 2004, 6, 341-351.	2.6	154

#	ARTICLE	IF	CITATIONS
487	Do smokers know how to quit? Knowledge and perceived effectiveness of cessation assistance as predictors of cessation behaviour. <i>Addiction</i> , 2004, 99, 1042-1048.	3.3	139
488	Use of and beliefs about light cigarettes in four countries: Findings from the International Tobacco Control Policy Evaluation Survey. <i>Nicotine and Tobacco Research</i> , 2004, 6, 311-321.	2.6	85
489	Graphic Canadian Cigarette Warning Labels and Adverse Outcomes: Evidence from Canadian Smokers. <i>American Journal of Public Health</i> , 2004, 94, 1442-1445.	2.7	260
490	The effects of a brief time perspective intervention for increasing physical activity among young adults. <i>Psychology and Health</i> , 2003, 18, 685-706.	2.2	128
491	The role of mother-daughter sexual risk communication in reducing sexual risk behaviors among urban adolescent females: a prospective study. <i>Journal of Adolescent Health</i> , 2003, 33, 98-107.	2.5	329
492	Impact of the graphic Canadian warning labels on adult smoking behaviour. <i>Tobacco Control</i> , 2003, 12, 391-395.	3.2	287
493	Time Perspective: A Potentially Important Construct for Decreasing Health Risk Behaviors Among Adolescents. , 2003, , 106-112.		17
494	Enhancing the effectiveness of tobacco package warning labels: a social psychological perspective. <i>Tobacco Control</i> , 2002, 11, 183-190.	3.2	166
495	Defensive Verbal Behavior Assessment. <i>Personality and Social Psychology Bulletin</i> , 2002, 28, 776-788.	3.0	39
496	The theory of planned behavior as a model of intentions for fighting among African American and Latino adolescents. <i>Maternal and Child Health Journal</i> , 2001, 5, 253-263.	1.5	13
497	Alcohol myopia and condom use: Can alcohol intoxication be associated with more prudent behavior?. <i>Journal of Personality and Social Psychology</i> , 2000, 78, 605-619.	2.8	159
498	Alcohol, sexual arousal, and intentions to use condoms in young men: Applying alcohol myopia theory to risky sexual behavior.. <i>Health Psychology</i> , 2000, 19, 290-298.	1.6	187
499	Reducing HIV risk-associated sexual behavior among african american adolescents: Testing the generality of intervention effects. <i>American Journal of Community Psychology</i> , 1999, 27, 161-187.	2.5	165
500	Abstinence and Safer Sex HIV Risk-Reduction Interventions for African American Adolescents. <i>JAMA - Journal of the American Medical Association</i> , 1998, 279, 1529.	7.4	636
501	Why Common Sense Goes Out the Window: Effects of Alcohol on Intentions to Use Condoms. <i>Personality and Social Psychology Bulletin</i> , 1996, 22, 763-775.	3.0	123
502	Decision making in altered states: Effects of alcohol on attitudes toward drinking and driving.. <i>Journal of Personality and Social Psychology</i> , 1995, 68, 973-985.	2.8	100
503	Directional Questions Direct Self-Conceptions. <i>Journal of Experimental Social Psychology</i> , 1993, 29, 63-86.	2.2	105
504	Reductions in HIV risk-associated sexual behaviors among black male adolescents: effects of an AIDS prevention intervention.. <i>American Journal of Public Health</i> , 1992, 82, 372-377.	2.7	514

#	ARTICLE	IF	CITATIONS
505	Immediate and delayed transfer of training effects in statistical reasoning.. Journal of Experimental Psychology: General, 1991, 120, 34-45.	2.1	104
506	Motivated recruitment of autobiographical memories.. Journal of Personality and Social Psychology, 1990, 59, 229-241.	2.8	370
507	Improving Probation Decisions through Statistical Training. Criminal Justice and Behavior, 1990, 17, 370-388.	1.8	13
508	Teaching reasoning. Science, 1987, 238, 625-631.	12.6	298
509	The effects of statistical training on thinking about everyday problems. Cognitive Psychology, 1986, 18, 253-292.	2.2	606
510	Self-Schemas and Judgments about Others. Social Cognition, 1982, 1, 191-204.	0.9	141
511	Smokersâ€™ support for the ban on sale of slim cigarettes in six European countries: findings from the EUREST-PLUS ITC Europe surveys. Open Research Europe, 0, 1, 52.	2.0	0
512	Smokersâ€™ support for the ban on sale of slim cigarettes in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. Open Research Europe, 0, 1, 52.	2.0	0
513	Adult smokersâ€™ discussions about vaping with health professionals and subsequent behavior change: a cohort study. Addiction, 0, , .	3.3	1