

# Graeme S Cottrell

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1963673/publications.pdf>

Version: 2024-02-01

73  
papers

6,961  
citations

126907

33  
h-index

114465

63  
g-index

74  
all docs

74  
docs citations

74  
times ranked

7082  
citing authors

#	ARTICLE	IF	CITATIONS
1	Activated mast cells in proximity to colonic nerves correlate with abdominal pain in irritable bowel syndrome. <i>Gastroenterology</i> , 2004, 126, 693-702.	1.3	1,246
2	4-Hydroxynonenal, an endogenous aldehyde, causes pain and neurogenic inflammation through activation of the irritant receptor TRPA1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 13519-13524.	7.1	655
3	Role for protease activity in visceral pain in irritable bowel syndrome. <i>Journal of Clinical Investigation</i> , 2007, 117, 636-647.	8.2	490
4	Protease-Activated Receptor 2 Sensitizes the Capsaicin Receptor Transient Receptor Potential Vanilloid Receptor 1 to Induce Hyperalgesia. <i>Journal of Neuroscience</i> , 2004, 24, 4300-4312.	3.6	381
5	Protease-activated receptor 2 sensitizes the transient receptor potential vanilloid 4 ion channel to cause mechanical hyperalgesia in mice. <i>Journal of Physiology</i> , 2007, 578, 715-733.	2.9	338
6	Endosomes: A legitimate platform for the signaling train. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 17615-17622.	7.1	317
7	The TGR5 receptor mediates bile acid-induced itch and analgesia. <i>Journal of Clinical Investigation</i> , 2013, 123, 1513-1530.	8.2	301
8	Mast Cell Tryptase Controls Paracellular Permeability of the Intestine. <i>Journal of Biological Chemistry</i> , 2005, 280, 31936-31948.	3.4	286
9	Protease-activated receptor 2 sensitizes TRPV1 by protein kinase C $\delta$ - and A-dependent mechanisms in rats and mice. <i>Journal of Physiology</i> , 2006, 575, 555-571.	2.9	243
10	Proteinase-activated Receptors, Targets for Kallikrein Signaling. <i>Journal of Biological Chemistry</i> , 2006, 281, 32095-32112.	3.4	217
11	Expression and function of the bile acid receptor GpBAR1 (TGR5) in the murine enteric nervous system. <i>Neurogastroenterology and Motility</i> , 2010, 22, 814-e228.	3.0	185
12	Trypsin IV, a Novel Agonist of Protease-activated Receptors 2 and 4. <i>Journal of Biological Chemistry</i> , 2004, 279, 13532-13539.	3.4	155
13	Mast cell tryptase and proteinase-activated receptor 2 induce hyperexcitability of guinea-pig submucosal neurons. <i>Journal of Physiology</i> , 2003, 547, 531-542.	2.9	151
14	<i>Pseudomonas aeruginosa</i> Elastase Disables Proteinase-Activated Receptor 2 in Respiratory Epithelial Cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2005, 32, 411-419.	2.9	120
15	c-Cbl Mediates Ubiquitination, Degradation, and Down-regulation of Human Protease-activated Receptor 2. <i>Journal of Biological Chemistry</i> , 2005, 280, 16076-16087.	3.4	119
16	Localization of calcitonin receptor-like receptor and receptor activity modifying protein 1 in enteric neurons, dorsal root ganglia, and the spinal cord of the rat. <i>Journal of Comparative Neurology</i> , 2005, 490, 239-255.	1.6	100
17	Trypsin IV or Mesotrypsin and p23 Cleave Protease-activated Receptors 1 and 2 to Induce Inflammation and Hyperalgesia. <i>Journal of Biological Chemistry</i> , 2007, 282, 26089-26100.	3.4	92
18	Endothelin-converting enzyme-1 regulates endosomal sorting of calcitonin receptor-like receptor and $\beta$ -arrestins. <i>Journal of Cell Biology</i> , 2007, 179, 981-997.	5.2	91

#	ARTICLE	IF	CITATIONS
19	The Bile Acid Receptor TGR5 Does Not Interact with $\beta$ -Arrestins or Traffic to Endosomes but Transmits Sustained Signals from Plasma Membrane Rafts. <i>Journal of Biological Chemistry</i> , 2013, 288, 22942-22960.	3.4	78
20	Substance P released by TRPV1-expressing neurons produces reactive oxygen species that mediate ethanol-induced gastric injury. <i>Free Radical Biology and Medicine</i> , 2007, 43, 581-589.	2.9	77
21	Recycling and Resensitization of the Neurokinin 1 Receptor. <i>Journal of Biological Chemistry</i> , 2004, 279, 30670-30679.	3.4	74
22	Endosomal Deubiquitinating Enzymes Control Ubiquitination and Down-regulation of Protease-activated Receptor 2. <i>Journal of Biological Chemistry</i> , 2009, 284, 28453-28466.	3.4	71
23	Quantitative single-molecule imaging of TLR4 reveals ligand-specific receptor dimerization. <i>Science Signaling</i> , 2017, 10, .	3.6	71
24	Endothelin-converting enzyme 1 degrades neuropeptides in endosomes to control receptor recycling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 11838-11843.	7.1	70
25	Post-endocytic Sorting of Calcitonin Receptor-like Receptor and Receptor Activity-modifying Protein 1. <i>Journal of Biological Chemistry</i> , 2007, 282, 12260-12271.	3.4	66
26	Hepatocyte Growth Factor-regulated Tyrosine Kinase Substrate (HRS) Mediates Post-endocytic Trafficking of Protease-activated Receptor 2 and Calcitonin Receptor-like Receptor. <i>Journal of Biological Chemistry</i> , 2007, 282, 29646-29657.	3.4	60
27	Ubiquitin-dependent Down-regulation of the Neurokinin-1 Receptor. <i>Journal of Biological Chemistry</i> , 2006, 281, 27773-27783.	3.4	58
28	Pungent General Anesthetics Activate Transient Receptor Potential-A1 to Produce Hyperalgesia and Neurogenic Bronchoconstriction. <i>Anesthesiology</i> , 2010, 112, 1452-1463.	2.5	58
29	Endosomal Endothelin-converting Enzyme-1. <i>Journal of Biological Chemistry</i> , 2009, 284, 22411-22425.	3.4	56
30	Protease-Activated Receptor 2, Dipeptidyl Peptidase I, and Proteases Mediate Clostridium difficile Toxin A Enteritis. <i>Gastroenterology</i> , 2007, 132, 2422-2437.	1.3	47
31	Omega-3 polyunsaturated fatty acids and hypertension: a review of vasodilatory mechanisms of docosahexaenoic acid and eicosapentaenoic acid. <i>British Journal of Pharmacology</i> , 2021, 178, 860-877.	5.4	47
32	Protease-activated receptors: the role of cell-surface proteolysis in signalling. <i>Essays in Biochemistry</i> , 2002, 38, 169-183.	4.7	42
33	CACHD1 is an $\beta$ -Arrestin-Like Protein That Modulates $Ca^{2+}$ Voltage-Gated Calcium Channel Activity. <i>Journal of Neuroscience</i> , 2018, 38, 9186-9201.	3.6	36
34	Characterisation of the vasodilation effects of DHA and EPA, n-3 PUFAs (fish oils), in rat aorta and mesenteric resistance arteries. <i>PLoS ONE</i> , 2018, 13, e0192484.	2.5	35
35	Endothelin-Converting Enzyme-1 Degrades Internalized Somatostatin-14. <i>Endocrinology</i> , 2008, 149, 2200-2207.	2.8	33
36	Endothelin-converting enzyme 1 promotes resensitization of neurokinin 1 receptor-dependent neurogenic inflammation. <i>British Journal of Pharmacology</i> , 2009, 156, 730-739.	5.4	32

#	ARTICLE	IF	CITATIONS
37	Impact of 3D cell culture on bone regeneration potential of mesenchymal stromal cells. <i>Stem Cell Research and Therapy</i> , 2021, 12, 31.	5.5	32
38	Endothelin-1 converting enzyme-1 regulates trafficking and signalling of the neurokinin 1 receptor in endosomes of myenteric neurones. <i>Journal of Physiology</i> , 2011, 589, 5213-5230.	2.9	31
39	Protein kinase D isoforms are expressed in rat and mouse primary sensory neurons and are activated by agonists of protease-activated receptor 2. <i>Journal of Comparative Neurology</i> , 2009, 516, 141-156.	1.6	29
40	Localization of calcitonin receptor-like receptor (CLR) and receptor activity-modifying protein 1 (RAMP1) in human gastrointestinal tract. <i>Peptides</i> , 2012, 35, 202-211.	2.4	29
41	Serine proteases and protease-activated receptor 2 mediate the proinflammatory and algescic actions of diverse stimulants. <i>British Journal of Pharmacology</i> , 2014, 171, 3814-3826.	5.4	29
42	CGRP Receptor Signalling Pathways. <i>Handbook of Experimental Pharmacology</i> , 2018, 255, 37-64.	1.8	28
43	Biased signalling is an essential feature of TLR4 in glioma cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016, 1863, 3084-3095.	4.1	25
44	Protein phosphatase 2A mediates resensitization of the neurokinin 1 receptor. <i>American Journal of Physiology - Cell Physiology</i> , 2011, 301, C780-C791.	4.6	24
45	G Protein-Coupled Receptors: What a Difference a Partner™ Makes. <i>International Journal of Molecular Sciences</i> , 2014, 15, 1112-1142.	4.1	24
46	Rethinking the Citric Acid Cycle: Connecting Pyruvate Carboxylase and Citrate Synthase to the Flow of Energy and Material. <i>International Journal of Molecular Sciences</i> , 2021, 22, 604.	4.1	21
47	Proton Transport Chains in Glucose Metabolism: Mind the Proton. <i>Frontiers in Neuroscience</i> , 2018, 12, 404.	2.8	18
48	Toll-like receptor 4 and protease-activated receptor 2 in physiology and pathophysiology of the nervous system: more than just receptor cooperation?. <i>Neural Regeneration Research</i> , 2019, 14, 1196.	3.0	18
49	Trafficking and Signaling of G Protein-Coupled Receptors in the Nervous System: Implications for Disease and Therapy. <i>CNS and Neurological Disorders - Drug Targets</i> , 2010, 9, 539-556.	1.4	17
50	Statins and Selective Inhibition of Rho Kinase Protect Small Conductance Calcium-Activated Potassium Channel Function (KCa2.3) in Cerebral Arteries. <i>PLoS ONE</i> , 2012, 7, e46735.	2.5	16
51	Astrocytes and neurons communicate via a monocarboxylic acid shuttle. <i>AIMS Neuroscience</i> , 2020, 7, 94-106.	2.3	16
52	Electrical Stimulation of Adipose-Derived Stem Cells in 3D Nanofibrillar Cellulose Increases Their Osteogenic Potential. <i>Biomolecules</i> , 2020, 10, 1696.	4.0	15
53	Agonist-Induced Endocytosis of Rat Somatostatin Receptor 1. <i>Endocrinology</i> , 2007, 148, 1050-1058.	2.8	14
54	Development and Characterisation of a Novel NF- $\kappa$ B Reporter Cell Line for Investigation of Neuroinflammation. <i>Mediators of Inflammation</i> , 2017, 2017, 1-10.	3.0	14

#	ARTICLE	IF	CITATIONS
55	Agonists of protease-activated receptors 1 and 2 stimulate electrolyte secretion from mouse gallbladder. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, G335-G346.	3.4	12
56	CACHD1: A new activity-modifying protein for voltage-gated calcium channels. <i>Channels</i> , 2019, 13, 120-123.	2.8	12
57	Profiling the eicosanoid networks that underlie the anti- and pro-thrombotic effects of aspirin. <i>FASEB Journal</i> , 2020, 34, 10027-10040.	0.5	10
58	The two-cell model of glucose metabolism: a hypothesis of schizophrenia. <i>Molecular Psychiatry</i> , 2021, 26, 1738-1747.	7.9	8
59	Measuring Lactase Enzymatic Activity in the Teaching Lab. <i>Journal of Visualized Experiments</i> , 2018, , .	0.3	6
60	The Role of Ubiquitination and Hepatocyte Growth Factor-Regulated Tyrosine Kinase Substrate in the Degradation of the Adrenomedullin Type I Receptor. <i>Scientific Reports</i> , 2017, 7, 12389.	3.3	4
61	CaV2.2 (N-type) voltage-gated calcium channels are activated by SUMOylation pathways. <i>Cell Calcium</i> , 2021, 93, 102326.	2.4	4
62	Time-Dependent Reduction of Calcium Oscillations in Adipose-Derived Stem Cells Differentiating towards Adipogenic and Osteogenic Lineage. <i>Biomolecules</i> , 2021, 11, 1400.	4.0	4
63	Aminopeptidase P1. , 2013, , 1525-1528.		1
64	Protease-Activated Receptors in Gastrointestinal Function and Disease. , 2006, , 1-31.		0
65	Resolvin: Endogenous 'off switch' that reverses inflammation-induced microvascular fluid leak. <i>Journal of the American College of Surgeons</i> , 2008, 207, S100.	0.5	0
66	386 Endothelin Converting Enzyme-1 (ECE-1) Degrades Substance P (SP) in Endosomes and Regulates Mitogenic Signaling of the Neurokinin 1 Receptor (NK1R). <i>Gastroenterology</i> , 2008, 134, A-52.	1.3	0
67	387 Endosomal Deubiquitinating Enzymes (DUBS) Control Ubiquitination and Post-Endocytic Sorting of Protease-Activated Receptor 2 (PAR2). <i>Gastroenterology</i> , 2008, 134, A-52.	1.3	0
68	T1438 Endosomal Endothelin Converting Enzyme-1 (ECE-1) Controls Resensitization the Proinflammatory and Nociceptive Effects of Substance P (SP) and Calcitonin Gene-Related Peptide (CGRP). <i>Gastroenterology</i> , 2008, 134, A-555-A-556.	1.3	0
69	699 The Role of Endothelin Converting Enzyme 1 (ECE1) in Intestinal Inflammation. <i>Gastroenterology</i> , 2009, 136, A-110.	1.3	0
70	993 Expression and Function of the Bile Acid Receptor GpBAR1 in the Enteric Nervous System. <i>Gastroenterology</i> , 2009, 136, A-153.	1.3	0
71	214 Protein Phosphatase 2a (PP2A) and $\beta$ -Arrestin1 Mediate Recycling-Independent Resensitization of the Neurokinin 1 Receptor (NK1R). <i>Gastroenterology</i> , 2010, 138, S-40.	1.3	0
72	216 The Bile Acid Receptor GpBAR1 is Regulated by $\beta$ -Arrestin-Independent Mechanisms and Transactivates the Epidermal Growth Factor Receptor Within Plasma Membrane Microdomains. <i>Gastroenterology</i> , 2010, 138, S-41.	1.3	0

#	ARTICLE	IF	CITATIONS
73	Biophysics is reshaping our perception of the epigenome: from changing the landscape of how we study DNA-level epigenetic marks to enabling high-throughput applications. Biophysical Reports, 2021, 1, 100028.	1.2	0