Iain C Macdougall

List of Publications by Citations

Source: https://exaly.com/author-pdf/1963718/iain-c-macdougall-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58 103 11,741 229 h-index g-index citations papers 6.59 252 13,730 7.4 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
229	Normalization of hemoglobin level in patients with chronic kidney disease and anemia. <i>New England Journal of Medicine</i> , 2006 , 355, 2071-84	59.2	1576
228	Iron deficiency anaemia. Lancet, The, 2016, 387, 907-16	40	611
227	Pharmacokinetics of novel erythropoiesis stimulating protein compared with epoetin alfa in dialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , 1999 , 10, 2392-5	12.7	337
226	A randomized controlled study of iron supplementation in patients treated with erythropoietin. <i>Kidney International</i> , 1996 , 50, 1694-9	9.9	280
225	Hemoglobin variability does not predict mortality in European hemodialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 1765-75	12.7	262
224	Erythropoietin resistance: the role of inflammation and pro-inflammatory cytokines. <i>Nephrology Dialysis Transplantation</i> , 2002 , 17 Suppl 11, 39-43	4.3	245
223	Iron deficiency and heart failure: diagnostic dilemmas and therapeutic perspectives. <i>European Heart Journal</i> , 2013 , 34, 816-29	9.5	230
222	Guideline for the laboratory diagnosis of functional iron deficiency. <i>British Journal of Haematology</i> , 2013 , 161, 639-48	4.5	209
221	Intravenous Iron in Patients Undergoing Maintenance Hemodialysis. <i>New England Journal of Medicine</i> , 2019 , 380, 447-458	59.2	187
220	Erythropoietins: a common mechanism of action. Experimental Hematology, 2008, 36, 1573-84	3.1	181
219	Effect of Ferric Carboxymaltose on Exercise Capacity in Patients With Chronic Heart Failure and Iron Deficiency. <i>Circulation</i> , 2017 , 136, 1374-1383	16.7	179
218	FIND-CKD: a randomized trial of intravenous ferric carboxymaltose versus oral iron in patients with chronic kidney disease and iron deficiency anaemia. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 2075	- 8 4 ³	173
217	Current and potential imaging applications of ferumoxytol for magnetic resonance imaging. <i>Kidney International</i> , 2017 , 92, 47-66	9.9	168
216	Iron deficiency across chronic inflammatory conditions: International expert opinion on definition, diagnosis, and management. <i>American Journal of Hematology</i> , 2017 , 92, 1068-1078	7.1	168
215	Iron status in patients with chronic heart failure. European Heart Journal, 2013, 34, 827-34	9.5	154
214	Pharmacokinetics and pharmacodynamics of intravenous and subcutaneous continuous erythropoietin receptor activator (C.E.R.A.) in patients with chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006 , 1, 1211-5	6.9	153
213	Intravenous iron sucrose: establishing a safe dose. <i>American Journal of Kidney Diseases</i> , 2001 , 38, 988-9	17.4	145

(2013-2002)

212	The inflammatory response and epoetin sensitivity. <i>Nephrology Dialysis Transplantation</i> , 2002 , 17 Suppl 1, 48-52	4.3	140
211	Anemia and iron deficiency in heart failure: mechanisms and therapeutic approaches. <i>Nature Reviews Cardiology</i> , 2011 , 8, 485-93	14.8	132
210	Tungsten-induced denaturation and aggregation of epoetin alfa during primary packaging as a cause of immunogenicity. <i>Pharmaceutical Research</i> , 2012 , 29, 1454-67	4.5	131
209	A peptide-based erythropoietin-receptor agonist for pure red-cell aplasia. <i>New England Journal of Medicine</i> , 2009 , 361, 1848-55	59.2	126
208	Novel strategies for stimulating erythropoiesis and potential new treatments for anaemia. <i>Lancet, The,</i> 2006 , 368, 947-53	40	123
207	CERA (Continuous Erythropoietin Receptor Activator): a new erythropoiesis-stimulating agent for the treatment of anemia. <i>Psychophysiology</i> , 2005 , 4, 436-40		114
206	Treatment of erythropoietin-induced pure red cell aplasia: a retrospective study. <i>Lancet, The</i> , 2004 , 363, 1768-71	40	112
205	Target haemoglobin to aim for with erythropoiesis-stimulating agents: a position statement by ERBP following publication of the Trial to reduce cardiovascular events with Aranesp therapy (TREAT) study. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 2846-50	4.3	110
204	Increased expression of erythropoiesis inhibiting cytokines (IFN-gamma, TNF-alpha, IL-10, and IL-13) by T cells in patients exhibiting a poor response to erythropoietin therapy. <i>Journal of the American Society of Nephrology: JASN</i> , 2003 , 14, 1776-84	12.7	106
203	Effect of exercise training on estimated GFR, vascular health, and cardiorespiratory fitness in patients with CKD: a pilot randomized controlled trial. <i>American Journal of Kidney Diseases</i> , 2015 , 65, 425-34	7.4	104
202	Clinical pharmacokinetics of epoetin (recombinant human erythropoietin). <i>Clinical Pharmacokinetics</i> , 1991 , 20, 99-113	6.2	102
201	The role of ACE inhibitors and angiotensin II receptor blockers in the response to epoetin. <i>Nephrology Dialysis Transplantation</i> , 1999 , 14, 1836-41	4.3	100
200	Left ventricular geometry predicts cardiovascular outcomes associated with anemia correction in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 2651-60	12.7	90
199	Posttransplantation anemia in adult renal allograft recipients: prevalence and predictors. <i>Transplantation</i> , 2006 , 81, 1112-8	1.8	87
198	Regulatory and clinical considerations for biosimilar oncology drugs. <i>Lancet Oncology, The</i> , 2014 , 15, e594-e605	21.7	86
197	Preoperative intravenous iron to treat anaemia before major abdominal surgery (PREVENTT): a randomised, double-blind, controlled trial. <i>Lancet, The</i> , 2020 , 396, 1353-1361	40	86
196	Iron therapy for the treatment of iron deficiency in chronic heart failure: intravenous or oral?. <i>European Journal of Heart Failure</i> , 2015 , 17, 248-62	12.3	85
195	Peginesatide for anemia in patients with chronic kidney disease not receiving dialysis. <i>New England Journal of Medicine</i> , 2013 , 368, 320-32	59.2	85

194	PRE-dialysis survey on anaemia management. Nephrology Dialysis Transplantation, 2003, 18, 89-100	4.3	85
193	Optimizing the use of erythropoietic agents pharmacokinetic and pharmacodynamic considerations. <i>Nephrology Dialysis Transplantation</i> , 2002 , 17 Suppl 5, 66-70	4.3	85
192	Novel erythropoiesis-stimulating agents: a new era in anemia management. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 200-7	6.9	83
191	Targeting Hypoxia-Inducible Factors for the Treatment of Anemia in Chronic Kidney Disease Patients. <i>American Journal of Nephrology</i> , 2017 , 45, 187-199	4.6	82
190	C.E.R.A. corrects anemia in patients with chronic kidney disease not on dialysis: results of a randomized clinical trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 337-47	6.9	82
189	Randomized trial of intravenous iron-induced hypophosphatemia. <i>JCI Insight</i> , 2018 , 3,	9.9	80
188	Antibody-mediated pure red cell aplasia in chronic kidney disease patients receiving erythropoiesis-stimulating agents: new insights. <i>Kidney International</i> , 2012 , 81, 727-32	9.9	79
187	The available intravenous iron formulations: History, efficacy, and toxicology. <i>Hemodialysis International</i> , 2017 , 21 Suppl 1, S83-S92	1.7	77
186	Peginesatide in patients with anemia undergoing hemodialysis. <i>New England Journal of Medicine</i> , 2013 , 368, 307-19	59.2	75
185	Pentoxifylline improves hemoglobin levels in patients with erythropoietin-resistant anemia in renal failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 1877-82	12.7	74
184	Comparative safety of intravenous ferumoxytol versus ferric carboxymaltose in iron deficiency anemia: A randomized trial. <i>American Journal of Hematology</i> , 2018 , 93, 683-690	7.1	70
183	A randomized comparison of ferumoxytol and iron sucrose for treating iron deficiency anemia in patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 705-12	6.9	70
182	Nonrandomized trial of weight loss with orlistat, nutrition education, diet, and exercise in obese patients with CKD: 2-year follow-up. <i>American Journal of Kidney Diseases</i> , 2010 , 55, 69-76	7.4	69
181	Erythropoiesis-stimulating agents and antibody-mediated pure red-cell aplasia: here are we now and where do we go from here?. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 288-93	4.3	68
180	Pure red cell aplasia induced by erythropoiesis-stimulating agents. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 193-9	6.9	67
179	Maintenance treatment of renal anaemia in haemodialysis patients with methoxy polyethylene glycol-epoetin beta versus darbepoetin alfa administered monthly: a randomized comparative trial. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 4009-17	4.3	64
178	Iron and the anaemia of chronic disease: a review and strategic recommendations. <i>Current Medical Research and Opinion</i> , 2006 , 22, 731-7	2.5	64
177	The impact of intravenous ferric carboxymaltose on renal function: an analysis of the FAIR-HF study. <i>European Journal of Heart Failure</i> , 2015 , 17, 329-39	12.3	62

(2018-2015)

Aerobic or Resistance Training and Pulse Wave Velocity in Kidney Transplant Recipients: A 12-Week Pilot Randomized Controlled Trial (the Exercise in Renal Transplant [ExeRT] Trial). <i>American Journal of Kidney Diseases</i> , 2015 , 66, 689-98	7.4	61
An overview of the efficacy and safety of novel erythropoiesis stimulating protein (NESP). <i>Nephrology Dialysis Transplantation</i> , 2001 , 16 Suppl 3, 14-21	4.3	61
Current status of the measurement of blood hepcidin levels in chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010 , 5, 1681-9	6.9	59
Current and upcoming erythropoiesis-stimulating agents, iron products, and other novel anemia medications. <i>Advances in Chronic Kidney Disease</i> , 2009 , 16, 117-30	4.7	59
Incidence of erythropoietin antibody-mediated pure red cell aplasia: the Prospective Immunogenicity Surveillance Registry (PRIMS). <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 451-60	4.3	57
Effect of red cell transfusions on future kidney transplantation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 852-60	6.9	55
Beyond the cardiorenal anaemia syndrome: recognizing the role of iron deficiency. <i>European Journal of Heart Failure</i> , 2012 , 14, 882-6	12.3	54
Antibody-mediated pure red cell aplasia (PRCA): epidemiology, immunogenicity and risks. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20 Suppl 4, iv9-15	4.3	54
Administration of intravenous iron sucrose as a 2-minute push to CKD patients: a prospective evaluation of 2,297 injections. <i>American Journal of Kidney Diseases</i> , 2005 , 46, 283-9	7.4	53
Safety of intravenous iron formulations: facts and folklore. <i>Blood Transfusion</i> , 2014 , 12, 296-300	3.6	52
Effects of Molidustat in the Treatment of Anemia in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 28-39	6.9	51
A randomized, open-label trial of iron isomaltoside 1000 (Monofer ()) compared with iron sucrose (Venofer ()) as maintenance therapy in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1577-89	4.3	49
Iron supplementation in the non-dialysis chronic kidney disease (ND-CKD) patient: oral or intravenous?. <i>Current Medical Research and Opinion</i> , 2010 , 26, 473-82	2.5	49
A structured weight management programme can achieve improved functional ability and significant weight loss in obese patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 263-8	4.3	49
IL-2 therapy restores regulatory T-cell dysfunction induced by calcineurin inhibitors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 7083-7088	11.5	48
Beneficial effects of adopting an aggressive intravenous iron policy in a hemodialysis unit. <i>American Journal of Kidney Diseases</i> , 1999 , 34, s40-s46	7.4	47
Correction of anaemia with darbepoetin alfa in patients with chronic kidney disease receiving dialysis. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 576-81	4.3	46
Positive Iron Balance in Chronic Kidney Disease: How Much is Too Much and How to Tell?. <i>American Journal of Nephrology</i> , 2018 , 47, 72-83	4.6	45
	Pilot Randomized Controlled Trial (the Exercise in Renal Transplant [ExeRT] Trial). American Journal of Kidney Diseases, 2015, 66, 689-98 An overview of the efficacy and safety of novel epythropoiesis stimulating protein (NESP). Nephrology Dialysis Transplantation, 2001, 16 Suppl 3, 14-21 Current status of the measurement of blood hepcidin levels in chronic kidney disease. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 1681-9 Current and upcoming erythropoiesis-stimulating agents, iron products, and other novel anemia medications. Advances in Chronic Kidney Disease, 2009, 16, 117-30 Incidence of erythropoietin antibody-mediated pure red cell aplasia: the Prospective Immunogenicity Survelllance Registry (PRIMS). Nephrology Dialysis Transplantation, 2015, 30, 451-60 Effect of red cell transfusions on future kidney transplantation. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 852-60 Beyond the cardiorenal anaemia syndrome: recognizing the role of iron deficiency. European Journal of Heart Failure, 2012, 14, 882-6 Antibody-mediated pure red cell aplasia (PRCA): epidemiology, immunogenicity and risks. Nephrology Dialysis Transplantation, 2005, 20 Suppl 4, 199-15 Administration of intravenous iron sucrose as a 2-minute push to CKD patients: a prospective evaluation of 2,297 injections. American Journal of Kidney Diseases, 2005, 46, 283-9 Safety of intravenous iron formulations: facts and folklore. Blood Transfusion, 2014, 12, 296-300 Effects of Molidustat in the Treatment of Anemia in CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 28-39 A randomized, open-label trial of iron isomaltoside 1000 (Monoferti) compared with iron sucrose (Venoferti) as maintenance therapy in haemodialysis patients. Nephrology Dialysis Transplantation, 2015, 30, 1577-89 Iron supplementation in the non-dialysis chronic kidney disease (ND-CKD) patient: oral or intravenous? Current Medical Research and Opinion, 2010, 26, 473-82 A transplantation, 200	Pilot Randomized Controlled Trial (the Exercise in Renal Transplant [ExeRT] Trial). American Journal of Kidney Diseases, 2015, 66, 689-98 An overview of the efficacy and safety of novel erythropoiesis stimulating protein (NESP). Nephrology Dialysis Transplantation, 2001, 16 Suppl 3, 14-21 Current status of the measurement of blood hepcidin levels in chronic kidney disease. Clinical Journal of the American Society of Nephrology. CIASN, 2010, 5, 1681-9 Current and upcoming erythropoiesis-stimulating agents, iron products, and other novel anemia medications. Advances in Chronic Kidney Disease, 2009, 16, 117-30 Lincidence of erythropoietin antibody-mediated pure red cell aplasia: the Prospective Immunogenicity Surveillance Registry (PRIMS). Nephrology Dialysis Transplantation, 2015, 30, 451-60 Effect of red cell transfusions on future kidney transplantation. Clinical Journal of the American Society of Nephrology: CIASN, 2013, 8, 852-60 Beyond the cardiorenal anaemia syndrome: recognizing the role of iron deficiency. European Journal of Heart Failure, 2012, 14, 882-6 Antibody-mediated pure red cell aplasia (PRCA): epidemiology, immunogenicity and risks. Nephrology Dialysis Transplantation, 2005, 20 Suppl 4, iv9-15 Administration of intravenous iron sucrose as a 2-minute push to CKD patients: a prospective evaluation of 2,297 injections. American Journal of Kidney Diseases, 2005, 46, 283-9 Arandomized, open-label trial of iron isomaltoside 1000 (Monofert) compared with iron sucrose (Venofert) as maintenance therapy in haemodialysis patients. Nephrology Dialysis Transplantation, 2015, 30, 1577-89 Iron supplementation in the non-dialysis chronic kidney disease (ND-CKD) patient: oral or intravenous?. Current Medical Research and Opinion, 2010, 26, 473-82 Astructured weight management programme can achieve improved functional ability and significant weight loss in obese patients with chronic kidney disease. Nephrology Dialysis Transplantation, 2008, 23, 263-8 Beneficial effects of adopting an aggressive intra

158	New anemia therapies: translating novel strategies from bench to bedside. <i>American Journal of Kidney Diseases</i> , 2012 , 59, 444-51	7.4	43
157	Darbepoetin alfa impact on health status in diabetes patients with kidney disease: a randomized trial. Clinical Journal of the American Society of Nephrology: CJASN, 2011 , 6, 845-55	6.9	43
156	Vascular access for hemodialysis in the elderly. <i>Journal of Vascular Surgery</i> , 2011 , 53, 1039-43	3.5	42
155	Recent advances in erythropoietic agents in renal anemia. Seminars in Nephrology, 2006, 26, 313-8	4.8	38
154	Laparoscopic sleeve gastrectomy is a novel and effective treatment for obesity in patients with chronic kidney disease. <i>Obesity Surgery</i> , 2012 , 22, 119-23	3.7	37
153	Use of intravenous iron supplementation in chronic kidney disease: an update. <i>Iranian Journal of Kidney Diseases</i> , 2013 , 7, 9-22	0.9	37
152	How important is transfusion avoidance in 2013?. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 1092-9	4.3	36
151	Evolution of iv iron compounds over the last century. <i>Journal of Renal Care</i> , 2009 , 35 Suppl 2, 8-13	1.6	35
150	Is early treatment of anaemia with epoetin-alpha beneficial to pre-dialysis chronic kidney disease patients? Results of a multicentre, open-label, prospective, randomized, comparative group trial. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 784-93	4.3	35
149	Intravenous iron therapy in patients with chronic kidney disease: recent evidence and future directions. <i>CKJ: Clinical Kidney Journal</i> , 2017 , 10, i16-i24	4.5	34
148	On the safety of intravenous iron, evidence trumps conjecture. <i>Haematologica</i> , 2015 , 100, e214-5	6.6	34
147	Hemoglobin variability in nondialysis chronic kidney disease: examining the association with mortality. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 1176-82	6.9	34
146	Pure red cell aplasia with anti-erythropoietin antibodies occurs more commonly with one formulation of epoetin alfa than another. <i>Current Medical Research and Opinion</i> , 2004 , 20, 83-6	2.5	34
145	Intravenous administration of iron in epoetin-treated haemodialysis patientswhich drugs, which regimen?. <i>Nephrology Dialysis Transplantation</i> , 2000 , 15, 1743-5	4.3	34
144	Intravenous Iron Dosing and Infection Risk in Patients on Hemodialysis: A Prespecified Secondary Analysis of the PIVOTAL Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 1118-1127	12.7	33
143	Exercise therapy in individuals with chronic kidney disease: a systematic review and synthesis of the research evidence. <i>Annual Review of Nursing Research</i> , 2013 , 31, 235-75	0.7	31
142	Mortality and morbidity following exercise-based renal rehabilitation in patients with chronic kidney disease: the effect of programme completion and change in exercise capacity. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 618-625	4.3	31
141	Safety of intravenous ferric carboxymaltose versus oral iron in patients with nondialysis-dependent CKD: an analysis of the 1-year FIND-CKD trial. <i>Nephrology Dialysis Transplantation</i> . 2017 . 32. 1530-1539	4.3	30

140	Psychosocial and Clinical Correlates of Fatigue in Haemodialysis Patients: the Importance of Patients' Illness Cognitions and Behaviours. <i>International Journal of Behavioral Medicine</i> , 2016 , 23, 271-2	2 8: 6	30	
139	A review of safety, efficacy, and utilization of erythropoietin, darbepoetin, and peginesatide for patients with cancer or chronic kidney disease: a report from the Southern Network on Adverse Reactions (SONAR). <i>Seminars in Thrombosis and Hemostasis</i> , 2012 , 38, 783-96	5.3	30	
138	Predialysis Survey on Anemia Management: patient referral. <i>American Journal of Kidney Diseases</i> , 2003 , 41, 49-61	7.4	30	
137	Intravenous iron: a framework for changing the management of iron deficiency. <i>Lancet Haematology,the</i> , 2020 , 7, e342-e350	14.6	28	
136	Antibody-mediated pure red cell aplasia in a dialysis patient receiving darbepoetin alfa as the sole erythropoietic agent. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21, 2963-5	4.3	28	
135	The FIND-CKD studya randomized controlled trial of intravenous iron versus oral iron in non-dialysis chronic kidney disease patients: background and rationale. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 843-50	4.3	27	
134	Darbepoetin alfa: a new therapeutic agent for renal anemia. Kidney International, 2002, 55-61	9.9	27	
133	Long-Term Efficacy and Safety of Molidustat for Anemia in Chronic Kidney Disease: DIALOGUE Extension Studies. <i>American Journal of Nephrology</i> , 2019 , 49, 271-280	4.6	26	
132	Peginesatide for the treatment of anemia due to chronic kidney disease - an unfulfilled promise. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 1421-6	4.1	26	
131	The role of psychological factors in fatigue among end-stage kidney disease patients: a critical review. <i>CKJ: Clinical Kidney Journal</i> , 2017 , 10, 79-88	4.5	26	
130	Pharmacology of darbepoetin alfa. Nephrology Dialysis Transplantation, 2007, 22 Suppl 4, iv2-iv9	4.3	26	
129	Linking drugs to obscure illnesses: lessons from pure red cell aplasia, nephrogenic systemic fibrosis, and Reye's syndrome. a report from the Southern Network on Adverse Reactions (SONAR). <i>Journal of General Internal Medicine</i> , 2012 , 27, 1697-703	4	25	
128	Neutrophil gelatinase-associated lipocalin and hepcidin: what do they have in common and is there a potential interaction?. <i>Kidney and Blood Pressure Research</i> , 2010 , 33, 157-65	3.1	25	
127	Dose-finding study of peginesatide for anemia correction in chronic kidney disease patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 2579-86	6.9	24	
126	Effects of intravenous iron on fibroblast growth factor 23 (FGF23) in haemodialysis patients: a randomized controlled trial. <i>BMC Nephrology</i> , 2016 , 17, 177	2.7	22	
125	Weight loss, adipokines, and quality of life after sleeve gastrectomy in obese patients with stages 3-4 CKD: a randomized controlled pilot study. <i>American Journal of Kidney Diseases</i> , 2014 , 64, 660-3	7.4	22	
124	Anti-Inflammatory and Anti-Oxidative Nutrition in Hypoalbuminemic Dialysis Patients (AIONID) study: results of the pilot-feasibility, double-blind, randomized, placebo-controlled trial. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2013 , 4, 247-57	10.3	22	
123	New options for the anemia of chronic kidney disease. <i>Kidney International Supplements</i> , 2017 , 7, 157-16	5 8 .3	22	

122	Could anti-inflammatory cytokine therapy improve poor treatment outcomes in dialysis patients?. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19 Suppl 5, V73-78	4.3	22
121	Hepcidin Response to Iron Therapy in Patients with Non-Dialysis Dependent CKD: An Analysis of the FIND-CKD Trial. <i>PLoS ONE</i> , 2016 , 11, e0157063	3.7	22
120	Iron supplementation in nephrology and oncology: what do we have in common?. <i>Oncologist</i> , 2011 , 16 Suppl 3, 25-34	5.7	21
119	Randomized Trial Comparing Proactive, High-Dose versus Reactive, Low-Dose Intravenous Iron Supplementation in Hemodialysis (PIVOTAL): Study Design and Baseline Data. <i>American Journal of Nephrology</i> , 2018 , 48, 260-268	4.6	21
118	Risk for chronic kidney disease increases with obesity: Health Survey for England 2010. <i>Public Health Nutrition</i> , 2015 , 18, 3349-54	3.3	20
117	Serum hemojuvelin and hepcidin levels in chronic kidney disease. <i>American Journal of Nephrology</i> , 2012 , 35, 295-304	4.6	20
116	Compliance with a structured weight loss program is associated with reduced systolic blood pressure in obese patients with chronic kidney disease. <i>American Journal of Hypertension</i> , 2012 , 25, 10)24 ² 9³	20
115	Latest US KDOQI Anaemia Guidelines updatewhat are the implications for Europe?. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 2738-42	4.3	20
114	Intravenous iron and erythropoiesis-stimulating agents in haemodialysis: A systematic review and meta-analysis. <i>Nephrology</i> , 2017 , 22, 969-976	2.2	19
113	A controlled study of the effects of ferric carboxymaltose on bone and haematinic biomarkers in chronic kidney disease and pregnancy. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1628-1635	4.3	19
112	The efficacy of sildenafil for the treatment of erectile dysfunction in male peritoneal dialysis patients. <i>American Journal of Kidney Diseases</i> , 2005 , 45, 381-7	7.4	19
111	Performance of a Predictive Model for Long-Term Hemoglobin Response to Darbepoetin and Iron Administration in a Large Cohort of Hemodialysis Patients. <i>PLoS ONE</i> , 2016 , 11, e0148938	3.7	19
110	Long-term pulse wave velocity outcomes with aerobic and resistance training in kidney transplant recipients - A pilot randomised controlled trial. <i>PLoS ONE</i> , 2017 , 12, e0171063	3.7	19
109	Rheological studies during treatment of renal anaemia with recombinant human erythropoietin. <i>British Journal of Haematology</i> , 1991 , 77, 550-8	4.5	18
108	Controversies in optimal anemia management: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Conference. <i>Kidney International</i> , 2021 , 99, 1280-1295	9.9	18
107	Measuring fatigue in haemodialysis patients: The factor structure of the Chalder Fatigue Questionnaire (CFQ). <i>Journal of Psychosomatic Research</i> , 2016 , 84, 81-83	4.1	18
106	Iron Regulation by Molidustat, a Daily Oral Hypoxia-Inducible Factor Prolyl Hydroxylase Inhibitor, in Patients with Chronic Kidney Disease. <i>Nephron</i> , 2019 , 143, 243-254	3.3	17
105	Factors precipitating erythropoiesis-stimulating agent responsiveness in a European haemodialysis cohort: case-crossover study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 414-26	2.6	17

104	Intra-individual variability of serum hepcidin-25 in haemodialysis patients using mass spectrometry and ELISA. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 3923-9	4.3	16
103	Iron deficiency: what are the future trends in diagnostics and therapeutics?. <i>Clinical Chemistry</i> , 2013 , 59, 740-5	5.5	16
102	Poor response to recombinant erythropoietin is associated with loss of T-lymphocyte CD28 expression and altered interleukin-10 production. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 133-40	4.3	16
101	Treatment of renal anemia with recombinant human erythropoietin. <i>Current Opinion in Nephrology and Hypertension</i> , 1992 , 1, 210-9	3.5	16
100	HIF stabilizers in the management of renal anemia: from bench to bedside to pediatrics. <i>Pediatric Nephrology</i> , 2019 , 34, 365-378	3.2	16
99	Examining the efficacy of social-psychological interventions for the management of fatigue in end-stage kidney disease (ESKD): a systematic review with meta-analysis. <i>Health Psychology Review</i> , 2017 , 11, 197-216	7.1	15
98	Daprodustat for the Treatment of Anemia in Patients Not Undergoing Dialysis. <i>New England Journal of Medicine</i> , 2021 ,	59.2	15
97	Measurement of hepcidin isoforms in human serum by liquid chromatography with high resolution mass spectrometry. <i>Bioanalysis</i> , 2017 , 9, 541-553	2.1	14
96	An analysis of the health service efficiency and patient experience with two different intravenous iron preparations in a UK anaemia clinic. <i>Journal of Medical Economics</i> , 2013 , 16, 108-14	2.4	14
95	Daprodustat for the Treatment of Anemia in Patients Undergoing Dialysis. <i>New England Journal of Medicine</i> , 2021 ,	59.2	14
94	Iron Administration, Infection, and Anemia Management in CKD: Untangling the Effects of Intravenous Iron Therapy on Immunity and Infection Risk. <i>Kidney Medicine</i> , 2020 , 2, 341-353	2.8	14
93	Participation in a Structured Weight Loss Program and All-Cause Mortality and Cardiovascular Morbidity in Obese Patients With Chronic Kidney Disease. <i>Journal of Renal Nutrition</i> , 2015 , 25, 472-9	3	13
92	'It's when you're not doing too much you feel tired': A qualitative exploration of fatigue in end-stage kidney disease. <i>British Journal of Health Psychology</i> , 2018 , 23, 311-333	8.3	13
91	Fatigue in Prevalent Haemodialysis Patients Predicts All-cause Mortality and Kidney Transplantation. <i>Annals of Behavioral Medicine</i> , 2019 , 53, 501-514	4.5	13
90	Obesity and iron deficiency in chronic kidney disease: the putative role of hepcidin. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 50-7	4.3	13
89	Once-weekly erythropoietic therapy: is there a difference between the available preparations?. <i>Nephrology Dialysis Transplantation</i> , 2002 , 17, 2047-51	4.3	13
88	Hematide, a novel peptide-based erythropoiesis-stimulating agent for the treatment of anemia. <i>Current Opinion in Investigational Drugs</i> , 2008 , 9, 1034-47		13
87	Erythropoietic response to oral iron in patients with nondialysis-dependent chronic kidney disease in the FIND-CKD trial?. <i>Clinical Nephrology</i> , 2017 , 88, 301-310	2.1	12

86	Epoetin-induced pure red cell aplasia: diagnosis and treatment. <i>Current Opinion in Nephrology and Hypertension</i> , 2007 , 16, 585-8	3.5	12
85	Re-challenging patients who developed pure red cell aplasia with epoetin: can it be done?. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 2901-5	4.3	12
84	Ace inhibitors and erythropoietin responsiveness. American Journal of Kidney Diseases, 2001, 38, 649-51	7.4	12
83	Renal function in patients with non-dialysis chronic kidney disease receiving intravenous ferric carboxymaltose: an analysis of the randomized FIND-CKD trial. <i>BMC Nephrology</i> , 2017 , 18, 24	2.7	11
82	Intravenous iron: out of sight, out of mind. Lancet Haematology, the, 2018, 5, e10-e12	14.6	10
81	Desmopressin use prior to renal transplant biopsy-does it fit?. <i>CKJ: Clinical Kidney Journal</i> , 2014 , 7, 602-	4 4.5	10
8o	Renal anemia: comparing current Eastern and Western European management practice (ORAMA). <i>Renal Failure</i> , 2008 , 30, 267-76	2.9	10
79	Individualizing target haemoglobin concentrationstailoring treatment for renal anaemia. Nephrology Dialysis Transplantation, 2001 , 16 Suppl 7, 9-14	4.3	10
78	Ferumoxytol for iron deficiency anemia in patients undergoing hemodialysis. The FACT randomized controlled trial?. <i>Clinical Nephrology</i> , 2019 , 91, 237-245	2.1	9
77	Relative risk of death in UK haemodialysis patients in relation to achieved haemoglobin from 1999 to 2005: an observational study using UK Renal Registry data incorporating 30,040 patient-years of follow-up. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 914-9	4.3	9
76	Obesity and recovery from acute kidney injury (Ob AKI): a prospective cohort feasibility study. <i>BMJ Open</i> , 2019 , 9, e024033	3	8
75	Comparative safety of intravenous Ferumoxytol versus Ferric Carboxymaltose for the Treatment of Iron Deficiency Anemia: rationale and study design of a randomized double-blind study with a focus on acute hypersensitivity reactions. <i>Journal of Blood Medicine</i> , 2017 , 8, 155-163	2.3	8
74	Cognitive-behavioural therapy (CBT) for renal fatigue (BReF): a feasibility randomised-controlled trial of CBT for the management of fatigue in haemodialysis (HD) patients. <i>BMJ Open</i> , 2018 , 8, e020842	3	8
73	Effect of computer-assisted European Best Practice Guideline implementation on adherence and target attainment: ORAMA results. <i>Journal of Nephrology</i> , 2009 , 22, 662-74	4.8	8
72	Campylobacter-Associated Hemolytic Uremic Syndrome Associated with Pulmonary-Renal Syndrome. <i>Journal of General Internal Medicine</i> , 2016 , 31, 353-6	4	7
71	Treatment of anaemia in end-stage renal disease: A double-edged iron sword?. <i>EBioMedicine</i> , 2019 , 40, 31-32	8.8	7
70	New data on the safety of IV iron-but why the discrepancy with FIND-CKD?. <i>Kidney International</i> , 2015 , 88, 1445-1446	9.9	7
69	Value of N-terminal brain natriuretic peptide as a prognostic marker in patients with CKD: results from the CREATE study. <i>Current Medical Research and Opinion</i> , 2010 , 26, 2543-52	2.5	7

68	Should the hematocrit be normalized in dialysis and in pre-ESRD patients?. <i>Blood Purification</i> , 2001 , 19, 157-67	3.1	7
67	A prospective study of fatigue trajectories among in-centre haemodialysis patients. <i>British Journal of Health Psychology</i> , 2020 , 25, 61-88	8.3	7
66	SP311A MODEL TO PREDICT HAEMATOPOIETIC NON-RESPONSE TO ORAL IRON IN PATIENTS WITH NON-DIALYSIS DEPENDENT CKD (ND-CKD): AN ANALYSIS FROM THE FIND-CKD TRIAL. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i193-i194	4.3	7
65	Questions and answers on iron deficiency treatment selection and the use of intravenous iron in routine clinical practice. <i>Annals of Medicine</i> , 2021 , 53, 274-285	1.5	7
64	Does Intragastric Balloon Treatment for Obesity in Chronic Kidney Disease Heighten Acute Kidney Injury Risk?. <i>American Journal of Nephrology</i> , 2016 , 44, 411-418	4.6	6
63	Haemoglobin fluctuations in patients on haemodialysis treated with ESAs: clinical observations from two centres. <i>Current Medical Research and Opinion</i> , 2009 , 25, 2971-6	2.5	6
62	How to optimise anaemia therapy in peritoneal dialysis patients. <i>Contributions To Nephrology</i> , 2006 , 150, 202-213	1.6	6
61	Experience With Intravenous Iron in Nephrology. Seminars in Hematology, 2006, 43, S9-S12	4	6
60	Hematide[]a Synthetic Peptide-Based Erythropoiesis Stimulating Agent (ESA), Demonstrates Erythropoietic Activity in a Phase 2 Single Dose, Dose Escalating Study in Patients with Chronic Kidney Disease (CKD) <i>Blood</i> , 2005 , 106, 3532-3532	2.2	6
59	CREATE: new strategies for early anaemia management in renal insufficiency. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18 Suppl 2, ii13-6	4.3	6
58	Protocol and Baseline Data of a Multicentre Prospective Double-Blinded Randomized Study of Intravenous Iron on Functional Status in Patients with Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2020 , 51, 493-500	4.6	5
57	Intravenous iron therapy in non-dialysis CKD patients. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 71	7 _z 2.9	5
56	The Ferumoxytol for Anemia of CKD Trial (FACT)-a randomized controlled trial of repeated doses of ferumoxytol or iron sucrose in patients on hemodialysis: background and rationale. <i>BMC Nephrology</i> , 2017 , 18, 117	2.7	5
55	Iohexol clearance is superior to creatinine-based renal function estimating equations in detecting short-term renal function decline in chronic heart failure. <i>Croatian Medical Journal</i> , 2015 , 56, 531-41	1.6	5
54	Serum erythropoietin levels may be inappropriately low in the acute neuropsychiatric porphyrias. <i>Clinica Chimica Acta</i> , 2002 , 317, 93-100	6.2	5
53	Higher target haemoglobin level and early anaemia treatment: different or complementary concepts?. <i>Nephrology Dialysis Transplantation</i> , 2000 , 15 Suppl 3, 3-7	4.3	5
52	Optimizing erythropoietin therapy. Current Opinion in Hematology, 1999, 6, 121-6	3.3	5
51	SO036MOLIDUSTAT INCREASES HAEMOGLOBIN IN ERYTHROPOIESIS STIMULATING AGENTS (ESA)-NAIVE ANAEMIC PATIENTS WITH CHRONIC KIDNEY DISEASE NOT ON DIALYSIS (CKD-ND). Nephrology Dialysis Transplantation, 2016 , 31, i16-i16	4.3	5

50	Dialysis facility ownership and epoetin dosing in hemodialysis patients: a view from Europe. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 358-61	7.4	4
49	Erythropoietin treatment in the neuropsychiatric porphyrias. Clinica Chimica Acta, 2003, 338, 61-6	6.2	4
48	Adverse event issue management: what have we learnt from pure red cell aplasia (PRCA)?. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20 Suppl 8, viii18-21	4.3	4
47	A genome-wide association study suggests correlations of common genetic variants with peritoneal solute transfer rates in patients with kidney failure receiving peritoneal dialysis. <i>Kidney International</i> , 2021 , 100, 1101-1111	9.9	4
46	Exercise programme to improve quality of life for patients with end-stage kidney disease receiving haemodialysis: the PEDAL RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-52	4.4	4
45	The PrEscription of intraDialytic exercise to improve quAlity of Life in patients with chronic kidney disease trial: study design and baseline data for a multicentre randomized controlled trial. <i>CKJ:</i> Clinical Kidney Journal, 2021 , 14, 1345-1355	4.5	4
44	Randomized Trial-PrEscription of intraDialytic exercise to improve quAlity of Life in Patients Receiving Hemodialysis. <i>Kidney International Reports</i> , 2021 , 6, 2159-2170	4.1	4
43	Erythropoietin and renal failure. <i>Psychophysiology</i> , 2003 , 2, 459-64		4
42	Biosimilar epoetins. Nephrology Dialysis Transplantation, 2009, 24, 1698-9; author reply 1699-700	4.3	3
41	Comparison of different dosing regimens (once weekly vs. twice weekly, and once weekly vs. once every two weeks) with epoetin delta in patients with chronic kidney disease: a randomized controlled trial. <i>Trials</i> , 2007 , 8, 35	2.8	3
40	Optimal Iron Management in Patients Receiving Erythropoietin Therapy. <i>Seminars in Dialysis</i> , 2007 , 11, 10-13	2.5	3
39	Metabolic adjuvants to erythropoietin therapy. Mineral and Electrolyte Metabolism, 1999 , 25, 357-64		3
38	Study design and baseline characteristics of patients on dialysis in the ASCEND-D trial. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	3
37	Iron Treatment Strategies in Nondialysis CKD. <i>Seminars in Nephrology</i> , 2016 , 36, 99-104	4.8	3
36	Iron Sucrose: A Wealth of Experience in Treating Iron Deficiency. <i>Advances in Therapy</i> , 2020 , 37, 1960-20	0421	3
35	Preoperative intravenous iron for anaemia in elective major open abdominal surgery: the PREVENTT RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-58	4.4	3
34	SP334IRON REGULATION BY MOLIDUSTAT, BAY 85-3934, A DAILY ORAL HYPOXIA-INDUCIBLE FACTOR PROLYL HYDROXYLASE INHIBITOR IN PATIENTS WITH CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i457-i457	4.3	2
33	Peginesatide for anemia in chronic kidney disease. New England Journal of Medicine, 2013, 368, 1553-4	59.2	2

(2021-2021)

32	Nomenclature in nephrology: preserving 'renal' and 'nephro' in the glossary of kidney health and disease. <i>Journal of Nephrology</i> , 2021 , 34, 639-648	4.8	2
31	Feasibility Trial of Cognitive Behavioral Therapy for Fatigue in Hemodialysis (BReF Intervention). <i>Journal of Pain and Symptom Management</i> , 2021 , 61, 1234-1246.e5	4.8	2
30	High-dose intravenous iron reduces myocardial infarction in patients on haemodialysis. <i>Cardiovascular Research</i> , 2021 ,	9.9	2
29	Investigating Serious Adverse Drug Reactions in Patients Receiving Erythropoiesis-Stimulating Agents: A Root Cause Analysis Using the "ANTICIPATE" Framework. <i>American Journal of Therapeutics</i> , 2018 , 25, e670-e674	1	2
28	Reliability and validity of the five-repetition sit-to-stand test in adult kidney transplant recipients. <i>International Journal of Therapy and Rehabilitation</i> , 2018 , 25, 158-166	0.4	2
27	Intravenous Iron Use in the Care of Patients with Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 1528-1530	6.9	1
26	Supplemental iron via dialysate: a novel mode of delivery for hemodialysis patients. <i>Kidney International</i> , 2015 , 88, 946-9	9.9	1
25	Iron therapy for managing anaemia in chronic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2018 , 27, 358-363	3.5	1
24	Over 5 years of darbepoetin alfa: two case histories. Expert Opinion on Pharmacotherapy, 2004 , 5, 951-4	4	1
23	Darbepoetin Alfa: A Viewpoint by Iain C. Macdougall. <i>Drugs</i> , 2001 , 61, 2105-2106	12.1	1
23	Darbepoetin Alfa: A Viewpoint by Iain C. Macdougall. <i>Drugs</i> , 2001 , 61, 2105-2106 Iron Supplementation: What's New?. <i>Blood</i> , 2017 , 130, SCI-43-SCI-43	12.1	1
Ť			
22	Iron Supplementation: What's New?. <i>Blood</i> , 2017 , 130, SCI-43-SCI-43 The Impact of Intravenous Iron on Renal Injury and Function Markers in Patients With Chronic Kidney Disease and Iron Deficiency Without Anemia <i>Kidney International Reports</i> , 2022 , 7, 322-326 MP415EFFECT OF INTRAVENOUS IRON THERAPY WITH FERRIC CARBOXYMALTOSE ON OUTCOMES IN IRON-DEFICIENT PATIENTS WITH RENAL DYSFUNCTION AND HEART FAILURE WITH REDUCED EJECTION FRACTION: AN INDIVIDUAL PATIENT DATA META-ANALYSIS OF FOUR	2.2	1
22	Iron Supplementation: What's New?. <i>Blood</i> , 2017 , 130, SCI-43-SCI-43 The Impact of Intravenous Iron on Renal Injury and Function Markers in Patients With Chronic Kidney Disease and Iron Deficiency Without Anemia <i>Kidney International Reports</i> , 2022 , 7, 322-326 MP415EFFECT OF INTRAVENOUS IRON THERAPY WITH FERRIC CARBOXYMALTOSE ON OUTCOMES IN IRON-DEFICIENT PATIENTS WITH RENAL DYSFUNCTION AND HEART FAILURE WITH	2.2 4.1 4·3	1
22 21 20	Iron Supplementation: What's New?. <i>Blood</i> , 2017 , 130, SCI-43-SCI-43 The Impact of Intravenous Iron on Renal Injury and Function Markers in Patients With Chronic Kidney Disease and Iron Deficiency Without Anemia <i>Kidney International Reports</i> , 2022 , 7, 322-326 MP415EFFECT OF INTRAVENOUS IRON THERAPY WITH FERRIC CARBOXYMALTOSE ON OUTCOMES IN IRON-DEFICIENT PATIENTS WITH RENAL DYSFUNCTION AND HEART FAILURE WITH REDUCED EJECTION FRACTION: AN INDIVIDUAL PATIENT DATA META-ANALYSIS OF FOUR RANDOMIZED, DOUBLE-BLIND TRIALS. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, iii581-iii581	2.2 4.1 4·3	1 1 1
22 21 20 19	Iron Supplementation: What's New?. <i>Blood</i> , 2017 , 130, SCI-43-SCI-43 The Impact of Intravenous Iron on Renal Injury and Function Markers in Patients With Chronic Kidney Disease and Iron Deficiency Without Anemia <i>Kidney International Reports</i> , 2022 , 7, 322-326 MP415EFFECT OF INTRAVENOUS IRON THERAPY WITH FERRIC CARBOXYMALTOSE ON OUTCOMES IN IRON-DEFICIENT PATIENTS WITH RENAL DYSFUNCTION AND HEART FAILURE WITH REDUCED EJECTION FRACTION: AN INDIVIDUAL PATIENT DATA META-ANALYSIS OF FOUR RANDOMIZED, DOUBLE-BLIND TRIALS. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, iii581-iii581 Authors' Reply. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 1654 P0858A MULTICENTRE PROSPECTIVE DOUBLE BLIND RANDOMISED CONTROLLED TRIAL OF INTRAVENOUS IRON IN IRON DEFICIENT BUT NOT ANAEMIC PATIENTS WITH CHRONIC KIDNEY	2.2 4.1 4·3	1 1 1
22 21 20 19	Iron Supplementation: What's New?. Blood, 2017, 130, SCI-43-SCI-43 The Impact of Intravenous Iron on Renal Injury and Function Markers in Patients With Chronic Kidney Disease and Iron Deficiency Without Anemia Kidney International Reports, 2022, 7, 322-326 MP415EFFECT OF INTRAVENOUS IRON THERAPY WITH FERRIC CARBOXYMALTOSE ON OUTCOMES IN IRON-DEFICIENT PATIENTS WITH RENAL DYSFUNCTION AND HEART FAILURE WITH REDUCED EJECTION FRACTION: AN INDIVIDUAL PATIENT DATA META-ANALYSIS OF FOUR RANDOMIZED, DOUBLE-BLIND TRIALS. Nephrology Dialysis Transplantation, 2017, 32, iii581-iii581 Authors' Reply. Journal of the American Society of Nephrology: JASN, 2020, 31, 1654 P0858A MULTICENTRE PROSPECTIVE DOUBLE BLIND RANDOMISED CONTROLLED TRIAL OF INTRAVENOUS IRON IN IRON DEFICIENT BUT NOT ANAEMIC PATIENTS WITH CHRONIC KIDNEY DISEASE ON FUNCTIONAL STATUS. Nephrology Dialysis Transplantation, 2020, 35, MO559ASCEND-ND: STUDY DESIGN AND BASELINE CHARACTERISTICS. Nephrology Dialysis	2.2 4.1 4.3 12.7	1 1 1 1 1

14	The ASCEND-ND trial: Study design and participant characteristics. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	1
13	Iron Deficiency in CKD Without Concomitant Anemia. <i>Kidney International Reports</i> , 2021 , 6, 2752-2762	4.1	O
12	Analysis of oxidative stress, inflammation and endothelial function following intravenous iron in chronic kidney disease in the Iron and Heart Trial <i>Scientific Reports</i> , 2022 , 12, 6853	4.9	O
11	Behavioural change and exercise therapy for patients with CKD. Journal of Kidney Care, 2017, 2, 58-65	0.1	
10	A response by Strauss et al. to "a comment on the comparative safety of intravenous ferumoxytol versus ferric carboxymaltose in iron deficiency anemia". <i>American Journal of Hematology</i> , 2018 , 93, E23	2 ⁷ E233	3
9	Renal rehabilitation: the benefits, barriers and exercise options. <i>Journal of Renal Nursing</i> , 2014 , 6, 29-33	3	
8	Unusual presentation of aortic dissection with bilateral testicular pain and rapidly deteriorating renal function. <i>Urology</i> , 2014 , 83, 989-91	1.6	
7	The authors reply. <i>Kidney International</i> , 2014 , 86, 211	9.9	
6	Erythropoietic therapy: time for some changes. <i>Journal of Renal Nursing</i> , 2011 , 3, 6-9		
5	Once-weekly erythropoietic therapy: is there a difference between the available preparations?. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 36viii-36	4.3	
4	Renal cell carcinoma in kidney transplant recipients at Guyll and Kingll College Hospital (UK) between 1987-2018 <i>Journal of Clinical Oncology</i> , 2019 , 37, e16066-e16066	2.2	
3	Comparison of Safety Reports to the FDA from a Pilot Introduction of Peginesatide, a Third Generation Erythropoiesis Stimulating Agent Versus Those from the Usual Care Setting: Manufacturers of Biosimilars and the FDA Should Consider Pilot Introductions of These Agents.	2.2	
2	Fatal and Serious Anaphylaxis Following Peginesatide Administration. <i>Blood</i> , 2013 , 122, 5612-5612	2.2	
1	SP555IMPROVING ANAEMIA THERAPY IN HAEMODIALYSIS PATIENTS: RESULTS OF A MULTICENTRE CLINICAL AUDIT. Nephrology Dialysis Transplantation, 2016 , 31, i277-i277	4.3	