

Suresh Gadde

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1965416/suresh-gadde-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61
papers

3,672
citations

35
h-index

60
g-index

66
ext. papers

4,199
ext. citations

6.5
avg, IF

5.12
L-index

#	Paper	IF	Citations
61	A triple-drug nanotherapy to target breast cancer cells, cancer stem cells, and tumor vasculature. <i>Cell Death and Disease</i> , 2021 , 12, 8	9.8	9
60	Liposome Imaging in Optically Cleared Tissues. <i>Nano Letters</i> , 2020 , 20, 1362-1369	11.5	17
59	The entry of nanoparticles into solid tumours. <i>Nature Materials</i> , 2020 , 19, 566-575	27	558
58	Review Two Different Multiple Photosynthetic Reaction Centers Using Either Zinc Porphyrinic Oligopeptide-Fulleropyrrolidine or Free-Base Porphyrinic Polypeptide-Li+@C60 Supramolecular Complexes. <i>ECS Journal of Solid State Science and Technology</i> , 2020 , 9, 061026	2	2
57	Foam Cell Induction Activates AMPK But Uncouples Its Regulation of Autophagy and Lysosomal Homeostasis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
56	Nanoparticles Loaded with Wnt and YAP/Mevalonate Inhibitors in Combination with Paclitaxel Stop the Growth of TNBC Patient-Derived Xenografts and Diminish Tumorigenesis. <i>Advanced Therapeutics</i> , 2020 , 3, 2000123	4.9	1
55	Co-targeting Bulk Tumor and CSCs in Clinically Translatable TNBC Patient-Derived Xenografts via Combination Nanotherapy. <i>Molecular Cancer Therapeutics</i> , 2019 , 18, 1755-1764	6.1	11
54	Delivery of MicroRNAs by Chitosan Nanoparticles to Functionally Alter Macrophage Cholesterol Efflux in Vitro and in Vivo. <i>ACS Nano</i> , 2019 , 13, 6491-6505	16.7	54
53	Characterization of Redox-Responsive LXR-Activating Nanoparticle Formulations in Primary Mouse Macrophages. <i>Molecules</i> , 2019 , 24,	4.8	5
52	Dual inhibition of Wnt and Yes-associated protein signaling retards the growth of triple-negative breast cancer in both mesenchymal and epithelial states. <i>Molecular Oncology</i> , 2018 , 12, 423-440	7.9	39
51	Co-inhibition of mTORC1, HDAC and ESR1 retards the growth of triple-negative breast cancer and suppresses cancer stem cells. <i>Cell Death and Disease</i> , 2018 , 9, 815	9.8	27
50	An autocrine inflammatory forward-feedback loop after chemotherapy withdrawal facilitates the repopulation of drug-resistant breast cancer cells. <i>Cell Death and Disease</i> , 2017 , 8, e2932	9.8	55
49	Nanomedicine Meets microRNA: Current Advances in RNA-Based Nanotherapies for Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, e73-9	9.4	26
48	Targeted Interleukin-10 Nanotherapeutics Developed with a Microfluidic Chip Enhance Resolution of Inflammation in Advanced Atherosclerosis. <i>ACS Nano</i> , 2016 , 10, 5280-92	16.7	120
47	Multi-drug delivery nanocarriers for combination therapy. <i>MedChemComm</i> , 2015 , 6, 1916-1929	5	67
46	Tumour-associated macrophages act as a slow-release reservoir of nano-therapeutic Pt(IV) pro-drug. <i>Nature Communications</i> , 2015 , 6, 8692	17.4	281
45	Predicting therapeutic nanomedicine efficacy using a companion magnetic resonance imaging nanoparticle. <i>Science Translational Medicine</i> , 2015 , 7, 314ra183	17.5	225

44	Nanoparticles containing a liver X receptor agonist inhibit inflammation and atherosclerosis. <i>Advanced Healthcare Materials</i> , 2015 , 4, 228-36	10.1	56
43	High resolution characterization of engineered nanomaterial dispersions in complex media using tunable resistive pulse sensing technology. <i>ACS Nano</i> , 2014 , 8, 9003-15	16.7	48
42	Development of therapeutic polymeric nanoparticles for the resolution of inflammation. <i>Advanced Healthcare Materials</i> , 2014 , 3, 1448-1456	10.1	22
41	Synergistic cytotoxicity of irinotecan and cisplatin in dual-drug targeted polymeric nanoparticles. <i>Nanomedicine</i> , 2013 , 8, 687-98	5.6	62
40	Development and in vivo efficacy of targeted polymeric inflammation-resolving nanoparticles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 6506-11	11.5	153
39	Two-component polymer films of palladium and fullerene with covalently linked crown ether voids: effect of cation binding on the redox behavior. <i>Journal of Solid State Electrochemistry</i> , 2012 , 16, 65-74	2.6	7
38	Nanoparticles for Targeted and Temporally Controlled Drug Delivery. <i>Nanostructure Science and Technology</i> , 2012 , 9-29	0.9	43
37	Multiple photosynthetic reaction centres composed of supramolecular assemblies of zinc porphyrin dendrimers with a fullerene acceptor. <i>Chemical Communications</i> , 2011 , 47, 7980-2	5.8	69
36	Cucurbituril Complexes of Redox Active Guests. <i>Current Organic Chemistry</i> , 2011 , 15, 27-38	1.7	52
35	Multiple photosynthetic reaction centres using zinc porphyrinic oligopeptide-fulleropyrrolidine supramolecular complexes. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 17019-22	3.6	39
34	Electrochemistry of Redox Active Centres Encapsulated by Non-Covalent Methods. <i>Australian Journal of Chemistry</i> , 2010 , 63, 184	1.2	31
33	Host-guest control on the formation of pinacyanol chloride H-aggregates in anionic polyelectrolyte solutions. <i>Supramolecular Chemistry</i> , 2010 , 22, 40-45	1.8	11
32	Controlling the formation of cyanine dye H- and J-aggregates with cucurbituril hosts in the presence of anionic polyelectrolytes. <i>Chemistry - A European Journal</i> , 2009 , 15, 6025-31	4.8	61
31	Electrochemistry of the inclusion complexes formed between the cucurbit[7]uril host and several cationic and neutral ferrocene derivatives. <i>Langmuir</i> , 2009 , 25, 13763-9	4	46
30	Mediated electrochemical oxidation of a fully encapsulated redox active center. <i>Journal of the American Chemical Society</i> , 2009 , 131, 12876-7	16.4	35
29	Self-Assembled Supramolecular Ferrocene-Fullerene Dyads and Triad: Formation and Photoinduced Electron Transfer. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 2222-2229	3.8	23
28	Control of H- and J-aggregate formation via host-guest complexation using cucurbituril hosts. <i>Journal of the American Chemical Society</i> , 2008 , 130, 17114-9	16.4	163
27	Dimerization of aromatic ureido pyrimidinedione derivatives: observation of an unexpected tautomer in the solid state. <i>Chemical Communications</i> , 2008 , 1446-8	5.8	8

26	Ternary complexes comprising cucurbit[10]uril, porphyrins, and guests. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 2657-60	16.4	92
25	Ternary Complexes Comprising Cucurbit[10]uril, Porphyrins, and Guests. <i>Angewandte Chemie</i> , 2008 , 120, 2697-2700	3.6	16
24	Multi-triphenylamine-substituted porphyrin-fullerene conjugates as charge stabilizing "antenna-reaction center" mimics. <i>Journal of Physical Chemistry A</i> , 2007 , 111, 8552-60	2.8	75
23	Supramolecular Triads of Free-Base Porphyrin, Fullerene, and Ferric Porphyrins via the Covalent-Coordinate Binding Approach: Formation, Sequential Electron Transfer, and Charge Stabilization. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 11123-11130	3.8	20
22	Photoinduced electron transfer in a Watson-Crick base-paired, 2-aminopurine:uracil-C60 hydrogen bonding conjugate. <i>Chemical Communications</i> , 2007 , 480-2	5.8	20
21	Photosynthetic reaction center mimicry of a "special pair" dimer linked to electron acceptors by a supramolecular approach: self-assembled cofacial zinc porphyrin dimer complexed with fullerene(s). <i>Chemistry - A European Journal</i> , 2007 , 13, 916-22	4.8	72
20	Light-Induced Electron Transfer of a Supramolecular Bis(Zinc Porphyrin) Fullerene Triad Constructed via a Diacetylamidopyridine/Uracil Hydrogen-Bonding Motif. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 12500-12503	3.8	39
19	Self assembling of porphyrin-fullerene dyads in the Langmuir and Langmuir-Blodgett films: formation as well as spectral, electrochemical and vectorial electron transfer studies. <i>Journal of Nanoscience and Nanotechnology</i> , 2007 , 7, 1455-71	1.3	5
18	Langmuir-Blodgett films of a cationic zinc porphyrin-imidazole-functionalized fullerene dyad: formation and photoelectrochemical studies. <i>Langmuir</i> , 2007 , 23, 1917-23	4	45
17	Redox Active Two-Component Films of Palladium and Covalently Linked Zinc Porphyrin Fullerene Dyad. <i>Electroanalysis</i> , 2006 , 18, 841-848	3	24
16	Potassium ion controlled switching of intra- to intermolecular electron transfer in crown ether appended free-base porphyrin-fullerene donor-acceptor systems. <i>Journal of Physical Chemistry A</i> , 2006 , 110, 4338-47	2.8	39
15	Design and studies on supramolecular ferrocene-porphyrin-fullerene constructs for generating long-lived charge separated states. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 25240-50	3.4	66
14	Design, syntheses, and studies of supramolecular porphyrin-fullerene conjugates, using bis-18-crown-6 appended porphyrins and pyridine or alkyl ammonium functionalized fullerenes. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 5905-13	3.4	44
13	Electron transfer switching in supramolecular porphyrin-fullerene conjugates held by alkylammonium cation-crown ether binding. <i>Chemical Communications</i> , 2006 , 4327-9	5.8	25
12	Photophysical studies of supramolecular triads involving zinc naphthalocyanines and pyridylfullerenes with a second electron donor. <i>Journal of Porphyrins and Phthalocyanines</i> , 2006 , 10, 1156-1164 ¹⁸ ₂₄	1.8	24
11	Supramolecular triads bearing porphyrin and fullerene via two-point binding involving coordination and hydrogen bonding. <i>Tetrahedron</i> , 2006 , 62, 1967-1978	2.4	36
10	Supramolecular porphyrin-fullerene via 'two-point' binding strategy: axial-coordination and cation-crown ether complexation. <i>Chemical Communications</i> , 2005 , 1279-81	5.8	85
9	Spectral, electrochemical, and photophysical studies of a magnesium porphyrin-fullerene dyad. <i>Physical Chemistry Chemical Physics</i> , 2005 , 7, 3163-71	3.6	47

8	Self-assembled via axial coordination magnesium porphyrin-imidazole appended fullerene dyad: spectroscopic, electrochemical, computational, and photochemical studies. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 10107-14	3.4	69
7	Effect of axial ligation or pi-pi-type interactions on photochemical charge stabilization in "two-point" bound supramolecular porphyrin-fullerene conjugates. <i>Chemistry - A European Journal</i> , 2005 , 11, 4416-28	4.8	81
6	X-ray structural and DFT computational studies of a self-assembled via axial coordination magnesium porphyrin-fullerene conjugate. <i>Journal of Porphyrins and Phthalocyanines</i> , 2005 , 09, 691-697	1.8	11
5	A supramolecular Star Wars Tie Fighter Ship: electron transfer in a self-assembled triad composed of two zinc naphthalocyanines and a fullerene. <i>Journal of Porphyrins and Phthalocyanines</i> , 2005 , 09, 698-705	1.8	17
4	Supramolecular complex composed of a covalently linked zinc porphyrin dimer and fulleropyrrolidine bearing two axially coordinating pyridine entities. <i>Chemical Communications</i> , 2004 , 2276-7	5.8	64
3	Supramolecular Triads Formed by Axial Coordination of Fullerene to Covalently Linked Zinc Porphyrin/ferrocene(s): Design, Syntheses, Electrochemistry, and Photochemistry. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 11333-11343	3.4	82
2	Self-assembled supramolecular triad composed of fulleropyrrolidine bearing two pyridine moieties axially coordinated to two zinc porphyrins. <i>Journal of Porphyrins and Phthalocyanines</i> , 2003 , 07, 1-7	1.8	34
1	Studies on Covalently Linked Porphyrin ₆₀ Dyads: Stabilization of Charge-Separated States by Axial Coordination. <i>Journal of Physical Chemistry A</i> , 2002 , 106, 12393-12404	2.8	111