

Kristian Thorborg

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1965491/kristian-thorborg-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

187
papers

5,140
citations

36
h-index

67
g-index

219
ext. papers

6,347
ext. citations

5.8
avg, IF

6.08
L-index

#	Paper	IF	Citations
187	Preventive effect of eccentric training on acute hamstring injuries in men's soccer: a cluster-randomized controlled trial. <i>American Journal of Sports Medicine</i> , 2011 , 39, 2296-303	6.8	366
186	2016 Consensus statement on return to sport from the First World Congress in Sports Physical Therapy, Bern. <i>British Journal of Sports Medicine</i> , 2016 , 50, 853-64	10.3	337
185	The Copenhagen Hip and Groin Outcome Score (HAGOS): development and validation according to the COSMIN checklist. <i>British Journal of Sports Medicine</i> , 2011 , 45, 478-91	10.3	328
184	Doha agreement meeting on terminology and definitions in groin pain in athletes. <i>British Journal of Sports Medicine</i> , 2015 , 49, 768-74	10.3	277
183	Clinical assessment of hip strength using a hand-held dynamometer is reliable. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2010 , 20, 493-501	4.6	267
182	Effect of specific exercise-based football injury prevention programmes on the overall injury rate in football: a systematic review and meta-analysis of the FIFA 11 and 11+ programmes. <i>British Journal of Sports Medicine</i> , 2017 , 51, 562-571	10.3	147
181	Hip- and knee-strength assessments using a hand-held dynamometer with external belt-fixation are inter-tester reliable. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013 , 21, 550-5	5.5	135
180	Evidence-based hamstring injury prevention is not adopted by the majority of Champions League or Norwegian Premier League football teams: the Nordic Hamstring survey. <i>British Journal of Sports Medicine</i> , 2015 , 49, 1466-71	10.3	134
179	Hip adduction and abduction strength profiles in elite soccer players: implications for clinical evaluation of hip adductor muscle recovery after injury. <i>American Journal of Sports Medicine</i> , 2011 , 39, 121-6	6.8	103
178	Incidence and clinical presentation of groin injuries in sub-elite male soccer. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1245-50	10.3	102
177	Diagnosis of Acute Groin Injuries: A Prospective Study of 110 Athletes. <i>American Journal of Sports Medicine</i> , 2015 , 43, 1857-64	6.8	95
176	Tendinopathy. <i>Nature Reviews Disease Primers</i> , 2021 , 7, 1	51.1	83
175	Groin Problems in Male Soccer Players Are More Common Than Previously Reported. <i>American Journal of Sports Medicine</i> , 2017 , 45, 1304-1308	6.8	78
174	The Adductor Strengthening Programme prevents groin problems among male football players: a cluster-randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2019 , 53, 150-157	10.3	66
173	Prevalence and severity of hip and groin pain in sub-elite male football: a cross-sectional cohort study of 695 players. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017 , 27, 107-114	4.6	65
172	EMG evaluation of hip adduction exercises for soccer players: implications for exercise selection in prevention and treatment of groin injuries. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1108-14	10.3	65
171	Copenhagen hip and groin outcome score (HAGOS) in male soccer: reference values for hip and groin injury-free players. <i>British Journal of Sports Medicine</i> , 2014 , 48, 557-9	10.3	60

170	Radiological findings in symphyseal and adductor-related groin pain in athletes: a critical review of the literature. <i>British Journal of Sports Medicine</i> , 2013 , 47, 611-9	10.3	59
169	Effects of evidence-based prevention training on neuromuscular and biomechanical risk factors for ACL injury in adolescent female athletes: a randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2016 , 50, 552-7	10.3	58
168	Eccentric and Isometric Hip Adduction Strength in Male Soccer Players With and Without Adductor-Related Groin Pain: An Assessor-Blinded Comparison. <i>Orthopaedic Journal of Sports Medicine</i> , 2014 , 2, 2325967114521778	3.5	57
167	Return to Sport and Performance After Hip Arthroscopy for Femoroacetabular Impingement in 18- to 30-Year-Old Athletes: A Cross-sectional Cohort Study of 189 Athletes. <i>American Journal of Sports Medicine</i> , 2018 , 46, 2578-2587	6.8	56
166	Hip strength assessment using handheld dynamometry is subject to intertester bias when testers are of different sex and strength. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013 , 23, 487-93	4.6	56
165	Epidemiology of time loss groin injuries in a men's professional football league: a 2-year prospective study of 17 clubs and 606 players. <i>British Journal of Sports Medicine</i> , 2018 , 52, 292-297	10.3	55
164	Cross-cultural adaptation to Swedish and validation of the Copenhagen Hip and Groin Outcome Score (HAGOS) for pain, symptoms and physical function in patients with hip and groin disability due to femoro-acetabular impingement. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014 , 22, 835-42	5.5	54
163	Femoroacetabular impingement surgery: are we moving too fast and too far beyond the evidence?. <i>British Journal of Sports Medicine</i> , 2015 , 49, 782-4	10.3	54
162	High injury incidence in adolescent female soccer. <i>American Journal of Sports Medicine</i> , 2014 , 42, 2487-94	6.8	53
161	The diagnostic and prognostic value of ultrasonography in soccer players with acute hamstring injuries. <i>American Journal of Sports Medicine</i> , 2014 , 42, 399-404	6.8	51
160	Epidemiology of Hip Flexor and Hip Adductor Strains in National Collegiate Athletic Association Athletes, 2009/2010-2014/2015. <i>American Journal of Sports Medicine</i> , 2017 , 45, 2713-2722	6.8	47
159	Effects of the Nordic Hamstring exercise on sprint capacity in male football players: a randomized controlled trial. <i>Journal of Sports Sciences</i> , 2018 , 36, 1663-1672	3.6	47
158	Eccentric strengthening effect of hip-adductor training with elastic bands in soccer players: a randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2014 , 48, 332-8	10.3	46
157	MRI findings in soccer players with long-standing adductor-related groin pain and asymptomatic controls. <i>British Journal of Sports Medicine</i> , 2015 , 49, 681-91	10.3	45
156	Consensus recommendations on the classification, definition and diagnostic criteria of hip-related pain in young and middle-aged active adults from the International Hip-related Pain Research Network, Zurich 2018. <i>British Journal of Sports Medicine</i> , 2020 , 54, 631-641	10.3	39
155	Hip strength and range of motion: Normal values from a professional football league. <i>Journal of Science and Medicine in Sport</i> , 2017 , 20, 339-343	4.4	39
154	Symptoms of nerve dysfunction after hip arthroscopy: an under-reported complication?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2014 , 30, 202-7	5.4	39
153	In-season monitoring of hip and groin strength, health and function in elite youth soccer: Implementing an early detection and management strategy over two consecutive seasons. <i>Journal of Science and Medicine in Sport</i> , 2018 , 21, 988-993	4.4	38

152	Patient-reported outcome measures for hip-related pain: a review of the available evidence and a consensus statement from the International Hip-related Pain Research Network, Zurich 2018. <i>British Journal of Sports Medicine</i> , 2020 , 54, 848-857	10.3	36
151	Musculoskeletal Screening Tests and Bony Hip Morphology Cannot Identify Male Professional Soccer Players at Risk of Groin Injuries: A 2-Year Prospective Cohort Study. <i>American Journal of Sports Medicine</i> , 2018 , 46, 1294-1305	6.8	36
150	Impaired Conditioned Pain Modulation in Young Female Adults with Long-Standing Patellofemoral Pain: A Single Blinded Cross-Sectional Study. <i>Pain Medicine</i> , 2016 , 17, 980-8	2.8	36
149	Surgery-induced changes and early recovery of hip-muscle strength, leg-press power, and functional performance after fast-track total hip arthroplasty: a prospective cohort study. <i>PLoS ONE</i> , 2013 , 8, e62109	3.7	36
148	Muscle activity during knee-extension strengthening exercise performed with elastic tubing and isotonic resistance. <i>International Journal of Sports Physical Therapy</i> , 2012 , 7, 606-16	1.4	36
147	Including the Copenhagen Adduction Exercise in the FIFA 11+ Provides Missing Eccentric Hip Adduction Strength Effect in Male Soccer Players: A Randomized Controlled Trial. <i>American Journal of Sports Medicine</i> , 2017 , 45, 3052-3059	6.8	34
146	Surgical criteria for femoroacetabular impingement syndrome: a scoping review. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1605-1610	10.3	33
145	Minimum reporting standards for clinical research on groin pain in athletes. <i>British Journal of Sports Medicine</i> , 2015 , 49, 775-81	10.3	32
144	Diagnosis, prevention and treatment of common lower extremity muscle injuries in sport - grading the evidence: a statement paper commissioned by the Danish Society of Sports Physical Therapy (DSSF). <i>British Journal of Sports Medicine</i> , 2020 , 54, 528-537	10.3	32
143	Clinical Examination, Diagnostic Imaging, and Testing of Athletes With Groin Pain: An Evidence-Based Approach to Effective Management. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 239-249	4.2	32
142	Patient-Reported Outcomes Within the First Year After Hip Arthroscopy and Rehabilitation for Femoroacetabular Impingement and/or Labral Injury: The Difference Between Getting Better and Getting Back to Normal. <i>American Journal of Sports Medicine</i> , 2018 , 46, 2607-2614	6.8	32
141	The majority are not performing home-exercises correctly two weeks after their initial instruction-an assessor-blinded study. <i>PeerJ</i> , 2015 , 3, e1102	3.1	32
140	Diagnostic Accuracy of Imaging Modalities and Injection Techniques for the Diagnosis of Femoroacetabular Impingement/Labral Tear: A Systematic Review With Meta-analysis. <i>American Journal of Sports Medicine</i> , 2017 , 45, 2665-2677	6.8	31
139	Clinical examination and physical assessment of hip joint-related pain in athletes. <i>International Journal of Sports Physical Therapy</i> , 2014 , 9, 737-55	1.4	29
138	Can standardised clinical examination of athletes with acute groin injuries predict the presence and location of MRI findings?. <i>British Journal of Sports Medicine</i> , 2016 , 50, 1541-1547	10.3	29
137	Reliability of MRI assessment of acute musculotendinous groin injuries in athletes. <i>European Radiology</i> , 2017 , 27, 1486-1495	8	26
136	Hip arthroscopy with labral repair for femoroacetabular impingement: short-term outcomes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014 , 22, 744-9	5.5	26
135	Return to Sport After Criteria-Based Rehabilitation of Acute Adductor Injuries in Male Athletes: A Prospective Cohort Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2020 , 8, 2325967119897247	3.5	23

134	The Influence of Hamstring Muscle Peak Torque and Rate of Torque Development for Sprinting Performance in Football Players: A Cross-Sectional Study. <i>International Journal of Sports Physiology and Performance</i> , 2019 , 14, 665-673	3.5	23
133	Preparing for what the reporting checklists will not tell you: the PREPARE Trial guide for planning clinical research to avoid research waste. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1494-1501	10.3	22
132	Monitoring the effect of football match congestion on hamstring strength and lower limb flexibility: Potential for secondary injury prevention?. <i>Physical Therapy in Sport</i> , 2018 , 29, 14-18	3	21
131	Novel stretch-sensor technology allows quantification of adherence and quality of home-exercises: a validation study. <i>British Journal of Sports Medicine</i> , 2014 , 48, 724-8	10.3	21
130	New exercise-integrated technology can monitor the dosage and quality of exercise performed against an elastic resistance band by adolescents with patellofemoral pain: an observational study. <i>Journal of Physiotherapy</i> , 2016 , 62, 159-63	2.9	20
129	Does bony hip morphology affect the outcome of treatment for patients with adductor-related groin pain? Outcome 10 years after baseline assessment. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1240-4	10.3	19
128	Muscle-tendon-related pain in 100 patients with hip dysplasia: prevalence and associations with self-reported hip disability and muscle strength. <i>Journal of Hip Preservation Surgery</i> , 2018 , 5, 39-46	2	18
127	Preseason Adductor Squeeze Strength in 303 Spanish Male Soccer Athletes: A Cross-sectional Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2018 , 6, 2325967117747275	3.5	18
126	Femoroacetabular Impingement Surgery Is on the Rise-But What Is the Next Step?. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016 , 46, 406-8	4.2	18
125	The Copenhagen Standardised MRI protocol to assess the pubic symphysis and adductor regions of athletes: outline and intratester and intertester reliability. <i>British Journal of Sports Medicine</i> , 2015 , 49, 692-9	10.3	18
124	Perceived loading and muscle activity during hip strengthening exercises: comparison of elastic resistance and machine exercises. <i>International Journal of Sports Physical Therapy</i> , 2013 , 8, 811-9	1.4	18
123	Physiotherapist-led treatment for young to middle-aged active adults with hip-related pain: consensus recommendations from the International Hip-related Pain Research Network, Zurich 2018. <i>British Journal of Sports Medicine</i> , 2020 , 54, 504-511	10.3	18
122	Activity Modification and Load Management of Adolescents With Patellofemoral Pain: A Prospective Intervention Study Including 151 Adolescents. <i>American Journal of Sports Medicine</i> , 2019 , 47, 1629-1637	6.8	17
121	Demographic and Radiographic Factors Associated With Intra-articular Hip Cartilage Injury: A Cross-sectional Study of 1511 Hip Arthroscopy Procedures. <i>American Journal of Sports Medicine</i> , 2019 , 47, 2617-2625	6.8	17
120	Concentric and eccentric time-under-tension during strengthening exercises: validity and reliability of stretch-sensor recordings from an elastic exercise-band. <i>PLoS ONE</i> , 2013 , 8, e68172	3.7	17
119	Prevalence and severity of groin problems in Spanish football: A prospective study beyond the time-loss approach. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020 , 30, 914-921	4.6	17
118	Distinct patterns of variation in the distribution of knee pain. <i>Scientific Reports</i> , 2018 , 8, 16522	4.9	16
117	Large strengthening effect of a hip-flexor training programme: a randomized controlled trial. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016 , 24, 2346-52	5.5	15

116	Iliotibial band autograft versus bone-patella-tendon-bone autograft, a possible alternative for ACL reconstruction: a 15-year prospective randomized controlled trial. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014 , 22, 2094-101	5.5	15
115	ANKLE JOINT CONTROL DURING SINGLE-LEGGED BALANCE USING COMMON BALANCE TRAINING DEVICES - IMPLICATIONS FOR REHABILITATION STRATEGIES. <i>International Journal of Sports Physical Therapy</i> , 2016 , 11, 388-99	1.4	15
114	High or low return to sport rates following hip arthroscopy is a matter of definition?. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1475-1476	10.3	15
113	The Dutch Hip and Groin Outcome Score: Cross-cultural Adaptation and Validation According to the COSMIN Checklist. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 299-306	4.2	14
112	The effects of football match congestion in an international tournament on hip adductor squeeze strength and pain in elite youth players. <i>Journal of Sports Sciences</i> , 2018 , 36, 1167-1172	3.6	14
111	Does the Spraino low-friction shoe patch prevent lateral ankle sprain injury in indoor sports? A pilot randomised controlled trial with 510 participants with previous ankle injuries. <i>British Journal of Sports Medicine</i> , 2021 , 55, 92-98	10.3	13
110	Is Bony Hip Morphology Associated With Range of Motion and Strength in Asymptomatic Male Soccer Players?. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 250-259	4.2	12
109	Clinical recovery of two hip adductor longus ruptures: a case-report of a soccer player. <i>BMC Research Notes</i> , 2013 , 6, 205	2.3	12
108	AN ELASTIC EXERCISE BAND MOUNTED WITH A BANDCIZER CAN DIFFERENTIATE BETWEEN COMMONLY PRESCRIBED HOME EXERCISES FOR THE SHOULDER. <i>International Journal of Sports Physical Therapy</i> , 2015 , 10, 332-40	1.4	12
107	DYNAMIC HIP ADDUCTION, ABDUCTION AND ABDOMINAL EXERCISES FROM THE HOLMICH GROIN-INJURY PREVENTION PROGRAM ARE INTENSE ENOUGH TO BE CONSIDERED STRENGTHENING EXERCISES - A CROSS-SECTIONAL STUDY. <i>International Journal of Sports Physical Therapy</i> , 2015 , 10, 371-380	1.4	12
106	Pain, Sports Participation, and Physical Function in Adolescents With Patellofemoral Pain and Osgood-Schlatter Disease: A Matched Cross-sectional Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020 , 50, 149-157	4.2	12
105	Standardised measurement of physical capacity in young and middle-aged active adults with hip-related pain: recommendations from the first International Hip-related Pain Research Network (IHIPRN) meeting, Zurich, 2018. <i>British Journal of Sports Medicine</i> , 2020 , 54, 702-710	10.3	12
104	The association between specific sports activities and sport performance following hip arthroscopy for femoroacetabular impingement syndrome: A secondary analysis of a cross-sectional cohort study including 184 athletes. <i>Journal of Hip Preservation Surgery</i> , 2019 , 6, 124-133	2	11
103	Five-Second Squeeze Testing in 333 Professional and Semiprofessional Male Ice Hockey Players: How Are Hip and Groin Symptoms, Strength, and Sporting Function Related?. <i>Orthopaedic Journal of Sports Medicine</i> , 2019 , 7, 2325967119825858	3.5	11
102	The iHOT-33: how valid is it?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2012 , 28, 1194-5; author reply 1195-6	5.4	11
101	High prevalence of hip and groin problems in professional ice hockey players, regardless of playing position. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 2302-2308	5.5	11
100	Physiotherapy for pain: a meta-epidemiological study of randomised trials. <i>British Journal of Sports Medicine</i> , 2016 , 50, 965-71	10.3	11
99	Associations Between Initial Clinical Examination and Imaging Findings and Return-to-Sport in Male Athletes With Acute Adductor Injuries: A Prospective Cohort Study. <i>American Journal of Sports Medicine</i> , 2020 , 48, 1151-1159	6.8	10

98	Exercise therapy, patient education, and patellar taping in the treatment of adolescents with patellofemoral pain: a prospective pilot study with 6-months follow-up. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 73	1.9	10
97	Muscle-tendon-related abnormalities detected by ultrasonography are common in symptomatic hip dysplasia. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018 , 138, 1059-1067	3.6	10
96	Patient-reported outcome and muscle-tendon pain after periacetabular osteotomy are related: 1-year follow-up in 82 patients with hip dysplasia. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019 , 90, 40-45	4.3	10
95	Measurement qualities of hip and groin outcome scores: letter to the editor. <i>American Journal of Sports Medicine</i> , 2014 , 42, NP7-10	6.8	9
94	ECCENTRIC HAMSTRING STRENGTH IS ASSOCIATED WITH AGE AND DURATION OF PREVIOUS SEASON HAMSTRING INJURY IN MALE SOCCER PLAYERS. <i>International Journal of Sports Physical Therapy</i> , 2020 , 15, 246-253	1.4	9
93	Reliability and Validity of a New Eccentric Hamstring Strength Measurement Device. <i>Archives of Rehabilitation Research and Clinical Translation</i> , 2020 , 2, 100034	1.3	9
92	Return to sport decisions after an acute lateral ankle sprain injury: introducing the PAASS framework-an international multidisciplinary consensus. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1270-1276 ⁹	10.3	9
91	Does the physical activity profile change in patients with hip dysplasia from before to 1 year after periacetabular osteotomy?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018 , 89, 622-627 ^{4,3}	4.3	9
90	What are the most important risk factors for hamstring muscle injury?. <i>Clinical Journal of Sport Medicine</i> , 2014 , 24, 160-1	3.2	8
89	Injuries in youth football and the relationship to player maturation: An analysis of time-loss injuries during four seasons in an English elite male football academy. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021 , 31, 1324-1334	4.6	8
88	Elite Ice Hockey Goalkeepers Have a High Prevalence of Hip and Groin Problems Associated With Decreased Sporting Function: A Single-Season Prospective Cohort Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2019 , 7, 2325967119892586	3.5	8
87	Rasch validation of the Danish version of the shoulder pain and disability index (SPADI) in patients with rotator cuff-related disorders. <i>Quality of Life Research</i> , 2019 , 28, 795-800	3.7	8
86	Conservative treatment for patients with subacromial impingement: Changes in clinical core outcomes and their relation to specific rehabilitation parameters. <i>PeerJ</i> , 2018 , 6, e4400	3.1	8
85	Mechanistic pain profiling in young adolescents with patellofemoral pain before and after treatment: a prospective cohort study. <i>Pain</i> , 2020 , 161, 1065-1071	8	7
84	The Strengthening Exercises in Shoulder Impingement trial (The SExSI-trial) investigating the effectiveness of a simple add-on shoulder strengthening exercise programme in patients with long-lasting subacromial impingement syndrome: Study protocol for a pragmatic, assessor blinded, parallel-group, randomised, controlled trial. <i>Trials</i> , 2018 , 19, 154	2.8	7
83	Efficacy of pre-operative quadriceps strength training on knee-extensor strength before and shortly following total knee arthroplasty: protocol for a randomized, dose-response trial (The QUADX-1 trial). <i>Trials</i> , 2018 , 19, 47	2.8	7
82	Increased medial foot loading during drop jump in subjects with patellofemoral pain. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014 , 22, 2301-7	5.5	7
81	Hip Strength Testing of Soccer Players With Long-Standing Hip and Groin Pain: What are the Clinical Implications of Pain During Testing?. <i>Clinical Journal of Sport Medicine</i> , 2016 , 26, 210-5	3.2	7

80	Efficacy of live feedback to improve objectively monitored compliance to prescribed, home-based, exercise therapy-dosage in 15 to 19-year old adolescents with patellofemoral pain- a study protocol of a randomized controlled superiority trial (The XRCISE-AS-INSTRUCTed-1 trial). <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 242	2.8	7
79	Activity Modification and Knee Strengthening for Osgood-Schlatter Disease: A Prospective Cohort Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2020 , 8, 2325967120911106	3.5	7
78	Hip Function 6 to 10 Months After Arthroscopic Surgery: A Cross-sectional Comparison of Subjective and Objective Hip Function, Including Performance-Based Measures, in Patients Versus Controls. <i>Orthopaedic Journal of Sports Medicine</i> , 2019 , 7, 2325967119844821	3.5	6
77	Epidemiology of Groin Injuries in Athletes 2014 , 13-21		6
76	Knee pain during strength training shortly following fast-track total knee arthroplasty: a cross-sectional study. <i>PLoS ONE</i> , 2014 , 9, e91107	3.7	6
75	MEASURES OF HIP MUSCLE STRENGTH AND RATE OF FORCE DEVELOPMENT USING A FIXATED HANDHELD DYNAMOMETER: INTRA-TESTER INTRA-DAY RELIABILITY OF A CLINICAL SET-UP. <i>International Journal of Sports Physical Therapy</i> , 2019 , 14, 715-723	1.4	6
74	How Many Patients Achieve an Acceptable Symptom State After Hip Arthroscopy for Femoroacetabular Impingement Syndrome? A Cross-sectional Study Including PASS Cutoff Values for the HAGOS and iHOT-33. <i>Orthopaedic Journal of Sports Medicine</i> , 2021 , 9, 2325967121995267	3.5	6
73	Custom-Made Foot Orthoses Decrease Medial Foot Loading During Drop Jump in Individuals With Patellofemoral Pain. <i>Clinical Journal of Sport Medicine</i> , 2016 , 26, 335-7	3.2	6
72	Progression of Strength, Flexibility, and Palpation Pain During Rehabilitation of Athletes With Acute Adductor Injuries: A Prospective Cohort Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021 , 51, 126-134	4.2	6
71	Acute and sub-acute effects of repetitive kicking on hip adduction torque in injury-free elite youth soccer players. <i>Journal of Sports Sciences</i> , 2014 , 32, 1357-64	3.6	5
70	Neuromuscular Coordination Deficit Persists 12 Months after ACL Reconstruction But Can Be Modulated by 6 Weeks of Kettlebell Training: A Case Study in Women's Elite Soccer. <i>Case Reports in Orthopedics</i> , 2017 , 2017, 4269575	0.4	5
69	Hip and groin injury management in English youth football: a survey of 64 professional academies. <i>Science and Medicine in Football</i> , 2018 , 2, 133-140	2.7	4
68	Men are stronger than women-also in the hip. <i>Journal of Science and Medicine in Sport</i> , 2013 , 16, E1-3	4.4	4
67	Short and long lever adductor squeeze strength values in 100 elite youth soccer players: Does age and previous groin pain matter?. <i>Physical Therapy in Sport</i> , 2020 , 46, 243-248	3	4
66	There are more football injury prevention reviews than randomised controlled trials. Time for more RCT action!. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1477-1478	10.3	4
65	Patients who are candidates for subacromial decompression have more pronounced range of motion deficits, but do not differ in self-reported shoulder function, strength or pain compared to non-candidates. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018 , 26, 2505-2511	5.5	3
64	MAXIMAL HIP AND KNEE MUSCLE STRENGTH ARE NOT RELATED TO NEUROMUSCULAR PRE-ACTIVITY DURING SIDECUTTING MANEUVER: A CROSS-SECTIONAL STUDY. <i>International Journal of Sports Physical Therapy</i> , 2018 , 13, 66-76	1.4	3
63	Performance changes during the off-season period in football players - Effects of age and previous hamstring injury. <i>Journal of Sports Sciences</i> , 2020 , 38, 2489-2499	3.6	3

62	Screening to Detect Hip and Groin Problems in Elite Adolescent Football (Soccer) Players - Friend or Foe?. <i>International Journal of Sports Physical Therapy</i> , 2021 , 16, 591-593	1.4	3
61	Maximal hip muscle strength and rate of torque development 6-30 months after hip arthroscopy for femoroacetabular impingement syndrome: A cross-sectional study. <i>Journal of Science and Medicine in Sport</i> , 2021 , 24, 1110-1115	4.4	3
60	Effectiveness of Adding a Large Dose of Shoulder Strengthening to Current Nonoperative Care for Subacromial Impingement: A Pragmatic, Double-Blind Randomized Controlled Trial (SExSI Trial). <i>American Journal of Sports Medicine</i> , 2021 , 49, 3040-3049	6.8	3
59	Evaluating lower limb tendinopathy with Victorian Institute of Sport Assessment (VISA) questionnaires: a systematic review shows very-low-quality evidence for their content and structural validity-part I. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021 , 29, 2749-2764	5.5	3
58	Isometric hip strength impairments in patients with hip dysplasia are improved but not normalized 1 year after periacetabular osteotomy: a cohort study of 82 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 285-291	4.3	3
57	Is the Prognosis of Osgood-Schlatter Poorer Than Anticipated? A Prospective Cohort Study With 24-Month Follow-up. <i>Orthopaedic Journal of Sports Medicine</i> , 2021 , 9, 23259671211022239	3.5	3
56	High Risk of Bias and Low Transparency in "How Effective are F-MARC Injury Prevention Programs for Soccer Players? A Systematic Review and Meta-Analysis". <i>Sports Medicine</i> , 2016 , 46, 293-4	10.6	2
55	Passive Knee Stability After Anterior Cruciate Ligament Reconstruction Using the Endobutton or ToggleLoc With ZipLoop as a Femoral Fixation Device: A Comparison of 1654 Patients From the Danish Knee Ligament Reconstruction Registry. <i>Orthopaedic Journal of Sports Medicine</i> , 2018 , 6, 2325967118778507	3.5	2
54	Pragmatic Home-Based Exercise after Total Hip Arthroplasty - Silkeborg: Protocol for a prospective cohort study (PHETHAS-1). <i>F1000Research</i> , 2019 , 8, 965	3.6	2
53	Return to Sport After Hamstring Injuries 2020 , 271-282		2
52	MEASURES OF HIP MUSCLE STRENGTH AND RATE OF FORCE DEVELOPMENT USING A FIXATED HANDHELD DYNAMOMETER: INTRA-TESTER INTRA-DAY RELIABILITY OF A CLINICAL SET-UP. <i>International Journal of Sports Physical Therapy</i> , 2019 , 14, 715-723	1.4	2
51	ECCENTRIC HAMSTRING STRENGTH IS ASSOCIATED WITH AGE AND DURATION OF PREVIOUS SEASON HAMSTRING INJURY IN MALE SOCCER PLAYERS. <i>International Journal of Sports Physical Therapy</i> , 2020 , 15, 246-253	1.4	2
50	Analgesic use in adolescents with patellofemoral pain or Osgood-Schlatter Disease: a secondary cross-sectional analysis of 323 subjects. <i>Scandinavian Journal of Pain</i> , 2021 ,	1.9	2
49	SPRINT PERFORMANCE IN FOOTBALL (SOCCER) PLAYERS WITH AND WITHOUT A PREVIOUS HAMSTRING STRAIN INJURY: AN EXPLORATIVE CROSS-SECTIONAL STUDY. <i>International Journal of Sports Physical Therapy</i> , 2020 , 15, 947-957	1.4	2
48	Less than half of patients in secondary care adheres to clinical guidelines for subacromial pain syndrome and have acceptable symptoms after treatment: A Danish nationwide cohort study of 3306 patients. <i>Musculoskeletal Science and Practice</i> , 2021 , 52, 102322	2.4	2
47	Incidence, prevalence, severity, and risk factors for hip and groin problems in Swedish male ice hockey - A one-season prospective cohort study. <i>Journal of Athletic Training</i> , 2021 ,	4	2
46	Infographic. The Adductor Strengthening Programme prevents groin problems among male football players. <i>British Journal of Sports Medicine</i> , 2019 , 53, 45-46	10.3	2
45	Associations between clinical findings and MRI injury extent in male athletes with acute adductor injuries - A cross-sectional study. <i>Journal of Science and Medicine in Sport</i> , 2021 , 24, 454-462	4.4	2

44	Hamstring and Quadriceps Muscle Strength in Youth to Senior Elite Soccer: A Cross-Sectional Study Including 125 Players. <i>International Journal of Sports Physiology and Performance</i> , 2021 , 1-7	3.5	2
43	From knowing to doing: it takes a village. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1447-1447	10.3	1
42	Groin problems from pre- to in-season: a prospective study on 386 male Spanish footballers. <i>Research in Sports Medicine</i> , 2021 , 29, 498-504	3.8	1
41	Infographic. Diagnosis, prevention and treatment of common lower extremity muscle injuries in sport-grading the evidence: a statement paper commissioned by the Danish Society of Sports Physical Therapy (DSSF). <i>British Journal of Sports Medicine</i> , 2020 , 54, 1116-1117	10.3	1
40	Effects of a lighter, smaller football on acute match injuries in adolescent female football: a pilot cluster-randomized controlled trial. <i>Journal of Sports Medicine and Physical Fitness</i> , 2018 , 58, 644-650	1.4	1
39	Using the app [InjuryMap] [1] to provide exercise rehabilitation for people with acute lateral ankle sprains seen at the Hospital Emergency Department [2] a mixed-method pilot study		1
38	Hip adduction strength and provoked groin pain: A comparison of long-lever squeeze testing using the ForceFrame and the Copenhagen 5-Second-Squeeze test.. <i>Physical Therapy in Sport</i> , 2022 , 55, 28-36	3	1
37	The 45-second anterior knee pain provocation test: A quick test of knee pain and sporting function in 10-14-year-old adolescents with patellofemoral pain. <i>Physical Therapy in Sport</i> , 2021 , 53, 28-33	3	1
36	MAXIMAL HIP AND KNEE MUSCLE STRENGTH ARE NOT RELATED TO NEUROMUSCULAR PRE-ACTIVITY DURING SIDECUTTING MANEUVER: A CROSS-SECTIONAL STUDY. <i>International Journal of Sports Physical Therapy</i> , 2018 , 13, 66-76	1.4	1
35	Validation of the Copenhagen Hip and Groin Outcome Score (HAGOS) using modern test theory across different cultures and languages: a cross-sectional study of 452 male athletes with groin pain. <i>British Journal of Sports Medicine</i> , 2021 ,	10.3	1
34	The Brazilian hip and groin outcome score (HAGOS-Br): cross-cultural adaptation and measurement properties. <i>Brazilian Journal of Physical Therapy</i> , 2021 ,	3.7	1
33	Can't See the Right Forest Plot for the Wrong Trees!. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020 , 36, 2787-2789	5.4	1
32	Past-season, pre-season and in-season risk assessment of groin problems in male football players: a prospective full-season study. <i>British Journal of Sports Medicine</i> , 2021 ,	10.3	1
31	A systematic review evaluating the clinimetric properties of the Victorian Institute of Sport Assessment (VISA) questionnaires for lower limb tendinopathy shows moderate to high-quality evidence for sufficient reliability, validity and responsiveness-part II. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021 , 29, 2745-2752	5.5	1
30	One-Year Clinical and Imaging Follow-up After Exercise-Based Treatment for Acute Complete Adductor Longus Tendon Avulsions in Athletes: A Prospective Case Series. <i>American Journal of Sports Medicine</i> , 2021 , 49, 3004-3013	6.8	1
29	Psychological readiness is related to return to sport following hip arthroscopy and can be assessed by the Hip-Return to Sport after Injury scale (Hip-RSI). <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021 , 29, 1353-1361	5.5	1
28	Infographic. Consensus recommendations on the classification, definition and diagnostic criteria of hip-related pain in young and middle-aged active adults from the International Hip-related Pain Research Network, Zurich 2018. <i>British Journal of Sports Medicine</i> , 2021 , 55, 115-117	10.3	1
27	Physical rehabilitation versus no physical rehabilitation after total hip and knee arthroplasties: Protocol for a pragmatic, randomized, controlled, superiority trial (The DRAW1 trial). <i>F1000Research</i> , 2021 , 10, 146	3.6	1

26	Femoroacetabular impingement syndrome and labral injuries: grading the evidence on diagnosis and non-operative treatment-a statement paper commissioned by the Danish Society of Sports Physical Therapy (DSSF). <i>British Journal of Sports Medicine</i> , 2021 , 55, 1301-1310	10.3	1
25	Sports injury prevention programmes from the sports physical therapist's perspective: An international expert Delphi approach.. <i>Physical Therapy in Sport</i> , 2022 , 55, 146-154	3	1
24	Rapid Spike in Hip Adduction Strength in Early Adolescent Footballers: A Study of 125 Elite Male Players From Youth to Senior.. <i>International Journal of Sports Physiology and Performance</i> , 2022 , 1-8	3.5	1
23	Let us up our game and make conference participation enrich our clinical skill set. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1375-1375	10.3	0
22	HIP AND GROIN PROBLEMS IN THE PREVIOUS SEASON ARE ASSOCIATED WITH IMPAIRED FUNCTION IN THE BEGINNING OF THE NEW SEASON AMONG PROFESSIONAL FEMALE ICE HOCKEY PLAYERS - A CROSS SECTIONAL STUDY. <i>International Journal of Sports Physical Therapy</i> , 2020 , 15, 763-769	1.4	0
21	From Copenhagen to Nyborg 2022: take the Tour de France Route to #WCSPT2022. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1241-1242	10.3	0
20	Hip and groin function and strength in male ice hockey players with and without hip and groin problems in the previous season- a prospective cohort study. <i>Physical Therapy in Sport</i> , 2021 , 52, 263-273		0
19	Effects of a low-dose Copenhagen adduction exercise intervention on adduction strength in sub-elite male footballers: A randomised controlled trial. <i>Translational Sports Medicine</i> , 2021 , 4, 447	1.3	0
18	Are women grateful to be here or do women kick ass? #Sportskongres2020. <i>British Journal of Sports Medicine</i> , 2019 , 53, 1441-1442	10.3	0
17	Effectiveness of Adding a Large Dose of Shoulder Strengthening to Current Nonoperative Care for Subacromial Impingement: A Pragmatic, Double-Blind Randomized Controlled Trial (SESI Trial): Response.. <i>American Journal of Sports Medicine</i> , 2022 , 50, NP20-NP23	6.8	0
16	INCLUDING THE COPENHAGEN ADDUCTION EXERCISE IN THE FIFA 11+ PROVIDES MISSING ECCENTRIC HIP ADDUCTION STRENGTH EFFECT: A RANDOMISED CONTROLLED TRIAL. <i>British Journal of Sports Medicine</i> , 2017 , 51, 327.1-327	10.3	
15	Groin Injuries 2019 , 223-231		
14	Critically appraised paper: Arthroscopic hip surgery was superior to physiotherapy and activity modification in patients with femoroacetabular impingement [commentary]. <i>Journal of Physiotherapy</i> , 2020 , 66, 130	2.9	
13	Use of Sports Hernia to Describe Groin Pain in Athletes. <i>JAMA Surgery</i> , 2020 , 155, 895	5.4	
12	Infographic. Can standardised clinical examination of athletes with acute groin injuries predict the presence and location of MRI findings?. <i>British Journal of Sports Medicine</i> , 2018 , 52, 892-893	10.3	
11	In Professional Male Soccer Players, Time-Loss Groin Injury Is More Associated With the Team Played for Than Training/Match Play Duration.. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022 , 1-26	4.2	
10	Correspondence: Isometric hip strength impairments in patients with hip dysplasia are improved but not normalized 1 year after periacetabular osteotomy: a cohort study of 82 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 760-762	4.3	
9	Why clinical context and relevant protocols matter: response to Impellizzeri et al. <i>Journal of Clinical Epidemiology</i> , 2021 ,	5.7	

8 Injuries in the Pelvis, Groin, Hip and Thigh **2015**, 551-562

7 Groin Pain in Athletes: Assessment and Nonsurgical Treatment **2017**, 315-322

6 Infographic. Does the Spraino low-friction shoe patch prevent lateral ankle sprain injury in indoor sports? A 510-participant pilot RCT. *British Journal of Sports Medicine*, **2021**, 55, 510-511 10.3

5 Now you see it - Now you don't: A letter to the editor concerning "Surgery is no more effective than conservative treatment for femoroacetabular impingement syndrome: Systematic review and meta-analysis of randomized controlled trials". *Clinical Rehabilitation*, **2021**, 35, 464-466 3.3

4 Six weeks of intensive rehearsals for the Swan Lake ballet shows ultrasound tissue characterization changes of the Achilles tendons in dancers. *Scandinavian Journal of Medicine and Science in Sports*, **2021**, 31, 2133-2143 4.6

3 Cross-sectional Study of EMG and EMG Rise During Fast and Slow Hamstring Exercises. *International Journal of Sports Physical Therapy*, **2021**, 16, 1033-1042 1.4

2 Sports Physiotherapy for All. *International Journal of Sports Physical Therapy*, **2021**, 16, 1178-1180 1.4

1 Injury Prevention in Women's Gymnastics - A Need for New Routines.. *International Journal of Sports Physical Therapy*, **2022**, 17, 327-329 1.4