Stephani Hatch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1965863/publications.pdf

Version: 2024-02-01

76196 8,120 152 40 citations h-index papers

g-index 158 158 158 12130 docs citations times ranked citing authors all docs

60497

81

#	Article	IF	CITATIONS
1	Mental health before and during the COVID-19 pandemic: a longitudinal probability sample survey of the UK population. Lancet Psychiatry,the, 2020, 7, 883-892.	3.7	1,921
2	Distribution of Traumatic and Other Stressful Life Events by Race/Ethnicity, Gender, SES and Age: A Review of the Research. American Journal of Community Psychology, 2007, 40, 313-332.	1.2	448
3	Says who? The significance of sampling in mental health surveys during COVID-19. Lancet Psychiatry,the, 2020, 7, 567-568.	3.7	317
4	Exercise and the Prevention of Depression: Results of the HUNT Cohort Study. American Journal of Psychiatry, 2018, 175, 28-36.	4.0	285
5	Mental health responses to the COVID-19 pandemic: a latent class trajectory analysis using longitudinal UK data. Lancet Psychiatry,the, 2021, 8, 610-619.	3.7	268
6	Psychosis and Place. Epidemiologic Reviews, 2008, 30, 84-100.	1.3	248
7	Development and psychometric properties the Barriers to Access to Care Evaluation scale (BACE) related to people with mental ill health. BMC Psychiatry, 2012, 12, 36.	1.1	161
8	Conceptualizing and Identifying Cumulative Adversity and Protective Resources: Implications for Understanding Health Inequalities. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2005, 60, S130-S134.	2.4	157
9	Epidemiology of hoarding disorder. British Journal of Psychiatry, 2013, 203, 445-452.	1.7	126
10	Childhood cognitive ability and adult mental health in the British 1946 birth cohort. Social Science and Medicine, 2007, 64, 2285-2296.	1.8	119
11	Prevalence and risk of mental disorders in the perinatal period among migrant women: a systematic review and meta-analysis. Archives of Women's Mental Health, 2017, 20, 449-462.	1.2	106
12	Life in and after the Armed Forces: social networks and mental health in the UK military. Sociology of Health and Illness, 2013, 35, 1045-1064.	1.1	102
13	Stigma-related barriers and facilitators to help seeking for mental health issues in the armed forces: a systematic review and thematic synthesis of qualitative literature. Psychological Medicine, 2017, 47, 1880-1892.	2.7	102
14	Shame! Self-stigmatisation as an obstacle to sick doctors returning to work: a qualitative study: TableÂ1. BMJ Open, 2012, 2, e001776.	0.8	95
15	Psychosocial impact of the COVID-19 pandemic on 4378 UK healthcare workers and ancillary staff: initial baseline data from a cohort study collected during the first wave of the pandemic. Occupational and Environmental Medicine, 2021, 78, 801-808.	1.3	95
16	Identifying socio-demographic and socioeconomic determinants of health inequalities in a diverse London community: the South East London Community Health (SELCoH) study. BMC Public Health, 2011, 11, 861.	1.2	92
17	Adversity, cannabis use and psychotic experiences: evidence of cumulative and synergistic effects. British Journal of Psychiatry, 2014, 204, 346-353.	1.7	90
18	Patients' experiences of living with and receiving treatment for fibromyalgia syndrome: a qualitative study. BMC Musculoskeletal Disorders, 2009, 10, 124.	0.8	89

#	Article	IF	CITATIONS
19	Intelligence in childhood and risk of psychological distress in adulthood: The 1958 National Child Development Survey and the 1970 British Cohort Study. Intelligence, 2009, 37, 592-599.	1.6	82
20	Inflammatory profiles of severe treatment-resistant depression. Journal of Affective Disorders, 2019, 246, 42-51.	2.0	79
21	The Structured Interview for Hoarding Disorder (SIHD): Development, usage and further validation. Journal of Obsessive-Compulsive and Related Disorders, 2013, 2, 346-350.	0.7	78
22	Seeking informal and formal help for mental health problems in the community: a secondary analysis from a psychiatric morbidity survey in South London. BMC Psychiatry, 2014, 14, 275.	1.1	78
23	Double trouble: Psychiatric comorbidity and opioid addiction—All-cause and cause-specific mortality. Drug and Alcohol Dependence, 2015, 148, 85-92.	1.6	69
24	Prevalence and correlates of disordered eating in a general population sample: the South East London Community Health (SELCoH) study. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1335-1346.	1.6	67
25	The Continuing Benefits of Education: Adult Education and Midlife Cognitive Ability in the British 1946 Birth Cohort. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2007, 62, S404-S414.	2.4	66
26	Mental health consequences of urban air pollution: prospective population-based longitudinal survey. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1587-1599.	1.6	66
27	Eating disorders in a multi-ethnic inner-city UK sample: prevalence, comorbidity and service use. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 369-381.	1.6	65
28	Prevalences of illicit drug use in people aged 50 years and over from two surveys. Age and Ageing, 2012, 41, 553-556.	0.7	64
29	Validation of the <scp>SCOFF</scp> questionnaire for eating disorders in a multiethnic general population sample. International Journal of Eating Disorders, 2015, 48, 312-316.	2.1	64
30	Coming Home: Social Functioning and the Mental Health of UK Reservists on Return From Deployment to Iraq or Afghanistan. Annals of Epidemiology, 2011, 21, 666-672.	0.9	63
31	Associations Between Depression, Arterial Stiffness, and Metabolic Syndrome Among Adults in the UK Biobank Population Study. JAMA Psychiatry, 2020, 77, 598.	6.0	61
32	Discrimination and common mental disorder among migrant and ethnic groups: findings from a South East London Community sample. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 689-701.	1.6	57
33	A Life Course Approach to the Development of Mental Skills. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2011, 66B, i26-i35.	2.4	53
34	Post-migration Social–Environmental Factors Associated with Mental Health Problems Among Asylum Seekers: A Systematic Review. Journal of Immigrant and Minority Health, 2020, 22, 1055-1064.	0.8	51
35	Public information needs after the poisoning of Alexander Litvinenko with polonium-210 in London: cross sectional telephone survey and qualitative analysis. BMJ: British Medical Journal, 2007, 335, 1143.	2.4	50
36	Social networks, social support and psychiatric symptoms: social determinants and associations within a multicultural community population. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1111-1120.	1.6	49

3

#	Article	IF	Citations
37	Sociodemographic, lifestyle, and psychosocial determinants of hair cortisol in a South London community sample. Psychoneuroendocrinology, 2017, 76, 144-153.	1.3	47
38	Common mental disorders within chronic inflammatory disorders: a primary care database prospective investigation. Annals of the Rheumatic Diseases, 2019, 78, 688-695.	0.5	47
39	Challenges in researching migration status, health and health service use: an intersectional analysis of a South London community. Ethnicity and Health, 2015, 20, 564-593.	1.5	45
40	Assessing the contributions of childhood maltreatment subtypes and depression case-control status on telomere length reveals a specific role of physical neglect. Journal of Affective Disorders, 2017, 213, 16-22.	2.0	45
41	Suicidal behaviours in South East London: Prevalence, risk factors and the role of socio-economic status. Journal of Affective Disorders, 2013, 150, 441-449.	2.0	44
42	Challenges in the retrospective assessment of trauma: comparing a checklist approach to a single item trauma experience screening question. BMC Psychiatry, 2016, 16, 20.	1.1	43
43	The Long-Term Consequences of Military Deployment: A 5-Year Cohort Study of United Kingdom Reservists Deployed to Iraq in 2003. American Journal of Epidemiology, 2012, 176, 1177-1184.	1.6	42
44	Preference for Solitude, Social Isolation, Suicidal Ideation, and Self-Harm in Adolescents. Journal of Adolescent Health, 2017, 61, 187-191.	1.2	42
45	Race, ethnicity and COVID-19 vaccination: a qualitative study of UK healthcare staff. Ethnicity and Health, 2022, 27, 1555-1574.	1.5	42
46	Risk for suicidal problems in poor-help-seeking adolescents with psychotic-like experiences: Findings from a cross-sectional survey of 16,131 adolescents. Schizophrenia Research, 2014, 159, 257-262.	1.1	41
47	Impact of exposure to combat during deployment to Iraq and Afghanistan on mental health by gender. Psychological Medicine, 2012, 42, 1985-1996.	2.7	40
48	Psychotic Experiences and Neuropsychological Functioning in a Population-based Sample. JAMA Psychiatry, 2016, 73, 129.	6.0	40
49	Association between air pollution exposure and mental health service use among individuals with first presentations of psychotic and mood disorders: retrospective cohort study. British Journal of Psychiatry, 2021, 219, 678-685.	1.7	40
50	Taking an intersectional approach to define latent classes of socioeconomic status, ethnicity and migration status for psychiatric epidemiological research. Epidemiology and Psychiatric Sciences, 2018, 27, 589-600.	1.8	38
51	Impact of workplace discrimination and harassment among National Health Service staff working in London trusts: results from the TIDES study. BJPsych Open, 2021, 7, e10.	0.3	38
52	Exploring Professional Help-Seeking for Mental Disorders. Qualitative Health Research, 2016, 26, 1662-1673.	1.0	37
53	Trauma and current symptoms of PTSD in a South East London community. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1199-1209.	1.6	35
54	Discrimination Attributed to Mental Illness or Race-Ethnicity by Users of Community Psychiatric Services. Psychiatric Services, 2014, 65, 1360-1366.	1.1	35

#	Article	IF	CITATIONS
55	Personality Disorder and Self-Rated Health: A Population-Based Cross-Sectional Survey. Journal of Personality Disorders, 2014, 28, 319-333.	0.8	35
56	Prevalence and age patterns of depression in the United Kingdom. A population-based study. Journal of Affective Disorders, 2021, 279, 164-172.	2.0	34
57	Associations between physical multimorbidity patterns and common mental health disorders in middle-aged adults: A prospective analysis using data from the UK Biobank. Lancet Regional Health - Europe, The, 2021, 8, 100149.	3.0	34
58	A developmental-contextual approach to understanding mental health and well-being in early adulthood. Social Science and Medicine, 2010, 70, 261-268.	1.8	33
59	Importance of Thinking Locally for Mental Health: Data from Cross-Sectional Surveys Representing South East London and England. PLoS ONE, 2012, 7, e48012.	1.1	33
60	The role of job strain in understanding midlife common mental disorder: a national birth cohort study. Lancet Psychiatry,the, 2018, 5, 498-506.	3.7	33
61	Comparisons of polydrug use at national and inner city levels in England: associations with demographic and socioeconomic factors. Annals of Epidemiology, 2013, 23, 636-645.	0.9	31
62	Mental Healthâ€"Related Discrimination as a Predictor of Low Engagement With Mental Health Services. Psychiatric Services, 2015, 66, 171-176.	1.1	31
63	A UK population-based study of the relationship between mental disorder and victimisation. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1581-1590.	1.6	30
64	Influence of perceived and actual neighbourhood disorder on common mental illness. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 889-901.	1.6	29
65	Minority status and mental distress: a comparison of group density effects. Psychological Medicine, 2016, 46, 3051-3059.	2.7	25
66	Laying Down Their Rifles: The Changing Influences on the Retention of Volunteer British Army Reservists Returning from Iraq, 2003—2006. Armed Forces and Society, 2010, 36, 264-289.	1.0	24
67	Mistrust of mental health services: ethnicity, hospital admission and unfair treatment. Epidemiology and Psychiatric Sciences, 2015, 24, 258-265.	1.8	24
68	Subclinical psychotic experiences and subsequent contact with mental health services. BJPsych Open, 2017, 3, 64-70.	0.3	24
69	Comparison of Treatment Outcomes Between Lesbian, Gay, Bisexual and Heterosexual Individuals Receiving a Primary Care Psychological Intervention. Behavioural and Cognitive Psychotherapy, 2018, 46, 332-349.	0.9	24
70	Psychiatric symptoms and risk of victimisation: a population-based study from Southeast London. Epidemiology and Psychiatric Sciences, 2019, 28, 168-178.	1.8	24
71	Prospective associations between vitamin D and depression in middle-aged adults: findings from the UK Biobank cohort. Psychological Medicine, 2022, 52, 1866-1874.	2.7	24
72	Variations by ethnicity in referral and treatment pathways for IAPT service users in South London. Psychological Medicine, 2023, 53, 1084-1095.	2.7	24

#	Article	IF	Citations
73	Epidemiological Indicators and Ethnographic Realities of Female Cocaine Use. Substance Use and Misuse, 1999, 34, 2057-2072.	0.7	23
74	'You feel you've been bad, not ill': Sick doctors' experiences of interactions with the General Medical Council. BMJ Open, 2014, 4, e005537-e005537.	0.8	23
75	How equitable are psychological therapy services in South East London now? A comparison of referrals to a new psychological therapy service with participants in a psychiatric morbidity survey in the same London borough. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1893-1902.	1.6	23
76	Tobacco smoking is associated with psychotic experiences in the general population of South London. Psychological Medicine, 2018, 48, 123-131.	2.7	23
77	Investigating Exposure to Violence and Mental Health in a Diverse Urban Community Sample: Data from the South East London Community Health (SELCoH) Survey. PLoS ONE, 2014, 9, e93660.	1.1	22
78	Job Strain, Rank, and Mental Health in the UK Armed Forces. International Journal of Occupational and Environmental Health, 2009, 15, 291-298.	1.2	21
79	Maternal diabetes in early pregnancy, and psychotic experiences and depressive symptoms in 10-year-old offspring: A population-based birth cohort study. Schizophrenia Research, 2019, 206, 52-57.	1.1	21
80	Inequalities in referral pathways for young people accessing secondary mental health services in south east London. European Child and Adolescent Psychiatry, 2021, 30, 1113-1128.	2.8	21
81	Covidâ€19, social restrictions, and mental distress among young people: a UK longitudinal, populationâ€based study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2022, 63, 1392-1404.	3.1	21
82	Associations between IQ and common mental disorders: The 2000 British National Survey of Psychiatric Morbidity. European Psychiatry, 2011, 26, 390-395.	0.1	20
83	Genetic Risk for Psychiatric Disorders and Telomere Length. Frontiers in Genetics, 2018, 9, 468.	1.1	20
84	Systematic review of fit note use for workers in the UK. Occupational and Environmental Medicine, 2018, 75, 530-539.	1.3	20
85	Recurrence of Depression in Relation to History of Childhood Trauma and Hair Cortisol Concentration in a Community-Based Sample. Neuropsychobiology, 2019, 78, 48-57.	0.9	20
86	Childhood abuse and psychotic experiences – evidence for mediation by adulthood adverse life events. Epidemiology and Psychiatric Sciences, 2019, 28, 300-309.	1.8	20
87	Validation of the standardised assessment of personality - abbreviated scale in a general population sample. Personality and Mental Health, 2015, 9, 250-257.	0.6	19
88	Genetic predisposition to advanced biological ageing increases risk for childhood-onset recurrent major depressive disorder in a large UK sample. Journal of Affective Disorders, 2017, 213, 207-213.	2.0	19
89	Growth Factor Proteins and Treatment-Resistant Depression: A Place on the Path to Precision. Frontiers in Psychiatry, 2018, 9, 386.	1.3	19
90	Ethnic inequalities in the use of secondary and tertiary mental health services among patients with obsessiveâ€"compulsive disorder. British Journal of Psychiatry, 2015, 207, 530-535.	1.7	18

#	Article	IF	Citations
91	Illness perception, help-seeking attitudes, and knowledge related to obsessive–compulsive disorder across different ethnic groups: a community survey. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 455-464.	1.6	18
92	How do ethnicity and deprivation impact on life expectancy at birth in people with serious mental illness? Observational study in the UK. Psychological Medicine, 2021, 51, 2581-2589.	2.7	18
93	Patients' views about treatment with combination therapy for Rheumatoid Arthritis: a comparative qualitative study. BMC Musculoskeletal Disorders, 2012, 13, 200.	0.8	17
94	Psychotic experiences, psychiatric comorbidity and mental health need in the general population: a cross-sectional and cohort study in Southeast London. Psychological Medicine, 2021, 51, 147-157.	2.7	17
95	Mental health among UK inner city non-heterosexuals: the role of risk factors, protective factors and place. Epidemiology and Psychiatric Sciences, 2016, 25, 450-461.	1.8	16
96	Purpose in life and tobacco use among community-dwelling mothers of early adolescents. BMJ Open, 2018, 8, e020586.	0.8	16
97	Appraisals of stressors and common mental disorder from early to mid-adulthood in the 1946 British birth cohort. Journal of Affective Disorders, 2009, 119, 66-75.	2.0	15
98	Barrier or stressor? The role of discrimination experiences in health service use. BMC Public Health, 2018, 18, 1354.	1.2	15
99	Debt, common mental disorders and mental health service use. Journal of Mental Health, 2018, 27, 520-528.	1.0	15
100	Depressive symptoms during early adulthood and the development of physical multimorbidity in the UK: an observational cohort study. The Lancet Healthy Longevity, 2021, 2, e801-e810.	2.0	15
101	Associations between childhood maltreatment and inflammatory markers. BJPsych Open, 2019, 5, e3.	0.3	14
102	Exploring evidence for a prospective relationship between common mental disorder and meeting residential mobility preferences. Health and Place, 2015, 32, 19-28.	1.5	13
103	Young Muslim Pakistani Women's Lived Experiences of Izzat, Mental Health, and Well-Being. Qualitative Health Research, 2019, 29, 747-757.	1.0	13
104	Spatial patterning of self-harm rates within urban areas. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 69-79.	1.6	12
105	"There Is So Much More for Us to Lose If We Were to Kill Ourselves― Understanding Paradoxically Low Rates of Self-Harm in a Socioeconomically Disadvantaged Community in London. Qualitative Health Research, 2021, 31, 122-136.	1.0	12
106	Seeking sanctuary: rethinking asylum and mental health. Epidemiology and Psychiatric Sciences, 2020, 29, e154.	1.8	11
107	Multidisciplinary research priorities for the COVID-19 pandemic. Lancet Psychiatry, the, 2020, 7, e40.	3.7	11
108	Mental health and mental well-being of Black students at UK universities: a review and thematic synthesis. BMJ Open, 2022, 12, e050720.	0.8	11

#	Article	IF	Citations
109	Does Adolescent Affect Impact Adult Social Integration? Evidence from the British 1946 Birth Cohort. Sociology, 2008, 42, 155-177.	1.7	10
110	Family functioning, trauma exposure and PTSD: A cross sectional study. Journal of Affective Disorders, 2019, 245, 645-652.	2.0	10
111	Demographic variation in fit note receipt and long-term conditions in south London. Occupational and Environmental Medicine, 2020, 77, 418-426.	1.3	10
112	Reconsidering the reasons for heightened inflammation in major depressive disorder. Journal of Affective Disorders, 2021, 282, 434-441.	2.0	10
113	Interventions to improve social circumstances of people with mental health conditions: a rapid evidence synthesis. BMC Psychiatry, 2022, 22, 302.	1.1	10
114	A Mixed Methods Analysis of the Perceptions of the Media by Members of the British Forces during the Iraq War. Armed Forces and Society, 2009, 36, 131-152.	1.0	9
115	The roles of non-cognitive and cognitive skills in the life course development of adult health inequalities. Social Science and Medicine, 2019, 232, 190-198.	1.8	9
116	Physical multimorbidity, depressive symptoms, and social participation inÂadults over 50 years of age: findings from the English Longitudinal Study ofÂAgeing. Aging and Mental Health, 2023, 27, 43-53.	1.5	9
117	Longitudinal patterns of mental health service utilisation by those with mental-physical comorbidity in the community. Journal of Psychosomatic Research, 2019, 117, 10-19.	1.2	8
118	The behavioral, cellular and immune mediators of HIV-1 acquisition: New insights from population genetics. Scientific Reports, 2020, 10, 3304.	1.6	8
119	Sex differences in experiences of multiple traumas and mental health problems in the UK Biobank cohort. Social Psychiatry and Psychiatric Epidemiology, 2021, , 1.	1.6	8
120	Differences in hospital admissions practices following self-harm and their influence on population-level comparisons of self-harm rates in South London: an observational study. BMJ Open, 2019, 9, e032906.	0.8	7
121	Multimorbidity and fit note receipt in working-age adults with long-term health conditions. Psychological Medicine, 2020, , 1 -10.	2.7	7
122	The association ofÂmigration and ethnicity withÂuse of the Improving Access to Psychological Treatment (IAPT) programme: a general population cohort study. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1943-1956.	1.6	7
123	A case management occupational health model to facilitate earlier return to work of NHS staff with common mental health disorders: a feasibility study. Health Technology Assessment, 2021, 25, 1-94.	1.3	7
124	Prevalence of common mental disorders and treatment receipt for people from ethnic minority backgrounds in England: repeated cross-sectional surveys of the general population in 2007 and 2014. British Journal of Psychiatry, 2022, 221, 520-527.	1.7	7
125	"They created a team of almost entirely the people who work and are like them†A qualitative study of organisational culture and racialised inequalities among healthcare staff. Sociology of Health and Illness, 2022, 44, 267-289.	1.1	7
126	Economic Stressors, Social Integration, and Drug Use among Women in an Inner City Community. Journal of Drug Issues, 2007, 37, 257-280.	0.6	6

#	Article	IF	Citations
127	A comparison of single and intersectional social identities associated with discrimination and mental health service use: data from the 2014 Adult Psychiatric Morbidity Survey in England. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 2049-2063.	1.6	6
128	NIPSA: a new scale for measuring non-illness predictors of sickness absence. Occupational and Environmental Medicine, 2018, 75, 98-104.	1.3	5
129	Association of prior depressive symptoms and suicide attempts with subsequent victimization: analysis of population-based data from the Adult Psychiatric Morbidity Survey. European Psychiatry, 2020, 63, e51.	0.1	5
130	Diagnostic promiscuity: the use of real-world data to study multimorbidity in mental health. British Journal of Psychiatry, 2021, 218, 237-239.	1.7	5
131	Psychosis in migrant and minority populations: prescriptions for scientific and social policy. Psychological Medicine, 2010, 40, 737-739.	2.7	4
132	Good news about the ageing brain. BMJ: British Medical Journal, 2011, 343, d6288-d6288.	2.4	4
133	Report From England I. Journal of Nervous and Mental Disease, 2012, 200, 843-846.	0.5	4
134	The relationship between independent and dependent life events and depression symptoms in Sri Lanka: a twin and singleton study. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 237-249.	1.6	4
135	Associations between interrelated dimensions of socio-economic status, higher risk drinking and mental health in South East London: A cross-sectional study. PLoS ONE, 2020, 15, e0229093.	1.1	4
136	Genetic risk for severe COVIDâ€19 correlates with lower inflammatory marker levels in a SARSâ€CoVâ€2â€negative cohort. Clinical and Translational Immunology, 2021, 10, e1292.	1.7	4
137	Impact of Insecure Immigration Status and Ethnicity on Antenatal Mental Health Among Migrant Women. Journal of Clinical Psychiatry, 2019, 80, .	1.1	4
138	Ethnic inequalities in mental and physical multimorbidity in women of reproductive age: a data linkage cohort study. BMJ Open, 2022, 12, e059257.	0.8	4
139	Explaining ethnic variations in adolescent mental health: a secondary analysis of the Millennium Cohort Study. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 817-828.	1.6	3
140	Medical and Welfare Officers beliefs about post-deployment screening for mental health disorders in the UK Armed Forces: a qualitative study. BMC Public Health, 2015, 15, 338.	1.2	2
141	Variation in rates of self-harm hospital admission and re-admission by ethnicity in London: a population cohort study. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1967-1977.	1.6	2
142	Online mood monitoring in treatment-resistant depression: qualitative study of patients' perspectives in the NHS. BJPsych Bulletin, 2020, 44, 47-52.	0.7	2
143	Protocol for black student well-being study: a multi-site qualitative study on the mental health and well-being experiences of black UK university students. BMJ Open, 2022, 12, e051818.	0.8	2
144	Mental health among UK inner city non-heterosexuals: the role of risk factors, protective factors and place $\hat{a} \in CORRIGENDUM$. Epidemiology and Psychiatric Sciences, 2019, 28, 131-135.	1.8	1

#	Article	IF	CITATIONS
145	Health condition at first fit note and number of fit notes: a longitudinal study of primary care records in south London. BMJ Open, 2021, 11, e043889.	0.8	1
146	How family-based studies have added to the understanding of life course epidemiology of mental health. , 2009, , 279-294.		1
147	Text mining occupations from the mental health electronic health record: a natural language processing approach using records from the Clinical Record Interactive Search (CRIS) platform in south London, UK. BMJ Open, 2021, 11, e042274.	0.8	1
148	Racial and ethnic disparities in multimorbidity in non-pregnant women of reproductive age in Lambeth, UK: a data linkage study. Lancet, The, 2021, 398, S31.	6.3	1
149	Developing and testing a case-management intervention to support the return to work of health care workers with common mental health disorders. Journal of Public Health, 2023, 45, e285-e295.	1.0	1
150	Review: limited evidence suggests that life skills programmes are no more effective than standard care or support groups for rehabilitation in chronic mental illnesses. Evidence-Based Mental Health, 2012, 15, 83-83.	2,2	0
151	PSYCHIATRIC COMORBIDITY AND EXCESS ALL-CAUSE AND CAUSE-SPECIFIC MORTALITY IN OPIOID ADDICTS. Canadian Journal of Addiction, 2015, 6, 36.	0.2	0
152	Access to mental healthcare in the year after first fit note: a longitudinal study of linked clinical records. BMJ Open, 2021, 11, e044725.	0.8	0