

# Carolyn Bolton-Moore

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1966115/publications.pdf>

Version: 2024-02-01

65  
papers

1,751  
citations

377584

21  
h-index

340414

39  
g-index

66  
all docs

66  
docs citations

66  
times ranked

2556  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mitigating the effects of COVID-19 on HIV treatment and care in Lusaka, Zambia: a before-after cohort study using mixed effects regression. <i>BMJ Global Health</i> , 2022, 7, e007312.	2.0	8
2	“I need time to start antiretroviral therapy”: understanding reasons for delayed ART initiation among people diagnosed with HIV in Lusaka, Zambia. <i>Annals of Medicine</i> , 2022, 54, 830-836.	1.5	7
3	Growth and CD4 patterns of adolescents living with perinatally acquired HIV worldwide, a CIPHER cohort collaboration analysis. <i>Journal of the International AIDS Society</i> , 2022, 25, e25871.	1.2	8
4	Evaluation of kidney function among people living with HIV initiating antiretroviral therapy in Zambia. <i>PLOS Global Public Health</i> , 2022, 2, e0000124.	0.5	1
5	Profiles of HIV Care Disruptions Among Adult Patients Lost to Follow-up in Zambia: A Latent Class Analysis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 86, 62-72.	0.9	8
6	Patterns and Predictors of Incident Return to HIV Care Among Traced, Disengaged Patients in Zambia: Analysis of a Prospective Cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 86, 313-322.	0.9	16
7	Cervical cancer screening outcomes in Zambia, 2010-19: a cohort study. <i>The Lancet Global Health</i> , 2021, 9, e832-e840.	2.9	15
8	Patient-reported Reasons for Stopping Care or Switching Clinics in Zambia: A Multisite, Regionally Representative Estimate Using a Multistage Sampling-based Approach in Zambia. <i>Clinical Infectious Diseases</i> , 2021, 73, e2294-e2302.	2.9	18
9	Effects of implementing universal and rapid HIV treatment on initiation of antiretroviral therapy and retention in care in Zambia: a natural experiment using regression discontinuity. <i>Lancet HIV</i> , 2021, 8, e755-e765.	2.1	21
10	The effect of tracer contact on return to care among adult, lost to follow-up patients living with HIV in Zambia: an instrumental variable analysis. <i>Journal of the International AIDS Society</i> , 2021, 24, e25853.	1.2	4
11	Association of Virologic Failure and Nonnucleoside Reverse Transcriptase Inhibitor Resistance Found in Antiretroviral-Naive Children Infected With Human Immunodeficiency Virus and Given Efavirenz-Based Treatment. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2020, 9, 261-264.	0.6	1
12	Mortality estimates by age and sex among persons living with HIV after ART initiation in Zambia using electronic medical records supplemented with tracing a sample of lost patients: A cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003107.	3.9	12
13	Longitudinal Care Cascade Outcomes Among People Eligible for Antiretroviral Therapy Who Are Newly Linking to Care in Zambia: A Multistate Analysis. <i>Clinical Infectious Diseases</i> , 2020, 71, e561-e570.	2.9	8
14	Participation in adherence clubs and on-time drug pickup among HIV-infected adults in Zambia: A matched-pair cluster randomized trial. <i>PLoS Medicine</i> , 2020, 17, e1003116.	3.9	15
15	Patient-reported reasons for declining same-day antiretroviral therapy initiation in routine HIV care settings in Lusaka, Zambia: results from a mixed-effects regression analysis. <i>Journal of the International AIDS Society</i> , 2020, 23, e25560.	1.2	11
16	Redefining and revisiting cost estimates of routine ART care in Zambia: an analysis of ten clinics. <i>Journal of the International AIDS Society</i> , 2020, 23, e25431.	1.2	6
17	Understanding patient transfers across multiple clinics in Zambia among HIV infected adults. <i>PLoS ONE</i> , 2020, 15, e0241477.	1.1	11
18	Characteristics and outcomes of adolescents living with perinatally acquired HIV within Southern Africa. <i>Aids</i> , 2020, 34, 2275-2284.	1.0	2

#	ARTICLE	IF	CITATIONS
19	Longitudinal engagement trajectories and risk of death among new ART starters in Zambia: A group-based multi-trajectory analysis. <i>PLoS Medicine</i> , 2019, 16, e1002959.	3.9	28
20	A Review of Differentiated Service Delivery for HIV Treatment: Effectiveness, Mechanisms, Targeting, and Scale. <i>Current HIV/AIDS Reports</i> , 2019, 16, 324-334.	1.1	69
21	Retention and viral suppression in a cohort of HIV patients on antiretroviral therapy in Zambia: Regionally representative estimates using a multistage-sampling-based approach. <i>PLoS Medicine</i> , 2019, 16, e1002811.	3.9	40
22	Operational characteristics of antiretroviral therapy clinics in Zambia: a time and motion analysis. <i>BMC Health Services Research</i> , 2019, 19, 244.	0.9	11
23	Accurate dried blood spots collection in the community using non-medically trained personnel could support scaling up routine viral load testing in resource limited settings. <i>PLoS ONE</i> , 2019, 14, e0223573.	1.1	12
24	Human-Centered Design Lessons for Implementation Science: Improving the Implementation of a Patient-Centered Care Intervention. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 82, S230-S243.	0.9	55
25	Establishing Dosing Recommendations for Efavirenz in HIV/TB-Coinfected Children Younger Than 3 Years. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 81, 473-480.	0.9	4
26	Differentiated Care Preferences of Stable Patients on Antiretroviral Therapy in Zambia: A Discrete Choice Experiment. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 81, 540-546.	0.9	58
27	Improved Retention With 6-Month Clinic Return Intervals for Stable Human Immunodeficiency Virus-Infected Patients in Zambia. <i>Clinical Infectious Diseases</i> , 2018, 66, 237-243.	2.9	45
28	Application of a Multistate Model to Evaluate Visit Burden and Patient Stability to Improve Sustainability of Human Immunodeficiency Virus Treatment in Zambia. <i>Clinical Infectious Diseases</i> , 2018, 67, 1269-1277.	2.9	8
29	Estimating the real-world effects of expanding antiretroviral treatment eligibility: Evidence from a regression discontinuity analysis in Zambia. <i>PLoS Medicine</i> , 2018, 15, e1002574.	3.9	20
30	Understanding preferences for HIV care and treatment in Zambia: Evidence from a discrete choice experiment among patients who have been lost to follow-up. <i>PLoS Medicine</i> , 2018, 15, e1002636.	3.9	80
31	Estimated mortality on HIV treatment among active patients and patients lost to follow-up in 4 provinces of Zambia: Findings from a multistage sampling-based survey. <i>PLoS Medicine</i> , 2018, 15, e1002489.	3.9	55
32	Patient engagement in HIV care and treatment in Zambia, 2004–2014. <i>Tropical Medicine and International Health</i> , 2017, 22, 332-339.	1.0	4
33	CYP2B6 genotype-directed dosing is required for optimal efavirenz exposure in children 3–36 months with HIV infection. <i>Aids</i> , 2017, 31, 1129-1136.	1.0	20
34	Findings from a comprehensive diarrhoea prevention and treatment programme in Lusaka, Zambia. <i>BMC Public Health</i> , 2016, 16, 475.	1.2	12
35	Contraceptive use among HIV-infected women and men receiving antiretroviral therapy in Lusaka, Zambia: a cross-sectional survey. <i>BMC Public Health</i> , 2016, 16, 392.	1.2	16
36	Association between hepatitis B co-infection and elevated liver stiffness among HIV-infected adults in Lusaka, Zambia. <i>Tropical Medicine and International Health</i> , 2016, 21, 1435-1441.	1.0	15

#	ARTICLE	IF	CITATIONS
37	Liver fibrosis in treatment-naïve HIV-infected and HIV/HBV co-infected patients: Zambia and Switzerland compared. <i>International Journal of Infectious Diseases</i> , 2016, 51, 97-102.	1.5	18
38	Hepatitis B Infection, Viral Load and Resistance in HIV-Infected Patients in Mozambique and Zambia. <i>PLoS ONE</i> , 2016, 11, e0152043.	1.1	25
39	Pediatric HIV-HBV Coinfection in Lusaka, Zambia: Prevalence and Short-Term Treatment Outcomes: Table 1.. <i>Journal of Tropical Pediatrics</i> , 2015, 61, fmv058.	0.7	13
40	Providing comprehensive health services for young key populations: needs, barriers and gaps. <i>Journal of the International AIDS Society</i> , 2015, 18, 19833.	1.2	138
41	Quality of Care and Service Expansion for HIV Care and Treatment. <i>Current HIV/AIDS Reports</i> , 2015, 12, 223-230.	1.1	2
42	Antiretroviral Therapy Restores Age-Dependent Loss of Resting Memory B Cells in Young HIV-Infected Zambian Children. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 65, 505-509.	0.9	6
43	Changes in Cellular Immune Activation and Memory T-Cell Subsets in HIV-Infected Zambian Children Receiving HAART. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 67, 455-462.	0.9	13
44	Prognosis of Children With HIV-1 Infection Starting Antiretroviral Therapy in Southern Africa. <i>Pediatric Infectious Disease Journal</i> , 2014, 33, 608-616.	1.1	24
45	Resource Utilization and Costs of Care prior to ART Initiation for Pediatric Patients in Zambia. <i>AIDS Research and Treatment</i> , 2014, 2014, 1-5.	0.3	5
46	Managing Multiple Funding Streams and Agendas to Achieve Local and Global Health and Research Objectives. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 65, S32-S35.	0.9	4
47	Changes in Measles Serostatus Among HIV-Infected Zambian Children Initiating Antiretroviral Therapy Before and After the 2010 Measles Outbreak and Supplemental Immunization Activities. <i>Journal of Infectious Diseases</i> , 2013, 208, 1747-1755.	1.9	21
48	When to Start Antiretroviral Therapy in Children Aged 2-5 Years: A Collaborative Causal Modelling Analysis of Cohort Studies from Southern Africa. <i>PLoS Medicine</i> , 2013, 10, e1001555.	3.9	32
49	Integrating HIV treatment with primary care outpatient services: opportunities and challenges from a scaled-up model in Zambia. <i>Health Policy and Planning</i> , 2013, 28, 347-357.	1.0	45
50	Prevention of mother-to-child HIV transmission within the continuum of maternal, newborn, and child health services. <i>Current Opinion in HIV and AIDS</i> , 2013, 8, 498-503.	1.5	43
51	Immunologic Risk Factors for Early Mortality After Starting Antiretroviral Therapy in HIV-Infected Zambian Children. <i>AIDS Research and Human Retroviruses</i> , 2013, 29, 479-487.	0.5	8
52	Nonvirologic Algorithms for Predicting HIV Infection Among HIV-exposed Infants Younger Than 12 Weeks of Age. <i>Pediatric Infectious Disease Journal</i> , 2013, 32, 151-156.	1.1	8
53	Retention in Care and Outpatient Costs for Children Receiving Antiretroviral Therapy in Zambia: A Retrospective Cohort Analysis. <i>PLoS ONE</i> , 2013, 8, e67910.	1.1	20
54	Temporal Trends in the Characteristics of Children at Antiretroviral Therapy Initiation in Southern Africa: The leDEA-SA Collaboration. <i>PLoS ONE</i> , 2013, 8, e81037.	1.1	36

#	ARTICLE	IF	CITATIONS
55	Six-Month Hemoglobin Concentration and Its Association With Subsequent Mortality Among Adults on Antiretroviral Therapy in Lusaka, Zambia. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2012, 61, 120-123.	0.9	8
56	Does provider-initiated counselling and testing (PITC) strengthen early diagnosis and treatment initiation? Results from an analysis of an urban cohort of HIV-positive patients in Lusaka, Zambia. <i>Journal of the International AIDS Society</i> , 2012, 15, 17352.	1.2	31
57	Evaluation of a task-shifting strategy involving peer educators in HIV care and treatment clinics in Lusaka, Zambia. <i>Journal of Public Health in Africa</i> , 2012, 3, 3.	0.2	13
58	Causes of stillbirth, neonatal death and early childhood death in rural Zambia by verbal autopsy assessments. <i>Tropical Medicine and International Health</i> , 2011, 16, 894-901.	1.0	23
59	Comparative Outcomes of Tenofovir-Based and Zidovudine-Based Antiretroviral Therapy Regimens in Lusaka, Zambia. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2011, 58, 475-481.	0.9	15
60	Opt-out provider-initiated HIV testing and counselling in primary care outpatient clinics in Zambia. <i>Bulletin of the World Health Organization</i> , 2011, 89, 328-335A.	1.5	52
61	Differences in Presentation, Treatment Initiation, and Response Among Children Infected With Human Immunodeficiency Virus in Urban and Rural Zambia. <i>Pediatric Infectious Disease Journal</i> , 2010, 29, 849-854.	1.1	30
62	Secular trends in pediatric antiretroviral treatment programs in rural and urban Zambia: a retrospective cohort study. <i>BMC Pediatrics</i> , 2010, 10, 54.	0.7	21
63	Early Clinical and Programmatic Outcomes with Tenofovir-Based Antiretroviral Therapy in Zambia. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2010, 54, 63-70.	0.9	60
64	Causes of morbidity among HIV-infected children on antiretroviral therapy in primary care facilities in Lusaka, Zambia. <i>Tropical Medicine and International Health</i> , 2009, 14, 1190-1198.	1.0	13
65	Clinical Outcomes and CD4 Cell Response in Children Receiving Antiretroviral Therapy at Primary Health Care Facilities in Zambia. <i>JAMA - Journal of the American Medical Association</i> , 2007, 298, 1888.	3.8	299