Abdelali El Aroudi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1966116/abdelali-el-aroudi-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112
papers1,490
citations21
h-index34
g-index126
ext. papers1,892
ext. citations3.3
avg, IF5.02
L-index

| # | Paper | IF | Citations |
|-----|--|----------------|-----------|
| 112 | Nonlinear Control Design and Stability Analysis of Single Phase Half Bridge Interleaved Buck Shunt Active Power Filter. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2022 , 1-12 | 3.9 | O |
| 111 | Replacing All ECs With NECs in Step-Up Converters Systematic Approach. <i>IEEE Transactions on Power Electronics</i> , 2022 , 37, 31-36 | 7.2 | 1 |
| 110 | Fault Tolerant Backstepping Control for Double-Stage Grid-Connected Photovoltaic Systems Using Cascaded H-Bridge Multilevel Inverters 2022 , 6, 1406-1411 | | 1 |
| 109 | A Cascaded Controller for a Grid-Tied Photovoltaic System With Three-Phase Half-Bridge Interleaved Buck Shunt Active Power Filter: Hybrid Control Strategy and Fuzzy Logic Approach. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , 2022 , 12, 320-330 | 5.2 | 3 |
| 108 | Noise-induced and border-collision-induced bubbling. <i>Physica D: Nonlinear Phenomena</i> , 2022 , 435, 133 | 27 <i>3</i> .3 | |
| 107 | Control Design and Parameter Tuning for Islanded Microgrids by Combining Different Optimization Algorithms. <i>Energies</i> , 2022 , 15, 3756 | 3.1 | О |
| 106 | Analytical Determination of Fast-Scale Instability Boundaries for Current Mode Controlled DCDC Converters With CPL and Closed Voltage Loop. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , 2021 , 11, 39-48 | 5.2 | 2 |
| 105 | Performance evaluation for an hourglass-shaped impedance-network-based high step-up converter in a photovoltaic system using PSIM simulation. <i>International Journal of Circuit Theory and Applications</i> , 2021 , 49, 2670-2685 | 2 | 0 |
| 104 | A Large-Signal Model for a Peak Current Mode Controlled Boost Converter With Constant Power Loads. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2021 , 9, 559-568 | 5.6 | 3 |
| 103 | PWM Nonlinear Control With Load Power Estimation for Output Voltage Regulation of a Boost Converter With Constant Power Load. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 2143-2153 | 7.2 | 10 |
| 102 | Hourglass-shaped impedance network based nonelectrolytic capacitors high step-up converter with low voltage stress. <i>International Journal of Circuit Theory and Applications</i> , 2021 , 49, 1147-1163 | 2 | 3 |
| 101 | Synthesis of Constant Power Loads Using Switching Converters Under Sliding-Mode Control. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2021 , 68, 524-535 | 3.9 | 9 |
| 100 | Fast-Scale Stability Analysis of a DCDC Boost Converter With a Constant Power Load. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2021 , 9, 549-558 | 5.6 | 14 |
| 99 | Nonlinear Dynamics and Stability Analysis of a Three-Cell Flying Capacitor DC-DC Converter. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 1395 | 2.6 | 1 |
| 98 | Fast-Scale Instability and Stabilization by Adaptive Slope Compensation of a PV-Fed Differential Boost Inverter. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 2106 | 2.6 | 2 |
| 97 | Map Optimization Fuzzy Logic Framework in Wind Turbine Site Selection with Application to the USA Wind Farms. <i>Energies</i> , 2021 , 14, 6127 | 3.1 | О |
| 96 | Advanced nonlinear controller of single-phase shunt active power filter interfacing solar photovoltaic source and electrical power grid. <i>International Transactions on Electrical Energy Systems</i> , 2021 , 31, | 2.2 | 2 |

| 95 | Improvement of Extracted Power of Pole Mounted Solar Panels by Effective Cooling Using Aluminum Heat Sink under Hot Weather and Variable Wind Speed Conditions. <i>Energies</i> , 2020 , 13, 3159 | 3.1 | | |
|----|--|----------------------|------|--|
| 94 | Piecewise Quadratic Slope Compensation Technique for DC-DC Switching Converters. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2020 , 67, 5574-5585 | 3.9 | 5 | |
| 93 | Classification of Three-Phase Grid-Tied Microinverters in Photovoltaic Applications. <i>Energies</i> , 2020 , 13, 2929 | 3.1 | 5 | |
| 92 | Single-loop control scheme for electrolytic capacitor-less ACDC rectifiers with PFC in continuous conduction mode. <i>Electronics Letters</i> , 2020 , 56, 506-508 | 1.1 | 2 | |
| 91 | Modelling and Control of Modular DC-Nanogrids Based on Loss-Free Resistors. <i>IEEE Access</i> , 2020 , 8, 333 | 30,5 , 33 | 33‡7 | |
| 90 | On the Coexistence of Multiple Limit Cycles in H-Bridge Wireless Power Transfer Systems With Zero Current Switching Control. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2020 , 67, 1729-1739 | 3.9 | 3 | |
| 89 | Transient Voltage and Current Stresses Estimation of MMC-MTDC System via Discrete-Time Analysis. <i>IEEE Transactions on Power Delivery</i> , 2020 , 35, 2821-2830 | 4.3 | 3 | |
| 88 | Dynamic analysis of self-oscillating H-bridge inverters with state feedback. <i>Journal of the Franklin Institute</i> , 2020 , 357, 494-521 | 4 | 2 | |
| 87 | Non-observable chaos in piecewise smooth systems. <i>Nonlinear Dynamics</i> , 2020 , 99, 2031-2048 | 5 | 4 | |
| 86 | Auto-Tuned Quadratic Slope Compensation for Current Mode Controlled DC-DC Converters 2020, | | 2 | |
| 85 | Multiple-Loop Control Design for a Single-Stage PV-Fed Grid-Tied Differential Boost Inverter. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 4808 | 2.6 | 3 | |
| 84 | Non-visible transformations of chaotic attractors due to their ultra-low density in ACDC power factor correction converters. <i>Nonlinear Dynamics</i> , 2020 , 102, 2905-2924 | 5 | 2 | |
| 83 | Fast Voltage-Based MPPT Control for High Gain Switched Inductor DC-DC Boost Converters 2020 , | | 1 | |
| 82 | Analysis of Subharmonic Oscillation and Slope Compensation for a Differential Boost Inverter. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 5626 | 2.6 | 1 | |
| 81 | Analysis of Start-Up Response in a Digitally Controlled Boost Converter With Constant Power Load and Mitigation of Inrush Current Problems. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2020 , 67, 1276-1285 | 3.9 | 11 | |
| 80 | Delay effects on the limit cycling behavior in resonant inverters with state feedback. <i>Nonlinear Theory and Its Applications IEICE</i> , 2019 , 10, 337-356 | 0.6 | | |
| 79 | Multi-Input lik-Derived Buck-Boost Voltage Source Inverter for Photovoltaic Systems in Microgrid Applications. <i>Energies</i> , 2019 , 12, 2007 | 3.1 | 4 | |
| 78 | Mitigating the Problem of Inrush Current in a Digital Sliding Mode Controlled Boost Converter Taking into Account Load and Inductor Nonlinearities and Propagation Delay in the Feedback Loop 2019 | | 3 | |

| 77 | Fixed Switching Frequency Digital Sliding-Mode Control of DC-DC Power Supplies Loaded by Constant Power Loads with Inrush Current Limitation Capability. <i>Energies</i> , 2019 , 12, 1055 | 3.1 | 22 |
|----|--|-----|----|
| 76 | Nonlinear Control for Output Voltage Regulation of a Boost Converter With a Constant Power Load. <i>IEEE Transactions on Power Electronics</i> , 2019 , 34, 10381-10385 | 7.2 | 17 |
| 75 | Sliding-mode control of a boost converter under constant power loading conditions. <i>IET Power Electronics</i> , 2019 , 12, 521-529 | 2.2 | 27 |
| 74 | Digital Control of a Buck Converter Based on Input-Output Linearization. An Interpretation Using Discrete-Time Sliding Control Theory. <i>Energies</i> , 2019 , 12, 2738 | 3.1 | 2 |
| 73 | Analysis of Nonlinear Dynamics of a Quadratic Boost Converter Used for Maximum Power Point Tracking in a Grid-Interlinked PV System. <i>Energies</i> , 2019 , 12, 61 | 3.1 | 9 |
| 72 | Suppression of Undesired Attractors in a Self-Oscillating H-Bridge Parallel Resonant Converters Under Zero Current Switching Control. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2019 , 66, 692-696 | 3.5 | 5 |
| 71 | Nonlinear Dynamic Modeling and Analysis of Self-Oscillating H-Bridge Parallel Resonant Converter Under Zero Current Switching Control: Unveiling Coexistence of Attractors. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2019 , 66, 1657-1667 | 3.9 | 5 |
| 70 | A Combined Analytical-Numerical Methodology for Predicting Subharmonic Oscillation in H-Bridge Inverters Under Double Edge Modulation. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2018, 65, 2341-2351 | 3.9 | 5 |
| 69 | Limit cycle bifurcations in resonant LC power inverters under zero current switching strategy. <i>Nonlinear Dynamics</i> , 2018 , 91, 1145-1161 | 5 | 8 |
| 68 | Nonaveraged control-oriented modeling and relative stability analysis of DC-DC switching converters. <i>International Journal of Circuit Theory and Applications</i> , 2018 , 46, 565-580 | 2 | 5 |
| 67 | Design of Current Programmed Switching Converters Using Sliding-Mode Control Theory. <i>Energies</i> , 2018 , 11, 2034 | 3.1 | 3 |
| 66 | Coordinated control of parallel operated renewable-energy-based DG systems. <i>IET Renewable Power Generation</i> , 2018 , 12, 1623-1632 | 2.9 | 8 |
| 65 | Improving the Dimming Performance of Low-Power Single-Stage ACDC HBLED Drivers. <i>IEEE Transactions on Industrial Electronics</i> , 2017 , 64, 5797-5806 | 8.9 | 7 |
| 64 | Self-compensation of DCDC converters under peak current mode control. <i>Electronics Letters</i> , 2017 , 53, 345-347 | 1.1 | 12 |
| 63 | Analytical multi-parametric stability boundaries of DC-DC buck converters under V1 control concept. <i>International Journal of Circuit Theory and Applications</i> , 2017 , 45, 1686-1700 | 2 | 1 |
| 62 | Sliding-mode control of a boost converter supplying a constant power load. <i>IFAC-PapersOnLine</i> , 2017 , 50, 7807-7812 | 0.7 | 8 |
| 61 | Avoiding instabilities in power electronic systems: toward an on-chip implementation. <i>IET Power Electronics</i> , 2017 , 10, 1778-1787 | 2.2 | 6 |
| 60 | A New Approach for Accurate Prediction of Subharmonic Oscillation in Switching Regulators P art I: Mathematical Derivations. <i>IEEE Transactions on Power Electronics</i> , 2017 , 32, 5651-5665 | 7.2 | 28 |

(2014-2017)

| 59 | A New Approach for Accurate Prediction of Subharmonic Oscillation in Switching Regulators Part II: Case Studies. <i>IEEE Transactions on Power Electronics</i> , 2017 , 32, 5835-5849 | 7.2 | 18 |
|----|---|-----|----|
| 58 | Sliding-mode control of a boost converter feeding a buck converter operating as a constant power load 2017 , | | 1 |
| 57 | Design of ACDC PFC High-Order Converters With Regulated Output Current for Low-Power Applications. <i>IEEE Transactions on Power Electronics</i> , 2016 , 31, 2012-2025 | 7.2 | 24 |
| 56 | Fast-scale stability limits of a two-stage boost power converter. <i>International Journal of Circuit Theory and Applications</i> , 2016 , 44, 1127-1141 | 2 | 14 |
| 55 | Prediction of subharmonic oscillation in switching regulators: from a slope to a ripple standpoint. <i>International Journal of Electronics</i> , 2016 , 103, 2090-2109 | 1.2 | 8 |
| 54 | Complex non-linear phenomena and stability analysis of interconnected power converters used in distributed power systems. <i>IET Power Electronics</i> , 2016 , 9, 855-863 | 2.2 | 12 |
| 53 | Impedance Matching in Photovoltaic Systems Using Cascaded Boost Converters and Sliding-Mode Control. <i>IEEE Transactions on Power Electronics</i> , 2015 , 30, 3185-3199 | 7.2 | 91 |
| 52 | Modified Ilk converter for high-performance power factor correction applications. <i>IET Power Electronics</i> , 2015 , 8, 2058-2064 | 2.2 | 4 |
| 51 | A Frequency Domain Approach for Controlling Fast-Scale Instabilities in Switching Power Converters. <i>International Journal of Bifurcation and Chaos in Applied Sciences and Engineering</i> , 2015 , 25, 1550141 | 2 | 7 |
| 50 | A Review on Stability Analysis Methods for Switching Mode Power Converters. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , 2015 , 5, 302-315 | 5.2 | 64 |
| 49 | Subharmonic instability boundary in DC-AC H-bridge inverters with double edge PWM 2015, | | 1 |
| 48 | Sliding Mode Control of output-parallel-connected two-stage boost converters for PV systems 2014 , | | 7 |
| 47 | Prediction of Subharmonic Oscillation in Switching Converters Under Different Control Strategies. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2014 , 61, 910-914 | 3.5 | 15 |
| 46 | Synthesis of Canonical Elements for Power Processing in DC Distribution Systems Using Cascaded Converters and Sliding-Mode Control. <i>IEEE Transactions on Power Electronics</i> , 2014 , 29, 1366-1381 | 7.2 | 63 |
| 45 | Nonlinear Dynamics and Bifurcation Behavior of a 2-DOF Spring Resonator with End Stopper for Energy Harvesting. <i>MATEC Web of Conferences</i> , 2014 , 16, 08006 | 0.3 | 1 |
| 44 | Unveiling nonlinear dynamics in resonant inductively coupled wireless power transfer 2014, | | 4 |
| 43 | High performance hysteresis modulation technique for high-order PFC circuits. <i>Electronics Letters</i> , 2014 , 50, 113-114 | 1.1 | 11 |
| 42 | Nonlinear Dynamics of an Ambient Noise Driven Array of Coupled Graphene Nanostructured Devices for Energy Harvesting. <i>MATEC Web of Conferences</i> , 2014 , 16, 01001 | 0.3 | 1 |

| 41 | A Comparison Between Static and Dynamic Performances of a Z-source and a Dual-Stage Boost Converter Under SMC for PV Energy Applications. <i>Energy Procedia</i> , 2013 , 42, 587-596 | 2.3 | 8 |
|----|--|----------------|----|
| 40 | Stability issues in cascade connected switching converters for DC microgrid applications 2013 , | | 2 |
| 39 | Suppression of Line Frequency Instabilities in PFC AC-DC Power Supplies by Feedback Notch Filtering the Pre-Regulator Output Voltage. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2013 , 60, 796-809 | 3.9 | 20 |
| 38 | Synthesis of loss-free resistors based on sliding-mode control and its applications in power processing. <i>Control Engineering Practice</i> , 2013 , 21, 689-699 | 3.9 | 47 |
| 37 | Large-signal modeling and stability analysis of two-cascaded boost converters connected to a PV panel under SMC with MPPT 2013 , | | 7 |
| 36 | Nonlinear dynamics in a graphene nanostructured device for energy harvesting 2013, | | 3 |
| 35 | Improved static and dynamic performances of a two-cell DCDC buck converter using a digital dynamic time-delayed control. <i>International Journal of Circuit Theory and Applications</i> , 2012 , 40, 395-40 | 7 ² | 13 |
| 34 | A Ripple-Based Design-Oriented Approach for Predicting Fast-Scale Instability in DCDC Switching Power Supplies. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2012 , 59, 215-227 | 3.9 | 56 |
| 33 | Cascade connection of DC-DC switching converters by means of self-oscillating dc-transformers 2012 , | | 1 |
| 32 | Analysis of a Self-Oscillating Bidirectional DCDC Converter in Battery Energy Storage Applications. <i>IEEE Transactions on Power Delivery</i> , 2012 , 27, 1292-1300 | 4.3 | 22 |
| 31 | INSTABILITIES IN DIGITALLY CONTROLLED VOLTAGE-MODE SYNCHRONOUS BUCK CONVERTER. International Journal of Bifurcation and Chaos in Applied Sciences and Engineering, 2012 , 22, 1250012 | 2 | 15 |
| 30 | Ripple-based prediction of fast-scale instabilities in current mode controlled switching converters 2012 , | | 1 |
| 29 | Sliding-Mode Control of DC-DC Switching Converters. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2011 , 44, 1910-1916 | | 7 |
| 28 | A Noninverting Buck B oost DC D C Switching Converter With High Efficiency and Wide Bandwidth. <i>IEEE Transactions on Power Electronics</i> , 2011 , 26, 2490-2503 | 7.2 | 71 |
| 27 | Optimizing the dynamics of a two-cell DCDC buck converter by time delayed feedback control. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2011 , 16, 4349-4364 | 3.7 | 7 |
| 26 | Modeling of switching frequency instabilities in buck-based DCAC H-bridge inverters. <i>International Journal of Circuit Theory and Applications</i> , 2011 , 39, 175-193 | 2 | 34 |
| 25 | A frequency domain approach for controlling chaos in switching converters 2010, | | 8 |
| 24 | Analysis and design of a loss-free resistor based on a boost converter in PWM operation 2010 , | | 9 |

Notch filtering-based stabilization of PFC AC-DC pre-regulators 2010, 2 23 Dynamics and Stability Issues of a Single-Inductor Dual-Switching DCDC Converter. IEEE 22 50 3.9 Transactions on Circuits and Systems I: Regular Papers, 2010, 57, 415-426 A nonlinear time-varying map of a buck power-switching amplifier for wide band tracking applications. COMPEL - the International Journal for Computation and Mathematics in Electrical and 21 0.7 3 Electronic Engineering, 2010, 29, 90-108 A Design-Oriented Combined Approach for Bifurcation Prediction in Switched-Mode Power 20 3.5 55 Converters. IEEE Transactions on Circuits and Systems II: Express Briefs, 2010, 57, 218-222 STABILIZING A TWO-CELL DC-DC BUCK CONVERTER BY FIXED POINT INDUCED CONTROL. 18 19 International Journal of Bifurcation and Chaos in Applied Sciences and Engineering, 2009, 19, 2043-2057 Stability analysis of two-cell Buck converter driven DC motor with a discrete-time closed loop 2009, 18 Analysis of a modular one-phase PV inverter 2009, 17 3 16 Power Distribution Based on Gyrators. IEEE Transactions on Power Electronics, 2009, 24, 2907-2909 7.2 20 Photovoltaic / thermal system for stand-alone operation. Power Electronics Specialist Conference 2 15 (PESC), IEEE, 2008, Stability of DC-DC converters: A ripple based index approach 2008, 14 Modeling and Design Rules of a Two-Cell Buck Converter Under a Digital PWM Controller. IEEE 13 7.2 23 Transactions on Power Electronics, 2008, 23, 859-870 A REPRESENTATIVE DISCRETE-TIME MODEL FOR UNCOVERING SLOW AND FAST SCALE INSTABILITIES IN BOOST POWER FACTOR CORRECTION AC-DC PRE-REGULATORS. International 12 22 Journal of Bifurcation and Chaos in Applied Sciences and Engineering, 2008, 18, 3073-3092 Poincar maps modeling and local orbital stability analysis of discontinuous piecewise affine 11 5 23 periodically driven systems. Nonlinear Dynamics, 2007, 50, 431-445 Combined Photovoltaic / Thermal Energy System for Stand-alone Operation 2007, 10 4 Ripple Based Index for Predicting Fast-Scale Instability of DC-DC Converters in CCM and DCM 2006, 9 2 Discrete time model of a multi-cell dc/dc converter: Non linear approach. Mathematics and 31 3.3 Computers in Simulation, **2006**, 71, 310-319 LQR control of an asymmetrical interleaved boost converter working in inherent DCM 2005, 6 BIFURCATIONS IN DCDC SWITCHING CONVERTERS: REVIEW OF METHODS AND APPLICATIONS. 96 International Journal of Bifurcation and Chaos in Applied Sciences and Engineering, **2005**, 15, 1549-1578

| 5 | Quasi-periodic route to chaos in a PWM voltage-controlled DC-DC boost converter. <i>IEEE Transactions on Circuits and Systems Part 1: Regular Papers</i> , 2001 , 48, 967-978 | 62 |
|---|--|----|
| 4 | Hopf bifurcation and chaos from torus breakdown in a PWM voltage-controlled DC-DC boost converter. <i>IEEE Transactions on Circuits and Systems Part 1: Regular Papers</i> , 1999 , 46, 1374-1382 | 77 |
| 3 | Characteristic curves for analysing limit cycle behaviour in switching convertors. <i>Electronics Letters</i> , 1999 , 35, 687 | 10 |
| 2 | Novel autonomous current mode one-cycle controller for PFC AC-DC pre-regulators | 1 |
| 1 | Sliding mode control of a high voltage DC-DC buck converter | 5 |