

# Seung-Ho Choi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1969121/publications.pdf>

Version: 2024-02-01

120  
papers

2,276  
citations

218381

26  
h-index

315357

38  
g-index

124  
all docs

124  
docs citations

124  
times ranked

3679  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic value of nutritional and hematologic markers in head and neck squamous cell carcinoma treated by chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2016, 118, 330-334.	0.3	84
2	Accuracy of Core Needle Biopsy Versus Fine Needle Aspiration Cytology for Diagnosing Salivary Gland Tumors. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 136-143.	0.4	77
3	Pretreatment albumin level predicts survival in head and neck squamous cell carcinoma. <i>Laryngoscope</i> , 2017, 127, E437-E442.	1.1	73
4	Prognostic value of body composition on recurrence and survival of advanced-stage head and neck cancer. <i>European Journal of Cancer</i> , 2019, 116, 98-106.	1.3	54
5	Pretreatment depression as a prognostic indicator of survival and nutritional status in patients with head and neck cancer. <i>Cancer</i> , 2016, 122, 131-140.	2.0	53
6	Risk factors for central neck lymph node metastasis of clinically noninvasive, node-negative papillary thyroid microcarcinoma. <i>American Journal of Surgery</i> , 2014, 208, 412-418.	0.9	52
7	A comparison of the 7th and 8th editions of the AJCC staging system in terms of predicting recurrence and survival in patients with papillary thyroid carcinoma. <i>Oral Oncology</i> , 2018, 87, 158-164.	0.8	51
8	Risk Factors and Survival Associated with Distant Metastasis in Patients with Carcinoma of the Salivary Gland. <i>Annals of Surgical Oncology</i> , 2016, 23, 4376-4383.	0.7	50
9	Extent of Extrathyroidal Extension as a Significant Predictor of Nodal Metastasis and Extranodal Extension in Patients with Papillary Thyroid Carcinoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 460-468.	0.7	50
10	Partial Superficial Parotidectomy via Retroauricular Hairline Incision. <i>Clinical and Experimental Otorhinolaryngology</i> , 2014, 7, 119.	1.1	47
11	Patterns and treatment of neck metastases in patients with salivary gland cancers. <i>Journal of Surgical Oncology</i> , 2015, 111, 1000-1006.	0.8	46
12	Prognostic value of glucosylceramide synthase and P-glycoprotein expression in oral cavity cancer. <i>International Journal of Clinical Oncology</i> , 2016, 21, 883-889.	1.0	46
13	Prognostic factors and oncologic outcomes of 56 salivary duct carcinoma patients in a single institution: High rate of systemic failure warrants targeted therapy. <i>Oral Oncology</i> , 2014, 50, e64-e66.	0.8	44
14	Treatment Efficacy of Voice Therapy for Vocal Fold Polyps and Factors Predictive of Its Efficacy. <i>Journal of Voice</i> , 2017, 31, 120.e9-120.e13.	0.6	44
15	Overexpression of glutathione peroxidase 1 predicts poor prognosis in oral squamous cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 2257-2265.	1.2	43
16	<sup>18</sup> F-FDG PET/CT surveillance for the detection of recurrence in patients with head and neck cancer. <i>European Journal of Cancer</i> , 2017, 72, 62-70.	1.3	41
17	<sup>18</sup> F FDG PET/CT versus CT/MR Imaging and the Prognostic Value of Contralateral Neck Metastases in Patients with Head and Neck Squamous Cell Carcinoma. <i>Radiology</i> , 2016, 279, 481-491.	3.6	40
18	Efficacy of head and neck computed tomography for skeletal muscle mass estimation in patients with head and neck cancer. <i>Oral Oncology</i> , 2019, 95, 95-99.	0.8	40

#	ARTICLE	IF	CITATIONS
19	Impact of 18F-FDG PET/CT staging on management and prognostic stratification in head and neck squamous cell carcinoma: A prospective observational study. <i>European Journal of Cancer</i> , 2016, 63, 88-96.	1.3	39
20	Nodal Factors Predictive of Recurrence After Thyroidectomy and Neck Dissection for Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2018, 28, 88-95.	2.4	39
21	Effect of polypharmacy and potentially inappropriate medications on treatment and posttreatment courses in elderly patients with head and neck cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 1031-1040.	1.2	38
22	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2010, 25, 270.	1.3	37
23	Prevalence and clinical significance of cancer cachexia based on time from treatment in advanced-stage head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2017, 39, 716-723.	0.9	37
24	Multifocality of papillary thyroid carcinoma as a risk factor for disease recurrence. <i>Oral Oncology</i> , 2019, 94, 106-110.	0.8	37
25	Risk Factors for Recurrence After Treatment of N1b Papillary Thyroid Carcinoma. <i>Annals of Surgery</i> , 2019, 269, 966-971.	2.1	33
26	An Introduction to a Head and Neck Cancer-Specific Frailty Index and Its Clinical Implications in Elderly Patients: A Prospective Observational Study Focusing on Respiratory and Swallowing Functions. <i>Oncologist</i> , 2016, 21, 1091-1098.	1.9	31
27	Extranodal extension of lymph node metastasis as a prognostic indicator of recurrence and survival in papillary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2017, 116, 450-458.	0.8	30
28	Diagnostic Accuracies of Laryngeal Diseases Using a Convolutional Neural Network-Based Image Classification System. <i>Laryngoscope</i> , 2021, 131, 2558-2566.	1.1	29
29	Lymph node density as an independent predictor of cancer-specific mortality in patients with lymph node-positive laryngeal squamous cell carcinoma after laryngectomy. <i>Head and Neck</i> , 2015, 37, 1319-1325.	0.9	27
30	Clinical significance of three-dimensional measurement of tumour thickness on magnetic resonance imaging in patients with oral tongue squamous cell carcinoma. <i>European Radiology</i> , 2016, 26, 858-865.	2.3	27
31	Treatment Outcomes and Risk Factors for Recurrence After Definitive Surgery of Locally Invasive Well-Differentiated Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2016, 26, 262-270.	2.4	26
32	Nutritional and hematologic markers as predictors of risk of surgical site infection in patients with head and neck cancer undergoing major oncologic surgery. <i>Head and Neck</i> , 2018, 40, 596-604.	0.9	25
33	Chest radiography or chest CT plus head and neck CT versus 18F-FDG PET/CT for detection of distant metastasis and synchronous cancer in patients with head and neck cancer. <i>Oral Oncology</i> , 2019, 88, 109-114.	0.8	25
34	Voice Changes in Elderly Adults: Prevalence and the Effect of Social, Behavioral, and Health Status on Voice Quality. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1608-1614.	1.3	24
35	Prognostic factors and outcome analysis of salivary duct carcinoma. <i>Auris Nasus Larynx</i> , 2015, 42, 472-477.	0.5	24
36	Pretreatment tumor SUVmax predicts disease-specific and overall survival in patients with head and neck soft tissue sarcoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 33-40.	3.3	24

#	ARTICLE	IF	CITATIONS
37	<sup>18</sup> F-FDG PET/CT vs <sup>131</sup> I. human papillomavirus, p16 and Epstein-Barr virus detection in cervical metastatic lymph nodes for identifying primary tumors. International Journal of Cancer, 2017, 140, 1405-1412.	2.3	23
38	Number of positive lymph nodes better predicts survival for oral cavity cancer. Journal of Surgical Oncology, 2019, 119, 675-682.	0.8	23
39	Comparison of Convolutional Neural Network Models for Determination of Vocal Fold Normality in Laryngoscopic Images. Journal of Voice, 2022, 36, 590-598.	0.6	22
40	Differences in the Recurrence and Survival of Patients with Symptomatic and Asymptomatic Papillary Thyroid Carcinoma: An Observational Study of 11,265 Person-Years of Follow-Up. Thyroid, 2016, 26, 1472-1479.	2.4	21
41	Effect of Metformin on Progression of Head and Neck Cancers, Occurrence of Second Primary Cancers, and Cause-Specific Survival. Oncologist, 2015, 20, 546-553.	1.9	20
42	<sup>18</sup> F-FDG PET/CT versus CT/MR imaging for detection of neck lymph node metastasis in palpably node-negative oral cavity cancer. Journal of Cancer Research and Clinical Oncology, 2020, 146, 237-244.	1.2	20
43	Extranodal extension and thickness of metastatic lymph node as a significant prognostic marker of recurrence and survival in head and neck squamous cell carcinoma. Journal of Cranio-Maxillo-Facial Surgery, 2015, 43, 769-778.	0.7	19
44	Recurrence in patients with clinically early-stage papillary thyroid carcinoma according to tumor size and surgical extent. American Journal of Surgery, 2016, 212, 419-425.e1.	0.9	19
45	Pretreatment quality of life as a prognostic factor for early survival and functional outcomes in patients with head and neck cancer. Quality of Life Research, 2016, 25, 165-174.	1.5	19
46	Prediction of distant metastasis and survival in adenoid cystic carcinoma using quantitative <sup>18</sup> F-FDG PET/CT measurements. Oral Oncology, 2018, 77, 98-104.	0.8	19
47	Overexpression of cysteine-glutamate transporter and CD44 for prediction of recurrence and survival in patients with oral cavity squamous cell carcinoma. Head and Neck, 2018, 40, 2340-2346.	0.9	19
48	Recurrence and cancer-specific survival according to the expression of IL-4R $\alpha$ and IL-13R $\alpha$ 1 in patients with oral cavity cancer. European Journal of Cancer, 2015, 51, 177-185.	1.3	18
49	Prognostic value of tumor size and minimal extrathyroidal extension in papillary thyroid carcinoma. American Journal of Surgery, 2020, 220, 925-931.	0.9	18
50	Composition of inflammatory cells regulating the response to concurrent chemoradiation therapy for HPV (+) tonsil cancer. Oral Oncology, 2015, 51, 1113-1119.	0.8	17
51	Risk Factors for Lateral Neck Recurrence of NO/N1a Papillary Thyroid Cancer. Annals of Surgical Oncology, 2017, 24, 3609-3616.	0.7	17
52	Metastatic lymph node burden predictive of survival in patients undergoing primary surgery for laryngeal and hypopharyngeal cancer. Journal of Cancer Research and Clinical Oncology, 2019, 145, 2565-2572.	1.2	17
53	Risk factors for survival and distant metastasis in 125 patients with head and neck adenoid cystic carcinoma undergoing primary surgery. Journal of Cancer Research and Clinical Oncology, 2020, 146, 1343-1350.	1.2	17
54	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2011, 54, 8.	0.0	17

#	ARTICLE	IF	CITATIONS
55	Incidence and risk factors for morbidity and mortality in elderly head and neck cancer patients undergoing major oncological surgery. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 1343-1351.	1.2	15
56	Preoperative Contrast-Enhanced CT Versus 18F-FDG PET/CT Evaluation and the Prognostic Value of Extranodal Extension for Surgical Patients with Head and Neck Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 1020-1027.	0.7	14
57	Epithelial-Mesenchymal Transition: Clinical Implications for Nodal Metastasis and Prognosis of Tongue Cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2015, 152, 80-86.	1.1	14
58	Prognostic value of neutrophil-to-lymphocyte ratio in older patients with head and neck cancer. <i>Journal of Geriatric Oncology</i> , 2020, 11, 417-422.	0.5	14
59	Development of TRAIL Resistance by Radiation-Induced Hypermethylation of DR4 CpG Island in Recurrent Laryngeal Squamous Cell Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 88, 1203-1211.	0.4	13
60	Aspirin use and head and neck cancer survival: an observational study of 11,623 person-years follow-up. <i>International Journal of Clinical Oncology</i> , 2018, 23, 52-58.	1.0	13
61	The impact of skeletal muscle depletion on older adult patients with head and neck cancer undergoing primary surgery. <i>Journal of Geriatric Oncology</i> , 2021, 12, 128-133.	0.5	13
62	Initial Nutritional Status and Clinical Outcomes in Patients with Deep Neck Infection. <i>Clinical and Experimental Otorhinolaryngology</i> , 2018, 11, 293-300.	1.1	13
63	Basaloid Squamous Cell Carcinoma of the Head and Neck: Subclassification into Basal, Ductal, and Mixed Subtypes Based on Comparison of Clinico-pathologic Features and Expression of p53, Cyclin D1, Epidermal Growth Factor Receptor, p16, and Human Papillomavirus. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 374-380.	0.4	13
64	Primary squamous cell carcinoma of the salivary gland: immunohistochemical analysis and comparison with metastatic squamous cell carcinoma. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 489-496.	0.4	13
65	Expression of Lysyl Oxidase Predictive of Distant Metastasis of Laryngeal Cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2017, 156, 489-497.	1.1	12
66	Detection of distant metastasis and prognostic prediction of recurrent salivary gland carcinomas using <sup>18</sup> F-FDG PET/CT. <i>Oral Diseases</i> , 2018, 24, 940-947.	1.5	12
67	Clinical significance of $\alpha$ 1 integrin expression as a prediction marker for radiotherapy in early glottic carcinoma. <i>Laryngoscope</i> , 2006, 116, 1228-1231.	1.1	11
68	Clinical values for abnormal 18F-FDG uptake in the head and neck region of patients with head and neck squamous cell carcinoma. <i>European Journal of Radiology</i> , 2014, 83, 1455-1460.	1.2	11
69	Prognostic value of circulating biomarker score in advanced-stage head and neck squamous cell carcinoma. <i>European Journal of Cancer</i> , 2018, 92, 69-76.	1.3	11
70	Positive lymph node number and extranodal extension for predicting recurrence and survival in patients with salivary gland cancer. <i>Head and Neck</i> , 2020, 42, 1994-2001.	0.9	11
71	Predictive factors for long-term survival in head and neck squamous cell carcinoma patients with distant metastasis after initial definitive treatment. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 295-304.	1.2	10
72	Metabolic tumor volume and total lesion glycolysis predict tumor progression and survival after salvage surgery for recurrent oral cavity squamous cell carcinoma. <i>Head and Neck</i> , 2019, 41, 1846-1853.	0.9	10

#	ARTICLE	IF	CITATIONS
73	Prediction of pharyngocutaneous fistula and survival after salvage laryngectomy for laryngohypopharyngeal carcinoma. <i>Head and Neck</i> , 2019, 41, 3002-3008.	0.9	10
74	Real-Time Monitoring of Blood Pressure Using Digitalized Pulse Arrival Time Calculation Technology for Prompt Detection of Sudden Hypertensive Episodes During Laryngeal Microsurgery: Retrospective Observational Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e13156.	2.1	10
75	Radiological tumor thickness as a risk factor for local recurrence in early glottic cancer treated with laser cordectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 153-160.	0.8	9
76	De novo head and neck cancer arising in solid organ transplantation recipients: The Asan Medical Center experience. <i>Auris Nasus Larynx</i> , 2018, 45, 838-845.	0.5	9
77	Comparison of Squamous Cell Carcinoma of the Tongue between Young and Old Patients. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 369-377.	0.4	9
78	Blepharokymographic Analysis of Eyelid Motion in Bell's Palsy. <i>Laryngoscope</i> , 2007, 117, 308-312.	1.1	8
79	Pre-treatment metabolic tumor volume predicts tumor metastasis and progression in high-grade salivary gland carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 2485-2493.	1.2	8
80	Lymph node ratio predictive of recurrence, distant metastasis, and survival in submandibular gland carcinoma patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 1055-1062.	1.2	8
81	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Journal of the Korean Society of Radiology</i> , 2011, 64, 389.	0.1	8
82	Thyroid stimulating hormone suppression and recurrence after thyroid lobectomy for papillary thyroid carcinoma. <i>Endocrine</i> , 2022, 75, 487-494.	1.1	8
83	Short-Term Treatment Results for Unilateral Vocal Fold Palsy Induced by Mediastinal Lesions. <i>Journal of Voice</i> , 2014, 28, 809-815.	0.6	7
84	Expression of hormone receptors, adipophilin, and GCDFA15 in mucinous carcinoma of the skin. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 886-890.	0.7	7
85	Treatment Efficacy of Voice Therapy Following Injection Laryngoplasty for Unilateral Vocal Fold Paralysis. <i>Journal of Voice</i> , 2020, , .	0.6	7
86	A Portable Smartphone-Based Laryngoscope System for High-Speed Vocal Cord Imaging of Patients With Throat Disorders: Instrument Validation Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e25816.	1.8	7
87	Post-treatment 18F-FDG PET/CT for predicting survival and recurrence in patients with advanced-stage head and neck cancer undergoing curative surgery. <i>Oral Oncology</i> , 2020, 107, 104750.	0.8	7
88	Clinically Node-Negative Parotid Gland Cancers: Prognostic Factors of Survival and Surgical Extent. <i>Oncology</i> , 2020, 98, 102-110.	0.9	6
89	Dual Coaptation of Facial Nerve Using Masseteric Branch of Trigeminal Nerve for Iatrogenic Facial Palsy: Preliminary Reports. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2020, 129, 505-511.	0.6	6
90	Adjuvant role of radiation therapy for locally advanced laryngeal cancer without pathological lymph node metastasis. <i>Acta Oto-Laryngologica</i> , 2016, 136, 703-710.	0.3	5

#	ARTICLE	IF	CITATIONS
91	Increased Immunoglobulin G4-positive Plasma Cells in Lymphadenoma of the Salivary Gland: An Immunohistochemical Comparison Among Lymphoepithelial Lesions. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018, 26, 420-424.	0.6	5
92	Prognostic value of <sup>18</sup> F-FDG PET/CT parameters in patients who undergo salvage treatments for recurrent squamous cell carcinoma of the larynx and hypopharynx. <i>Journal of Surgical Oncology</i> , 2018, 118, 644-650.	0.8	5
93	Risk factors for competing non-cancer mortality after definitive treatment for advanced-stage head and neck cancer. <i>Oral Diseases</i> , 2018, 24, 1217-1225.	1.5	5
94	Prediction of cervical metastasis and survival in cN0 oral cavity cancer using tumour <sup>18</sup> F-FDG PET/CT functional parameters. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 3341-3348.	1.2	5
95	Predictors of recurrence after total thyroidectomy plus neck dissection and radioactive iodine ablation for high-risk papillary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2020, 122, 906-913.	0.8	5
96	Risk Factors and Survival Outcomes for Patients With Anastomotic Leakage After Surgery for Head and Neck Squamous Cell Carcinoma. <i>Clinical and Experimental Otorhinolaryngology</i> , 2014, 7, 36.	1.1	5
97	Early Ambulation to Prevent Delirium After Long-Time Head and Neck Cancer Surgery. <i>Frontiers in Surgery</i> , 2022, 9, 880092.	0.6	5
98	Mdm2 and p53 Expression in Radiation-Induced Sarcomas of the Head and Neck: Comparison with <i>De Novo</i> Sarcomas. <i>Korean Journal of Pathology</i> , 2014, 48, 346-350.	1.2	4
99	Prognostic factors in patients with head and neck squamous cell carcinoma with cN3 neck disease: a retrospective case-control study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014, 117, 178-185.	0.2	4
100	Value of extranodal extension detected by computed tomography for predicting clinical response after chemoradiotherapy in head and neck squamous cell cancer. <i>Acta Oto-Laryngologica</i> , 2018, 138, 392-399.	0.3	4
101	Clinical utility of <sup>18</sup> F-FDG PET/CT for patients with recurrent head and neck squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , 2019, 139, 810-815.	0.3	4
102	Predictors of survival and recurrence after primary surgery for cervical metastasis of unknown primary. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 925-933.	1.2	4
103	Risk factors for posttreatment recurrence in patients with intermediate-risk papillary thyroid carcinoma. <i>American Journal of Surgery</i> , 2020, 220, 642-647.	0.9	4
104	Clinical implications of nonspecific pulmonary nodules identified during the initial evaluation of patients with head and neck squamous cell carcinoma. <i>European Radiology</i> , 2017, 27, 3725-3732.	2.3	3
105	Association Between Fibroblast Growth Factor Receptor 1 Gene Amplification and Human Papillomavirus Prevalence in Tonsillar Squamous Cell Carcinoma With Clinicopathologic Analysis. <i>Journal of Histochemistry and Cytochemistry</i> , 2018, 66, 511-522.	1.3	3
106	Idiopathic Unilateral Vocal Fold Paralysis in Older Patients: Characteristics in the Disease Course and Implication of Computed Tomography for Evaluation of Etiology. <i>Annals of Otology, Rhinology and Laryngology</i> , 2018, 127, 823-828.	0.6	3
107	Tumor-related leukocytosis predictive of recurrence and survival in patients with oral cavity squamous cell carcinoma. <i>Oral Diseases</i> , 2019, 25, 1511-1518.	1.5	3
108	Clinicopathological characteristics of young never smoker females with oral cavity squamous cell carcinoma. <i>Medicine (United States)</i> , 2021, 100, e23871.	0.4	3

#	ARTICLE	IF	CITATIONS
109	Second Cancer Incidence and Risk Factors in Patients With Salivary Gland Cancers. JAMA Otolaryngology - Head and Neck Surgery, 2014, 140, 118.	1.2	2
110	Liquid-based sputum cytology of bicomponent mucin-producing adenocarcinoma of the trachea with histologic comparison. Diagnostic Cytopathology, 2016, 44, 1120-1124.	0.5	1
111	Risk factors for survival of head and neck soft tissue sarcomas: A comparison between 7th and 8th edition AJCC staging systems. Oral Oncology, 2020, 106, 104705.	0.8	1
112	Oncocytoma and Oncocytic Carcinoma of the Salivary Glands, Single Institute Experience. Korean Journal of Pathology, 2010, 44, 370.	1.2	1
113	IgG4-Related Sclerosing Sialadenitis - Report of Three Cases -. Korean Journal of Pathology, 2011, 45, S36.	1.2	1
114	Clinical Outcome of Fibromatosis of the Head and Neck Region. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2013, 56, 144.	0.0	1
115	A Case of Supraglottic Inverted Papilloma. Journal of the Korean Society of Laryngology Phoniatrics and Logopedics, 2020, 31, 78-82.	0.3	1
116	The influence of pediatric tracheostomy on the body weight percentile of children. International Journal of Pediatric Otorhinolaryngology, 2016, 91, 49-54.	0.4	0
117	Treatment Outcomes of Squamous Cell Carcinoma of the Buccal Mucosa. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2010, 53, 300.	0.0	0
118	The Treatment Outcomes of Primary Subglottic Cancer. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2011, 54, 699.	0.0	0
119	Suture Ligation of Pyriform Sinus Fistulas Following Cauterization to Treat Branchial Cleft Anomalies. Annals of Otology, Rhinology and Laryngology, 2022, , 000348942110701.	0.6	0
120	Preoperative Magnetic Resonance Image and Computerized Tomography Findings Predictive of Facial Nerve Invasion in Patients with Parotid Cancer without Preoperative Facial Weaknessâ€”A Retrospective Observational Study. Cancers, 2022, 14, 1086.	1.7	0