

Seung-Ho Choi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1969121/publications.pdf>

Version: 2024-02-01

120
papers

2,276
citations

218381

26
h-index

315357

38
g-index

124
all docs

124
docs citations

124
times ranked

3679
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Comparison of Convolutional Neural Network Models for Determination of Vocal Fold Normality in Laryngoscopic Images. <i>Journal of Voice</i> , 2022, 36, 590-598. | 0.6 | 22 |
| 2 | Thyroid stimulating hormone suppression and recurrence after thyroid lobectomy for papillary thyroid carcinoma. <i>Endocrine</i> , 2022, 75, 487-494. | 1.1 | 8 |
| 3 | Suture Ligation of Pyriform Sinus Fistulas Following Cauterization to Treat Branchial Cleft Anomalies. <i>Annals of Otology, Rhinology and Laryngology</i> , 2022, , 000348942110701. | 0.6 | 0 |
| 4 | Preoperative Magnetic Resonance Image and Computerized Tomography Findings Predictive of Facial Nerve Invasion in Patients with Parotid Cancer without Preoperative Facial Weaknessâ€”A Retrospective Observational Study. <i>Cancers</i> , 2022, 14, 1086. | 1.7 | 0 |
| 5 | Early Ambulation to Prevent Delirium After Long-Time Head and Neck Cancer Surgery. <i>Frontiers in Surgery</i> , 2022, 9, 880092. | 0.6 | 5 |
| 6 | The impact of skeletal muscle depletion on older adult patients with head and neck cancer undergoing primary surgery. <i>Journal of Geriatric Oncology</i> , 2021, 12, 128-133. | 0.5 | 13 |
| 7 | Clinicopathological characteristics of young never smoker females with oral cavity squamous cell carcinoma. <i>Medicine (United States)</i> , 2021, 100, e23871. | 0.4 | 3 |
| 8 | Diagnostic Accuracies of Laryngeal Diseases Using a Convolutional Neural Networkâ€”Based Image Classification System. <i>Laryngoscope</i> , 2021, 131, 2558-2566. | 1.1 | 29 |
| 9 | A Portable Smartphone-Based Laryngoscope System for High-Speed Vocal Cord Imaging of Patients With Throat Disorders: Instrument Validation Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e25816. | 1.8 | 7 |
| 10 | 18F-FDG PET/CT versus CT/MR imaging for detection of neck lymph node metastasis in palpably node-negative oral cavity cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 237-244. | 1.2 | 20 |
| 11 | Prognostic value of neutrophil-to-lymphocyte ratio in older patients with head and neck cancer. <i>Journal of Geriatric Oncology</i> , 2020, 11, 417-422. | 0.5 | 14 |
| 12 | Clinically Node-Negative Parotid Gland Cancers: Prognostic Factors of Survival and Surgical Extent. <i>Oncology</i> , 2020, 98, 102-110. | 0.9 | 6 |
| 13 | Dual Coaptation of Facial Nerve Using Masseteric Branch of Trigeminal Nerve for Iatrogenic Facial Palsy: Preliminary Reports. <i>Annals of Otology, Rhinology and Laryngology</i> , 2020, 129, 505-511. | 0.6 | 6 |
| 14 | Predictors of survival and recurrence after primary surgery for cervical metastasis of unknown primary. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 925-933. | 1.2 | 4 |
| 15 | Prediction of cervical metastasis and survival in cN0 oral cavity cancer using tumour 18F-FDG PET/CT functional parameters. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 3341-3348. | 1.2 | 5 |
| 16 | Risk factors for survival and distant metastasis in 125 patients with head and neck adenoid cystic carcinoma undergoing primary surgery. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 1343-1350. | 1.2 | 17 |
| 17 | Treatment Efficacy of Voice Therapy Following Injection Laryngoplasty for Unilateral Vocal Fold Paralysis. <i>Journal of Voice</i> , 2020, , . | 0.6 | 7 |
| 18 | Predictors of recurrence after total thyroidectomy plus neck dissection and radioactive iodine ablation for highâ€”risk papillary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2020, 122, 906-913. | 0.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Prognostic value of tumor size and minimal extrathyroidal extension in papillary thyroid carcinoma. <i>American Journal of Surgery</i> , 2020, 220, 925-931. | 0.9 | 18 |
| 20 | Positive lymph node number and extranodal extension for predicting recurrence and survival in patients with salivary gland cancer. <i>Head and Neck</i> , 2020, 42, 1994-2001. | 0.9 | 11 |
| 21 | Risk factors for posttreatment recurrence in patients with intermediate-risk papillary thyroid carcinoma. <i>American Journal of Surgery</i> , 2020, 220, 642-647. | 0.9 | 4 |
| 22 | Risk factors for survival of head and neck soft tissue sarcomas: A comparison between 7th and 8th edition AJCC staging systems. <i>Oral Oncology</i> , 2020, 106, 104705. | 0.8 | 1 |
| 23 | Post-treatment 18F-FDG PET/CT for predicting survival and recurrence in patients with advanced-stage head and neck cancer undergoing curative surgery. <i>Oral Oncology</i> , 2020, 107, 104750. | 0.8 | 7 |
| 24 | Primary squamous cell carcinoma of the salivary gland: immunohistochemical analysis and comparison with metastatic squamous cell carcinoma. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 489-496. | 0.4 | 13 |
| 25 | Real-Time Monitoring of Blood Pressure Using Digitalized Pulse Arrival Time Calculation Technology for Prompt Detection of Sudden Hypertensive Episodes During Laryngeal Microsurgery: Retrospective Observational Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e13156. | 2.1 | 10 |
| 26 | A Case of Supraglottic Inverted Papilloma. <i>Journal of the Korean Society of Laryngology Phoniatrics and Logopedics</i> , 2020, 31, 78-82. | 0.3 | 1 |
| 27 | Clinical utility of ¹⁸ F-FDG PET/CT for patients with recurrent head and neck squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , 2019, 139, 810-815. | 0.3 | 4 |
| 28 | Metastatic lymph node burden predictive of survival in patients undergoing primary surgery for laryngeal and hypopharyngeal cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 2565-2572. | 1.2 | 17 |
| 29 | Number of positive lymph nodes better predicts survival for oral cavity cancer. <i>Journal of Surgical Oncology</i> , 2019, 119, 675-682. | 0.8 | 23 |
| 30 | Metabolic tumor volume and total lesion glycolysis predict tumor progression and survival after salvage surgery for recurrent oral cavity squamous cell carcinoma. <i>Head and Neck</i> , 2019, 41, 1846-1853. | 0.9 | 10 |
| 31 | Chest radiography or chest CT plus head and neck CT versus 18F-FDG PET/CT for detection of distant metastasis and synchronous cancer in patients with head and neck cancer. <i>Oral Oncology</i> , 2019, 88, 109-114. | 0.8 | 25 |
| 32 | Tumor-related leukocytosis predictive of recurrence and survival in patients with oral cavity squamous cell carcinoma. <i>Oral Diseases</i> , 2019, 25, 1511-1518. | 1.5 | 3 |
| 33 | Prognostic value of body composition on recurrence and survival of advanced-stage head and neck cancer. <i>European Journal of Cancer</i> , 2019, 116, 98-106. | 1.3 | 54 |
| 34 | Multifocality of papillary thyroid carcinoma as a risk factor for disease recurrence. <i>Oral Oncology</i> , 2019, 94, 106-110. | 0.8 | 37 |
| 35 | Efficacy of head and neck computed tomography for skeletal muscle mass estimation in patients with head and neck cancer. <i>Oral Oncology</i> , 2019, 95, 95-99. | 0.8 | 40 |
| 36 | Prediction of pharyngocutaneous fistula and survival after salvage laryngectomy for laryngohypopharyngeal carcinoma. <i>Head and Neck</i> , 2019, 41, 3002-3008. | 0.9 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Lymph node ratio predictive of recurrence, distant metastasis, and survival in submandibular gland carcinoma patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 1055-1062. | 1.2 | 8 |
| 38 | Risk Factors for Recurrence After Treatment of N1b Papillary Thyroid Carcinoma. <i>Annals of Surgery</i> , 2019, 269, 966-971. | 2.1 | 33 |
| 39 | Comparison of Squamous Cell Carcinoma of the Tongue between Young and Old Patients. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 369-377. | 0.4 | 9 |
| 40 | Prognostic value of circulating biomarker score in advanced-stage head and neck squamous cell carcinoma. <i>European Journal of Cancer</i> , 2018, 92, 69-76. | 1.3 | 11 |
| 41 | Prediction of distant metastasis and survival in adenoid cystic carcinoma using quantitative 18 F-FDG PET/CT measurements. <i>Oral Oncology</i> , 2018, 77, 98-104. | 0.8 | 19 |
| 42 | Radiological tumor thickness as a risk factor for local recurrence in early glottic cancer treated with laser cordectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 153-160. | 0.8 | 9 |
| 43 | Detection of distant metastasis and prognostic prediction of recurrent salivary gland carcinomas using ¹⁸ F-FDG PET/CT. <i>Oral Diseases</i> , 2018, 24, 940-947. | 1.5 | 12 |
| 44 | Association Between Fibroblast Growth Factor Receptor 1 Gene Amplification and Human Papillomavirus Prevalence in Tonsillar Squamous Cell Carcinoma With Clinicopathologic Analysis. <i>Journal of Histochemistry and Cytochemistry</i> , 2018, 66, 511-522. | 1.3 | 3 |
| 45 | Aspirin use and head and neck cancer survival: an observational study of 11,623 person-years follow-up. <i>International Journal of Clinical Oncology</i> , 2018, 23, 52-58. | 1.0 | 13 |
| 46 | Nutritional and hematologic markers as predictors of risk of surgical site infection in patients with head and neck cancer undergoing major oncologic surgery. <i>Head and Neck</i> , 2018, 40, 596-604. | 0.9 | 25 |
| 47 | Value of extranodal extension detected by computed tomography for predicting clinical response after chemoradiotherapy in head and neck squamous cell cancer. <i>Acta Oto-Laryngologica</i> , 2018, 138, 392-399. | 0.3 | 4 |
| 48 | De novo head and neck cancer arising in solid organ transplantation recipients: The Asan Medical Center experience. <i>Auris Nasus Larynx</i> , 2018, 45, 838-845. | 0.5 | 9 |
| 49 | Nodal Factors Predictive of Recurrence After Thyroidectomy and Neck Dissection for Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2018, 28, 88-95. | 2.4 | 39 |
| 50 | Increased Immunoglobulin G4-positive Plasma Cells in Lymphadenoma of the Salivary Gland: An Immunohistochemical Comparison Among Lymphoepithelial Lesions. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018, 26, 420-424. | 0.6 | 5 |
| 51 | A comparison of the 7th and 8th editions of the AJCC staging system in terms of predicting recurrence and survival in patients with papillary thyroid carcinoma. <i>Oral Oncology</i> , 2018, 87, 158-164. | 0.8 | 51 |
| 52 | Pre-treatment metabolic tumor volume predicts tumor metastasis and progression in high-grade salivary gland carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 2485-2493. | 1.2 | 8 |
| 53 | Overexpression of cysteine-glutamate transporter and CD44 for prediction of recurrence and survival in patients with oral cavity squamous cell carcinoma. <i>Head and Neck</i> , 2018, 40, 2340-2346. | 0.9 | 19 |
| 54 | Idiopathic Unilateral Vocal Fold Paralysis in Older Patients: Characteristics in the Disease Course and Implication of Computed Tomography for Evaluation of Etiology. <i>Annals of Otology, Rhinology and Laryngology</i> , 2018, 127, 823-828. | 0.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Expression of hormone receptors, adipophilin, and GCDFP-15 in mucinous carcinoma of the skin. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 886-890. | 0.7 | 7 |
| 56 | Prognostic value of ¹⁸ F-FDG PET/CT parameters in patients who undergo salvage treatments for recurrent squamous cell carcinoma of the larynx and hypopharynx. <i>Journal of Surgical Oncology</i> , 2018, 118, 644-650. | 0.8 | 5 |
| 57 | Risk factors for competing non-cancer mortality after definitive treatment for advanced-stage head and neck cancer. <i>Oral Diseases</i> , 2018, 24, 1217-1225. | 1.5 | 5 |
| 58 | Initial Nutritional Status and Clinical Outcomes in Patients with Deep Neck Infection. <i>Clinical and Experimental Otorhinolaryngology</i> , 2018, 11, 293-300. | 1.1 | 13 |
| 59 | Treatment Efficacy of Voice Therapy for Vocal Fold Polyps and Factors Predictive of Its Efficacy. <i>Journal of Voice</i> , 2017, 31, 120.e9-120.e13. | 0.6 | 44 |
| 60 | Clinical implications of nonspecific pulmonary nodules identified during the initial evaluation of patients with head and neck squamous cell carcinoma. <i>European Radiology</i> , 2017, 27, 3725-3732. | 2.3 | 3 |
| 61 | Expression of Lysyl Oxidase Predictive of Distant Metastasis of Laryngeal Cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2017, 156, 489-497. | 1.1 | 12 |
| 62 | Pretreatment albumin level predicts survival in head and neck squamous cell carcinoma. <i>Laryngoscope</i> , 2017, 127, E437-E442. | 1.1 | 73 |
| 63 | Extranodal extension of lymph node metastasis as a prognostic indicator of recurrence and survival in papillary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2017, 116, 450-458. | 0.8 | 30 |
| 64 | Prevalence and clinical significance of cancer cachexia based on time from treatment in advanced-stage head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2017, 39, 716-723. | 0.9 | 37 |
| 65 | ¹⁸ F-FDG PET/CT surveillance for the detection of recurrence in patients with head and neck cancer. <i>European Journal of Cancer</i> , 2017, 72, 62-70. | 1.3 | 41 |
| 66 | ¹⁸ F-FDG PET/CT vs. human papillomavirus, p16 and Epstein-Barr virus detection in cervical metastatic lymph nodes for identifying primary tumors. <i>International Journal of Cancer</i> , 2017, 140, 1405-1412. | 2.3 | 23 |
| 67 | Risk Factors for Lateral Neck Recurrence of N0/N1a Papillary Thyroid Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 3609-3616. | 0.7 | 17 |
| 68 | Overexpression of glutathione peroxidase 1 predicts poor prognosis in oral squamous cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 2257-2265. | 1.2 | 43 |
| 69 | Extent of Extrathyroidal Extension as a Significant Predictor of Nodal Metastasis and Extranodal Extension in Patients with Papillary Thyroid Carcinoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 460-468. | 0.7 | 50 |
| 70 | Pretreatment tumor SUVmax predicts disease-specific and overall survival in patients with head and neck soft tissue sarcoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 33-40. | 3.3 | 24 |
| 71 | Basaloid Squamous Cell Carcinoma of the Head and Neck: Subclassification into Basal, Ductal, and Mixed Subtypes Based on Comparison of Clinico-pathologic Features and Expression of p53, Cyclin D1, Epidermal Growth Factor Receptor, p16, and Human Papillomavirus. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 374-380. | 0.4 | 13 |
| 72 | Impact of ¹⁸ F-FDG PET/CT staging on management and prognostic stratification in head and neck squamous cell carcinoma: A prospective observational study. <i>European Journal of Cancer</i> , 2016, 63, 88-96. | 1.3 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Liquidâ€based sputum cytology of bicomponent mucinâ€producing adenocarcinoma of the trachea with histologic comparison. <i>Diagnostic Cytopathology</i> , 2016, 44, 1120-1124. | 0.5 | 1 |
| 74 | Incidence and risk factors for morbidity and mortality in elderly head and neck cancer patients undergoing major oncological surgery. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 1343-1351. | 1.2 | 15 |
| 75 | An Introduction to a Head and Neck Cancer-Specific Frailty Index and Its Clinical Implications in Elderly Patients: A Prospective Observational Study Focusing on Respiratory and Swallowing Functions. <i>Oncologist</i> , 2016, 21, 1091-1098. | 1.9 | 31 |
| 76 | Pretreatment depression as a prognostic indicator of survival and nutritional status in patients with head and neck cancer. <i>Cancer</i> , 2016, 122, 131-140. | 2.0 | 53 |
| 77 | Differences in the Recurrence and Survival of Patients with Symptomatic and Asymptomatic Papillary Thyroid Carcinoma: An Observational Study of 11,265 Person-Years of Follow-Up. <i>Thyroid</i> , 2016, 26, 1472-1479. | 2.4 | 21 |
| 78 | Risk Factors and Survival Associated with Distant Metastasis in Patients with Carcinoma of the Salivary Gland. <i>Annals of Surgical Oncology</i> , 2016, 23, 4376-4383. | 0.7 | 50 |
| 79 | The influence of pediatric tracheostomy on the body weight percentile of children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016, 91, 49-54. | 0.4 | 0 |
| 80 | Effect of polypharmacy and potentially inappropriate medications on treatment and posttreatment courses in elderly patients with head and neck cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 1031-1040. | 1.2 | 38 |
| 81 | Recurrence in patients with clinically early-stage papillary thyroid carcinoma according to tumor size and surgical extent. <i>American Journal of Surgery</i> , 2016, 212, 419-425.e1. | 0.9 | 19 |
| 82 | Predictive factors for long-term survival in head and neck squamous cell carcinoma patients with distant metastasis after initial definitive treatment. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 295-304. | 1.2 | 10 |
| 83 | Prognostic value of glucosylceramide synthase and P-glycoprotein expression in oral cavity cancer. <i>International Journal of Clinical Oncology</i> , 2016, 21, 883-889. | 1.0 | 46 |
| 84 | Treatment Outcomes and Risk Factors for Recurrence After Definitive Surgery of Locally Invasive Well-Differentiated Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2016, 26, 262-270. | 2.4 | 26 |
| 85 | Prognostic value of nutritional and hematologic markers in head and neck squamous cell carcinoma treated by chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2016, 118, 330-334. | 0.3 | 84 |
| 86 | Adjuvant role of radiation therapy for locally advanced laryngeal cancer without pathological lymph node metastasis. <i>Acta Oto-Laryngologica</i> , 2016, 136, 703-710. | 0.3 | 5 |
| 87 | ¹⁸ F FDG PET/CT versus CT/MR Imaging and the Prognostic Value of Contralateral Neck Metastases in Patients with Head and Neck Squamous Cell Carcinoma. <i>Radiology</i> , 2016, 279, 481-491. | 3.6 | 40 |
| 88 | Clinical significance of three-dimensional measurement of tumour thickness on magnetic resonance imaging in patients with oral tongue squamous cell carcinoma. <i>European Radiology</i> , 2016, 26, 858-865. | 2.3 | 27 |
| 89 | Pretreatment quality of life as a prognostic factor for early survival and functional outcomes in patients with head and neck cancer. <i>Quality of Life Research</i> , 2016, 25, 165-174. | 1.5 | 19 |
| 90 | Patterns and treatment of neck metastases in patients with salivary gland cancers. <i>Journal of Surgical Oncology</i> , 2015, 111, 1000-1006. | 0.8 | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Voice Changes in Elderly Adults: Prevalence and the Effect of Social, Behavioral, and Health Status on Voice Quality. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1608-1614. | 1.3 | 24 |
| 92 | Accuracy of Core Needle Biopsy Versus Fine Needle Aspiration Cytology for Diagnosing Salivary Gland Tumors. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 136-143. | 0.4 | 77 |
| 93 | Composition of inflammatory cells regulating the response to concurrent chemoradiation therapy for HPV (+) tonsil cancer. <i>Oral Oncology</i> , 2015, 51, 1113-1119. | 0.8 | 17 |
| 94 | Recurrence and cancer-specific survival according to the expression of IL-4 β and IL-13 β 1 in patients with oral cavity cancer. <i>European Journal of Cancer</i> , 2015, 51, 177-185. | 1.3 | 18 |
| 95 | Extranodal extension and thickness of metastatic lymph node as a significant prognostic marker of recurrence and survival in head and neck squamous cell carcinoma. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2015, 43, 769-778. | 0.7 | 19 |
| 96 | Effect of Metformin on Progression of Head and Neck Cancers, Occurrence of Second Primary Cancers, and Cause-Specific Survival. <i>Oncologist</i> , 2015, 20, 546-553. | 1.9 | 20 |
| 97 | Preoperative Contrast-Enhanced CT Versus 18F-FDG PET/CT Evaluation and the Prognostic Value of Extranodal Extension for Surgical Patients with Head and Neck Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 1020-1027. | 0.7 | 14 |
| 98 | Epithelial \rightarrow Mesenchymal Transition: Clinical Implications for Nodal Metastasis and Prognosis of Tongue Cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2015, 152, 80-86. | 1.1 | 14 |
| 99 | Prognostic factors and outcome analysis of salivary duct carcinoma. <i>Auris Nasus Larynx</i> , 2015, 42, 472-477. | 0.5 | 24 |
| 100 | Lymph node density as an independent predictor of cancer-specific mortality in patients with lymph node-positive laryngeal squamous cell carcinoma after laryngectomy. <i>Head and Neck</i> , 2015, 37, 1319-1325. | 0.9 | 27 |
| 101 | Partial Superficial Parotidectomy via Retroauricular Hairline Incision. <i>Clinical and Experimental Otorhinolaryngology</i> , 2014, 7, 119. | 1.1 | 47 |
| 102 | Mdm2 and p53 Expression in Radiation-Induced Sarcomas of the Head and Neck: Comparison with $\<i>\</i>$ De Novo $\<i>\</i>$ Sarcomas. <i>Korean Journal of Pathology</i> , 2014, 48, 346-350. | 1.2 | 4 |
| 103 | Prognostic factors in patients with head and neck squamous cell carcinoma with cN3 neck disease: a retrospective case-control study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014, 117, 178-185. | 0.2 | 4 |
| 104 | Short-Term Treatment Results for Unilateral Vocal Fold Palsy Induced by Mediastinal Lesions. <i>Journal of Voice</i> , 2014, 28, 809-815. | 0.6 | 7 |
| 105 | Prognostic factors and oncologic outcomes of 56 salivary duct carcinoma patients in a single institution: High rate of systemic failure warrants targeted therapy. <i>Oral Oncology</i> , 2014, 50, e64-e66. | 0.8 | 44 |
| 106 | Development of TRAIL Resistance by Radiation-Induced Hypermethylation of DR4 CpG Island in Recurrent Laryngeal Squamous Cell Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 88, 1203-1211. | 0.4 | 13 |
| 107 | Risk factors for central neck lymph node metastasis of clinically noninvasive, node-negative papillary thyroid microcarcinoma. <i>American Journal of Surgery</i> , 2014, 208, 412-418. | 0.9 | 52 |
| 108 | Clinical values for abnormal 18F-FDG uptake in the head and neck region of patients with head and neck squamous cell carcinoma. <i>European Journal of Radiology</i> , 2014, 83, 1455-1460. | 1.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Second Cancer Incidence and Risk Factors in Patients With Salivary Gland Cancers. JAMA Otolaryngology - Head and Neck Surgery, 2014, 140, 118. | 1.2 | 2 |
| 110 | Risk Factors and Survival Outcomes for Patients With Anastomotic Leakage After Surgery for Head and Neck Squamous Cell Carcinoma. Clinical and Experimental Otorhinolaryngology, 2014, 7, 36. | 1.1 | 5 |
| 111 | Clinical Outcome of Fibromatosis of the Head and Neck Region. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2013, 56, 144. | 0.0 | 1 |
| 112 | Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2011, 54, 8. | 0.0 | 17 |
| 113 | Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. Journal of the Korean Society of Radiology, 2011, 64, 389. | 0.1 | 8 |
| 114 | The Treatment Outcomes of Primary Subglottic Cancer. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2011, 54, 699. | 0.0 | 0 |
| 115 | IgG4-Related Sclerosing Sialadenitis - Report of Three Cases -. Korean Journal of Pathology, 2011, 45, S36. | 1.2 | 1 |
| 116 | Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. Endocrinology and Metabolism, 2010, 25, 270. | 1.3 | 37 |
| 117 | Oncocytoma and Oncocytic Carcinoma of the Salivary Glands, Single Institute Experience. Korean Journal of Pathology, 2010, 44, 370. | 1.2 | 1 |
| 118 | Treatment Outcomes of Squamous Cell Carcinoma of the Buccal Mucosa. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2010, 53, 300. | 0.0 | 0 |
| 119 | Blepharokymographic Analysis of Eyelid Motion in Bell's Palsy. Laryngoscope, 2007, 117, 308-312. | 1.1 | 8 |
| 120 | Clinical significance of $\alpha 1$ integrin expression as a prediction marker for radiotherapy in early glottic carcinoma. Laryngoscope, 2006, 116, 1228-1231. | 1.1 | 11 |