

# Jenni M Ervasti

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1970699/jenni-m-ervasti-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

753

citations

16

h-index

24

g-index

75

ext. papers

952

ext. citations

4.3

avg, IF

3.9

L-index

#	Paper	IF	Citations
68	Working hours, on-call shifts, and risk of occupational injuries among hospital physicians: A case-crossover study.. <i>Journal of Occupational Health</i> , <b>2022</b> , 64, e12322	2.3	0
67	Concurrent changes in physical activity and body mass index among 66 852 public sector employees over a 16-year follow-up: multitrajectory analysis of a cohort study in Finland.. <i>BMJ Open</i> , <b>2022</b> , 12, e057692	3.92	0
66	Effectiveness of a workplace intervention to reduce workplace bullying and violence at work: study protocol for a two-wave quasi-experimental intervention study.. <i>BMJ Open</i> , <b>2022</b> , 12, e053664	3	0
65	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe, The</i> , <b>2022</b> , 19, 100417	3.9	0
64	Shift work, work time control, and informal caregiving as risk factors for sleep disturbances in an ageing municipal workforce. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2021</b> , 47, 181-190	4.3	2
63	Length of exposure to long working hours and night work and risk of sickness absence: a register-based cohort study. <i>BMC Health Services Research</i> , <b>2021</b> , 21, 1199	2.9	0
62	Persistence of sleep difficulties for over 16 years amongst 66,948 working-aged adults. <i>PLoS ONE</i> , <b>2021</b> , 16, e0259500	3.7	0
61	Intervention targeted at physicians' treatment of musculoskeletal disorders and sickness certification: an interrupted time series analysis. <i>BMJ Open</i> , <b>2021</b> , 11, e047018	3	1
60	Association of changes in lifestyle with changes in sleep difficulties: an analysis of 38 400 participants over a 16-year follow-up. <i>BMJ Open</i> , <b>2021</b> , 11, e050046	3	1
59	Association of working hour characteristics and on-call work with risk of short sickness absence among hospital physicians: A longitudinal cohort study. <i>Chronobiology International</i> , <b>2021</b> , 1-8	3.6	1
58	'Return to Work' Coordinator Model and Work Participation of Employees: A Natural Intervention Study in Finland. <i>Journal of Occupational Rehabilitation</i> , <b>2021</b> , 31, 831-839	3.6	1
57	Trajectories of work ability from mid-life to pensionable age and their association with retirement timing. <i>Journal of Epidemiology and Community Health</i> , <b>2021</b> , 75, 1098-1103	5.1	0
56	Alternative duty work as workplace-initiated procedure to reduce sickness absence. <i>BMC Public Health</i> , <b>2021</b> , 21, 1154	4.1	2
55	Modifications to residential neighbourhood characteristics and risk of 79 common health conditions: a prospective cohort study. <i>Lancet Public Health, The</i> , <b>2021</b> , 6, e396-e407	22.4	8
54	Internal consistency and factor structure of Jenkins Sleep Scale: cross-sectional cohort study among 80 000 adults. <i>BMJ Open</i> , <b>2021</b> , 11, e043276	3	3
53	Patterns of working hour characteristics and risk of sickness absence among shift-working hospital employees: a data-mining cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2021</b> , 47, 395-403	4.3	2
52	Long working hours and risk of 50 health conditions and mortality outcomes: a multicohort study in four European countries.. <i>Lancet Regional Health - Europe, The</i> , <b>2021</b> , 11, 100212	4	4

51	Association of changes in work due to COVID-19 pandemic with psychosocial work environment and employee health: a cohort study of 24 299 Finnish public sector employees. <i>Occupational and Environmental Medicine</i> , <b>2021</b> ,	2.1	2
50	Labor Market Participation Before and After Long-Term Part-Time Sickness Absence in Finland: A Population-Based Cohort Study. <i>Journal of Occupational and Environmental Medicine</i> , <b>2020</b> , 62, e142-e148	2.3	2
49	Neurodevelopmental disorders among young adults and the risk of sickness absence and disability pension: a nationwide register linkage study. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2020</b> , 46, 410-416	4.3	6
48	Psychological distress and sickness absence: Within- versus between-individual analysis. <i>Journal of Affective Disorders</i> , <b>2020</b> , 264, 333-339	6.6	3
47	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , <b>2020</b> , 44, 1368-1375	5.5	7
46	Job demands and job control among occupational therapists in public sector in Finland. <i>Scandinavian Journal of Occupational Therapy</i> , <b>2020</b> , 1-10	2.1	0
45	Unemployment Trajectories and the Early Risk of Disability Pension among Young People with and without Autism Spectrum Disorder: A Nationwide Study in Sweden. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	2
44	Joint contribution of rotation of the back and repetitive movements to disability pension using job exposure matrix data. <i>European Journal of Public Health</i> , <b>2019</b> , 29, 1079-1084	2.1	1
43	Long-term exposure to heavy physical work, disability pension due to musculoskeletal disorders and all-cause mortality: 20-year follow-up-introducing Helsinki Health Study job exposure matrix. <i>International Archives of Occupational and Environmental Health</i> , <b>2019</b> , 92, 337-345	3.2	24
42	The effect of smoking cessation on work disability risk: a longitudinal study analysing observational data as non-randomized nested pseudo-trials. <i>International Journal of Epidemiology</i> , <b>2019</b> , 48, 415-422	7.8	4
41	Does increasing physical activity reduce the excess risk of work disability among overweight individuals?. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2019</b> , 45, 376-385	4.3	7
40	Sociodemographic Differences Between Alcohol Use and Sickness Absence: Pooled Analysis of Four Cohort Studies. <i>Alcohol and Alcoholism</i> , <b>2018</b> , 53, 95-103	3.5	5
39	Trends in diagnosis-specific work disability before and after ischaemic heart disease: a nationwide population-based cohort study in Sweden. <i>BMJ Open</i> , <b>2018</b> , 8, e019749	3	5
38	Trends in Diagnosis-Specific Work Disability Before and After Stroke: A Longitudinal Population-Based Study in Sweden. <i>Journal of the American Heart Association</i> , <b>2018</b> , 7,	6	14
37	Sickness absence diagnoses among abstainers, low-risk drinkers and at-risk drinkers: consideration of the U-shaped association between alcohol use and sickness absence in four cohort studies. <i>Addiction</i> , <b>2018</b> , 113, 1633	4.6	11
36	Changes in drinking as predictors of changes in sickness absence: a case-crossover study. <i>Journal of Epidemiology and Community Health</i> , <b>2018</b> , 72, 61-67	5.1	5
35	Lifestyle factors and risk of sickness absence from work: a multicohort study. <i>Lancet Public Health</i> , <b>The</b> , <b>2018</b> , 3, e545-e554	22.4	47
34	The joint contribution of cardiovascular disease and socioeconomic status to disability retirement: A register linkage study. <i>International Journal of Cardiology</i> , <b>2017</b> , 230, 222-227	3.2	18

33	Predictors of Depression and Musculoskeletal Disorder Related Work Disability Among Young, Middle-Aged, and Aging Employees. <i>Journal of Occupational and Environmental Medicine</i> , <b>2017</b> , 59, 114-119	2	18
32	Do predictors of return to work and recurrence of work disability due to mental disorders vary by age? A cohort study. <i>Scandinavian Journal of Public Health</i> , <b>2017</b> , 45, 178-184	3	18
31	Permanent work disability before and after ischaemic heart disease or stroke event: a nationwide population-based cohort study in Sweden. <i>BMJ Open</i> , <b>2017</b> , 7, e017910	3	8
30	Prognostic factors for return to work after depression-related work disability: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , <b>2017</b> , 95, 28-36	5.2	45
29	Work disability before and after a major cardiovascular event: a ten-year study using nationwide medical and insurance registers. <i>Scientific Reports</i> , <b>2017</b> , 7, 1142	4.9	12
28	Childhood adversity, adult socioeconomic status and risk of work disability: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , <b>2017</b> , 74, 659-666	2.1	20
27	Occupational class and working beyond the retirement age: a cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2017</b> , 43, 426-435	4.3	28
26	Psychotherapeutic and work-oriented interventions: employment outcomes among young adults with work disability due to a mental disorder. <i>International Journal of Mental Health Systems</i> , <b>2016</b> , 10, 68	3.6	2
25	Clustering of adversity in young adults on disability pension due to mental disorders: a latent class analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2016</b> , 51, 281-7	4.5	13
24	The joint contribution of diabetes and work disability to premature death during working age: a population-based study in Sweden. <i>Scandinavian Journal of Public Health</i> , <b>2016</b> , 44, 580-6	3	6
23	Health- and work-related predictors of work disability among employees with a cardiometabolic disease--A cohort study. <i>Journal of Psychosomatic Research</i> , <b>2016</b> , 82, 41-47	4.1	18
22	Comorbidity and work disability among employees with diabetes: Associations with risk factors in a pooled analysis of three cohort studies. <i>Scandinavian Journal of Public Health</i> , <b>2016</b> , 44, 84-90	3	7
21	Contribution of comorbid conditions to the association between diabetes and disability pensions: a population-based nationwide cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2016</b> , 42, 209-16	4.3	6
20	Psychosocial factors associated with work disability in men and women with diabetes: a pooled analysis of three occupational cohort studies. <i>Diabetic Medicine</i> , <b>2016</b> , 33, 208-17	3.5	10
19	Socioeconomic gradient in work disability in diabetes: evidence from three occupational cohorts. <i>Journal of Epidemiology and Community Health</i> , <b>2016</b> , 70, 125-31	5.1	6
18	Return to work after depression-related absence by employees with and without other health conditions: a cohort study. <i>Psychosomatic Medicine</i> , <b>2015</b> , 77, 126-35	3.7	24
17	Trends of diagnosis-specific work disability after newly diagnosed diabetes: a 4-year nationwide prospective cohort study. <i>Diabetes Care</i> , <b>2015</b> , 38, 1883-90	14.6	12
16	Fast-food outlets and grocery stores near school and adolescents' eating habits and overweight in Finland. <i>European Journal of Public Health</i> , <b>2015</b> , 25, 650-5	2.1	36

15	School neighbourhood socio-economic status and teachers' work commitment in Finland: longitudinal survey with register linkage. <i>Teachers and Teaching: Theory and Practice</i> , <b>2015</b> , 21, 131-149	2	7
14	Work disability before and after diabetes diagnosis: a nationwide population-based register study in Sweden. <i>American Journal of Public Health</i> , <b>2015</b> , 105, e22-9	5.1	26
13	Work Disability among Employees with Diabetes: Latent Class Analysis of Risk Factors in Three Prospective Cohort Studies. <i>PLoS ONE</i> , <b>2015</b> , 10, e0143184	3.7	12
12	Is temporary employment a risk factor for work disability due to depressive disorders and delayed return to work? The Finnish Public Sector Study. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2014</b> , 40, 343-52	4.3	22
11	Effect of a leadership intervention on subordinate well-being. <i>Journal of Management Development</i> , <b>2014</b> , 33, 182-195	1.5	12
10	The role of psychiatric, cardiometabolic, and musculoskeletal comorbidity in the recurrence of depression-related work disability. <i>Depression and Anxiety</i> , <b>2014</b> , 31, 796-803	8.4	16
9	Social Capital in Schools <b>2013</b> , 65-85		8
8	Depression-related work disability: socioeconomic inequalities in onset, duration and recurrence. <i>PLoS ONE</i> , <b>2013</b> , 8, e79855	3.7	42
7	Work-related violence, lifestyle, and health among special education teachers working in Finnish basic education. <i>Journal of School Health</i> , <b>2012</b> , 82, 336-43	2.1	16
6	Association of pupil vandalism, bullying and truancy with teachers' absence due to illness: a multilevel analysis. <i>Journal of School Psychology</i> , <b>2012</b> , 50, 347-61	4.5	11
5	School environment as predictor of teacher sick leave: data-linked prospective cohort study. <i>BMC Public Health</i> , <b>2012</b> , 12, 770	4.1	22
4	Students' school satisfaction as predictor of teachers' sickness absence: a prospective cohort study. <i>European Journal of Public Health</i> , <b>2012</b> , 22, 215-9	2.1	13
3	Pupils with special educational needs in basic education schools and teachers' sickness absences--a register-linkage study. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2012</b> , 38, 209-17	4.3	13
2	Sickness absence among Finnish special and general education teachers. <i>Occupational Medicine</i> , <b>2011</b> , 61, 465-71	2.1	13
1	Evaluation of an organizational stress management program in a municipal public works organization. <i>Journal of Occupational Health Psychology</i> , <b>2008</b> , 13, 10-23	5.7	34