

Su-Jin Shin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1971455/publications.pdf>

Version: 2024-02-01

101
papers

1,736
citations

331670

21
h-index

361022

35
g-index

103
all docs

103
docs citations

103
times ranked

3391
citing authors

#	ARTICLE	IF	CITATIONS
1	Microsatellite Instability and Programmed Cell Death-Ligand 1 Expression in Stage II/III Gastric Cancer. <i>Annals of Surgery</i> , 2019, 270, 309-316.	4.2	191
2	Clinicopathologic Analysis of PD-L1 and PD-L2 Expression in Renal Cell Carcinoma: Association with Oncogenic Proteins Status. <i>Annals of Surgical Oncology</i> , 2016, 23, 694-702.	1.5	145
3	Tertiary lymphoid structures: prognostic significance and relationship with tumour-infiltrating lymphocytes in triple-negative breast cancer. <i>Journal of Clinical Pathology</i> , 2016, 69, 422-430.	2.0	117
4	Selective Cytotoxicity of the NAMPT Inhibitor FK866 Toward Gastric Cancer Cells With Markers of the Epithelial-Mesenchymal Transition, Due to Loss of NAPRT. <i>Gastroenterology</i> , 2018, 155, 799-814.e13.	1.3	83
5	PI-RADS Version 2: Detection of Clinically Significant Cancer in Patients With Biopsy Gleason Score 6 Prostate Cancer. <i>American Journal of Roentgenology</i> , 2017, 209, W1-W9.	2.2	56
6	Comprehensive expression profiles of gastric cancer molecular subtypes by immunohistochemistry: implications for individualized therapy. <i>Oncotarget</i> , 2016, 7, 44608-44620.	1.8	46
7	The Association Between PD-L1 Expression and the Clinical Outcomes to Vascular Endothelial Growth Factor-Targeted Therapy in Patients With Metastatic Clear Cell Renal Cell Carcinoma. <i>Oncologist</i> , 2015, 20, 1253-1260.	3.7	40
8	MYC overexpression correlates with <i>MYC</i> amplification or translocation, and is associated with poor prognosis in mantle cell lymphoma. <i>Histopathology</i> , 2016, 68, 442-449.	2.9	34
9	Blastic plasmacytoid dendritic cell neoplasm: a single-center experience. <i>Annals of Hematology</i> , 2013, 92, 351-356.	1.8	32
10	Absolute monocyte count predicts overall survival in mantle cell lymphomas: correlation with tumour-associated macrophages. <i>Hematological Oncology</i> , 2014, 32, 178-186.	1.7	32
11	Automated Gleason Scoring and Tumor Quantification in Prostate Core Needle Biopsy Images Using Deep Neural Networks and Its Comparison with Pathologist-Based Assessment. <i>Cancers</i> , 2019, 11, 1860.	3.7	32
12	A multi-institutional phase Ib/II trial of first-line triplet regimen (Pembrolizumab, Trastuzumab,) Tj ETQqO O O rgBT /Overlock 10 Tf 50 307	1.6	31
13	Prognostic Significance of the Proportion of Ductal Component in Ductal Adenocarcinoma of the Prostate. <i>Journal of Urology</i> , 2017, 197, 1048-1053.	0.4	30
14	Yet Another Automated Gleason Grading System (YAAGGS) by weakly supervised deep learning. <i>Npj Digital Medicine</i> , 2021, 4, 99.	10.9	29
15	Prognostic Significance of Absolute Lymphocyte Count/Absolute Monocyte Count Ratio at Diagnosis in Patients with Multiple Myeloma. <i>Korean Journal of Pathology</i> , 2013, 47, 526.	1.3	27
16	RGS1 expression is associated with poor prognosis in multiple myeloma. <i>Journal of Clinical Pathology</i> , 2017, 70, 202-207.	2.0	27
17	EPB41L5 Mediates TGF β ² -Induced Metastasis of Gastric Cancer. <i>Clinical Cancer Research</i> , 2019, 25, 3617-3629.	7.0	27
18	Positive Expression of Insulin-Like Growth Factor-1 Receptor Is Associated with a Positive Hormone Receptor Status and a Favorable Prognosis in Breast Cancer. <i>Journal of Breast Cancer</i> , 2014, 17, 113.	1.9	25

#	ARTICLE	IF	CITATIONS
19	Metastatic Carcinomas to the Oral Cavity and Oropharynx. Korean Journal of Pathology, 2012, 46, 266.	1.3	25
20	Targeting HER2 in combination with anti-PD-1 and chemotherapy confers a significant tumor shrinkage of gastric cancer: A multi-institutional phase Ib/II trial of first-line triplet regimen (pembrolizumab, Tj ETQq0 0 0 rgBT /Overlock, 10 Tf 50 Oncology, 2020, 38, 3081-3081.	1.6	24
21	FOXO3a expression is associated with lymph node metastasis and poor disease-free survival in triple-negative breast cancer. Journal of Clinical Pathology, 2018, 71, 806-813.	2.0	23
22	Overexpression of Forkhead Box O3a and Its Association With Aggressive Phenotypes and Poor Prognosis in Human Hepatocellular Carcinoma. American Journal of Clinical Pathology, 2018, 149, 117-127.	0.7	22
23	Non-contrast magnetic resonance imaging for bladder cancer: fused high b value diffusion-weighted imaging and T2-weighted imaging helps evaluate depth of invasion. European Radiology, 2017, 27, 3752-3758.	4.5	19
24	PI-RADS version 2: quantitative analysis aids reliable interpretation of diffusion-weighted imaging for prostate cancer. European Radiology, 2017, 27, 2776-2783.	4.5	19
25	Clinicopathologic features of rheumatoid nodules: a retrospective analysis. Clinical Rheumatology, 2019, 38, 3041-3048.	2.2	19
26	Serum glucose excretion after Roux-en-Y gastric bypass: a potential target for diabetes treatment. Gut, 2021, 70, 1847-1856.	12.1	19
27	Feasibility of multiplexed gene mutation detection in plasma samples of colorectal cancer patients by mass spectrometric genotyping. PLoS ONE, 2017, 12, e0176340.	2.5	18
28	Mycoplasma infection promotes tumor progression via interaction of the mycoplasmal protein p37 and epithelial cell adhesion molecule in hepatocellular carcinoma. Cancer Letters, 2019, 454, 44-52.	7.2	17
29	Prognosis of Pancreatic Cancer Patients with Synchronous or Metachronous Malignancies from Other Organs Is Better than Those with Pancreatic Cancer Only. Cancer Research and Treatment, 2018, 50, 1175-1185.	3.0	17
30	MET in gastric cancer with liver metastasis: The relationship between <i>MET</i> amplification and Met overexpression in primary stomach tumors and liver metastasis. Journal of Surgical Oncology, 2018, 117, 1679-1686.	1.7	16
31	Overview of IgG4-Related Tubulointerstitial Nephritis and Its Mimickers. Journal of Pathology and Translational Medicine, 2016, 50, 26-36.	1.1	16
32	Loss of Nuclear BAP1 Expression Is Associated with High WHO/ISUP Grade in Clear Cell Renal Cell Carcinoma. Journal of Pathology and Translational Medicine, 2018, 52, 378-385.	1.1	16
33	Mesothelin Expression Is a Predictive Factor for Peritoneal Recurrence in Curatively Resected Stage III Gastric Cancer. Oncologist, 2019, 24, e1108-e1114.	3.7	15
34	High CD3 and ICOS and low TIM-3 expression predict favourable survival in resected oesophageal squamous cell carcinoma. Scientific Reports, 2019, 9, 20197.	3.3	15
35	Clinical Implications of Microsatellite Instability in Early Gastric Cancer. Journal of Gastric Cancer, 2019, 19, 427.	2.5	15
36	Impact of subcutaneous and visceral fat adiposity in patients with colorectal cancer. Clinical Nutrition, 2021, 40, 5631-5638.	5.0	15

#	ARTICLE	IF	CITATIONS
37	Diverse phenotypes and endotypes of fungus balls caused by mixed bacterial colonization in chronic rhinosinusitis. <i>International Forum of Allergy and Rhinology</i> , 2019, 9, 1360-1366.	2.8	14
38	Mismatch Repair Status of Gastric Cancer and Its Association with the Local and Systemic Immune Response. <i>Oncologist</i> , 2019, 24, e835-e844.	3.7	14
39	High endothelial venule is a surrogate biomarker for T-cell inflamed tumor microenvironment and prognosis in gastric cancer. , 2021, 9, e003353.		14
40	Association of Microbial Dysbiosis with Gallbladder Diseases Identified by Bile Microbiome Profiling. <i>Journal of Korean Medical Science</i> , 2021, 36, e189.	2.5	13
41	PI-RADS version 2: Preoperative role in the detection of normal-sized pelvic lymph node metastasis in prostate cancer. <i>European Journal of Radiology</i> , 2017, 91, 22-28.	2.6	12
42	Involvement of the TNF- α Pathway in TKI Resistance and Suggestion of TNFR1 as a Predictive Biomarker for TKI Responsiveness in Clear Cell Renal Cell Carcinoma. <i>Journal of Korean Medical Science</i> , 2020, 35, e31.	2.5	12
43	Association of Albumin-Bilirubin Grade and Myosteatosis with its Prognostic Significance for Patients with Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2022, 29, 3868-3876.	1.5	12
44	Frequency of GNAS R201H substitution mutation in polyostotic fibrous dysplasia: Pyrosequencing analysis in tissue samples with or without decalcification. <i>Scientific Reports</i> , 2017, 7, 2836.	3.3	11
45	Clinical Impact of Combined Modified Glasgow Prognostic Score and C-Reactive Protein/Albumin Ratio in Patients with Colorectal Cancer. <i>Diagnostics</i> , 2020, 10, 859.	2.6	11
46	Prevalence and Clinicopathological Significance of MET Overexpression and Gene Amplification in Patients with Gallbladder Carcinoma. <i>Cancer Research and Treatment</i> , 2020, 52, 481-491.	3.0	11
47	Serum Calcitonin-Negative Medullary Thyroid Carcinoma: A Case Series of 19 Patients in a Single Center. <i>Frontiers in Endocrinology</i> , 2021, 12, 747704.	3.5	11
48	A case of gastric cancer metastasis to the breast in a female with BRCA2 germline mutation and literature review. <i>Acta Chirurgica Belgica</i> , 2019, 119, 59-63.	0.4	10
49	Prognoses and Clinical Outcomes of Primary and Recurrent Uveal Melanoma. <i>Cancer Research and Treatment</i> , 2018, 50, 1238-1251.	3.0	10
50	Skeletal muscle gauge as a prognostic factor in patients with colorectal cancer. <i>Cancer Medicine</i> , 2021, 10, 8451-8461.	2.8	10
51	Expression of CD99 in Multiple Myeloma: A Clinicopathologic and Immunohistochemical Study of 170 Cases. <i>Korean Journal of Pathology</i> , 2014, 48, 209.	1.3	9
52	Solid Small Renal Mass Without Gross Fat: CT Criteria for Achieving Excellent Positive Predictive Value for Renal Cell Carcinoma. <i>American Journal of Roentgenology</i> , 2018, 210, W148-W155.	2.2	9
53	Correlation of tumor uptake on breast-specific gamma imaging and fluorodeoxyglucose PET/CT with molecular subtypes of breast cancer. <i>Medicine (United States)</i> , 2018, 97, e12840.	1.0	9
54	HoxB13 expression in ductal type adenocarcinoma of prostate: clinicopathologic characteristics and its utility as potential diagnostic marker. <i>Scientific Reports</i> , 2019, 9, 20205.	3.3	9

#	ARTICLE	IF	CITATIONS
55	<scp>TCL</scp> 1 expression predicts overall survival in patients with mantle cell lymphoma. <i>European Journal of Haematology</i> , 2015, 95, 583-594.	2.2	8
56	Total intraglandular and index tumor volumes predict biochemical recurrence in prostate cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 469, 305-312.	2.8	8
57	Prevalence of cancer susceptibility variants in patients with multiple Lynch syndrome related cancers. <i>Scientific Reports</i> , 2021, 11, 14807.	3.3	8
58	Complementary utility of targeted next-generation sequencing and immunohistochemistry panels as a screening platform to select targeted therapy for advanced gastric cancer. <i>Oncotarget</i> , 2017, 8, 38389-38398.	1.8	8
59	Bacterial Ball as an Unusual Finding in Patients With Chronic Rhinosinusitis. <i>Clinical and Experimental Otorhinolaryngology</i> , 2018, 11, 40-45.	2.1	8
60	The Pellino1- μ PKC δ Signaling Axis Is an Essential Target for Improving Antitumor CD8+ T-lymphocyte Function. <i>Cancer Immunology Research</i> , 2022, 10, 327-342.	3.4	8
61	Prognostic Significance of Vas Deferens Invasion After Radical Prostatectomy in Patients with Pathological Stage T3b Prostate Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 1143-1149.	1.5	7
62	Single-stranded DNA binding protein 2 expression is associated with patient survival in hepatocellular carcinoma. <i>BMC Cancer</i> , 2018, 18, 1244.	2.6	7
63	Phase II trial of preoperative sequential chemotherapy followed by chemoradiotherapy for high-risk gastric cancer. <i>Radiotherapy and Oncology</i> , 2019, 140, 143-149.	0.6	7
64	Signaling Role of Adipocyte Leptin in Prostate Cell Proliferation Induced by <i>Trichomonas vaginalis</i> . <i>Korean Journal of Parasitology</i> , 2021, 59, 235-249.	1.3	7
65	Clinicopathologic and genomic characteristics of mucinous gastric adenocarcinoma. <i>Gastric Cancer</i> , 2022, 25, 697-711.	5.3	7
66	Tropomyosin-Related Kinase Fusions in Gastrointestinal Stromal Tumors. <i>Cancers</i> , 2022, 14, 2659.	3.7	7
67	Wnt7a Deficiency Could Predict Worse Disease-Free and Overall Survival in Estrogen Receptor-Positive Breast Cancer. <i>Journal of Breast Cancer</i> , 2017, 20, 361.	1.9	6
68	Loss of MTUS1 Expression Is Associated With Poor Prognosis in Patients With Gallbladder Carcinoma. <i>In Vivo</i> , 2020, 34, 125-132.	1.3	6
69	Utilization potential of intraluminal optical coherence tomography for the Eustachian tube. <i>Scientific Reports</i> , 2021, 11, 6219.	3.3	6
70	Correlation of Clinical and Histopathologic Parameters with Ultrasonographic Grades in Pediatric Non-Alcoholic Fatty Liver Disease. <i>Journal of Korean Medical Science</i> , 2019, 34, e298.	2.5	6
71	Recognition of parametrial invasion, an important landmark when treating cervical cancer. <i>Gynecologic Oncology</i> , 2012, 124, 502-507.	1.4	5
72	Prognostic Significance of Macroscopic Appearance in Clear Cell Renal Cell Carcinoma and Its Metastasis- μ Predicting Model. <i>Pathology International</i> , 2017, 67, 610-619.	1.3	5

#	ARTICLE	IF	CITATIONS
73	Low Expression of Single-stranded DNA Binding Protein 2 (SSBP2) Predicts Unfavourable Postoperative Outcomes in Patients With Clear Cell Renal Cell Carcinoma. <i>In Vivo</i> , 2020, 34, 101-107.	1.3	5
74	Nuclear Expression Loss of SSBP2 Is Associated with Poor Prognostic Factors in Colorectal Adenocarcinoma. <i>Diagnostics</i> , 2020, 10, 1097.	2.6	5
75	FGFR1 is associated with c-MYC and proangiogenic molecules in metastatic renal cell carcinoma under anti-angiogenic therapy. <i>Histopathology</i> , 2020, 76, 838-851.	2.9	5
76	Elevated Neutrophil-to-Lymphocyte Ratio in Perioperative Periods is Suggestive of Poor Prognosis in Patients with Colorectal Cancer. <i>Journal of Inflammation Research</i> , 2021, Volume 14, 4457-4466.	3.5	5
77	Clinicopathological Significance of MTUS1 Expression in Patients With Renal Cell Carcinoma. <i>Anticancer Research</i> , 2020, 40, 2961-2967.	1.1	5
78	Association of Body Mass Index with Survival in Asian Patients with Colorectal Cancer. <i>Cancer Research and Treatment</i> , 2022, 54, 860-872.	3.0	5
79	Phase II Clinical Trial of Eribulin-Gemcitabine Combination Therapy in Previously Treated Patients With Advanced Liposarcoma or Leiomyosarcoma. <i>Clinical Cancer Research</i> , 2022, 28, 3225-3234.	7.0	5
80	Carbon monoxide-releasing molecule-3: Amelioration of renal ischemia reperfusion injury in a rat model. <i>Investigative and Clinical Urology</i> , 2020, 61, 441.	2.0	4
81	Low DUSP4 Expression Is Associated With Aggressive Phenotypes and Poor Prognosis in Gastric Cancer. <i>In Vivo</i> , 2021, 35, 131-140.	1.3	3
82	Systemic Manifestations of Immunoglobulin G4-Related Disease: A Pictorial Essay. <i>Journal of the Korean Society of Radiology</i> , 2021, 82, 575.	0.2	3
83	Mixed Carcinoid-Mucinous Adenocarcinoma Arising in Mature Teratoma of Mesentery. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 61-65.	1.1	3
84	Loss of DUSP4 Expression as a Prognostic Biomarker in Clear Cell Renal Cell Carcinoma. <i>Diagnostics</i> , 2021, 11, 1939.	2.6	3
85	PD-L1 Upregulation by the mTOR Pathway in VEGFR-TKI-Resistant Metastatic Clear Cell Renal Cell Carcinoma. <i>Cancer Research and Treatment</i> , 2023, 55, 231-244.	3.0	3
86	An Effective Immune-Monitoring Protocol Based on Gene Expression Profiles in the Peripheral T-Cell Fraction Reactive to Graft Antigens. <i>Transplantation</i> , 2012, 94, 802-808.	1.0	2
87	Effects of acute normovolemic hemodilution on healing of gastric anastomosis in rats. <i>Annals of Surgical Treatment and Research</i> , 2018, 95, 312.	1.0	2
88	Heterotopic Gastric Mucosa in the Common Bile Duct With Cholangiocarcinoma. <i>International Journal of Surgical Pathology</i> , 2018, 26, 745-748.	0.8	2
89	Primary Histiocytic Sarcoma Presenting as a Breast Mass: A Case Report. <i>Journal of Breast Cancer</i> , 2019, 22, 491.	1.9	2
90	The loss of nuclear expression of single-stranded DNA binding protein 2 of gastric adenocarcinoma and its prognostic role: Analysis of molecular subtype. <i>PLoS ONE</i> , 2020, 15, e0236896.	2.5	2

#	ARTICLE	IF	CITATIONS
91	Neo-Fs Index: A Novel Immunohistochemical Biomarker Panel Predicts Survival and Response to Anti-Angiogenetic Agents in Clear Cell Renal Cell Carcinoma. <i>Cancers</i> , 2021, 13, 1199.	3.7	2
92	Loss of Single-Stranded DNA Binding Protein 2 Expression Is Associated with Aggressiveness and Poor Overall Survival in Patients with Invasive Breast Carcinoma. <i>Diagnostics</i> , 2022, 12, 487.	2.6	2
93	ASO Visual Abstract: Association Between Albumin-Bilirubin Grade and Myosteatosis and Its Prognostic Significance for Patients with Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2022, , .	1.5	2
94	Case series of precursor B-cell lymphoblastic lymphoma. <i>Blood Research</i> , 2014, 49, 270.	1.3	1
95	Pathology of C3 Glomerulopathy. <i>Childhood Kidney Diseases</i> , 2019, 23, 93-99.	0.4	1
96	PPAR β Targets-Derived Diagnostic and Prognostic Index for Papillary Thyroid Cancer. <i>Cancers</i> , 2021, 13, 5110.	3.7	1
97	Contrasting Prognostic Effects of Tumor-Infiltrating Lymphocyte Density in Cardia and Non-cardia Gastric Adenocarcinomas. <i>Journal of Gastric Cancer</i> , 2020, 20, 190.	2.5	1
98	Loss of Wnt7a expression correlates with tumor progression and poor prognosis in colorectal carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 4967-4976.	0.5	1
99	The Clinical Impact of Combining Neutrophil-to-Lymphocyte Ratio with Sarcopenia for Improved Discrimination of Progression-Free Survival in Patients with Colorectal Cancer. <i>Journal of Clinical Medicine</i> , 2022, 11, 431.	2.4	1
100	Decreased Expression of Cell Adhesion Molecule 4 in Gastric Adenocarcinoma and Its Prognostic Implications. <i>Diagnostics</i> , 2022, 12, 941.	2.6	1
101	Leukemic manifestation of anaplastic lymphoma kinase-negative-type anaplastic large-cell lymphoma. <i>The Korean Journal of Hematology</i> , 2012, 47, 6.	0.7	0