

Su-Jin Shin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1971455/publications.pdf>

Version: 2024-02-01

101
papers

1,736
citations

377584

21
h-index

406436

35
g-index

103
all docs

103
docs citations

103
times ranked

3591
citing authors

#	ARTICLE	IF	CITATIONS
1	PD-L1 Upregulation by the mTOR Pathway in VEGFR-TKI-Resistant Metastatic Clear Cell Renal Cell Carcinoma. <i>Cancer Research and Treatment</i> , 2023, 55, 231-244.	1.3	3
2	Association of Body Mass Index with Survival in Asian Patients with Colorectal Cancer. <i>Cancer Research and Treatment</i> , 2022, 54, 860-872.	1.3	5
3	The Clinical Impact of Combining Neutrophil-to-Lymphocyte Ratio with Sarcopenia for Improved Discrimination of Progression-Free Survival in Patients with Colorectal Cancer. <i>Journal of Clinical Medicine</i> , 2022, 11, 431.	1.0	1
4	The Pellino-1/PKC δ Signaling Axis Is an Essential Target for Improving Antitumor CD8+ T-lymphocyte Function. <i>Cancer Immunology Research</i> , 2022, 10, 327-342.	1.6	8
5	Association of Albumin-Bilirubin Grade and Myosteatosis with its Prognostic Significance for Patients with Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2022, 29, 3868-3876.	0.7	12
6	Loss of Single-Stranded DNA Binding Protein 2 Expression Is Associated with Aggressiveness and Poor Overall Survival in Patients with Invasive Breast Carcinoma. <i>Diagnostics</i> , 2022, 12, 487.	1.3	2
7	ASO Visual Abstract: Association Between Albumin-Bilirubin Grade and Myosteatosis and Its Prognostic Significance for Patients with Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2022, , .	0.7	2
8	Decreased Expression of Cell Adhesion Molecule 4 in Gastric Adenocarcinoma and Its Prognostic Implications. <i>Diagnostics</i> , 2022, 12, 941.	1.3	1
9	Clinicopathologic and genomic characteristics of mucinous gastric adenocarcinoma. <i>Gastric Cancer</i> , 2022, 25, 697-711.	2.7	7
10	Phase II Clinical Trial of Eribulin-Gemcitabine Combination Therapy in Previously Treated Patients With Advanced Liposarcoma or Leiomyosarcoma. <i>Clinical Cancer Research</i> , 2022, 28, 3225-3234.	3.2	5
11	Tropomyosin-Related Kinase Fusions in Gastrointestinal Stromal Tumors. <i>Cancers</i> , 2022, 14, 2659.	1.7	7
12	Serum glucose excretion after Roux-en-Y gastric bypass: a potential target for diabetes treatment. <i>Gut</i> , 2021, 70, 1847-1856.	6.1	19
13	Association of Microbial Dysbiosis with Gallbladder Diseases Identified by Bile Microbiome Profiling. <i>Journal of Korean Medical Science</i> , 2021, 36, e189.	1.1	13
14	Low DUSP4 Expression Is Associated With Aggressive Phenotypes and Poor Prognosis in Gastric Cancer. <i>In Vivo</i> , 2021, 35, 131-140.	0.6	3
15	Utilization potential of intraluminal optical coherence tomography for the Eustachian tube. <i>Scientific Reports</i> , 2021, 11, 6219.	1.6	6
16	Neo-Fs Index: A Novel Immunohistochemical Biomarker Panel Predicts Survival and Response to Anti-Angiogenic Agents in Clear Cell Renal Cell Carcinoma. <i>Cancers</i> , 2021, 13, 1199.	1.7	2
17	Yet Another Automated Gleason Grading System (YAAGGS) by weakly supervised deep learning. <i>Npj Digital Medicine</i> , 2021, 4, 99.	5.7	29
18	Signaling Role of Adipocyte Leptin in Prostate Cell Proliferation Induced by <i>Trichomonas vaginalis</i> . <i>Korean Journal of Parasitology</i> , 2021, 59, 235-249.	0.5	7

#	ARTICLE	IF	CITATIONS
19	Prevalence of cancer susceptibility variants in patients with multiple Lynch syndrome related cancers. <i>Scientific Reports</i> , 2021, 11, 14807.	1.6	8
20	Elevated Neutrophil-to-Lymphocyte Ratio in Perioperative Periods is Suggestive of Poor Prognosis in Patients with Colorectal Cancer. <i>Journal of Inflammation Research</i> , 2021, Volume 14, 4457-4466.	1.6	5
21	A multi-institutional phase Ib/II trial of first-line triplet regimen (Pembrolizumab, Trastuzumab,) Tj ETQq1 1 0.784314 rgBT /Overlock 1	0.8	31
22	Systemic Manifestations of Immunoglobulin G4-Related Disease: A Pictorial Essay. <i>Journal of the Korean Society of Radiology</i> , 2021, 82, 575.	0.1	3
23	PPAR γ Targets-Derived Diagnostic and Prognostic Index for Papillary Thyroid Cancer. <i>Cancers</i> , 2021, 13, 5110.	1.7	1
24	Skeletal muscle gauge as a prognostic factor in patients with colorectal cancer. <i>Cancer Medicine</i> , 2021, 10, 8451-8461.	1.3	10
25	Loss of DUSP4 Expression as a Prognostic Biomarker in Clear Cell Renal Cell Carcinoma. <i>Diagnostics</i> , 2021, 11, 1939.	1.3	3
26	Impact of subcutaneous and visceral fat adiposity in patients with colorectal cancer. <i>Clinical Nutrition</i> , 2021, 40, 5631-5638.	2.3	15
27	Serum Calcitonin-Negative Medullary Thyroid Carcinoma: A Case Series of 19 Patients in a Single Center. <i>Frontiers in Endocrinology</i> , 2021, 12, 747704.	1.5	11
28	High endothelial venule is a surrogate biomarker for T-cell inflamed tumor microenvironment and prognosis in gastric cancer. , 2021, 9, e003353.		14
29	Low Expression of Single-stranded DNA Binding Protein 2 (SSBP2) Predicts Unfavourable Postoperative Outcomes in Patients With Clear Cell Renal Cell Carcinoma. <i>In Vivo</i> , 2020, 34, 101-107.	0.6	5
30	Loss of MTUS1 Expression Is Associated With Poor Prognosis in Patients With Gallbladder Carcinoma. <i>In Vivo</i> , 2020, 34, 125-132.	0.6	6
31	The loss of nuclear expression of single-stranded DNA binding protein 2 of gastric adenocarcinoma and its prognostic role: Analysis of molecular subtype. <i>PLoS ONE</i> , 2020, 15, e0236896.	1.1	2
32	Clinical Impact of Combined Modified Glasgow Prognostic Score and C-Reactive Protein/Albumin Ratio in Patients with Colorectal Cancer. <i>Diagnostics</i> , 2020, 10, 859.	1.3	11
33	Nuclear Expression Loss of SSBP2 Is Associated with Poor Prognostic Factors in Colorectal Adenocarcinoma. <i>Diagnostics</i> , 2020, 10, 1097.	1.3	5
34	Involvement of the TNF- α Pathway in TKI Resistance and Suggestion of TNFR1 as a Predictive Biomarker for TKI Responsiveness in Clear Cell Renal Cell Carcinoma. <i>Journal of Korean Medical Science</i> , 2020, 35, e31.	1.1	12
35	FGFR1 is associated with c-MYC and proangiogenic molecules in metastatic renal cell carcinoma under anti-angiogenic therapy. <i>Histopathology</i> , 2020, 76, 838-851.	1.6	5
36	Targeting HER2 in combination with anti-PD-1 and chemotherapy confers a significant tumor shrinkage of gastric cancer: A multi-institutional phase Ib/II trial of first-line triplet regimen (pembrolizumab,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 24 <i>Oncology</i> , 2020, 38, 3081-3081.	0.8	24

#	ARTICLE	IF	CITATIONS
37	Clinicopathological Significance of MTUS1 Expression in Patients With Renal Cell Carcinoma. <i>Anticancer Research</i> , 2020, 40, 2961-2967.	0.5	5
38	Carbon monoxide-releasing molecule-3: Amelioration of renal ischemia reperfusion injury in a rat model. <i>Investigative and Clinical Urology</i> , 2020, 61, 441.	1.0	4
39	Prevalence and Clinicopathological Significance of MET Overexpression and Gene Amplification in Patients with Gallbladder Carcinoma. <i>Cancer Research and Treatment</i> , 2020, 52, 481-491.	1.3	11
40	Contrasting Prognostic Effects of Tumor-Infiltrating Lymphocyte Density in Cardia and Non-cardia Gastric Adenocarcinomas. <i>Journal of Gastric Cancer</i> , 2020, 20, 190.	0.9	1
41	Microsatellite Instability and Programmed Cell Death-Ligand 1 Expression in Stage II/III Gastric Cancer. <i>Annals of Surgery</i> , 2019, 270, 309-316.	2.1	191
42	Diverse phenotypes and endotypes of fungus balls caused by mixed bacterial colonization in chronic rhinosinusitis. <i>International Forum of Allergy and Rhinology</i> , 2019, 9, 1360-1366.	1.5	14
43	Phase II trial of preoperative sequential chemotherapy followed by chemoradiotherapy for high-risk gastric cancer. <i>Radiotherapy and Oncology</i> , 2019, 140, 143-149.	0.3	7
44	Clinicopathologic features of rheumatoid nodules: a retrospective analysis. <i>Clinical Rheumatology</i> , 2019, 38, 3041-3048.	1.0	19
45	Primary Histiocytic Sarcoma Presenting as a Breast Mass: A Case Report. <i>Journal of Breast Cancer</i> , 2019, 22, 491.	0.8	2
46	Mycoplasma infection promotes tumor progression via interaction of the mycoplasmal protein p37 and epithelial cell adhesion molecule in hepatocellular carcinoma. <i>Cancer Letters</i> , 2019, 454, 44-52.	3.2	17
47	EPB41L5 Mediates TGF β -Induced Metastasis of Gastric Cancer. <i>Clinical Cancer Research</i> , 2019, 25, 3617-3629.	3.2	27
48	Mesothelin Expression Is a Predictive Factor for Peritoneal Recurrence in Curatively Resected Stage III Gastric Cancer. <i>Oncologist</i> , 2019, 24, e1108-e1114.	1.9	15
49	HoxB13 expression in ductal type adenocarcinoma of prostate: clinicopathologic characteristics and its utility as potential diagnostic marker. <i>Scientific Reports</i> , 2019, 9, 20205.	1.6	9
50	Mismatch Repair Status of Gastric Cancer and Its Association with the Local and Systemic Immune Response. <i>Oncologist</i> , 2019, 24, e835-e844.	1.9	14
51	Automated Gleason Scoring and Tumor Quantification in Prostate Core Needle Biopsy Images Using Deep Neural Networks and Its Comparison with Pathologist-Based Assessment. <i>Cancers</i> , 2019, 11, 1860.	1.7	32
52	High CD3 and ICOS and low TIM-3 expression predict favourable survival in resected oesophageal squamous cell carcinoma. <i>Scientific Reports</i> , 2019, 9, 20197.	1.6	15
53	A case of gastric cancer metastasis to the breast in a female with BRCA2 germline mutation and literature review. <i>Acta Chirurgica Belgica</i> , 2019, 119, 59-63.	0.2	10
54	Pathology of C3 Glomerulopathy. <i>Childhood Kidney Diseases</i> , 2019, 23, 93-99.	0.1	1

#	ARTICLE	IF	CITATIONS
55	Correlation of Clinical and Histopathologic Parameters with Ultrasonographic Grades in Pediatric Non-Alcoholic Fatty Liver Disease. <i>Journal of Korean Medical Science</i> , 2019, 34, e298.	1.1	6
56	Clinical Implications of Microsatellite Instability in Early Gastric Cancer. <i>Journal of Gastric Cancer</i> , 2019, 19, 427.	0.9	15
57	Solid Small Renal Mass Without Gross Fat: CT Criteria for Achieving Excellent Positive Predictive Value for Renal Cell Carcinoma. <i>American Journal of Roentgenology</i> , 2018, 210, W148-W155.	1.0	9
58	Overexpression of Forkhead Box O3a and Its Association With Aggressive Phenotypes and Poor Prognosis in Human Hepatocellular Carcinoma. <i>American Journal of Clinical Pathology</i> , 2018, 149, 117-127.	0.4	22
59	FOXO3a expression is associated with lymph node metastasis and poor disease-free survival in triple-negative breast cancer. <i>Journal of Clinical Pathology</i> , 2018, 71, 806-813.	1.0	23
60	Correlation of tumor uptake on breast-specific gamma imaging and fluorodeoxyglucose PET/CT with molecular subtypes of breast cancer. <i>Medicine (United States)</i> , 2018, 97, e12840.	0.4	9
61	Single-stranded DNA binding protein 2 expression is associated with patient survival in hepatocellular carcinoma. <i>BMC Cancer</i> , 2018, 18, 1244.	1.1	7
62	Effects of acute normovolemic hemodilution on healing of gastric anastomosis in rats. <i>Annals of Surgical Treatment and Research</i> , 2018, 95, 312.	0.4	2
63	Heterotopic Gastric Mucosa in the Common Bile Duct With Cholangiocarcinoma. <i>International Journal of Surgical Pathology</i> , 2018, 26, 745-748.	0.4	2
64	MET in gastric cancer with liver metastasis: The relationship between <i>MET</i> amplification and Met overexpression in primary stomach tumors and liver metastasis. <i>Journal of Surgical Oncology</i> , 2018, 117, 1679-1686.	0.8	16
65	Selective Cytotoxicity of the NAMPT Inhibitor FK866 Toward Gastric Cancer Cells With Markers of the Epithelial-Mesenchymal Transition, Due to Loss of NAPRT. <i>Gastroenterology</i> , 2018, 155, 799-814.e13.	0.6	83
66	Bacterial Ball as an Unusual Finding in Patients With Chronic Rhinosinusitis. <i>Clinical and Experimental Otorhinolaryngology</i> , 2018, 11, 40-45.	1.1	8
67	Loss of Nuclear BAP1 Expression Is Associated with High WHO/ISUP Grade in Clear Cell Renal Cell Carcinoma. <i>Journal of Pathology and Translational Medicine</i> , 2018, 52, 378-385.	0.4	16
68	Prognosis of Pancreatic Cancer Patients with Synchronous or Metachronous Malignancies from Other Organs Is Better than Those with Pancreatic Cancer Only. <i>Cancer Research and Treatment</i> , 2018, 50, 1175-1185.	1.3	17
69	Prognoses and Clinical Outcomes of Primary and Recurrent Uveal Melanoma. <i>Cancer Research and Treatment</i> , 2018, 50, 1238-1251.	1.3	10
70	Loss of Wnt7a expression correlates with tumor progression and poor prognosis in colorectal carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 4967-4976.	0.5	1
71	RGS1 expression is associated with poor prognosis in multiple myeloma. <i>Journal of Clinical Pathology</i> , 2017, 70, 202-207.	1.0	27
72	Non-contrast magnetic resonance imaging for bladder cancer: fused high b value diffusion-weighted imaging and T2-weighted imaging helps evaluate depth of invasion. <i>European Radiology</i> , 2017, 27, 3752-3758.	2.3	19

#	ARTICLE	IF	CITATIONS
73	PI-RADS Version 2: Detection of Clinically Significant Cancer in Patients With Biopsy Gleason Score 6 Prostate Cancer. <i>American Journal of Roentgenology</i> , 2017, 209, W1-W9.	1.0	56
74	Prognostic Significance of the Proportion of Ductal Component in Ductal Adenocarcinoma of the Prostate. <i>Journal of Urology</i> , 2017, 197, 1048-1053.	0.2	30
75	PI-RADS version 2: Preoperative role in the detection of normal-sized pelvic lymph node metastasis in prostate cancer. <i>European Journal of Radiology</i> , 2017, 91, 22-28.	1.2	12
76	Prognostic Significance of Vas Deferens Invasion After Radical Prostatectomy in Patients with Pathological Stage T3b Prostate Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 1143-1149.	0.7	7
77	PI-RADS version 2: quantitative analysis aids reliable interpretation of diffusion-weighted imaging for prostate cancer. <i>European Radiology</i> , 2017, 27, 2776-2783.	2.3	19
78	Prognostic Significance of Macroscopic Appearance in Clear Cell Renal Cell Carcinoma and Its Metastasisâ€Predicting Model. <i>Pathology International</i> , 2017, 67, 610-619.	0.6	5
79	Frequency of GNAS R201H substitution mutation in polyostotic fibrous dysplasia: Pyrosequencing analysis in tissue samples with or without decalcification. <i>Scientific Reports</i> , 2017, 7, 2836.	1.6	11
80	Wnt7a Deficiency Could Predict Worse Disease-Free and Overall Survival in Estrogen Receptor-Positive Breast Cancer. <i>Journal of Breast Cancer</i> , 2017, 20, 361.	0.8	6
81	Feasibility of multiplexed gene mutation detection in plasma samples of colorectal cancer patients by mass spectrometric genotyping. <i>PLoS ONE</i> , 2017, 12, e0176340.	1.1	18
82	Complementary utility of targeted next-generation sequencing and immunohistochemistry panels as a screening platform to select targeted therapy for advanced gastric cancer. <i>Oncotarget</i> , 2017, 8, 38389-38398.	0.8	8
83	Comprehensive expression profiles of gastric cancer molecular subtypes by immunohistochemistry: implications for individualized therapy. <i>Oncotarget</i> , 2016, 7, 44608-44620.	0.8	46
84	Total intraglandular and index tumor volumes predict biochemical recurrence in prostate cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 469, 305-312.	1.4	8
85	MYC overexpression correlates with MYC amplification or translocation, and is associated with poor prognosis in mantle cell lymphoma. <i>Histopathology</i> , 2016, 68, 442-449.	1.6	34
86	Tertiary lymphoid structures: prognostic significance and relationship with tumour-infiltrating lymphocytes in triple-negative breast cancer. <i>Journal of Clinical Pathology</i> , 2016, 69, 422-430.	1.0	117
87	Clinicopathologic Analysis of PD-L1 and PD-L2 Expression in Renal Cell Carcinoma: Association with Oncogenic Proteins Status. <i>Annals of Surgical Oncology</i> , 2016, 23, 694-702.	0.7	145
88	Overview of IgG4-Related Tubulointerstitial Nephritis and Its Mimickers. <i>Journal of Pathology and Translational Medicine</i> , 2016, 50, 26-36.	0.4	16
89	TCL1 expression predicts overall survival in patients with mantle cell lymphoma. <i>European Journal of Haematology</i> , 2015, 95, 583-594.	1.1	8
90	The Association Between PD-L1 Expression and the Clinical Outcomes to Vascular Endothelial Growth Factor-Targeted Therapy in Patients With Metastatic Clear Cell Renal Cell Carcinoma. <i>Oncologist</i> , 2015, 20, 1253-1260.	1.9	40

#	ARTICLE	IF	CITATIONS
91	Mixed Carcinoid-Mucinous Adenocarcinoma Arising in Mature Teratoma of Mesentery. Journal of Pathology and Translational Medicine, 2015, 49, 61-65.	0.4	3
92	Positive Expression of Insulin-Like Growth Factor-1 Receptor Is Associated with a Positive Hormone Receptor Status and a Favorable Prognosis in Breast Cancer. Journal of Breast Cancer, 2014, 17, 113.	0.8	25
93	Case series of precursor B-cell lymphoblastic lymphoma. Blood Research, 2014, 49, 270.	0.5	1
94	Expression of CD99 in Multiple Myeloma: A Clinicopathologic and Immunohistochemical Study of 170 Cases. Korean Journal of Pathology, 2014, 48, 209.	1.2	9
95	Absolute monocyte count predicts overall survival in mantle cell lymphomas: correlation with tumour-associated macrophages. Hematological Oncology, 2014, 32, 178-186.	0.8	32
96	Blastic plasmacytoid dendritic cell neoplasm: a single-center experience. Annals of Hematology, 2013, 92, 351-356.	0.8	32
97	Prognostic Significance of Absolute Lymphocyte Count/Absolute Monocyte Count Ratio at Diagnosis in Patients with Multiple Myeloma. Korean Journal of Pathology, 2013, 47, 526.	1.2	27
98	An Effective Immune-Monitoring Protocol Based on Gene Expression Profiles in the Peripheral T-Cell Fraction Reactive to Graft Antigens. Transplantation, 2012, 94, 802-808.	0.5	2
99	Leukemic manifestation of anaplastic lymphoma kinase-negative-type anaplastic large-cell lymphoma. The Korean Journal of Hematology, 2012, 47, 6.	0.7	0
100	Recognition of parametrial invasion, an important landmark when treating cervical cancer. Gynecologic Oncology, 2012, 124, 502-507.	0.6	5
101	Metastatic Carcinomas to the Oral Cavity and Oropharynx. Korean Journal of Pathology, 2012, 46, 266.	1.2	25