Maria Angeles Gómez-Morales

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1972260/publications.pdf

Version: 2024-02-01

92 papers 2,558 citations

172457 29 h-index 233421 45 g-index

94 all docs 94
docs citations

times ranked

94

1929 citing authors

#	Article	IF	Citations
1	Serological testing for Trichinella infection in animals and man: Current status and opportunities for advancements. Food and Waterborne Parasitology, 2022, 27, e00165.	2.7	5
2	Second outbreak of <i>Trichinella pseudospiralis</i> in Europe: clinical patterns, epidemiological investigation and identification of the etiological agent based on the western blot patterns of the patients' serum. Zoonoses and Public Health, 2021, 68, 29-37.	2.2	17
3	Immunodiagnosis., 2021,, 369-393.		O
4	Clonorchis and Opisthorchis. , 2021, , .		0
5	HERBIVORES AS ACCIDENTAL HOSTS FOR TRICHINELLA: SEARCH FOR EVIDENCE OF TRICHINELLA INFECTION AND EXPOSURE IN FREE-RANGING MOOSE (ALCES ALCES) IN A HIGHLY ENDEMIC SETTING. Journal of Wildlife Diseases, 2021, 57, 116-124.	0.8	3
6	The detection of anti-Trichinella antibodies in free-ranging Nebrodi Regional Park black pigs from Sicily, Italy, suggests the circulation of Trichinella britovi in the island. Veterinary Parasitology: Regional Studies and Reports, 2021, 24, 100578.	0.5	3
7	Collaborative Studies for the Detection of Taenia spp. Infections in Humans within CYSTINET, the European Network on Taeniosis/Cysticercosis. Microorganisms, 2021, 9, 1173.	3.6	3
8	Surveillance of foodborne parasitic diseases in Europe in a One Health approach. Parasite Epidemiology and Control, 2021, 13, e00205.	1.8	25
9	A Bead-Based Assay for the Detection of Antibodies against Trichinella spp. Infection in Humans. American Journal of Tropical Medicine and Hygiene, 2021, 104, 1858-1862.	1.4	4
10	Animal welfare and zoonosis risk: anti-Trichinella antibodies in breeding pigs farmed under controlled housing conditions. Parasites and Vectors, 2021, 14, 417.	2.5	7
11	Accuracy of an experimental whole-blood test for detecting reactivation of echinococcal cysts. PLoS Neglected Tropical Diseases, 2021, 15, e0009648.	3.0	6
12	Human trichinellosis caused by <i>Trichinella britovi</i> in Greece, and literature review. Journal of Helminthology, 2020, 94, e33.	1.0	14
13	Species specificity preliminary evaluation of an ILâ€4â€based test for the differential diagnosis of human echinococcosis. Parasite Immunology, 2020, 42, e12695.	1.5	9
14	Differences in larval survival and IgG response patterns in long-lasting infections by Trichinella spiralis, Trichinella britovi and Trichinella pseudospiralis in pigs. Parasites and Vectors, 2020, 13, 520.	2.5	28
15	Epidemiology and surveillance of human (neuro)cysticercosis in Europe: is enhanced surveillance required?. Tropical Medicine and International Health, 2020, 25, 566-578.	2.3	9
16	Glutathione-S-transferase omega 1 and nurse cell formation during experimental Trichinella infection. Veterinary Parasitology, 2020, 297, 109114.	1.8	6
17	AnisakisÂSensitization in the Croatian fish processing workers: Behavioral instead of occupational risk factors?. PLoS Neglected Tropical Diseases, 2020, 14, e0008038.	3.0	8
18	Evaluation of a commercial enzyme-linked immunosorbent assay (ELISA) for detecting antibodies against Toxoplasma gondii from naturally and experimentally infected pigs. Infectious Diseases, 2019, 51, 26-31.	2.8	10

#	Article	IF	CITATIONS
19	Retrospective analysis of hospital discharge records for cases of trichinellosis does not allow evaluation of disease burden in Italy. Parasite, 2019, 26, 42.	2.0	13
20	International Commission on Trichinellosis: Recommendations on the use of serological tests for the detection of Trichinella infection in animals and humans. Food and Waterborne Parasitology, 2019, 14, e00032.	2.7	48
21	Delivery of SA35 and SA40 peptides in mice enhances humoral and cellular immune responses and confers protection against Cryptosporidium parvum infection. Parasites and Vectors, 2019, 12, 233.	2.5	6
22	Comparative analysis of excretory-secretory antigens of Anisakis simplex, Pseudoterranova decipiens and Contracaecum osculatum regarding their applicability for specific serodiagnosis of human anisakidosis based on IgG-ELISA. Experimental Parasitology, 2019, 197, 9-15.	1.2	10
23	A preliminary survey of <i>Trichinella</i> spp. in pigs raised under controlled housing conditions in Colombia: 2014–2016. Parasite, 2018, 25, 18.	2.0	3
24	UV-press method versus artificial digestion method to detect Anisakidae L3 in fish fillets: Comparative study and suitability for the industry. Fisheries Research, 2018, 202, 22-28.	1.7	28
25	Prioritisation of food-borne parasites in Europe, 2016. Eurosurveillance, 2018, 23, .	7.0	139
26	Differentiation of Trichinella species (Trichinella spiralis/Trichinella britovi versus Trichinella) Tj ETQq0 0 0 rgBT	/Overlock 1	0 Tf 50 462 To
27	Tâ€cell clones in human trichinellosis: Evidence for a mixed Th1/Th2 response. Parasite Immunology, 2017, 39, e12412.	1.5	26
28	A Tâ€cell diagnostic test for cystic echinococcosis based on Antigen B peptides. Parasite Immunology, 2017, 39, e12499.	1.5	13
29	Present status of laboratory diagnosis of human taeniosis/cysticercosis in Europe. European Journal of Clinical Microbiology and Infectious Diseases, 2017, 36, 2029-2040.	2.9	21
30	Allergenic activity of Pseudoterranova decipiens (Nematoda: Anisakidae) in BALB/c mice. Parasites and Vectors, 2017, 10, 290.	2.5	13
31	Epidemiology of taeniosis/cysticercosis in Europe, a systematic review: Western Europe. Parasites and Vectors, 2017, 10, 349.	2.5	61
32	Cross-Sectional Study of Anti- <i>Trichinella</i> Antibody Prevalence in Domestic Pigs and Hunted Wild Boars in Estonia. Vector-Borne and Zoonotic Diseases, 2016, 16, 604-610.	1.5	19
33	Hunting dogs as sentinel animals for monitoring infections with Trichinella spp. in wildlife. Parasites and Vectors, 2016, 9, 154.	2.5	29
34	Trichinellosis Outbreak Caused by Meat from a Wild Boar Hunted in an Italian Region Considered to be at Negligible Risk for <i>Trichinella</i> . Zoonoses and Public Health, 2015, 62, 285-291.	2.2	54
35	IL-4 specific-response in whole blood associates with human Cystic Echinococcosis and cyst activity. Journal of Infection, 2015, 70, 299-306.	3.3	32
36	Candidates for reference swine serum with anti-Trichinella antibodies. Veterinary Parasitology, 2015, 208, 218-224.	1.8	3

#	Article	IF	Citations
37	Patterns and Risks of Trichinella Infection in Humans and Pigs in Northern Laos. PLoS Neglected Tropical Diseases, 2014, 8, e3034.	3.0	35
38	Matrix metalloproteinase (MMP)â€⊋ and MMPâ€9 as inflammation markers of <i>Trichinella spiralis</i> and <i>Trichinella pseudospiralis</i> infections in mice. Parasite Immunology, 2014, 36, 540-549.	1.5	21
39	Evaluation of ELISA coupled with Western blot as a surveillance tool for Trichinella infection in wild boar (Sus scrofa). Veterinary Parasitology, 2014, 199, 179-190.	1.8	24
40	Indirect versus direct detection methods of Trichinella spp. infection in wild boar (Sus scrofa). Parasites and Vectors, 2014, 7, 171.	2.5	28
41	Clonorchiasis and Opisthorchiasis. , 2014, , 123-152.		1
42	Opisthorchis felineus, an emerging infection in Italy and its implication for the European Union. Acta Tropica, 2013, 126, 54-62.	2.0	107
43	Validation of a latex agglutination test for the detection of Trichinella infections in pigs. Veterinary Parasitology, 2013, 194, 121-124.	1.8	3
44	Development of an ELISA to detect the humoral immune response to Trichinella zimbabwensis in Nile crocodiles (Crocodylus niloticus). Veterinary Parasitology, 2013, 194, 189-192.	1.8	7
45	Cryptic and Asymptomatic Opisthorchis felineus Infections. American Journal of Tropical Medicine and Hygiene, 2013, 88, 364-366.	1.4	25
46	Validation of an Excretory/Secretory Antigen Based-Elisa for the Diagnosis of Opisthorchis felineus Infection in Humans from Low Trematode Endemic Areas. PLoS ONE, 2013, 8, e62267.	2.5	22
47	A distinctive Western blot pattern to recognize Trichinella infections in humans and pigs. International Journal for Parasitology, 2012, 42, 1017-1023.	3.1	61
48	A large outbreak of Opisthorchis felineus in Italy suggests that opisthorchiasis develops as a febrile eosinophilic syndrome with cholestasis rather than a hepatitis-like syndrome. European Journal of Clinical Microbiology and Infectious Diseases, 2012, 31, 1089-1093.	2.9	33
49	Spatial distribution of Trichinella britovi, T. spiralis and T. pseudospiralis of domestic pigs and wild boars (Sus scrofa) in Hungary. Veterinary Parasitology, 2012, 183, 393-396.	1.8	29
50	The loading of labelled antibody-engineered nanoparticles with Indinavir increases itsin vitroefficacy againstCryptosporidium parvum. Parasitology, 2011, 138, 1384-1391.	1.5	7
51	Infection or Rather Allergy?. Foodborne Pathogens and Disease, 2011, 8, 749-749.	1.8	0
52	The birth of a Trichinella britovi focus on the Mediterranean island of Sardinia (Italy). Veterinary Parasitology, 2009, 159, 361-363.	1.8	21
53	Trichinella britovi and Trichinella spiralis mixed infection in a horse from Poland. Veterinary Parasitology, 2009, 161, 345-348.	1.8	26
54	International ring trial to detect anti-Trichinella IgG by ELISA on pig sera. Veterinary Parasitology, 2009, 166, 241-248.	1.8	24

#	Article	lF	Citations
55	Allergenic activity of Molicola horridus (Cestoda, Trypanorhyncha), a cosmopolitan fish parasite, in a mouse model. Veterinary Parasitology, 2008, 157, 314-320.	1.8	20
56	Human Illnesses Caused by <i>Opisthorchis felineus </i> Flukes, Italy. Emerging Infectious Diseases, 2008, 14, 1902-1905.	4.3	68
57	Validation of an Enzyme-Linked Immunosorbent Assay for Diagnosis of Human Trichinellosis. Vaccine Journal, 2008, 15, 1723-1729.	3.1	84
58	Trichinella zimbabwensis in wild reptiles of Zimbabwe and Mozambique and farmed reptiles of Ethiopia. Veterinary Parasitology, 2007, 143, 305-310.	1.8	24
59	2-Hydroxypropyl-Â-cyclodextrin improves the effectiveness of albendazole against encapsulated larvae of Trichinella spiralis in a murine model. Journal of Antimicrobial Chemotherapy, 2006, 58, 886-890.	3.0	31
60	Trichinella infection in a hunting population of Papua New Guinea suggests an ancient relationship between Trichinella and human beings. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2005, 99, 618-624.	1.8	38
61	The impact of HIV-protease inhibitors on opportunistic parasites. Trends in Parasitology, 2005, 21, 58-63.	3.3	84
62	Cryptosporidium parvum -Specific CD4 Th1 Cells from Sensitized Donors Responding to Both Fractionated and Recombinant Antigenic Proteins. Infection and Immunity, 2004, 72, 1306-1310.	2.2	30
63	Cryptosporidium parvum at Different Developmental Stages Modulates Host Cell Apoptosis In Vitro. Infection and Immunity, 2004, 72, 6061-6067.	2.2	88
64	A new modular protein of Cryptosporidium parvum, with ricin B and LCCL domains, expressed in the sporozoite invasive stage. Molecular and Biochemical Parasitology, 2004, 134, 137-147.	1.1	51
65	Indinavir reduces Cryptosporidium parvum infection in both in vitro and in vivo models. International Journal for Parasitology, 2003, 33, 757-764.	3.1	53
66	Clinical aspects, diagnosis and treatment of trichinellosis. Expert Review of Anti-Infective Therapy, 2003, 1, 471-482.	4.4	72
67	Detection and counting of <i>Cryptosporidium parvum </i> ii> in HCT-8 cells by flowcytometry. Parasite, 2003, 10, 297-302.	2.0	7
68	Humoral and Cellular Immunity Against Cryptosporidium Infection. Current Drug Targets Immune, Endocrine and Metabolic Disorders, 2002, 2, 291-301.	1.8	9
69	Evaluation of ELISA and Western Blot Analysis using three antigens to detect anti-Trichinella IgG in horses. Veterinary Parasitology, 2002, 108, 163-178.	1.8	50
70	Increased CD8 + -T-Cell Expression and a Type 2 Cytokine Pattern during the Muscular Phase of Trichinella Infection in Humans. Infection and Immunity, 2002, 70, 233-239.	2.2	43
71	Humoral and Cellular Immunity Against Cryptosporidium Infection. Current Drug Targets Immune, Endocrine and Metabolic Disorders, 2002, 2, 291-301.	1.8	7
72	Immunodiagnosis oftrichinellainfection in the horse. Parasite, 2001, 8, S260-S262.	2.0	12

#	Article	IF	CITATIONS
73	Epidemiology of human and animal trichinellosis in Italy since its discovery in 1887. Parasite, 2001, 8, S106-S108.	2.0	30
74	Focus of human trichinellosis in Papua New Guinea American Journal of Tropical Medicine and Hygiene, 2001, 65, 553-557.	1.4	26
75	Cytokine Profile Induced byCryptosporidiumAntigen in Peripheral Blood Mononuclear Cells from Immunocompetent and Immunosuppressed Persons with Cryptosporidiosis. Journal of Infectious Diseases, 1999, 179, 967-973.	4.0	45
76	Anaphylactic Response to Parasite Antigens: IgE and IgG1 Independently Induce Death in Trichinella–Infected Mice. International Archives of Allergy and Immunology, 1999, 119, 291-296.	2.1	21
77	Identification of a human isolate of Encephalitozoon cuniculi type I from Italy. International Journal for Parasitology, 1998, 28, 1361-1366.	3.1	34
78	Detection of Trichinella spiralis in a horse during routine examination in Italy. International Journal for Parasitology, 1997, 27, 1613-1621.	3.1	20
79	Severe, Protracted Intestinal Cryptosporidiosis Associated with Interferon Deficiency: Pediatric Case Report. Clinical Infectious Diseases, 1996, 22, 848-850.	5.8	54
80	Crude Extract and Recombinant Protein of Cryptosporidium parvum Oocysts Induce Proliferation of Human Peripheral Blood Mononuclear Cells In Vitro. Journal of Infectious Diseases, 1995, 172, 211-216.	4.0	44
81	Identification of Trichinella pseudospiralis from a Human Case using Random Amplified Polymorphic DNA. American Journal of Tropical Medicine and Hygiene, 1995, 53, 185-188.	1.4	34
82	Opportunistic and non-opportunistic parasites in HIV-positive and negative patients with diarrhoea in Tanzania. Tropical Medicine and Parasitology: Official Organ of Deutsche Tropenmedizinische Gesellschaft and of Deutsche Gesellschaft FA1/4r Technische Zusammenarbeit (GTZ), 1995, 46, 109-14.	0.2	20
83	Characterization and immunolocalization of a Cryptosporidium protein containing repeated amino acid motifs. Infection and Immunity, 1993, 61, 2347-2356.	2.2	65
84	Comparison of Human Trichinellosis Caused by Trichinella spiralis and by Trichinella britovi. American Journal of Tropical Medicine and Hygiene, 1993, 48, 568-575.	1.4	91
85	Serodiagnosis of cryptosporidiosis in Italian HIV-positive patients by means of an oocyst soluble antigen in an ELISA. Journal of Infection, 1992, 25, 229-236.	3.3	16
86	Cryptosporidium: different behaviour in calves of isolates of human origin. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1992, 86, 636-638.	1.8	43
87	Detection of Cryptosporidium circulating antigens in human and calf sera. Journal of Protozoology, 1991, 38, 182S-183S.	0.8	3
88	Seroepidemiological studies on five outbreaks of trichinellosis in Southern Spain. Annals of Tropical Medicine and Parasitology, 1990, 84, 181-184.	1.6	13
89	Trichinellosis in southern Spain. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1990, 84, 120.	1.8	4
90	Experimental cryptosporidiosis in hamsters. Journal of Clinical Microbiology, 1990, 28, 356-357.	3.9	25

MARIA ANGELES

#	Article	lF	CITATIONS
91	Differentiation between <i>Trichinella spiralis</i> and <i>T. pseudospiralis</i> infective larvae by a monoclonal antibody. Journal of Helminthology, 1989, 63, 275-279.	1.0	9
92	Human Gongylonema Infection in Spain. American Journal of Tropical Medicine and Hygiene, 1988, 38, 363-365.	1.4	16