

Linda Ottoboni

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/197254/linda-ottoboni-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

37
papers

3,308
citations

20
h-index

43
g-index

43
ext. papers

3,823
ext. citations

10.9
avg, IF

4.31
L-index

#	Paper	IF	Citations
37	One-step Reprogramming of Human Fibroblasts into Oligodendrocyte-like Cells by SOX10, OLIG2, and NKX6.2. <i>Stem Cell Reports</i> , 2021 , 16, 771-783	8	4
36	Siponimod (BAF312) Activates Nrf2 While Hampering NFB in Human Astrocytes, and Protects From Astrocyte-Induced Neurodegeneration. <i>Frontiers in Immunology</i> , 2020 , 11, 635	8.4	24
35	Endogenous neural precursor cells in health and disease. <i>Brain Research</i> , 2020 , 1730, 146619	3.7	12
34	Convergence between Microglia and Peripheral Macrophages Phenotype during Development and Neuroinflammation. <i>Journal of Neuroscience</i> , 2020 , 40, 784-795	6.6	41
33	Laquinimod Modulates Human Astrocyte Function and Dampens Astrocyte-Induced Neurotoxicity during Inflammation. <i>Molecules</i> , 2020 , 25,	4.8	1
32	Multiple sclerosis iPS-derived oligodendroglia conserve their properties to functionally interact with axons and glia in vivo. <i>Science Advances</i> , 2020 , 6,	14.3	10
31	Retromer stabilization results in neuroprotection in a model of Amyotrophic Lateral Sclerosis. <i>Nature Communications</i> , 2020 , 11, 3848	17.4	16
30	Patient Perspectives on Declining to Participate in Home-Based Cardiac Rehabilitation: A MIXED-METHODS STUDY. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2020 , 40, 335-340	3.6	6
29	Extrinsic immune cell-derived, but not intrinsic oligodendroglial factors contribute to oligodendroglial differentiation block in multiple sclerosis. <i>Acta Neuropathologica</i> , 2020 , 140, 715-736	14.3	20
28	Therapeutic Plasticity of Neural Stem Cells. <i>Frontiers in Neurology</i> , 2020 , 11, 148	4.1	23
27	Differentiation of Sendai Virus-Reprogrammed iPSC into β Cells, Compared with Human Pancreatic Islets and Immortalized β Cell Line. <i>Cell Transplantation</i> , 2018 , 27, 1548-1560	4	9
26	Neural Stem Cell Plasticity: Advantages in Therapy for the Injured Central Nervous System. <i>Frontiers in Cell and Developmental Biology</i> , 2017 , 5, 52	5.7	30
25	Neural precursor cell-secreted TGF- β redirects inflammatory monocyte-derived cells in CNS autoimmunity. <i>Journal of Clinical Investigation</i> , 2017 , 127, 3937-3953	15.9	27
24	Cell Line Macroarray: An Alternative High-Throughput Platform to Analyze hiPSC Lines. <i>Journal of Histochemistry and Cytochemistry</i> , 2016 , 64, 739-751	3.4	8
23	A pharmacogenetic study implicates SLC9a9 in multiple sclerosis disease activity. <i>Annals of Neurology</i> , 2015 , 78, 115-27	9.4	33
22	Commonalities in immune modulation between mesenchymal stem cells (MSCs) and neural stem/precursor cells (NPCs). <i>Immunology Letters</i> , 2015 , 168, 228-39	4.1	20
21	Decisional balance among potential implantable cardioverter defibrillator recipients: development of the ICD-decision analysis scale (ICD-DAS). <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014 , 37, 63-72	1.6	10

20	Clinical relevance and functional consequences of the TNFRSF1A multiple sclerosis locus. <i>Neurology</i> , 2013 , 81, 1891-9	6.5	25
19	O40603: Genotype-phenotype studies examining the CD33 locus and amyloid biology 2013 , 9, P692-P693		
18	CD33 Alzheimer's disease locus: altered monocyte function and amyloid biology. <i>Nature Neuroscience</i> , 2013 , 16, 848-50	25.5	370
17	Multicolored stain-free histopathology with coherent Raman imaging. <i>Laboratory Investigation</i> , 2012 , 92, 1492-502	5.9	105
16	An RNA profile identifies two subsets of multiple sclerosis patients differing in disease activity. <i>Science Translational Medicine</i> , 2012 , 4, 153ra131	17.5	51
15	Inverse agonism of cannabinoid CB1 receptor blocks the adhesion of encephalitogenic T cells in inflamed brain venules by a protein kinase A-dependent mechanism. <i>Journal of Neuroimmunology</i> , 2011 , 233, 97-105	3.5	18
14	The role of the CD58 locus in multiple sclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 5264-9	11.5	160
13	F.27. Meta-analysis of Genome Scans and Replication Identify CD6, ICSBP1, and TNFRSF1A as Novel Multiple Sclerosis Susceptibility Loci. <i>Clinical Immunology</i> , 2009 , 131, S101	9	2
12	Meta-analysis of genome scans and replication identify CD6, IRF8 and TNFRSF1A as new multiple sclerosis susceptibility loci. <i>Nature Genetics</i> , 2009 , 41, 776-82	36.3	621
11	A role for leukocyte-endothelial adhesion mechanisms in epilepsy. <i>Nature Medicine</i> , 2008 , 14, 1377-83	50.5	388
10	Cytometric profiling in multiple sclerosis uncovers patient population structure and a reduction of CD8low cells. <i>Brain</i> , 2008 , 131, 1701-11	11.2	61
9	T and B lymphocyte depletion has a marked effect on the fibrosis of dystrophic skeletal muscles in the scid/mdx mouse. <i>Journal of Pathology</i> , 2007 , 213, 229-38	9.4	73
8	VF and fatal cardiac arrest following ICD therapy delivery: what is the cause?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 551-3	1.6	7
7	The Src family kinases Hck and Fgr are dispensable for inside-out, chemoattractant-induced signaling regulating beta 2 integrin affinity and valency in neutrophils, but are required for beta 2 integrin-mediated outside-in signaling involved in sustained adhesion. <i>Journal of Immunology</i> , 2006 , 177, 604-11	5.3	97
6	VCAM-1 expression on dystrophic muscle vessels has a critical role in the recruitment of human blood-derived CD133+ stem cells after intra-arterial transplantation. <i>Blood</i> , 2006 , 108, 2857-66	2.2	20
5	Neurosphere-derived multipotent precursors promote neuroprotection by an immunomodulatory mechanism. <i>Nature</i> , 2005 , 436, 266-71	50.4	659
4	Efficient recruitment of lymphocytes in inflamed brain venules requires expression of cutaneous lymphocyte antigen and fucosyltransferase-VII. <i>Journal of Immunology</i> , 2005 , 174, 5805-13	5.3	46
3	RhoA and zeta PKC control distinct modalities of LFA-1 activation by chemokines: critical role of LFA-1 affinity triggering in lymphocyte in vivo homing. <i>Immunity</i> , 2004 , 20, 25-35	32.3	170

2	CD8+ T cells from patients with acute multiple sclerosis display selective increase of adhesiveness in brain venules: a critical role for P-selectin glycoprotein ligand-1. <i>Blood</i> , 2003 , 101, 4775-82	2.2	136
1	Heparin protects human neural progenitor cells from Zika Virus-induced cell death and preserves their differentiation into mature neural-glia cells		1