## Robert H Vander Stichele

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1973424/publications.pdf

Version: 2024-02-01

201 papers

8,649 citations

42 h-index 53230

g-index

206 all docs

206 docs citations

206 times ranked 9376 citing authors

#	Article	IF	CITATIONS
1	Outpatient antibiotic use in Europe and association with resistance: a cross-national database study. Lancet, The, 2005, 365, 579-587.	13.7	2,413
2	End-of-life decisions in medical practice in Flanders, Belgium: a nationwide survey. Lancet, The, 2000, 356, 1806-1811.	13.7	290
3	Systematic review of anticholinergic risk scales in older adults. European Journal of Clinical Pharmacology, 2013, 69, 1485-1496.	1.9	276
4	Barriers and facilitators for general practitioners to engage in advance care planning: A systematic review. Scandinavian Journal of Primary Health Care, 2013, 31, 215-226.	1.5	168
5	Hospital consumption of antibiotics in 15 European countries: results of the ESAC Retrospective Data Collection (1997–2002). Journal of Antimicrobial Chemotherapy, 2006, 58, 159-167.	3.0	160
6	Current and projected prevalence of arterial hypertension in sub-Saharan Africa by sex, age and habitat: an estimate from population studies. Journal of Hypertension, 2011, 29, 1243-1252.	0.5	159
7	European Surveillance of Antimicrobial Consumption (ESAC): quality indicators for outpatient antibiotic use in Europe. Quality and Safety in Health Care, 2007, 16, 440-445.	2.5	154
8	Systematic appraisal of dementia guidelines for the management of behavioural and psychological symptoms. Ageing Research Reviews, 2012, 11, 78-86.	10.9	153
9	Barriers to Advance Care Planning in Cancer, Heart Failure and Dementia Patients: A Focus Group Study on General Practitioners' Views and Experiences. PLoS ONE, 2014, 9, e84905.	2.5	142
10	Recent Trends in Euthanasia and Other End-of-Life Practices in Belgium. New England Journal of Medicine, 2015, 372, 1179-1181.	27.0	141
11	Withdrawal versus continuation of chronic antipsychotic drugs for behavioural and psychological symptoms in older people with dementia. The Cochrane Library, 2013, , CD007726.	2.8	115
12	Systematic review of clinical efficacy of topical treatments for head lice. BMJ: British Medical Journal, 1995, 311, 604-608.	2.3	112
13	European Surveillance of Antimicrobial Consumption (ESAC): Data Collection Performance and Methodological Approach. British Journal of Clinical Pharmacology, 2004, 58, 419-428.	2.4	110
14	Preconditions for successful advance care planning in nursing homes: A systematic review. International Journal of Nursing Studies, 2017, 66, 47-59.	5.6	110
15	Nursing Home Residents Dying With Dementia in Flanders, Belgium: AÂNationwide Postmortem Study on Clinical Characteristics and Quality of Dying. Journal of the American Medical Directors Association, 2013, 14, 485-492.	2.5	103
16	The role of general practitioners in continuity of care at the end of life: a qualitative study of terminally ill patients and their next of kin. Palliative Medicine, 2007, 21, 409-415.	3.1	94
17	Pharmacists' Interventions for Optimization of Medication Use in Nursing Homes. Drugs and Aging, 2009, 26, 37-49.	2.7	93
18	Measurement of patient compliance and the interpretation of randomized clinical trials. European Journal of Clinical Pharmacology, 1991, 41, 27-35.	1.9	91

#	Article	IF	Citations
19	Antibiotic use in ambulatory care in Europe (ESAC data 1997–2002): trends, regional differences and seasonal fluctuations. Pharmacoepidemiology and Drug Safety, 2007, 16, 115-123.	1.9	91
20	Too many, too few, or too unsafe? Impact of inappropriate prescribing on mortality, and hospitalization in a cohort of communityâ€dwelling oldest old. British Journal of Clinical Pharmacology, 2016, 82, 1382-1392.	2.4	85
21	Quality of Dying in Nursing Home Residents Dying with Dementia: Does Advanced Care Planning Matter? A Nationwide Postmortem Study. PLoS ONE, 2014, 9, e91130.	2.5	83
22	Advance Care Planning and Physician Orders in Nursing Home Residents With Dementia: A Nationwide Retrospective Study Among Professional Caregivers and Relatives. Journal of Pain and Symptom Management, 2014, 47, 245-256.	1.2	73
23	Geriatric drug utilisation of psychotropics in Belgian nursing homes. Human Psychopharmacology, 2011, 26, 12-20.	1.5	69
24	Advance Care Planning and Dying in Nursing Homes in Flanders, Belgium: A Nationwide Survey. Journal of Pain and Symptom Management, 2013, 45, 223-234.	1.2	63
25	Benzodiazepine use in Belgian nursing homes: a closer look into indications and dosages. European Journal of Clinical Pharmacology, 2012, 68, 833-844.	1.9	61
26	Quality indicators assessing antibiotic use in the outpatient setting: a systematic review followed by an international multidisciplinary consensus procedure. Journal of Antimicrobial Chemotherapy, 2018, 73, vi40-vi49.	3.0	61
27	Wet combing versus traditional scalp inspection to detect head lice in schoolchildren: observational study. BMJ: British Medical Journal, 2000, 321, 1187-1188.	2.3	60
28	Nursing students' pharmacological knowledge and calculation skills. Nurse Education Today, 2011, 31, 499-505.	3.3	60
29	Cross-cultural differences in lay attitudes and utilisation of antibiotics in a Belgian and a Dutch city. Patient Education and Counseling, 2002, 48, 161-169.	2.2	57
30	Truth-telling at the end of life: A pilot study on the perspective of patients and professional caregivers. Patient Education and Counseling, 2008, 71, 52-56.	2.2	55
31	Withdrawal versus continuation of long-term antipsychotic drug use for behavioural and psychological symptoms in older people with dementia. The Cochrane Library, 2022, 2022, CD007726.	2.8	55
32	Barriers and enablers to deprescribing in people with a life-limiting disease: A systematic review. Palliative Medicine, 2019, 33, 37-48.	3.1	55
33	Involvement of nurses in physician-assisted dying. Journal of Advanced Nursing, 2004, 47, 583-591.	3.3	54
34	Are patients' preferences for information and participation in medical decision-making being met? Interview study with lung cancer patients. Palliative Medicine, 2011, 25, 62-70.	3.1	54
35	Analysing policy interventions to prohibit overâ€theâ€counter antibiotic sales in four Latin American countries. Tropical Medicine and International Health, 2013, 18, 665-673.	2.3	53
36	Health Alliance for prudent antibiotic prescribing in patients with respiratory tract infections (HAPPY) Tj ETQqC	0 0 rgBT /0 2.9	Overlock 10 Tf 52

12, 52.

#	Article	IF	CITATIONS
37	Drug utilization in Belgian nursing homes: impact of residents' and institutional characteristics. Pharmacoepidemiology and Drug Safety, 2010, 19, 1041-1048.	1.9	51
38	Hospitalizations of nursing home residents with dementia in the last month of life: Results from a nationwide survey. Palliative Medicine, 2014, 28, 1110-1117.	3.1	49
39	Contribution of drug related problems to hospital admission in the elderly. Journal of Nutrition, Health and Aging, 2010, 14, 477-482.	3.3	48
40	Health Alliance for Prudent Prescribing, Yield and Use of Antimicrobial Drugs in the Treatment of Respiratory Tract Infections (HAPPY AUDIT). BMC Family Practice, 2010, 11, 29.	2.9	48
41	Changes in medical end-of-life practices during the legalization process of euthanasia in Belgium. Social Science and Medicine, 2007, 65, 803-808.	3.8	46
42	Changes in Prescription Patterns of Acidâ€Suppressant Medications by Belgian Pediatricians. Journal of Pediatric Gastroenterology and Nutrition, 2014, 58, 220-225.	1.8	46
43	Advance directives and physicians' orders in nursing home residents with dementia in Flanders, Belgium: prevalence and associated outcomes. International Psychogeriatrics, 2012, 24, 1133-1143.	1.0	44
44	Coping with changes in the Defined Daily Dose in a longitudinal drug consumption database. International Journal of Clinical Pharmacy, 2010, 32, 125-129.	1.4	40
45	Oral vasoactive medication in intermittent claudication: utile or futile?. European Journal of Clinical Pharmacology, 2000, 56, 199-206.	1.9	39
46	Preferences of Patients with Advanced Lung Cancer Regarding the Involvement of Family and Others in Medical Decision-Making. Journal of Palliative Medicine, 2010, 13, 1199-1203.	1.1	38
47	Polypharmacy in a Belgian cohort of community-dwelling oldest old (80+). Acta Clinica Belgica, 2016, 71, 158-166.	1.2	38
48	Nurses' practices in pharmacotherapy and their association with educational level. Journal of Advanced Nursing, 2010, 66, 1072-1079.	3.3	37
49	The prevalence in the general population of advance directives on euthanasia and discussion of end-of-life wishes: a nationwide survey. BMC Palliative Care, 2015, 14, 71.	1.8	37
50	Effects of Smoking, CYP2D6 Genotype, and Concomitant Drug Intake on the Steady State Plasma Concentrations of Haloperidol and Reduced Haloperidol in Schizophrenic Inpatients. Therapeutic Drug Monitoring, 1999, 21, 489.	2.0	37
51	Development of a complex intervention to support the initiation of advance care planning by general practitioners in patients at risk of deteriorating or dying: a phase 0-1 study. BMC Palliative Care, 2016, 15, 17.	1.8	35
52	Assessment of antipsychotic prescribing in Belgian nursing homes. International Psychogeriatrics, 2011, 23, 1240-1248.	1.0	34
53	Preferred and Actual Involvement of Advanced Lung Cancer Patients and Their Families in End-of-Life Decision Making: A Multicenter Study in 13 Hospitals in Flanders, Belgium. Journal of Pain and Symptom Management, 2012, 43, 515-526.	1.2	33
54	Towards a standardized method of developing quality indicators for palliative care: protocol of the Quality indicators for Palliative Care (Q-PAC) study. BMC Palliative Care, 2013, 12, 6.	1.8	33

#	Article	IF	CITATIONS
55	Nurses' self-efficacy, rather than their knowledge, is associated with their engagement in advance care planning in nursing homes: A survey study. Palliative Medicine, 2020, 34, 917-924.	3.1	33
56	Preferences of advanced lung cancer patients for patient-centred information and decision-making: A prospective multicentre study in 13 hospitals in Belgium. Patient Education and Counseling, 2009, 77, 421-429.	2.2	32
57	Naftidrofuryl for intermittent claudication. The Cochrane Library, 2012, 12, CD001368.	2.8	32
58	Attitudes, Sociodemographic Characteristics, and Actual End-of-Life Decisions of Physicians in Flanders, Belgium. Medical Decision Making, 2003, 23, 502-510.	2.4	31
59	Sleep quality of benzodiazepine users in nursing homes: A comparative study with nonusers. Sleep Medicine, 2013, 14, 614-621.	1.6	31
60	The incidence and characteristics of end-of-life decisions by GPs in Belgium. Family Practice, 2004, 21, 282-289.	1.9	30
61	Naftidrofuryl for intermittent claudication: meta-analysis based on individual patient data. BMJ: British Medical Journal, 2009, 338, b603-b603.	2.3	30
62	Metrics to assess the quantity of antibiotic use in the outpatient setting: a systematic review followed by an international multidisciplinary consensus procedure. Journal of Antimicrobial Chemotherapy, 2018, 73, vi59-vi66.	3.0	30
63	Mortality, hospitalisation, institutionalisation in community-dwelling oldest old: The impact of medication. Archives of Gerontology and Geriatrics, 2016, 65, 9-16.	3.0	29
64	Changing preferences for information and participation in the last phase of life: a longitudinal study among newly diagnosed advanced lung cancer patients. Supportive Care in Cancer, 2012, 20, 2473-2482.	2.2	28
65	The Use of Antidepressants in Belgian Nursing Homes. Drugs and Aging, 2012, 29, 759-769.	2.7	28
66	Barriers to antipsychotic discontinuation in nursing homes: an exploratory study. Aging and Mental Health, 2014, 18, 346-353.	2.8	28
67	A Novel Scale Linking Potency and Dosage to Estimate Anticholinergic Exposure in Older Adults: the Muscarinic Acetylcholinergic Receptor ANTagonist Exposure Scale. Basic and Clinical Pharmacology and Toxicology, 2017, 120, 582-590.	2.5	28
68	Wet combing for head lice: feasibility in mass screening, treatment preference and outcome. Journal of the Royal Society of Medicine, 2002, 95, 348-352.	2.0	28
69	Problems in collecting comparable national drug use data in Europe: the example of antibacterials. European Journal of Clinical Pharmacology, 2003, 58, 843-849.	1.9	27
70	The use of drugs with a life-shortening effect in end-of-life care in neonates and infants. Intensive Care Medicine, 2006, 32, 133-139.	8.2	27
71	How Do General Practitioners Conceptualise Advance Care Planning in Their Practice? A Qualitative Study. PLoS ONE, 2016, 11, e0153747.	2.5	27
72	Feasibility of discontinuing chronic benzodiazepine use in nursing home residents: a pilot study. European Journal of Clinical Pharmacology, 2014, 70, 1251-1260.	1.9	26

#	Article	IF	Citations
<b>7</b> 3	Impact of patient package inserts on patients' satisfaction, adverse drug reactions and risk perception: The case of nsaids for posttraumatic pain relief. Patient Education and Counseling, 1991, 17, 205-215.	2.2	25
74	The Development and Test of an Intervention to Improve ADR Screening in Nursing Homes. Journal of the American Medical Directors Association, 2013, 14, 379.e1-379.e6.	2.5	25
<b>7</b> 5	International recommendations for an effective control of head louse infestations. International Journal of Dermatology, 2021, 60, 272-280.	1.0	25
76	Attitude of the Public toward Technical Package Inserts for Medication Information in Belgium. DICP: the Annals of Pharmacotherapy, 1991, 25, 1002-1006.	0.2	24
77	Continuous Deep Sedation Until Death in Nursing Home Residents with Dementia: A Case Series. Journal of the American Geriatrics Society, 2013, 61, 1768-1776.	2.6	24
78	Communication on end-of-life decisions with patients wishing to die at home: the making of a guideline for GPs in Flanders, Belgium. British Journal of General Practice, 2006, 56, 14-9.	1.4	24
79	Quality of prescribing in Belgian nursing homes: an electronic assessment of the medication chart. International Journal for Quality in Health Care, 2014, 26, 93-99.	1.8	23
80	Overcoming health inequalities by using the Bug Busting ?whole-school approach? to eradicate head lice. Journal of Clinical Nursing, 2007, 16, 1955-1965.	3.0	21
81	Nursing home policies regarding advance care planning in Flanders, Belgium. European Journal of Public Health, 2010, 20, 189-194.	0.3	21
82	Quality of dying of nursing home residents with dementia as judged by relatives. International Psychogeriatrics, 2013, 25, 1697-1707.	1.0	21
83	The burden of caring for people with dementia at the end of life in nursing homes: a postdeath study among nursing staff. International Journal of Older People Nursing, 2014, 9, 106-117.	1.3	21
84	The Family Physician's Perceived Role in Preventing and Guiding Hospital Admissions at the End of Life: A Focus Group Study. Annals of Family Medicine, 2014, 12, 441-446.	1.9	21
85	Reasons for End-of-Life Hospital Admissions: Results of a Survey Among Family Physicians. Journal of Pain and Symptom Management, 2016, 52, 498-506.	1.2	21
86	Clinical decision support improves the appropriateness of laboratory test ordering in primary care without increasing diagnostic error: the ELMO cluster randomized trial. Implementation Science, 2020, 15, 100.	6.9	21
87	Use of laxatives in institutions for the mentally retarded. European Journal of Clinical Pharmacology, 1999, 54, 965-969.	1.9	20
88	Introduction to drug utilization research. , 2016, , 1-12.		20
89	EBMPracticeNet: A Bilingual National Electronic Point-Of-Care Project for Retrieval of Evidence-Based Clinical Guideline Information and Decision Support. JMIR Research Protocols, 2013, 2, e23.	1.0	20
90	Barriers to discontinuation of chronic benzodiazepine use in nursing home residents: Perceptions of general practitioners and nurses. European Geriatric Medicine, 2014, 5, 181-187.	2.8	19

#	Article	IF	CITATIONS
91	How to implement quality indicators successfully in palliative care services: perceptions of team members about facilitators of and barriers to implementation. Supportive Care in Cancer, 2015, 23, 3503-3511.	2.2	19
92	Quality indicators for palliative care services: Mixed-method study testing for face validity, feasibility, discriminative power and usefulness. Palliative Medicine, 2015, 29, 71-82.	3.1	19
93	Adherence, knowledge, and perception about oral anticoagulants in patients with atrial fibrillation at high risk for thromboembolic events after radiofrequency ablation. Journal of Advanced Nursing, 2018, 74, 2577-2587.	3.3	19
94	End-of-life Decisions of Physicians in the city of Hasselt (Flanders, Belgium). Bioethics, 2000, 14, 254-267.	1.4	17
95	Drugs used for euthanasia in Flanders, Belgium. Pharmacoepidemiology and Drug Safety, 2004, 13, 89-95.	1.9	17
96	The effects of abrupt antipsychotic discontinuation in cognitively impaired older persons: A pilot study. Aging and Mental Health, 2013, 17, 125-132.	2.8	17
97	The impact of chronic benzodiazepine use on cognitive evolution in nursing home residents. Human Psychopharmacology, 2015, 30, 85-93.	1.5	17
98	Ex vivo effectiveness of French over-the-counter products against head lice (Pediculus humanus) Tj ETQq0 0 0 rg	BT_/Qverlo	ock 10 Tf 50 4
99	Appropriateness and avoidability of terminal hospital admissions: Results of a survey among family physicians. Palliative Medicine, 2017, 31, 456-464.	3.1	17
100	Associations of potentially inappropriate medication use with four year survival of an inception cohort of nursing home residents. Archives of Gerontology and Geriatrics, 2019, 80, 82-87.	3.0	17
101	Attitude of physicians toward patient package inserts for medication information in Belgium. Patient Education and Counseling, 1996, 28, 5-13.	2.2	16
102	End-of-Life Decision-Making and Terminal Sedation among Very Old Patients. Gerontology, 2009, 55, 99-105.	2.8	16
103	One-Year Evolution of Sleep Quality in Older Users of Benzodiazepines: A Longitudinal Cohort Study in Belgian Nursing Home Residents. Drugs and Aging, 2014, 31, 677-682.	2.7	16
104	Package inserts for antihypertensive drugs: use by the patients and impact on adverse drug reactions. European Journal of Clinical Pharmacology, 1990, 39, 551-554.	1.9	15
105	Evaluation of medication adherence methods in the treatment of malaria in Rwandan infants. Malaria Journal, 2010, 9, 206.	2.3	15
106	Patient socioeconomic determinants for the choice of the cheapest molecule within a cluster: evidence from Belgian prescription data. European Journal of Health Economics, 2012, 13, 315-325.	2.8	15
107	Discontinuation of medications at the end of life: A population study in Belgium, based on linked administrative databases. British Journal of Clinical Pharmacology, 2019, 85, 827-837.	2.4	15
108	Balancing medication use in nursing home residents with life-limiting disease. European Journal of Clinical Pharmacology, 2019, 75, 969-977.	1.9	15

#	Article	IF	Citations
109	Physician-assisted death: attitudes and practices of community pharmacists in East Flanders, Belgium. Palliative Medicine, 2005, 19, 151-157.	3.1	14
110	Physician-reported practices on continuous deep sedation until death: A descriptive and comparative study. Palliative Medicine, 2014, 28, 491-500.	3.1	14
111	Review of guidelines on primary prevention of cardiovascular disease with aspirin: how much evidence is needed to turn a tanker?. European Journal of Preventive Cardiology, 2014, 21, 354-365.	1.8	14
112	Assessment of adherence to drug treatment in database research., 2016,, 369-380.		14
113	Anticholinergic Exposure in a Cohort of Adults Aged 80 years and Over. Basic and Clinical Pharmacology and Toxicology, 2017, 120, 591-600.	2.5	14
114	Medication use in a cohort of newly admitted nursing home residents (Ageing@NH) in relation to evolving physical and mental health. Archives of Gerontology and Geriatrics, 2018, 75, 202-208.	3.0	14
115	Implementing advance care planning in routine nursing home care: The development of the theory-based ACP+ program. PLoS ONE, 2019, 14, e0223586.	2.5	14
116	Do-Not-Resuscitate Policy on Acute Geriatric Wards in Flanders, Belgium. Journal of the American Geriatrics Society, 2005, 53, 2221-2226.	2.6	13
117	Expressed wishes and incidence of euthanasia in advanced lung cancer patients. European Respiratory Journal, 2012, 40, 949-956.	6.7	13
118	Information preferences of the general population when faced with life-limiting illness. European Journal of Public Health, 2015, 25, 532-538.	0.3	13
119	Systematic review of cross-national drug utilization studies in Latin America: methods and comparability. Pharmacoepidemiology and Drug Safety, 2016, 25, 16-25.	1.9	13
120	European repository of explicit criteria of potentially inappropriate medications in old age. Geriatrics and Gerontology International, 2018, 18, 1293-1297.	1.5	13
121	Regulatory reliance to approve new medicinal products in Latin American and Caribbean countries. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2021, 45, 1-10.	1.1	13
122	Effects of an evidence report and policies lifting reimbursement restrictions for acid suppressants: analysis of the Belgian national database. Pharmacoepidemiology and Drug Safety, 2008, 17, 1113-1122.	1.9	12
123	Endâ€ofâ€life care policies in Flemish residential care facilities accommodating persons with intellectual disabilities. Journal of Intellectual Disability Research, 2010, 54, 1067-1077.	2.0	12
124	Patient socioeconomic determinants of the choice of generic versus brand name drugs in the context of a reference price system: evidence from Belgian prescription data. European Journal of Health Economics, 2012, 13, 301-313.	2.8	12
125	Efficacy of Products to Remove Eggs of <i>Pediculus humanus capitis</i> (Phthiraptera: Pediculidae) From the Human Hair. Journal of Medical Entomology, 2014, 51, 400-407.	1.8	12
126	Awareness of dementia by family carers of nursing home residents dying with dementia: A post-death study. Palliative Medicine, 2015, 29, 38-47.	3.1	12

#	Article	IF	CITATIONS
127	Changes in medication use in a cohort of patients with advanced cancer: The international multicentre prospective European Palliative Care Cancer Symptom study. Palliative Medicine, 2018, 32, 775-785.	3.1	12
128	Implementing the theory-based advance care planning ACP+ programme for nursing homes: study protocol for a cluster randomised controlled trial and process evaluation. BMC Palliative Care, 2020, 19, 5.	1.8	12
129	Evidence in the Treatment of Head Lice: Drowning in a Swamp of Reviews. Clinical Infectious Diseases, 2003, 37, 1580-1582.	5.8	11
130	Use of antibacterial fixed-dose combinations in the private sector in eight Latin American Countries between 1999 and 2009. Tropical Medicine and International Health, 2013, 18, 416-425.	2.3	11
131	Lost in PubMed. Factors influencing the success of medical information retrieval. Expert Systems With Applications, 2013, 40, 4106-4114.	7.6	11
132	Availability and actual use in the Belgian market of potentially inappropriate medications (PIMs) from the EU(7)-PIM list. European Journal of Clinical Pharmacology, 2016, 72, 243-245.	1.9	11
133	Discontinuation of Long-Term Antipsychotic Drug Use for Behavioral and Psychological Symptoms in Older Adults Aged 65ÂYears and Older With Dementia. Journal of the American Medical Directors Association, 2018, 19, 1009-1014.	2.5	11
134	Analysis of definitions of general practice, family medicine, and primary health care: a terminological analysis. BJGP Open, 2017, 1, bjgpopen17X101049.	1.8	11
135	Ethical issues in pharmacoepidemiological research in Belgium. Pharmacoepidemiology and Drug Safety, 2001, 10, 595.	1.9	10
136	Organization of the Medication Management Process in Belgian Nursing Homes. Journal of the American Medical Directors Association, 2011, 12, 308-311.	2.5	10
137	Advance care planning in nursing homes: new conversation and documentation tools. BMJ Supportive and Palliative Care, 2021, 11, 312-317.	1.6	10
138	Nurses' involvement in 'do not resuscitate' decisions on acute elder care wards. Journal of Advanced Nursing, 2007, 57, 404-409.	3.3	9
139	Naftidrofuryl for intermittent claudication. , 2008, , CD001368.		9
140	Bias in Benefit-Risk Appraisal in Older Products. Drug Safety, 2009, 32, 283-291.	3.2	9
141	The †Wise List†M†A Comprehensive Model for Drug and Therapeutics Committees to Achieve Adherence to Recommendations for Essential Drugs Among Prescribers?. Basic and Clinical Pharmacology and Toxicology, 2011, 108, 221-223.	2.5	9
142	Systematic review of anticholinergic risk scales in older adults. Response to letter of the editor. European Journal of Clinical Pharmacology, 2013, 69, 1731-1731.	1.9	9
143	Medication discrepancies in older patients admitted to non-geriatric wards: An exploratory study. European Geriatric Medicine, 2015, 6, 41-45.	2.8	9
144	Buflomedil for intermittent claudication. , 2008, , CD000988.		9

#	Article	IF	CITATIONS
145	Medication utilization and patient information in homes for the aged. European Journal of Clinical Pharmacology, 1992, 43, 319-321.	1.9	8
146	Prevalence of Patients With Do-Not-Resuscitate Status on Acute Geriatric Wards in Flanders, Belgium. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2007, 62, 395-400.	3.6	8
147	PubMed searches by Dutchâ€speaking nursing students: The impact of language and system experience. Journal of the Association for Information Science and Technology, 2012, 63, 1538-1552.	2.6	8
148	Drugs Used for Euthanasia: A Repeated Population-Based Mortality Follow-Back Study in Flanders, Belgium, 1998–2013. Journal of Pain and Symptom Management, 2018, 56, 551-559.	1.2	8
149	Guiding principles for the use of knowledge bases and real-world data in clinical decision support systems: report by an international expert workshop at Karolinska Institutet. Expert Review of Clinical Pharmacology, 2020, 13, 925-934.	3.1	8
150	Feasibility and impact of an evidence-based electronic decision support system for diabetes care in family medicine: protocol for a cluster randomized controlled trial. Implementation Science, 2013, 8, 83.	6.9	7
151	The European Association for Palliative Care White Paper on euthanasia and physician-assisted suicide: Dodging responsibility. Palliative Medicine, 2016, 30, 893-894.	3.1	7
152	Assessment of medication adherence in field research. , 2016, , 361-368.		7
153	Electronic assessment of cardiovascular potentially inappropriate medications in an administrative population database. Basic and Clinical Pharmacology and Toxicology, 2019, 124, 62-73.	2.5	7
154	Efficacy, feasibility and acceptability of the OptiMEDs tool for multidisciplinary medication review in nursing homes. Archives of Gerontology and Geriatrics, 2021, 95, 104391.	3.0	7
155	Coding Systems for Clinical Decision Support: Theoretical and Real-World Comparative Analysis. JMIR Formative Research, 2020, 4, e16094.	1.4	7
156	Method to Measure Force Required to Remove Pediculus humanus capitis (Phthiraptera: Pediculidae) Eggs from Human Hair. Journal of Medical Entomology, 2005, 42, 89-93.	1.8	6
157	Silence of the Limbs: Pharmacological Symptomatic Treatment of Intermittent Claudication. Current Vascular Pharmacology, 2010, 8, 383-387.	1.7	6
158	Interventions for treating head lice. The Cochrane Library, 0, , .	2.8	6
159	Operational rules for the implementation of INN prescribing. International Journal of Medical Informatics, 2014, 83, 47-56.	3.3	6
160	European Legislation and Research Projects regarding Patient Education for Medication. Drug Information Journal, 1995, 29, 285-290.	0.5	5
161	Medical evidence and health policy: a marriage of convenience? The case of proton pump inhibitors. Journal of Evaluation in Clinical Practice, 2007, 13, 674-680.	1.8	5
162	Buflomedil for intermittent claudication. The Cochrane Library, 2013, , CD000988.	2.8	5

#	Article	IF	Citations
163	Comparison of drug utilization across different geographical areas. , 2016, , 151-159.		5
164	Quality of pharmacotherapy in old age: focus on lists of Potentially Inappropriate Medications (PIMs). European Journal of Clinical Pharmacology, 2016, 72, 897-904.	1.9	5
165	Sharp rise in the expenditures of targeted drugs in Ecuador: five-year (2010-2014) consumption of oncologic drugs in public and private hospitals. Journal of Pharmaceutical Health Services Research, 2018, 9, 175-182.	0.6	5
166	Initiation of advance care planning in newly admitted nursing home residents in Flanders, Belgium: A prospective cohort study. Geriatrics and Gerontology International, 2019, 19, 141-146.	1.5	5
167	Effects of a theory-based advance care planning intervention for nursing homes: A cluster randomized controlled trial. Palliative Medicine, 2022, 36, 1059-1071.	3.1	5
168	Method to Measure Force Required to Remove <1>Pediculus humanus capitis 1 (Phthiraptera:) Tj ETQq0 0 0 r	gBT / Qverl	ock <sub>4</sub> 10 Tf 50
169	Policies to improve end-of-life decisions in Flemish hospitals: communication, training of health care providers and use of quality assessments. BMC Palliative Care, 2009, 8, 20.	1.8	4
170	Vocabularies and Retrieval Tools in Biomedicine: Disentangling the Terminological Knot. Journal of Medical Systems, 2011, 35, 527-543.	3.6	4
171	Polypharmacy in a Belgian cohort of community-dwelling oldest old: baseline observations and associated risk factors. Clinical Therapeutics, 2015, 37, e8.	2.5	4
172	Attitudes of Physicians and Pharmacists Towards International Nonâ€Proprietary Name Prescribing in Belgium. Basic and Clinical Pharmacology and Toxicology, 2015, 116, 264-272.	2.5	4
173	Differences in advance care planning among nursing home care staff. Nursing Ethics, 2021, 28, 1210-1227.	3.4	4
174	Technology for Large-Scale Translation of Clinical Practice Guidelines: A Pilot Study of the Performance of a Hybrid Human and Computer-Assisted Approach. JMIR Medical Informatics, 2015, 3, e33.	2.6	4
175	Casting Light on an Occultation in the IAHPC Position Paper on Palliative Care and Assisted Dying. Journal of Palliative Medicine, 2017, 20, 697-698.	1.1	3
176	Development, dissemination, and applications of a new terminological resource, the Q-Code taxonomy for professional aspects of general practice/family medicine. European Journal of General Practice, 2018, 24, 68-73.	2.0	3
177	Potential negative impact of reputed regulators' decisions on the approval status of new cancer drugs in Latin American countries: A descriptive analysis. PLoS ONE, 2021, 16, e0254585.	2.5	3
178	Towards a terminologies support system in primary care. Journal of Innovation in Health Informatics, 2011, 19, 257-258.	0.9	3
179	Mapping French terms in a Belgian guideline on heart failure to international classifications and nomenclatures: the devil is in the detail. Journal of Innovation in Health Informatics, 2014, 21, 189-198.	0.9	3
180	Propionyl-L-carnitine for intermittent claudication. The Cochrane Library, 2021, 2021, CD010117.	2.8	3

#	Article	IF	CITATIONS
181	Promises of a Measurement Breakthrough. , 0, , 71-83.		2
182	A DECADE OF GROWTH IN PUBLIC AND PRIVATE PHARMACEUTICAL EXPENDITURES: THE CASE OF BELGIUM 1990-1999. Acta Clinica Belgica, 2003, 58, 279-289.	1.2	2
183	The use of drugs to hasten death. Pharmacoepidemiology and Drug Safety, 2004, 13, 113-115.	1.9	2
184	Perception of Belgian nurses about evidence-based clinical practice implementation: a focus group study. Acta Clinica Belgica, 2018, 73, 110-118.	1.2	2
185	A Terminology in General Practice/Family Medicine to Represent Non-Clinical Aspects for Various Usages: The Q-Codes. Studies in Health Technology and Informatics, 2017, 235, 471-475.	0.3	2
186	Alignment of two standard terminologies for dosage form: RxNorm from the National Library of Medicine for the United States and EDQM from the European Directorate for the Quality in Medicines and Healthcare for Europe. International Journal of Medical Informatics, 2022, 165, 104826.	3.3	2
187	IMPLEMENTING AND OPTIMISING AN ELECTRONIC LIBRARY OF HEALTH CARE IN BELGIUM: RESULTS OF A PILOT STUDY. Acta Clinica Belgica, 2007, 62, 48-51.	1.2	1
188	Letter by De Backer et al Regarding Article, "Oral Buflomedil in the Prevention of Cardiovascular Events in Patients With Peripheral Arterial Obstructive Disease: A Randomized, Placebo-Controlled, 4-Year Study― Circulation, 2008, 118, e151.	1.6	1
189	Propionyl-L-carnitine for intermittent claudication. The Cochrane Library, 2012, , .	2.8	1
190	Impact of medication use on mortality in Belgian community-dwelling oldest Old. Clinical Therapeutics, 2015, 37, e105-e106.	2.5	1
191	Policies influencing access to new targeted oncologic drugs in Ecuadorian hospitals: an interrupted time series analysis. Journal of Pharmaceutical Health Services Research, 2019, 10, 421-426.	0.6	1
192	Evaluating the Interoperability of Two Standard Terminologies for Dosage Form: Rxnorm from the National Library of Medicine for the United States and Edqm from the European Directorate for the Quality in Medicines and Healthcare for Europe. SSRN Electronic Journal, 0, , .	0.4	1
193	How Granular Can a Dose Form Be Described? Considering EDQM Standard Terms for a Global Terminology. Applied Sciences (Switzerland), 2022, 12, 4337.	2.5	1
194	PHP2 VARIABILITY IN EUROPEAN REIMBURSEMENT SCHEMES FOR ANTIBIOTICS: CONSEQUENCES FOR EUROPEAN SURVEILLANCE OF ANTIBIOTIC CONSUMPTION (ESAC PROJECT). Value in Health, 2002, 5, 464-465.	0.3	0
195	Information retrieval skills of researchers in general practice. European Journal of General Practice, 2003, 9, 75-76.	2.0	0
196	Changements dans les pratiques médicales de fin de vie. Frontières, 2007, 20, 76-80.	0.0	0
197	Healthy Aging in Finland: Patients Adhere Well to Chronic Statin Therapy and Their Doctors to the Guidelines. Cardiovascular Drugs and Therapy, 2014, 28, 209-210.	2.6	0
198	RF3-C Development of a Complex Intervention to Support the Initiation of Advance Care Planning by General Practitioners in Patients at Risk of Deteriorating or Dying: A Phase 0-1 Study. Journal of Pain and Symptom Management, 2016, 52, e47-e48.	1.2	0

#	Article	IF	CITATIONS
199	Higher intake of medications for digestive disorders in children prenatally exposed to drugs with atropinic properties. Fundamental and Clinical Pharmacology, 2019, 33, 312-313.	1.9	O
200	Impact of medicines on Public Health: EURO-MED-STAT., 2004,, 343-354.		0
201	The significance of drug utilization for Public Health. , 2004, , 99-117.		O