
Robert H Vander Stichele

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1973424/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Withdrawal versus continuation of long-term antipsychotic drug use for behavioural and psychological symptoms in older people with dementia. The Cochrane Library, 2022, 2022, CD007726.	1.5	55
2	How Granular Can a Dose Form Be Described? Considering EDQM Standard Terms for a Global Terminology. Applied Sciences (Switzerland), 2022, 12, 4337.	1.3	1
3	Effects of a theory-based advance care planning intervention for nursing homes: A cluster randomized controlled trial. Palliative Medicine, 2022, 36, 1059-1071.	1.3	5
4	Alignment of two standard terminologies for dosage form: RxNorm from the National Library of Medicine for the United States and EDQM from the European Directorate for the Quality in Medicines and Healthcare for Europe. International Journal of Medical Informatics, 2022, 165, 104826.	1.6	2
5	International recommendations for an effective control of head louse infestations. International Journal of Dermatology, 2021, 60, 272-280.	0.5	25
6	Differences in advance care planning among nursing home care staff. Nursing Ethics, 2021, 28, 1210-1227.	1.8	4
7	Advance care planning in nursing homes: new conversation and documentation tools. BMJ Supportive and Palliative Care, 2021, 11, 312-317.	0.8	10
8	Efficacy, feasibility and acceptability of the OptiMEDs tool for multidisciplinary medication review in nursing homes. Archives of Gerontology and Geriatrics, 2021, 95, 104391.	1.4	7
9	Potential negative impact of reputed regulators' decisions on the approval status of new cancer drugs in Latin American countries: A descriptive analysis. PLoS ONE, 2021, 16, e0254585.	1.1	3
10	Regulatory reliance to approve new medicinal products in Latin American and Caribbean countries. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2021, 45, 1-10.	0.6	13
11	Propionyl-L-carnitine for intermittent claudication. The Cochrane Library, 2021, 2021, CD010117.	1.5	3
12	Guiding principles for the use of knowledge bases and real-world data in clinical decision support systems: report by an international expert workshop at Karolinska Institutet. Expert Review of Clinical Pharmacology, 2020, 13, 925-934.	1.3	8
13	Clinical decision support improves the appropriateness of laboratory test ordering in primary care without increasing diagnostic error: the ELMO cluster randomized trial. Implementation Science, 2020, 15, 100.	2.5	21
14	Nurses' self-efficacy, rather than their knowledge, is associated with their engagement in advance care planning in nursing homes: A survey study. Palliative Medicine, 2020, 34, 917-924.	1.3	33
15	Implementing the theory-based advance care planning ACP+ programme for nursing homes: study protocol for a cluster randomised controlled trial and process evaluation. BMC Palliative Care, 2020, 19, 5.	0.8	12
16	Coding Systems for Clinical Decision Support: Theoretical and Real-World Comparative Analysis. JMIR Formative Research, 2020, 4, e16094.	0.7	7
17	Electronic assessment of cardiovascular potentially inappropriate medications in an administrative population database. Basic and Clinical Pharmacology and Toxicology, 2019, 124, 62-73.	1.2	7
18	Policies influencing access to new targeted oncologic drugs in Ecuadorian hospitals: an interrupted time series analysis. Journal of Pharmaceutical Health Services Research, 2019, 10, 421-426.	0.3	1

Robert H Vander Stichele

#	Article	IF	CITATIONS
19	Implementing advance care planning in routine nursing home care: The development of the the the the the ory-based ACP+ program. PLoS ONE, 2019, 14, e0223586.	1.1	14
20	Discontinuation of medications at the end of life: A population study in Belgium, based on linked administrative databases. British Journal of Clinical Pharmacology, 2019, 85, 827-837.	1.1	15
21	Higher intake of medications for digestive disorders in children prenatally exposed to drugs with atropinic properties. Fundamental and Clinical Pharmacology, 2019, 33, 312-313.	1.0	0
22	Balancing medication use in nursing home residents with life-limiting disease. European Journal of Clinical Pharmacology, 2019, 75, 969-977.	0.8	15
23	Initiation of advance care planning in newly admitted nursing home residents in Flanders, Belgium: A prospective cohort study. Geriatrics and Gerontology International, 2019, 19, 141-146.	0.7	5
24	Associations of potentially inappropriate medication use with four year survival of an inception cohort of nursing home residents. Archives of Gerontology and Geriatrics, 2019, 80, 82-87.	1.4	17
25	Barriers and enablers to deprescribing in people with a life-limiting disease: A systematic review. Palliative Medicine, 2019, 33, 37-48.	1.3	55
26	European repository of explicit criteria of potentially inappropriate medications in old age. Geriatrics and Gerontology International, 2018, 18, 1293-1297.	0.7	13
27	Sharp rise in the expenditures of targeted drugs in Ecuador: five-year (2010-2014) consumption of oncologic drugs in public and private hospitals. Journal of Pharmaceutical Health Services Research, 2018, 9, 175-182.	0.3	5
28	Medication use in a cohort of newly admitted nursing home residents (Ageing@NH) in relation to evolving physical and mental health. Archives of Gerontology and Geriatrics, 2018, 75, 202-208.	1.4	14
29	Development, dissemination, and applications of a new terminological resource, the Q-Code taxonomy for professional aspects of general practice/family medicine. European Journal of General Practice, 2018, 24, 68-73.	0.9	3
30	Changes in medication use in a cohort of patients with advanced cancer: The international multicentre prospective European Palliative Care Cancer Symptom study. Palliative Medicine, 2018, 32, 775-785.	1.3	12
31	Perception of Belgian nurses about evidence-based clinical practice implementation: a focus group study. Acta Clinica Belgica, 2018, 73, 110-118.	0.5	2
32	Drugs Used for Euthanasia: A Repeated Population-Based Mortality Follow-Back Study in Flanders, Belgium, 1998–2013. Journal of Pain and Symptom Management, 2018, 56, 551-559.	0.6	8
33	Adherence, knowledge, and perception about oral anticoagulants in patients with atrial fibrillation at high risk for thromboembolic events after radiofrequency ablation. Journal of Advanced Nursing, 2018, 74, 2577-2587.	1.5	19
34	Discontinuation of Long-Term Antipsychotic Drug Use for Behavioral and Psychological Symptoms in Older Adults Aged 65ÂYears and Older With Dementia. Journal of the American Medical Directors Association, 2018, 19, 1009-1014.	1.2	11
35	Quality indicators assessing antibiotic use in the outpatient setting: a systematic review followed by an international multidisciplinary consensus procedure. Journal of Antimicrobial Chemotherapy, 2018, 73, vi40-vi49.	1.3	61
36	Metrics to assess the quantity of antibiotic use in the outpatient setting: a systematic review followed by an international multidisciplinary consensus procedure. Journal of Antimicrobial Chemotherapy, 2018, 73, vi59-vi66.	1.3	30

#	Article	IF	CITATIONS
37	Appropriateness and avoidability of terminal hospital admissions: Results of a survey among family physicians. Palliative Medicine, 2017, 31, 456-464.	1.3	17
38	Casting Light on an Occultation in the IAHPC Position Paper on Palliative Care and Assisted Dying. Journal of Palliative Medicine, 2017, 20, 697-698.	0.6	3
39	A Novel Scale Linking Potency and Dosage to Estimate Anticholinergic Exposure in Older Adults: the Muscarinic Acetylcholinergic Receptor ANTagonist Exposure Scale. Basic and Clinical Pharmacology and Toxicology, 2017, 120, 582-590.	1.2	28
40	Preconditions for successful advance care planning in nursing homes: A systematic review. International Journal of Nursing Studies, 2017, 66, 47-59.	2.5	110
41	Anticholinergic Exposure in a Cohort of Adults Aged 80 years and Over. Basic and Clinical Pharmacology and Toxicology, 2017, 120, 591-600.	1.2	14
42	Analysis of definitions of general practice, family medicine, and primary health care: a terminological analysis. BJGP Open, 2017, 1, bjgpopen17X101049.	0.9	11
43	A Terminology in General Practice/Family Medicine to Represent Non-Clinical Aspects for Various Usages: The Q-Codes. Studies in Health Technology and Informatics, 2017, 235, 471-475.	0.2	2
44	How Do General Practitioners Conceptualise Advance Care Planning in Their Practice? A Qualitative Study. PLoS ONE, 2016, 11, e0153747.	1.1	27
45	RF3-C Development of a Complex Intervention to Support the Initiation of Advance Care Planning by General Practitioners in Patients at Risk of Deteriorating or Dying: A Phase 0-1 Study. Journal of Pain and Symptom Management, 2016, 52, e47-e48.	0.6	0
46	Polypharmacy in a Belgian cohort of community-dwelling oldest old (80+). Acta Clinica Belgica, 2016, 71, 158-166.	0.5	38
47	The European Association for Palliative Care White Paper on euthanasia and physician-assisted suicide: Dodging responsibility. Palliative Medicine, 2016, 30, 893-894.	1.3	7
48	Too many, too few, or too unsafe? Impact of inappropriate prescribing on mortality, and hospitalization in a cohort of communityâ€dwelling oldest old. British Journal of Clinical Pharmacology, 2016, 82, 1382-1392.	1.1	85
49	Reasons for End-of-Life Hospital Admissions: Results of a Survey Among Family Physicians. Journal of Pain and Symptom Management, 2016, 52, 498-506.	0.6	21
50	Systematic review of cross-national drug utilization studies in Latin America: methods and comparability. Pharmacoepidemiology and Drug Safety, 2016, 25, 16-25.	0.9	13
51	Introduction to drug utilization research. , 2016, , 1-12.		20
52	Comparison of drug utilization across different geographical areas. , 2016, , 151-159.		5
53	Assessment of medication adherence in field research. , 2016, , 361-368.		7

Assessment of adherence to drug treatment in database research. , 2016, , 369-380.

4

#	Article	IF	CITATIONS
55	Quality of pharmacotherapy in old age: focus on lists of Potentially Inappropriate Medications (PIMs). European Journal of Clinical Pharmacology, 2016, 72, 897-904.	0.8	5
56	Development of a complex intervention to support the initiation of advance care planning by general practitioners in patients at risk of deteriorating or dying: a phase 0-1 study. BMC Palliative Care, 2016, 15, 17.	0.8	35
57	Availability and actual use in the Belgian market of potentially inappropriate medications (PIMs) from the EU(7)-PIM list. European Journal of Clinical Pharmacology, 2016, 72, 243-245.	0.8	11
58	Mortality, hospitalisation, institutionalisation in community-dwelling oldest old: The impact of medication. Archives of Gerontology and Geriatrics, 2016, 65, 9-16.	1.4	29
59	Awareness of dementia by family carers of nursing home residents dying with dementia: A post-death study. Palliative Medicine, 2015, 29, 38-47.	1.3	12
60	Information preferences of the general population when faced with life-limiting illness. European Journal of Public Health, 2015, 25, 532-538.	0.1	13
61	The prevalence in the general population of advance directives on euthanasia and discussion of end-of-life wishes: a nationwide survey. BMC Palliative Care, 2015, 14, 71.	0.8	37
62	Medication discrepancies in older patients admitted to non-geriatric wards: An exploratory study. European Geriatric Medicine, 2015, 6, 41-45.	1.2	9
63	The impact of chronic benzodiazepine use on cognitive evolution in nursing home residents. Human Psychopharmacology, 2015, 30, 85-93.	0.7	17
64	Impact of medication use on mortality in Belgian community-dwelling oldest Old. Clinical Therapeutics, 2015, 37, e105-e106.	1.1	1
65	How to implement quality indicators successfully in palliative care services: perceptions of team members about facilitators of and barriers to implementation. Supportive Care in Cancer, 2015, 23, 3503-3511.	1.0	19
66	Ex vivo effectiveness of French over-the-counter products against head lice (Pediculus humanus) Tj ETQq0 0 0 rg	3T/Qverlo 0.6	ck 10 Tf 50 3
67	Recent Trends in Euthanasia and Other End-of-Life Practices in Belgium. New England Journal of Medicine, 2015, 372, 1179-1181.	13.9	141
68	Polypharmacy in a Belgian cohort of community-dwelling oldest old: baseline observations and associated risk factors. Clinical Therapeutics, 2015, 37, e8.	1.1	4
69	Quality indicators for palliative care services: Mixed-method study testing for face validity, feasibility, discriminative power and usefulness. Palliative Medicine, 2015, 29, 71-82.	1.3	19
70	Attitudes of Physicians and Pharmacists Towards International Nonâ€Proprietary Name Prescribing in Belgium. Basic and Clinical Pharmacology and Toxicology, 2015, 116, 264-272.	1.2	4
71	Technology for Large-Scale Translation of Clinical Practice Guidelines: A Pilot Study of the Performance of a Hybrid Human and Computer-Assisted Approach. JMIR Medical Informatics, 2015, 3, e33.	1.3	4

72Quality of Dying in Nursing Home Residents Dying with Dementia: Does Advanced Care Planning
Matter? A Nationwide Postmortem Study. PLoS ONE, 2014, 9, e91130.1.1

#	Article	IF	CITATIONS
73	Barriers to Advance Care Planning in Cancer, Heart Failure and Dementia Patients: A Focus Group Study on General Practitioners' Views and Experiences. PLoS ONE, 2014, 9, e84905.	1.1	142
74	One-Year Evolution of Sleep Quality in Older Users of Benzodiazepines: A Longitudinal Cohort Study in Belgian Nursing Home Residents. Drugs and Aging, 2014, 31, 677-682.	1.3	16
75	Feasibility of discontinuing chronic benzodiazepine use in nursing home residents: a pilot study. European Journal of Clinical Pharmacology, 2014, 70, 1251-1260.	0.8	26
76	Efficacy of Products to Remove Eggs of <1>Pediculus humanus capitis (Phthiraptera: Pediculidae) From the Human Hair. Journal of Medical Entomology, 2014, 51, 400-407.	0.9	12
77	Quality of prescribing in Belgian nursing homes: an electronic assessment of the medication chart. International Journal for Quality in Health Care, 2014, 26, 93-99.	0.9	23
78	The burden of caring for people with dementia at the end of life in nursing homes: a postdeath study among nursing staff. International Journal of Older People Nursing, 2014, 9, 106-117.	0.6	21
79	Physician-reported practices on continuous deep sedation until death: A descriptive and comparative study. Palliative Medicine, 2014, 28, 491-500.	1.3	14
80	Changes in Prescription Patterns of Acid‣uppressant Medications by Belgian Pediatricians. Journal of Pediatric Gastroenterology and Nutrition, 2014, 58, 220-225.	0.9	46
81	Hospitalizations of nursing home residents with dementia in the last month of life: Results from a nationwide survey. Palliative Medicine, 2014, 28, 1110-1117.	1.3	49
82	The Family Physician's Perceived Role in Preventing and Guiding Hospital Admissions at the End of Life: A Focus Group Study. Annals of Family Medicine, 2014, 12, 441-446.	0.9	21
83	Barriers to discontinuation of chronic benzodiazepine use in nursing home residents: Perceptions of general practitioners and nurses. European Geriatric Medicine, 2014, 5, 181-187.	1.2	19
84	Barriers to antipsychotic discontinuation in nursing homes: an exploratory study. Aging and Mental Health, 2014, 18, 346-353.	1.5	28
85	Healthy Aging in Finland: Patients Adhere Well to Chronic Statin Therapy and Their Doctors to the Guidelines. Cardiovascular Drugs and Therapy, 2014, 28, 209-210.	1.3	0
86	Review of guidelines on primary prevention of cardiovascular disease with aspirin: how much evidence is needed to turn a tanker?. European Journal of Preventive Cardiology, 2014, 21, 354-365.	0.8	14
87	Operational rules for the implementation of INN prescribing. International Journal of Medical Informatics, 2014, 83, 47-56.	1.6	6
88	Advance Care Planning and Physician Orders in Nursing Home Residents With Dementia: A Nationwide Retrospective Study Among Professional Caregivers and Relatives. Journal of Pain and Symptom Management, 2014, 47, 245-256.	0.6	73
89	Mapping French terms in a Belgian guideline on heart failure to international classifications and nomenclatures: the devil is in the detail. Journal of Innovation in Health Informatics, 2014, 21, 189-198.	0.9	3
90	Systematic review of anticholinergic risk scales in older adults. Response to letter of the editor. European Journal of Clinical Pharmacology, 2013, 69, 1731-1731.	0.8	9

#	Article	IF	CITATIONS
91	Towards a standardized method of developing quality indicators for palliative care: protocol of the Quality indicators for Palliative Care (Q-PAC) study. BMC Palliative Care, 2013, 12, 6.	0.8	33
92	The Development and Test of an Intervention to Improve ADR Screening in Nursing Homes. Journal of the American Medical Directors Association, 2013, 14, 379.e1-379.e6.	1.2	25
93	Analysing policy interventions to prohibit overâ€theâ€counter antibiotic sales in four Latin American countries. Tropical Medicine and International Health, 2013, 18, 665-673.	1.0	53
94	Use of antibacterial fixed-dose combinations in the private sector in eight Latin American Countries between 1999 and 2009. Tropical Medicine and International Health, 2013, 18, 416-425.	1.0	11
95	Feasibility and impact of an evidence-based electronic decision support system for diabetes care in family medicine: protocol for a cluster randomized controlled trial. Implementation Science, 2013, 8, 83.	2.5	7
96	Continuous Deep Sedation Until Death in Nursing Home Residents with Dementia: A Case Series. Journal of the American Geriatrics Society, 2013, 61, 1768-1776.	1.3	24
97	Advance Care Planning and Dying in Nursing Homes in Flanders, Belgium: A Nationwide Survey. Journal of Pain and Symptom Management, 2013, 45, 223-234.	0.6	63
98	Nursing Home Residents Dying With Dementia in Flanders, Belgium: AÂNationwide Postmortem Study on Clinical Characteristics and Quality of Dying. Journal of the American Medical Directors Association, 2013, 14, 485-492.	1.2	103
99	Sleep quality of benzodiazepine users in nursing homes: A comparative study with nonusers. Sleep Medicine, 2013, 14, 614-621.	0.8	31
100	Lost in PubMed. Factors influencing the success of medical information retrieval. Expert Systems With Applications, 2013, 40, 4106-4114.	4.4	11
101	Withdrawal versus continuation of chronic antipsychotic drugs for behavioural and psychological symptoms in older people with dementia. The Cochrane Library, 2013, , CD007726.	1.5	115
102	Systematic review of anticholinergic risk scales in older adults. European Journal of Clinical Pharmacology, 2013, 69, 1485-1496.	0.8	276
103	Quality of dying of nursing home residents with dementia as judged by relatives. International Psychogeriatrics, 2013, 25, 1697-1707.	0.6	21
104	Barriers and facilitators for general practitioners to engage in advance care planning: A systematic review. Scandinavian Journal of Primary Health Care, 2013, 31, 215-226.	0.6	168
105	The effects of abrupt antipsychotic discontinuation in cognitively impaired older persons: A pilot study. Aging and Mental Health, 2013, 17, 125-132.	1.5	17
106	Buflomedil for intermittent claudication. The Cochrane Library, 2013, , CD000988.	1.5	5
107	EBMPracticeNet: A Bilingual National Electronic Point-Of-Care Project for Retrieval of Evidence-Based Clinical Guideline Information and Decision Support. JMIR Research Protocols, 2013, 2, e23.	0.5	20
108	Expressed wishes and incidence of euthanasia in advanced lung cancer patients. European Respiratory Journal, 2012, 40, 949-956.	3.1	13

#	Article	IF	CITATIONS
109	Naftidrofuryl for intermittent claudication. The Cochrane Library, 2012, 12, CD001368.	1.5	32
110	Advance directives and physicians' orders in nursing home residents with dementia in Flanders, Belgium: prevalence and associated outcomes. International Psychogeriatrics, 2012, 24, 1133-1143.	0.6	44
111	Changing preferences for information and participation in the last phase of life: a longitudinal study among newly diagnosed advanced lung cancer patients. Supportive Care in Cancer, 2012, 20, 2473-2482.	1.0	28
112	Systematic appraisal of dementia guidelines for the management of behavioural and psychological symptoms. Ageing Research Reviews, 2012, 11, 78-86.	5.0	153
113	The Use of Antidepressants in Belgian Nursing Homes. Drugs and Aging, 2012, 29, 759-769.	1.3	28
114	Propionyl-L-carnitine for intermittent claudication. The Cochrane Library, 2012, , .	1.5	1
115	PubMed searches by Dutchâ€speaking nursing students: The impact of language and system experience. Journal of the Association for Information Science and Technology, 2012, 63, 1538-1552.	2.6	8
116	Benzodiazepine use in Belgian nursing homes: a closer look into indications and dosages. European Journal of Clinical Pharmacology, 2012, 68, 833-844.	0.8	61
117	Patient socioeconomic determinants for the choice of the cheapest molecule within a cluster: evidence from Belgian prescription data. European Journal of Health Economics, 2012, 13, 315-325.	1.4	15
118	Patient socioeconomic determinants of the choice of generic versus brand name drugs in the context of a reference price system: evidence from Belgian prescription data. European Journal of Health Economics, 2012, 13, 301-313.	1.4	12
119	Preferred and Actual Involvement of Advanced Lung Cancer Patients and Their Families in End-of-Life Decision Making: A Multicenter Study in 13 Hospitals in Flanders, Belgium. Journal of Pain and Symptom Management, 2012, 43, 515-526.	0.6	33
120	Organization of the Medication Management Process in Belgian Nursing Homes. Journal of the American Medical Directors Association, 2011, 12, 308-311.	1.2	10
121	Nursing students' pharmacological knowledge and calculation skills. Nurse Education Today, 2011, 31, 499-505.	1.4	60
122	Current and projected prevalence of arterial hypertension in sub-Saharan Africa by sex, age and habitat: an estimate from population studies. Journal of Hypertension, 2011, 29, 1243-1252.	0.3	159
123	Assessment of antipsychotic prescribing in Belgian nursing homes. International Psychogeriatrics, 2011, 23, 1240-1248.	0.6	34
124	The â€~Wise List'– A Comprehensive Model for Drug and Therapeutics Committees to Achieve Adherence to Recommendations for Essential Drugs Among Prescribers?. Basic and Clinical Pharmacology and Toxicology, 2011, 108, 221-223.	1.2	9
125	Vocabularies and Retrieval Tools in Biomedicine: Disentangling the Terminological Knot. Journal of Medical Systems, 2011, 35, 527-543.	2.2	4
	Health Alliance for prudent antibiotic prescribing in patients with respiratory tract infections (HAPPY) Tj ETQq0 0	0 rgBT /O\	verlock 10 Tf

8

12, 52.

#	Article	IF	CITATIONS
127	Geriatric drug utilisation of psychotropics in Belgian nursing homes. Human Psychopharmacology, 2011, 26, 12-20.	0.7	69
128	Are patients' preferences for information and participation in medical decision-making being met? Interview study with lung cancer patients. Palliative Medicine, 2011, 25, 62-70.	1.3	54
129	Towards a terminologies support system in primary care. Journal of Innovation in Health Informatics, 2011, 19, 257-258.	0.9	3
130	Contribution of drug related problems to hospital admission in the elderly. Journal of Nutrition, Health and Aging, 2010, 14, 477-482.	1.5	48
131	Coping with changes in the Defined Daily Dose in a longitudinal drug consumption database. International Journal of Clinical Pharmacy, 2010, 32, 125-129.	1.4	40
132	Endâ€ofâ€life care policies in Flemish residential care facilities accommodating persons with intellectual disabilities. Journal of Intellectual Disability Research, 2010, 54, 1067-1077.	1.2	12
133	Health Alliance for Prudent Prescribing, Yield and Use of Antimicrobial Drugs in the Treatment of Respiratory Tract Infections (HAPPY AUDIT). BMC Family Practice, 2010, 11, 29.	2.9	48
134	Drug utilization in Belgian nursing homes: impact of residents' and institutional characteristics. Pharmacoepidemiology and Drug Safety, 2010, 19, 1041-1048.	0.9	51
135	Nurses' practices in pharmacotherapy and their association with educational level. Journal of Advanced Nursing, 2010, 66, 1072-1079.	1.5	37
136	Preferences of Patients with Advanced Lung Cancer Regarding the Involvement of Family and Others in Medical Decision-Making. Journal of Palliative Medicine, 2010, 13, 1199-1203.	0.6	38
137	Silence of the Limbs: Pharmacological Symptomatic Treatment of Intermittent Claudication. Current Vascular Pharmacology, 2010, 8, 383-387.	0.8	6
138	Nursing home policies regarding advance care planning in Flanders, Belgium. European Journal of Public Health, 2010, 20, 189-194.	0.1	21
139	Evaluation of medication adherence methods in the treatment of malaria in Rwandan infants. Malaria Journal, 2010, 9, 206.	0.8	15
140	End-of-Life Decision-Making and Terminal Sedation among Very Old Patients. Gerontology, 2009, 55, 99-105.	1.4	16
141	Naftidrofuryl for intermittent claudication: meta-analysis based on individual patient data. BMJ: British Medical Journal, 2009, 338, b603-b603.	2.4	30
142	Policies to improve end-of-life decisions in Flemish hospitals: communication, training of health care providers and use of quality assessments. BMC Palliative Care, 2009, 8, 20.	0.8	4
143	Preferences of advanced lung cancer patients for patient-centred information and decision-making: A prospective multicentre study in 13 hospitals in Belgium. Patient Education and Counseling, 2009, 77, 421-429.	1.0	32
144	Bias in Benefit-Risk Appraisal in Older Products. Drug Safety, 2009, 32, 283-291.	1.4	9

#	Article	IF	CITATIONS
145	Pharmacists' Interventions for Optimization of Medication Use in Nursing Homes. Drugs and Aging, 2009, 26, 37-49.	1.3	93
146	Effects of an evidence report and policies lifting reimbursement restrictions for acid suppressants: analysis of the Belgian national database. Pharmacoepidemiology and Drug Safety, 2008, 17, 1113-1122.	0.9	12
147	Truth-telling at the end of life: A pilot study on the perspective of patients and professional caregivers. Patient Education and Counseling, 2008, 71, 52-56.	1.0	55
148	Letter by De Backer et al Regarding Article, "Oral Buflomedil in the Prevention of Cardiovascular Events in Patients With Peripheral Arterial Obstructive Disease: A Randomized, Placebo-Controlled, 4-Year Studyâ€: Circulation, 2008, 118, e151.	1.6	1
149	Naftidrofuryl for intermittent claudication. , 2008, , CD001368.		9
150	Buflomedil for intermittent claudication. , 2008, , CD000988.		9
151	Prevalence of Patients With Do-Not-Resuscitate Status on Acute Geriatric Wards in Flanders, Belgium. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2007, 62, 395-400.	1.7	8
152	The role of general practitioners in continuity of care at the end of life: a qualitative study of terminally ill patients and their next of kin. Palliative Medicine, 2007, 21, 409-415.	1.3	94
153	Changements dans les pratiques médicales de fin de vie. Frontières, 2007, 20, 76-80.	0.0	0
154	IMPLEMENTING AND OPTIMISING AN ELECTRONIC LIBRARY OF HEALTH CARE IN BELGIUM: RESULTS OF A PILOT STUDY. Acta Clinica Belgica, 2007, 62, 48-51.	0.5	1
155	European Surveillance of Antimicrobial Consumption (ESAC): quality indicators for outpatient antibiotic use in Europe. Quality and Safety in Health Care, 2007, 16, 440-445.	2.5	154
156	Antibiotic use in ambulatory care in Europe (ESAC data 1997–2002): trends, regional differences and seasonal fluctuations. Pharmacoepidemiology and Drug Safety, 2007, 16, 115-123.	0.9	91
157	Medical evidence and health policy: a marriage of convenience? The case of proton pump inhibitors. Journal of Evaluation in Clinical Practice, 2007, 13, 674-680.	0.9	5
158	Nurses' involvement in 'do not resuscitate' decisions on acute elder care wards. Journal of Advanced Nursing, 2007, 57, 404-409.	1.5	9
159	Overcoming health inequalities by using the Bug Busting ?whole-school approach? to eradicate head lice. Journal of Clinical Nursing, 2007, 16, 1955-1965.	1.4	21
160	Changes in medical end-of-life practices during the legalization process of euthanasia in Belgium. Social Science and Medicine, 2007, 65, 803-808.	1.8	46
161	The use of drugs with a life-shortening effect in end-of-life care in neonates and infants. Intensive Care Medicine, 2006, 32, 133-139.	3.9	27
162	Hospital consumption of antibiotics in 15 European countries: results of the ESAC Retrospective Data Collection (1997–2002). Journal of Antimicrobial Chemotherapy, 2006, 58, 159-167.	1.3	160

#	Article	IF	CITATIONS
163	Communication on end-of-life decisions with patients wishing to die at home: the making of a guideline for GPs in Flanders, Belgium. British Journal of General Practice, 2006, 56, 14-9.	0.7	24
164	Do-Not-Resuscitate Policy on Acute Geriatric Wards in Flanders, Belgium. Journal of the American Geriatrics Society, 2005, 53, 2221-2226.	1.3	13
165	Physician-assisted death: attitudes and practices of community pharmacists in East Flanders, Belgium. Palliative Medicine, 2005, 19, 151-157.	1.3	14
166	Method to Measure Force Required to Remove <i>Pediculus humanus capitis</i> (Phthiraptera:) Tj ETQq0 0 0 rg	BT /Overlo	ock 10 Tf 50 6
167	Method to Measure Force Required to Remove Pediculus humanus capitis (Phthiraptera: Pediculidae) Eggs from Human Hair. Journal of Medical Entomology, 2005, 42, 89-93.	0.9	6
168	Outpatient antibiotic use in Europe and association with resistance: a cross-national database study. Lancet, The, 2005, 365, 579-587.	6.3	2,413
169	The incidence and characteristics of end-of-life decisions by GPs in Belgium. Family Practice, 2004, 21, 282-289.	0.8	30
170	Involvement of nurses in physician-assisted dying. Journal of Advanced Nursing, 2004, 47, 583-591.	1.5	54
171	European Surveillance of Antimicrobial Consumption (ESAC): Data Collection Performance and Methodological Approach. British Journal of Clinical Pharmacology, 2004, 58, 419-428.	1.1	110
172	Drugs used for euthanasia in Flanders, Belgium. Pharmacoepidemiology and Drug Safety, 2004, 13, 89-95.	0.9	17
173	The use of drugs to hasten death. Pharmacoepidemiology and Drug Safety, 2004, 13, 113-115.	0.9	2
174	Impact of medicines on Public Health: EURO-MED-STAT. , 2004, , 343-354.		0
175	The significance of drug utilization for Public Health. , 2004, , 99-117.		0
176	Problems in collecting comparable national drug use data in Europe: the example of antibacterials. European Journal of Clinical Pharmacology, 2003, 58, 843-849.	0.8	27
177	Information retrieval skills of researchers in general practice. European Journal of General Practice, 2003, 9, 75-76.	0.9	0
178	Attitudes, Sociodemographic Characteristics, and Actual End-of-Life Decisions of Physicians in Flanders, Belgium. Medical Decision Making, 2003, 23, 502-510.	1.2	31
179	Evidence in the Treatment of Head Lice: Drowning in a Swamp of Reviews. Clinical Infectious Diseases, 2003, 37, 1580-1582.	2.9	11
180	A DECADE OF GROWTH IN PUBLIC AND PRIVATE PHARMACEUTICAL EXPENDITURES: THE CASE OF BELGIUM 1990-1999. Acta Clinica Belgica, 2003, 58, 279-289.	0.5	2

#	Article	IF	CITATIONS
181	PHP2 VARIABILITY IN EUROPEAN REIMBURSEMENT SCHEMES FOR ANTIBIOTICS: CONSEQUENCES FOR EUROPEAN SURVEILLANCE OF ANTIBIOTIC CONSUMPTION (ESAC PROJECT). Value in Health, 2002, 5, 464-465.	0.1	0
182	Cross-cultural differences in lay attitudes and utilisation of antibiotics in a Belgian and a Dutch city. Patient Education and Counseling, 2002, 48, 161-169.	1.0	57
183	Wet combing for head lice: feasibility in mass screening, treatment preference and outcome. Journal of the Royal Society of Medicine, 2002, 95, 348-352.	1.1	28
184	Ethical issues in pharmacoepidemiological research in Belgium. Pharmacoepidemiology and Drug Safety, 2001, 10, 595.	0.9	10
185	Wet combing versus traditional scalp inspection to detect head lice in schoolchildren: observational study. BMJ: British Medical Journal, 2000, 321, 1187-1188.	2.4	60
186	End-of-life Decisions of Physicians in the city of Hasselt (Flanders, Belgium). Bioethics, 2000, 14, 254-267.	0.7	17
187	Oral vasoactive medication in intermittent claudication: utile or futile?. European Journal of Clinical Pharmacology, 2000, 56, 199-206.	0.8	39
188	End-of-life decisions in medical practice in Flanders, Belgium: a nationwide survey. Lancet, The, 2000, 356, 1806-1811.	6.3	290
189	Use of laxatives in institutions for the mentally retarded. European Journal of Clinical Pharmacology, 1999, 54, 965-969.	0.8	20
190	Effects of Smoking, CYP2D6 Genotype, and Concomitant Drug Intake on the Steady State Plasma Concentrations of Haloperidol and Reduced Haloperidol in Schizophrenic Inpatients. Therapeutic Drug Monitoring, 1999, 21, 489.	1.0	37
191	Attitude of physicians toward patient package inserts for medication information in Belgium. Patient Education and Counseling, 1996, 28, 5-13.	1.0	16
192	European Legislation and Research Projects regarding Patient Education for Medication. Drug Information Journal, 1995, 29, 285-290.	0.5	5
193	Systematic review of clinical efficacy of topical treatments for head lice. BMJ: British Medical Journal, 1995, 311, 604-608.	2.4	112
194	Medication utilization and patient information in homes for the aged. European Journal of Clinical Pharmacology, 1992, 43, 319-321.	0.8	8
195	Attitude of the Public toward Technical Package Inserts for Medication Information in Belgium. DICP: the Annals of Pharmacotherapy, 1991, 25, 1002-1006.	0.2	24
196	Impact of patient package inserts on patients' satisfaction, adverse drug reactions and risk perception: The case of nsaids for posttraumatic pain relief. Patient Education and Counseling, 1991, 17, 205-215.	1.0	25
197	Measurement of patient compliance and the interpretation of randomized clinical trials. European Journal of Clinical Pharmacology, 1991, 41, 27-35.	0.8	91
198	Package inserts for antihypertensive drugs: use by the patients and impact on adverse drug reactions. European Journal of Clinical Pharmacology, 1990, 39, 551-554.	0.8	15

#	Article	IF	CITATIONS
199	Promises of a Measurement Breakthrough. , 0, , 71-83.		2
200	Interventions for treating head lice. The Cochrane Library, 0, , .	1.5	6
201	Evaluating the Interoperability of Two Standard Terminologies for Dosage Form: Rxnorm from the National Library of Medicine for the United States and Edqm from the European Directorate for the Quality in Medicines and Healthcare for Europe. SSRN Electronic Journal, 0, , .	0.4	1