Francisco Jose De Abajo Iglesias

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1973831/publications.pdf

Version: 2024-02-01

128 papers

6,128 citations

76196 40 h-index 74018 75 g-index

153 all docs

153 docs citations

153 times ranked 7808 citing authors

#	Article	IF	Citations
1	Association between selective serotonin reuptake inhibitors and upper gastrointestinal bleeding: population based case-control study. BMJ: British Medical Journal, 1999, 319, 1106-1109.	2.4	377
2	Acute and clinically relevant drug-induced liver injury: a population based case-control study. British Journal of Clinical Pharmacology, 2004, 58, 71-80.	1.1	356
3	Use of renin–angiotensin–aldosterone system inhibitors and risk of COVID-19 requiring admission to hospital: a case-population study. Lancet, The, 2020, 395, 1705-1714.	6.3	347
4	Association between aspirin and upper gastrointestinal complications: Systematic review of epidemiologic studies. British Journal of Clinical Pharmacology, 2001, 52, 563-571.	1.1	241
5	Comparison of Outpatient Systemic Antibacterial Use in 2004 in the United States and 27 European Countries. Clinical Infectious Diseases, 2007, 44, 1091-1095.	2.9	196
6	Drug safety discontinuations in the United Kingdom, the United States, and Spain from 1974 through 1993: A regulatory perspective. Clinical Pharmacology and Therapeutics, 1995, 58, 108-117.	2.3	189
7	Risk of Upper Gastrointestinal Tract Bleeding Associated With Selective Serotonin Reuptake Inhibitors and Venlafaxine Therapy. Archives of General Psychiatry, 2008, 65, 795.	13.8	175
8	European Surveillance of Antimicrobial Consumption (ESAC): outpatient antibiotic use in Europe (1997–2009). Journal of Antimicrobial Chemotherapy, 2011, 66, vi3-vi12.	1.3	173
9	Effects of Selective Serotonin Reuptake Inhibitors on Platelet Function. Drugs and Aging, 2011, 28, 345-367.	1.3	166
10	Guidelines for good pharmacoepidemiology practice (GPP). Pharmacoepidemiology and Drug Safety, 2016, 25, 2-10.	0.9	164
11	European Surveillance of Antimicrobial Consumption (ESAC): quality indicators for outpatient antibiotic use in Europe. Quality and Safety in Health Care, 2007, 16, 440-445.	2.5	154
12	Risk of upper gastrointestinal bleeding and perforation associated with low-dose aspirin as plain and enteric-coated formulations. BMC Clinical Pharmacology, 2001, 1, 1.	2.5	147
13	Antidepressant prescribing in five European countries: application of common definitions to assess the prevalence, clinical observations, and methodological implications. European Journal of Clinical Pharmacology, 2014, 70, 849-857.	0.8	135
14	Ampicillin-Resistant Non-Î ² -Lactamase-Producing Haemophilus influenzae in Spain: Recent Emergence of Clonal Isolates with Increased Resistance to Cefotaxime and Cefixime. Antimicrobial Agents and Chemotherapy, 2007, 51, 2564-2573.	1.4	114
15	Global management of patients with knee osteoarthritis begins with quality of life assessment: a systematic review. BMC Musculoskeletal Disorders, 2019, 20, 493.	0.8	114
16	Analysis of Invasive Haemophilus influenzae Infections after Extensive Vaccination against H. influenzae Type b. Journal of Clinical Microbiology, 2004, 42, 524-529.	1.8	113
17	Cyclosporine Use in Epidermal Necrolysis IsÂAssociated with an Important MortalityÂReduction: Evidence from ThreeÂDifferentÂApproaches. Journal of Investigative Dermatology, 2017, 137, 2092-2100.	0.3	112
18	Antimicrobial-resistant Invasive <i>Escherichia coli</i> , Spain. Emerging Infectious Diseases, 2005, 11, 546-553.	2.0	106

#	Article	IF	CITATIONS
19	Exposure to benzodiazepines (anxiolytics, hypnotics and related drugs) in seven European electronic healthcare databases: a crossâ€national descriptive study from the PROTECTâ€EU Project. Pharmacoepidemiology and Drug Safety, 2016, 25, 56-65.	0.9	96
20	European Surveillance of Antimicrobial Consumption (ESAC): quality appraisal of antibiotic use in Europe. Journal of Antimicrobial Chemotherapy, 2011, 66, vi71-vi77.	1.3	95
21	Risk of meningioma among users of high doses of cyproterone acetate as compared with the general population: evidence from a populationâ€based cohort study. British Journal of Clinical Pharmacology, 2011, 72, 965-968.	1.1	94
22	Cancer in Patients with Rheumatic Diseases Exposed to TNF Antagonists. Seminars in Arthritis and Rheumatism, 2011, 41, 71-80.	1.6	94
23	Intracranial haemorrhage and use of selective serotonin reuptake inhibitors. British Journal of Clinical Pharmacology, 2000, 50, 43-47.	1.1	89
24	Parallel increase in community use of fosfomycin and resistance to fosfomycin in extended-spectrum Â-lactamase (ESBL)-producing Escherichia coli. Journal of Antimicrobial Chemotherapy, 2010, 65, 2459-2463.	1.3	87
25	European Surveillance of Antimicrobial Consumption (ESAC): outpatient quinolone use in Europe (1997–2009). Journal of Antimicrobial Chemotherapy, 2011, 66, vi47-vi56.	1.3	81
26	Risk of ventricular arrhythmias associated with nonsedating antihistamine drugs. British Journal of Clinical Pharmacology, 1999, 47, 307-313.	1.1	79
27	Antidepressants and Risk of Upper Gastrointestinal Bleeding. Basic and Clinical Pharmacology and Toxicology, 2006, 98, 304-310.	1.2	78
28	Surveillance of outpatient antibiotic consumption in Spain according to sales data and reimbursement data. Journal of Antimicrobial Chemotherapy, 2007, 60, 698-701.	1.3	72
29	Upper gastrointestinal bleeding associated with NSAIDs, other drugs and interactions: a nested caseâ€"control study in a new general practice database. European Journal of Clinical Pharmacology, 2013, 69, 691-701.	0.8	68
30	Significant HLA class I type associations with aromatic antiepileptic drug (AED)-induced SJS/TEN are different from those found for the same AED-induced DRESS in the Spanish population. Pharmacological Research, 2017, 115, 168-178.	3.1	61
31	Trends in Antimicrobial Resistance in 1,968 Invasive Streptococcus pneumoniae Strains Isolated in Spanish Hospitals (2001 to 2003): Decreasing Penicillin Resistance in Children's Isolates. Journal of Clinical Microbiology, 2004, 42, 5571-5577.	1.8	58
32	Risk of nonfatal acute myocardial infarction associated with non-steroidal antiinflammatory drugs, non-narcotic analgesics and other drugs used in osteoarthritis: a nested case-control study. Pharmacoepidemiology and Drug Safety, 2014, 23, 1128-1138.	0.9	51
33	Significant ecological impact on the progression of fluoroquinolone resistance in Escherichia coli with increased community use of moxifloxacin, levofloxacin and amoxicillin/clavulanic acid. Journal of Antimicrobial Chemotherapy, 2011, 66, 664-669.	1.3	48
34	Bridging Differences in Outcomes of Pharmacoepidemiological Studies: Design and First Results of the PROTECT Project. Current Clinical Pharmacology, 2014, 9, 130-138.	0.2	48
35	Prevalence of antibiotic use: a comparison across various European health care data sources. Pharmacoepidemiology and Drug Safety, 2016, 25, 11-20.	0.9	46
36	Key Learning Outcomes for Clinical Pharmacology and Therapeutics Education in Europe: A Modified Delphi Study. Clinical Pharmacology and Therapeutics, 2018, 104, 317-325.	2.3	46

#	Article	IF	CITATIONS
37	Risk of ischemic stroke associated with nonâ€steroidal antiâ€inflammatory drugs and paracetamol: a populationâ€based caseâ€control study. Journal of Thrombosis and Haemostasis, 2015, 13, 708-718.	1.9	44
38	Allopurinol use and risk of non-fatal acute myocardial infarction. Heart, 2015, 101, 679-685.	1.2	43
39	Antibiotic Resistance in Haemophilus influenzae Decreased, except for \hat{l}^2 -Lactamase-Negative Amoxicillin-Resistant Isolates, in Parallel with Community Antibiotic Consumption in Spain from 1997 to 2007. Antimicrobial Agents and Chemotherapy, 2008, 52, 2760-2766.	1.4	42
40	Clopidogrel and Low-Dose Aspirin, Alone or Together, Reduce Risk of Colorectal Cancer. Clinical Gastroenterology and Hepatology, 2019, 17, 2024-2033.e2.	2.4	41
41	Incidence Rates and Trends of Hip/Femur Fractures in Five European Countries: Comparison Using E-Healthcare Records Databases. Calcified Tissue International, 2014, 94, 580-589.	1.5	39
42	Use of antipsychotic agents in Spain through 1985–2000. European Psychiatry, 2002, 17, 471-476.	0.1	38
43	Oral bisphosphonates are associated with increased risk of subtrochanteric and diaphyseal fractures in elderly women: a nested case–control study. BMJ Open, 2013, 3, e002091.	0.8	38
44	Increased Amoxicillin–Clavulanic Acid Resistance in <i>Escherichia coli</i> Blood Isolates, Spain. Emerging Infectious Diseases, 2008, 14, 1259-1262.	2.0	36
45	Multiâ€centre, multiâ€database studies with common protocols: lessons learnt from the IMI PROTECT project. Pharmacoepidemiology and Drug Safety, 2016, 25, 156-165.	0.9	36
46	Antiepileptic drug use in seven electronic health record databases in Europe: A methodologic comparison. Epilepsia, 2014, 55, 666-673.	2.6	35
47	An Empirical Approach to Explore the Relationship Between Measures of Disproportionate Reporting and Relative Risks from Analytical Studies. Drug Safety, 2016, 39, 29-43.	1.4	35
48	European Surveillance of Antimicrobial Consumption (ESAC): outpatient cephalosporin use in Europe (1997-2009). Journal of Antimicrobial Chemotherapy, 2011, 66, vi25-vi35.	1.3	34
49	Hip/femur fractures associated with the use of benzodiazepines (anxiolytics, hypnotics and related) Tj ETQq1 1 oproject. Pharmacoepidemiology and Drug Safety, 2016, 25, 66-78.	0.784314 0.9	rgBT /Overloc 34
50	European Surveillance of Antimicrobial Consumption (ESAC): outpatient macrolide, lincosamide and streptogramin (MLS) use in Europe (1997–2009). Journal of Antimicrobial Chemotherapy, 2011, 66, vi37-vi45.	1.3	32
51	Association between SSRIs and upper gastrointestinal bleeding. BMJ: British Medical Journal, 2000, 320, 1405-1405.	2.4	32
52	European Surveillance of Antimicrobial Consumption (ESAC): outpatient use of tetracyclines, sulphonamides and trimethoprim, and other antibacterials in Europe (1997–2009). Journal of Antimicrobial Chemotherapy, 2011, 66, vi57-vi70.	1.3	31
53	Ascertainment of acute liver injury in two European primary care databases. European Journal of Clinical Pharmacology, 2014, 70, 1227-1235.	0.8	30
54	European Surveillance of Antimicrobial Consumption (ESAC): outpatient penicillin use in Europe (1997-2009). Journal of Antimicrobial Chemotherapy, 2011, 66, vi13-vi23.	1.3	27

#	Article	IF	CITATIONS
55	Vemurafenib-induced toxic epidermal necrolysis: possible cross-reactivity with other sulfonamide compounds. British Journal of Dermatology, 2016, 174, 621-624.	1.4	27
56	Understanding inconsistency in the results from observational pharmacoepidemiological studies: the case of antidepressant use and risk of hip/femur fractures. Pharmacoepidemiology and Drug Safety, 2016, 25, 88-102.	0.9	23
57	Hypnotic Drug Use in Spain: A Cross-Sectional Study Based on a Network of Community Pharmacies. Annals of Pharmacotherapy, 1996, 30, 1092-1100.	0.9	22
58	Risk of Ischemic Stroke Associated With Calcium Supplements With or Without Vitamin D: A Nested Caseâ€Control Study. Journal of the American Heart Association, 2017, 6, .	1.6	21
59	A patients' view of OA: the Global Osteoarthritis Patient Perception Survey (GOAPPS), a pilot study. BMC Musculoskeletal Disorders, 2020, 21, 727.	0.8	21
60	The IMI PROTECT project: purpose, organizational structure, and procedures. Pharmacoepidemiology and Drug Safety, 2016, 25, 5-10.	0.9	20
61	Assessment of drug causality in Stevensâ€Johnson syndrome/toxic epidermal necrolysis: Concordance between lymphocyte transformation test and ALDEN. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 956-959.	2.7	20
62	Prospective Drug Safety Monitoring Using the UK Primary-Care General Practice Research Database. Drug Safety, 2010, 33, 223-232.	1.4	19
63	Population Impact of Drug Interactions with Warfarin: A Real-World Data Approach. Thrombosis and Haemostasis, 2018, 118, 461-470.	1.8	19
64	Catecholamine release evoked by lithium from the perfused adrenal gland of the cat. British Journal of Pharmacology, 1987, 91, 539-546.	2.7	17
65	Risk of acute liver injury associated with use of antibiotics. Comparative cohort and nested case–control studies using two primary care databases in Europe. Pharmacoepidemiology and Drug Safety, 2016, 25, 29-38.	0.9	16
66	Incidence of Stevens-Johnson syndrome/toxic epidermal necrolysis among new users of different individual drugs in a European population: a case-population study. European Journal of Clinical Pharmacology, 2019, 75, 237-246.	0.8	16
67	Risk of toxic epidermal necrolysis and Stevens-Johnson syndrome associated with benzodiazepines: a population-based cohort study. European Journal of Clinical Pharmacology, 2015, 71, 759-766.	0.8	15
68	Validation study of colorectal cancer diagnosis in the Spanish primary care database, BIFAP. Pharmacoepidemiology and Drug Safety, 2019, 28, 209-216.	0.9	15
69	Trends in the use of oral anticoagulants, antiplatelets and statins in four European countries: a population-based study. European Journal of Clinical Pharmacology, 2022, 78, 497-504.	0.8	15
70	Impact of in-hospital discontinuation with angiotensin receptor blockers or converting enzyme inhibitors on mortality of COVID-19 patients: a retrospective cohort study. BMC Medicine, 2021, 19, 118.	2.3	14
71	Do caseâ€only designs yield consistent results across design and different databases? A case study of hip fractures and benzodiazepines. Pharmacoepidemiology and Drug Safety, 2016, 25, 79-87.	0.9	12
72	Active surveillance of severe cutaneous adverse reactions: A caseâ€population approach using a registry and a health care database. Pharmacoepidemiology and Drug Safety, 2018, 27, 1042-1050.	0.9	12

#	Article	IF	CITATIONS
73	Predictors of Over-Anticoagulation in Warfarin Users in the UK General Population: A Nested Case–Control Study in a Primary Health Care Database. Thrombosis and Haemostasis, 2019, 119, 066-076.	1.8	12
74	Harmonizing and improving European education in prescribing: An overview of digital educational resources used in clinical pharmacology and therapeutics. British Journal of Clinical Pharmacology, 2021, 87, 1001-1011.	1.1	12
75	Utilización de antihipertensivos en España (1995-2001). Revista Espanola De Cardiologia, 2004, 57, 241-249.	0.6	12
76	Benzodiazepine consumption in Spain. European Journal of Clinical Pharmacology, 1997, 52, 321-323.	0.8	11
77	Low-Dose Aspirin after an Episode of Haemorrhagic Stroke Is Associated with Improved Survival. Thrombosis and Haemostasis, 2017, 117, 2396-2405.	1.8	11
78	Relationship Between Influenza, Temperature, and Type 1 Myocardial Infarction: An Ecological Timeâ€Series Study. Journal of the American Heart Association, 2021, 10, e019608.	1.6	11
79	Care in patients with epidermal necrolysis in burn units. A nursing perspective. Burns, 2018, 44, 1962-1972.	1.1	10
80	Heat waves, ambient temperature, and risk of myocardial infarction: an ecological study in the Community of Madrid. Revista Espanola De Cardiologia (English Ed), 2020, 73, 300-306.	0.4	10
81	Improving Pharmacovigilance Beyond Spontaneous Reporting. Pharmaceutical Medicine, 2005, 19, 209-218.	0.4	9
82	Populationâ€based caseâ€control study: chemoprotection of colorectal cancer with nonâ€aspirin nonsteroidal antiâ€inflammatory drugs and other drugs for pain control. Alimentary Pharmacology and Therapeutics, 2019, 50, 295-305.	1.9	9
83	Risk of Myocardial Infarction Among New Users of Calcium Supplements Alone or Combined With Vitamin D: A Populationâ€Based Caseâ€Control Study. Clinical Pharmacology and Therapeutics, 2020, 107, 359-368.	2.3	9
84	HLA-Aâ^—68, -Aâ^—11:01, and -Aâ^—29:02 alleles are strongly associated with benznidazole-induced maculopapul exanthema (MPE)/DRESS. Journal of Allergy and Clinical Immunology: in Practice, 2020, 8, 3198-3200.e3.	ar 2.0	9
85	Risk of acute myocardial infarction among new users of chondroitin sulfate: A nested case-control study. PLoS ONE, 2021, 16, e0253932.	1.1	9
86	Relationship between vitamin D deficiency and metabolic syndrome in adult population of the Community of Madrid. EndocrinologÃa Y Nutrición (English Edition), 2015, 62, 180-187.	0.5	8
87	Risk of Acute Myocardial Infarction Among New Users of Allopurinol According to Serum Urate Level: A Nested Case-Control Study. Journal of Clinical Medicine, 2019, 8, 2150.	1.0	8
88	Differential effects of antidepressant subgroups on risk of acute myocardial infarction: A nested case–control study. British Journal of Clinical Pharmacology, 2020, 86, 2040-2050.	1.1	8
89	El medicamento como solución y como problema para la salud pública. Una breve incursión a los objetivos de la farmacoepidemiologÃa. Revista Espanola De Salud Publica, 2001, 75, 281-284.	0.3	8
90	Influenza vaccine and risk of acute myocardial infarction in a population-based case–control study. Heart, 2022, 108, 1039-1045.	1.2	8

#	Article	IF	Citations
91	Selective Serotonin Reuptake Inhibitors and Risk of Noncardioembolic Ischemic Stroke: A Nested Case-Control Study. Stroke, 2022, 53, 1560-1569.	1.0	8
92	The single case format: Proposal for a structured message for the telematic transmission of information on individual case reports in pharmacovigilance. Pharmacoepidemiology and Drug Safety, 1994, 3, 157-162.	0.9	7
93	Use of Antihypertensive Drugs in Spain (1995-2001). Revista Espanola De Cardiologia (English Ed), 2004, 57, 241-249.	0.4	7
94	The <i>HLA-B*15:02</i> allele in a Spanish Romani patient with carbamazepine-induced Stevens–Johnson syndrome. Pharmacogenomics, 2016, 17, 541-545.	0.6	7
95	Electronic transmission of rapid alerts in pharmacovigilance: A pilot EC experiment. Pharmacoepidemiology and Drug Safety, 1994, 3, 163-167.	0.9	6
96	Time for less control of clozapine?. Lancet, The, 1995, 346, 56-57.	6.3	6
97	Increase of resistance to macrolides in invasive Streptococcus pneumoniae in Spain (2000-2001). Clinical Microbiology and Infection, 2004, 10, 851-854.	2.8	6
98	Labor induction with dinoprostone or oxytocine and postpartum disseminated intravascular coagulation: A hospital-based case-control study. American Journal of Obstetrics and Gynecology, 2004, 191, 1637-1643.	0.7	6
99	Reply. British Journal of Clinical Pharmacology, 2000, 49, 380-380.	1.1	5
100	Intraspinal administration of morphine hydrochloride combined with low doses of bupivacaine in hemorrhoidectomy: a clinical randomized trial. Minerva Anestesiologica, 2017, 83, 930-938.	0.6	5
101	Small risk ratios may have strong public health impact. BMJ: British Medical Journal, 2003, 327, 1050-c-1051.	2.4	5
102	Communication in pharmacovigilance. Pharmacoepidemiology and Drug Safety, 1994, 3, 151-155.	0.9	4
103	Estudio de la utilizaci $ ilde{A}^3$ n de ticlopidina en oficinas de farmacia de Espa $ ilde{A}$ ±a. Medicina Cl $ ilde{A}$ nica, 2000, 115, 211-213.	0.3	4
104	Antidepressant drugs: a potential new drug cause of upper gastrointestinal bleeding. Digestive and Liver Disease, 2000, 32, 455-457.	0.4	4
105	Impact of preâ€exposure time bias in selfâ€controlled case series when the event conditions the exposure: Hip/femur fracture and use of benzodiazepines as a case study. Pharmacoepidemiology and Drug Safety, 2020, 29, 388-395.	0.9	4
106	<p>Clinical and Economic Consequences of Inhaled Corticosteroid Doses and Particle Size in Triple Inhalation Therapy for COPD: Real-Life Study</p> . International Journal of COPD, 2020, Volume 15, 3291-3302.	0.9	4
107	Statins and Colorectal Cancer Risk: A Population-Based Case-Control Study and Synthesis of the Epidemiological Evidence. Journal of Clinical Medicine, 2022, 11, 1528.	1.0	4
108	The Continuing Unacceptable Marketing of Alka-Seltzer® Containing Aspirin for Stomach-Related Disorders. Drug Safety, 2009, 32, 619-621.	1.4	3

#	Article	IF	CITATIONS
109	Seasonal changes in prescribing of long-acting beta-2-agonists-containing drugs. Respiratory Medicine, 2015, 109, 828-837.	1.3	3
110	International cohort study on the effectiveness of dronedarone and other antiarrhythmic drugs for atrial fibrillation in real-world practice (EFFECT-AF). Europace, 2022, 24, 899-909.	0.7	3
111	Triazolam regulatory measures in Spain. Lancet, The, 1993, 341, 185-186.	6.3	2
112	Ventricular arrhythmias and nonsedating antihistamines. British Journal of Clinical Pharmacology, 2000, 49, 379-379.	1.1	2
113	COMMENTARY: Psychomotor development in children and antenatal psychotropic andanti-epileptic drugs. European Journal of Epidemiology, 2002, 18, 743-744.	2.5	2
114	European Surveillance of Antimicrobial Consumption (ESAC): outpatient cephalosporin use in Europe (1997-2009). Journal of Antimicrobial Chemotherapy, 2012, 67, 518-518.	1.3	2
115	Renin–angiotensin system inhibitors and COVID-19: overwhelming evidence against an association. The Lancet Digital Health, 2021, 3, e70-e71.	5.9	2
116	Comment: Agranulocytosis Caused by Diclofenac?. DICP: the Annals of Pharmacotherapy, 1990, 24, 786-786.	0.2	1
117	Sodium-Calcium Exchange and Lithium Action. Journal of Clinical Psychopharmacology, 1991, 11, 279.	0.7	1
118	Before and after triazolam: changes in the consumption of hypnotics in Spain [letter]. British Journal of Clinical Pharmacology, 1995, 40, 289-290.	1.1	1
119	Seguridad cardiovascular de los antidiabéticos no insulÃnicos: hechos y promesas. Revista Clinica Espanola, 2017, 217, 473-477.	0.2	1
120	Consumo de ácido acetilsalicÃlico en pacientes con diabetes mellitus. Medicina ClÃnica, 2004, 123, 236-236.	0.3	1
121	Organization of Spanish Pharmacovigilance in the Multinational Situation: An Overview. Drug Information Journal, 1997, 31, 889-893.	0.5	0
122	AB1426-PAREâ€THE GLOBAL OSTEOARTHRITIS PATIENT PERCEPTION SURVEY (GOAPPS): A PILOT STUDY. , 2019	9,,.	0
123	ABO814â€INDIVIDUAL AND SOCIAL FACTOR CAN INFLUENCE THE QUALITY OF LIFE OF KNEE OA PATIENTS: A SYSTEMATIC REVIEW., 2019, , .		0
124	Risk of acute myocardial infarction among new users of bisphosphonates: a nested case–control study. Osteoporosis International, 2020, 31, 2403-2412.	1.3	0
125	Prescription prevalence of low dose aspirin in primary prevention in the Spanish population, trends over time and associated factors. Medicina ClAnica (English Edition), 2020, 155, 104-111.	0.1	0
126	Uso de agentes antipsicóticos en España durante 1985-2000. European Psychiatry (Ed Española), 2003, 10, 313-318.	0.0	0

#	Article	IF	CITATIONS
127	Roundtable on biosimilars: pharmacovigilance, traceability, immunogenicity, 15 November 2016, Madrid, Spain. GaBI Journal, 2017, 6, 31-37.	0.4	o
128	Prevalencia de prescripción del ácido acetilsalicÃlico a dosis bajas en prevención primaria en población española, evolución temporal y factores asociados. Medicina ClÃnica, 2020, 155, 104-111.	0.3	0