

Francisco Jose De Abajo Iglesias

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/1973831/francisco-jose-de-abajo-iglesias-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

4,646
citations

36
h-index

66
g-index

153
ext. papers

5,424
ext. citations

4.6
avg, IF

5.54
L-index

#	Paper	IF	Citations
124	Acute and clinically relevant drug-induced liver injury: a population based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2004 , 58, 71-80	3.8	291
123	Association between selective serotonin reuptake inhibitors and upper gastrointestinal bleeding: population based case-control study. <i>BMJ: British Medical Journal</i> , 1999 , 319, 1106-9		289
122	Use of renin-angiotensin-aldosterone system inhibitors and risk of COVID-19 requiring admission to hospital: a case-population study. <i>Lancet, The</i> , 2020 , 395, 1705-1714	4.0	251
121	Association between aspirin and upper gastrointestinal complications: systematic review of epidemiologic studies. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 563-71	3.8	199
120	Comparison of outpatient systemic antibacterial use in 2004 in the United States and 27 European countries. <i>Clinical Infectious Diseases</i> , 2007 , 44, 1091-5	11.6	167
119	Drug safety discontinuations in the United Kingdom, the United States, and Spain from 1974 through 1993: a regulatory perspective. <i>Clinical Pharmacology and Therapeutics</i> , 1995 , 58, 108-17	6.1	157
118	European Surveillance of Antimicrobial Consumption (ESAC): outpatient antibiotic use in Europe (1997-2009). <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66 Suppl 6, vi3-12	5.1	154
117	Risk of upper gastrointestinal tract bleeding associated with selective serotonin reuptake inhibitors and venlafaxine therapy: interaction with nonsteroidal anti-inflammatory drugs and effect of acid-suppressing agents. <i>Archives of General Psychiatry</i> , 2008 , 65, 795-803		135
116	Effects of selective serotonin reuptake inhibitors on platelet function: mechanisms, clinical outcomes and implications for use in elderly patients. <i>Drugs and Aging</i> , 2011 , 28, 345-67	4.7	122
115	Risk of upper gastrointestinal bleeding and perforation associated with low-dose aspirin as plain and enteric-coated formulations. <i>BMC Clinical Pharmacology</i> , 2001 , 1, 1		121
114	European Surveillance of Antimicrobial Consumption (ESAC): quality indicators for outpatient antibiotic use in Europe. <i>Quality and Safety in Health Care</i> , 2007 , 16, 440-5		112
113	Antidepressant prescribing in five European countries: application of common definitions to assess the prevalence, clinical observations, and methodological implications. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 849-57	2.8	110
112	Guidelines for good pharmacoepidemiology practice (GPP). <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 2-10	2.6	98
111	Ampicillin-resistant non-beta-lactamase-producing Haemophilus influenzae in Spain: recent emergence of clonal isolates with increased resistance to cefotaxime and cefixime. <i>Antimicrobial Agents and Chemotherapy</i> , 2007 , 51, 2564-73	5.9	97
110	Analysis of invasive Haemophilus influenzae infections after extensive vaccination against H. influenzae type b. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 524-9	9.7	97
109	European Surveillance of Antimicrobial Consumption (ESAC): quality appraisal of antibiotic use in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66 Suppl 6, vi71-77	5.1	85
108	Cyclosporine Use in Epidermal Necrolysis Is Associated with an Important Mortality Reduction: Evidence from Three Different Approaches. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 2092-2100	4.3	81

107	Antimicrobial-resistant invasive <i>Escherichia coli</i> , Spain. <i>Emerging Infectious Diseases</i> , 2005 , 11, 546-53	10.2	81
106	Cancer in patients with rheumatic diseases exposed to TNF antagonists. <i>Seminars in Arthritis and Rheumatism</i> , 2011 , 41, 71-80	5.3	76
105	Parallel increase in community use of fosfomycin and resistance to fosfomycin in extended-spectrum beta-lactamase (ESBL)-producing <i>Escherichia coli</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2010 , 65, 2459-63	5.1	75
104	European Surveillance of Antimicrobial Consumption (ESAC): outpatient quinolone use in Europe (1997-2009). <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66 Suppl 6, vi47-56	5.1	75
103	Exposure to benzodiazepines (anxiolytics, hypnotics and related drugs) in seven European electronic healthcare databases: a cross-national descriptive study from the PROTECT-EU Project. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25 Suppl 1, 56-65	2.6	73
102	Risk of meningioma among users of high doses of cyproterone acetate as compared with the general population: evidence from a population-based cohort study. <i>British Journal of Clinical Pharmacology</i> , 2011 , 72, 965-8	3.8	70
101	Intracranial haemorrhage and use of selective serotonin reuptake inhibitors. <i>British Journal of Clinical Pharmacology</i> , 2000 , 50, 43-7	3.8	69
100	Antidepressants and risk of upper gastrointestinal bleeding. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006 , 98, 304-10	3.1	65
99	Risk of ventricular arrhythmias associated with nonsedating antihistamine drugs. <i>British Journal of Clinical Pharmacology</i> , 1999 , 47, 307-13	3.8	60
98	Upper gastrointestinal bleeding associated with NSAIDs, other drugs and interactions: a nested case-control study in a new general practice database. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 691-701	2.8	57
97	Surveillance of outpatient antibiotic consumption in Spain according to sales data and reimbursement data. <i>Journal of Antimicrobial Chemotherapy</i> , 2007 , 60, 698-701	5.1	57
96	Trends in antimicrobial resistance in 1,968 invasive <i>Streptococcus pneumoniae</i> strains isolated in Spanish hospitals (2001 to 2003): decreasing penicillin resistance in children's isolates. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 5571-7	9.7	48
95	Bridging differences in outcomes of pharmacoepidemiological studies: design and first results of the PROTECT project. <i>Current Clinical Pharmacology</i> , 2014 , 9, 130-8	2.5	43
94	Risk of nonfatal acute myocardial infarction associated with non-steroidal antiinflammatory drugs, non-narcotic analgesics and other drugs used in osteoarthritis: a nested case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1128-38	2.6	40
93	Significant ecological impact on the progression of fluoroquinolone resistance in <i>Escherichia coli</i> with increased community use of moxifloxacin, levofloxacin and amoxicillin/clavulanic acid. <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66, 664-9	5.1	40
92	Prevalence of antibiotic use: a comparison across various European health care data sources. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25 Suppl 1, 11-20	2.6	40
91	Significant HLA class I type associations with aromatic antiepileptic drug (AED)-induced SJS/TEN are different from those found for the same AED-induced DRESS in the Spanish population. <i>Pharmacological Research</i> , 2017 , 115, 168-178	10.2	39
90	Allopurinol use and risk of non-fatal acute myocardial infarction. <i>Heart</i> , 2015 , 101, 679-85	5.1	37

89	Incidence rates and trends of hip/femur fractures in five European countries: comparison using e-healthcare records databases. <i>Calcified Tissue International</i> , 2014 , 94, 580-9	3.9	36
88	Risk of ischemic stroke associated with non-steroidal anti-inflammatory drugs and paracetamol: a population-based case-control study. <i>Journal of Thrombosis and Haemostasis</i> , 2015 , 13, 708-18	15.4	36
87	Antibiotic resistance in <i>Haemophilus influenzae</i> decreased, except for beta-lactamase-negative amoxicillin-resistant isolates, in parallel with community antibiotic consumption in Spain from 1997 to 2007. <i>Antimicrobial Agents and Chemotherapy</i> , 2008 , 52, 2760-6	5.9	35
86	Global management of patients with knee osteoarthritis begins with quality of life assessment: a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 493	2.8	34
85	Multi-centre, multi-database studies with common protocols: lessons learnt from the IMI PROTECT project. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25 Suppl 1, 156-65	2.6	33
84	Increased amoxicillin-clavulanic acid resistance in <i>Escherichia coli</i> blood isolates, Spain. <i>Emerging Infectious Diseases</i> , 2008 , 14, 1259-62	10.2	31
83	Use of antipsychotic agents in Spain through 1985-2000. <i>European Psychiatry</i> , 2002 , 17, 471-6	6	31
82	Antiepileptic drug use in seven electronic health record databases in Europe: a methodologic comparison. <i>Epilepsia</i> , 2014 , 55, 666-673	6.4	30
81	European Surveillance of Antimicrobial Consumption (ESAC): outpatient use of tetracyclines, sulphonamides and trimethoprim, and other antibacterials in Europe (1997-2009). <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66 Suppl 6, vi57-70	5.1	30
80	Hip/femur fractures associated with the use of benzodiazepines (anxiolytics, hypnotics and related drugs): a methodological approach to assess consistencies across databases from the PROTECT-EU project. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25 Suppl 1, 66-78	2.6	30
79	Key Learning Outcomes for Clinical Pharmacology and Therapeutics Education in Europe: A Modified Delphi Study. <i>Clinical Pharmacology and Therapeutics</i> , 2018 , 104, 317-325	6.1	30
78	Ascertainment of acute liver injury in two European primary care databases. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 1227-35	2.8	28
77	An Empirical Approach to Explore the Relationship Between Measures of Disproportionate Reporting and Relative Risks from Analytical Studies. <i>Drug Safety</i> , 2016 , 39, 29-43	5.1	27
76	European Surveillance of Antimicrobial Consumption (ESAC): outpatient macrolide, lincosamide and streptogramin (MLS) use in Europe (1997-2009). <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66 Suppl 6, vi37-45	5.1	27
75	Clopidogrel and Low-Dose Aspirin, Alone or Together, Reduce Risk of Colorectal Cancer. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 2024-2033.e2	6.9	26
74	European Surveillance of Antimicrobial Consumption (ESAC): outpatient cephalosporin use in Europe (1997-2009). <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66 Suppl 6, vi25-35	5.1	26
73	Oral bisphosphonates are associated with increased risk of subtrochanteric and diaphyseal fractures in elderly women: a nested case-control study. <i>BMJ Open</i> , 2013 , 3,	3	24
72	Vemurafenib-induced toxic epidermal necrolysis: possible cross-reactivity with other sulfonamide compounds. <i>British Journal of Dermatology</i> , 2016 , 174, 621-4	4	22

71	Association between SSRIs and upper gastrointestinal bleeding 2000 , 320, 1405-1405		22
70	Understanding inconsistency in the results from observational pharmacoepidemiological studies: the case of antidepressant use and risk of hip/femur fractures. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25 Suppl 1, 88-102	2.6	21
69	European Surveillance of Antimicrobial Consumption (ESAC): outpatient penicillin use in Europe (1997-2009). <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66 Suppl 6, vi13-23	5.1	19
68	Hypnotic drug use in Spain: a cross-sectional study based on a network of community pharmacies. Spanish Group for the Study of Hypnotic Drug Utilization. <i>Annals of Pharmacotherapy</i> , 1996 , 30, 1092-100 ⁹	2.9	19
67	Prospective drug safety monitoring using the UK primary-care General Practice Research Database: theoretical framework, feasibility analysis and extrapolation to future scenarios. <i>Drug Safety</i> , 2010 , 33, 223-32	5.1	17
66	The IMI PROTECT project: purpose, organizational structure, and procedures. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25 Suppl 1, 5-10	2.6	17
65	Catecholamine release evoked by lithium from the perfused adrenal gland of the cat. <i>British Journal of Pharmacology</i> , 1987 , 91, 539-46	8.6	16
64	Population Impact of Drug Interactions with Warfarin: A Real-World Data Approach. <i>Thrombosis and Haemostasis</i> , 2018 , 118, 461-470	7	14
63	Risk of acute liver injury associated with use of antibiotics. Comparative cohort and nested case-control studies using two primary care databases in Europe. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25 Suppl 1, 29-38	2.6	14
62	Risk of Ischemic Stroke Associated With Calcium Supplements With or Without Vitamin D: A Nested Case-Control Study. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	12
61	Risk of toxic epidermal necrolysis and Stevens-Johnson syndrome associated with benzodiazepines: a population-based cohort study. <i>European Journal of Clinical Pharmacology</i> , 2015 , 71, 759-766	2.8	12
60	Assessment of drug causality in Stevens-Johnson syndrome/toxic epidermal necrolysis: Concordance between lymphocyte transformation test and ALDEN. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 956-959	9.3	11
59	Do case-only designs yield consistent results across design and different databases? A case study of hip fractures and benzodiazepines. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25 Suppl 1, 79-87	2.6	11
58	Active surveillance of severe cutaneous adverse reactions: A case-population approach using a registry and a health care database. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1042-1050	2.6	10
57	Utilizaci3n de antihipertensivos en Espa1a (1995-2001). <i>Revista Espanola De Cardiologia</i> , 2004 , 57, 241-249	1.5	10
56	Predictors of Over-Anticoagulation in Warfarin Users in the UK General Population: A Nested Case-Control Study in a Primary Health Care Database. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 66-76	7	10
55	Validation study of colorectal cancer diagnosis in the Spanish primary care database, BIFAP. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 209-216	2.6	9
54	Improving Pharmacovigilance Beyond Spontaneous Reporting. <i>Pharmaceutical Medicine</i> , 2005 , 19, 209-218		8

53	Incidence of Stevens-Johnson syndrome/toxic epidermal necrolysis among new users of different individual drugs in a European population: a case-population study. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 237-246	2.8	8
52	Care in patients with epidermal necrolysis in burn units. A nursing perspective. <i>Burns</i> , 2018 , 44, 1962-1972	2.3	7
51	Low-Dose Aspirin after an Episode of Haemorrhagic Stroke Is Associated with Improved Survival. <i>Thrombosis and Haemostasis</i> , 2017 , 117, 2396-2405	7	7
50	Population-based case-control study: chemoprotection of colorectal cancer with non-aspirin nonsteroidal anti-inflammatory drugs and other drugs for pain control. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 50, 295-305	6.1	6
49	Benzodiazepine consumption in Spain. <i>European Journal of Clinical Pharmacology</i> , 1997 , 52, 321-3	2.8	6
48	The single case format: Proposal for a structured message for the telematic transmission of information on individual case reports in pharmacovigilance. <i>Pharmacoepidemiology and Drug Safety</i> , 1994 , 3, 157-162	2.6	6
47	Impact of in-hospital discontinuation with angiotensin receptor blockers or converting enzyme inhibitors on mortality of COVID-19 patients: a retrospective cohort study. <i>BMC Medicine</i> , 2021 , 19, 118	11.4	6
46	Relationship between vitamin D deficiency and metabolic syndrome in adult population of the Community of Madrid. <i>Endocrinología Y Nutrición (English Edition)</i> , 2015 , 62, 180-187		5
45	Electronic transmission of rapid alerts in pharmacovigilance: A pilot EC experiment. <i>Pharmacoepidemiology and Drug Safety</i> , 1994 , 3, 163-167	2.6	5
44	El medicamento como solución y como problema para la salud pública. Una breve incursión a los objetivos de la farmacoepidemiología. <i>Revista Española De Salud Pública</i> , 2001 , 75, 281-284	0.4	5
43	Risk of Acute Myocardial Infarction Among New Users of Allopurinol According to Serum Urate Level: A Nested Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	5
42	Risk of Myocardial Infarction Among New Users of Calcium Supplements Alone or Combined With Vitamin D: A Population-Based Case-Control Study. <i>Clinical Pharmacology and Therapeutics</i> , 2020 , 107, 359-368	6.1	5
41	Labor induction with dinoprostone or oxytocine and postpartum disseminated intravascular coagulation: a hospital-based case-control study. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 1637-43	6.4	4
40	Communication in pharmacovigilance. <i>Pharmacoepidemiology and Drug Safety</i> , 1994 , 3, 151-155	2.6	4
39	Olas de calor, temperatura ambiente y riesgo de infarto de miocardio: un estudio ecológico en la Comunidad de Madrid. <i>Revista Española De Cardiología</i> , 2020 , 73, 300-306	1.5	4
38	Heat waves, ambient temperature, and risk of myocardial infarction: an ecological study in the Community of Madrid. <i>Revista Española De Cardiología (English Ed)</i> , 2020 , 73, 300-306	0.7	4
37	Seasonal changes in prescribing of long-acting beta-2-agonists-containing drugs. <i>Respiratory Medicine</i> , 2015 , 109, 828-37	4.6	3
36	Differential effects of antidepressant subgroups on risk of acute myocardial infarction: A nested case-control study. <i>British Journal of Clinical Pharmacology</i> , 2020 , 86, 2040-2050	3.8	3

35	Intraspinal administration of morphine hydrochloride combined with low doses of bupivacaine in hemorrhoidectomy: a clinical randomized trial. <i>Minerva Anestesiologica</i> , 2017 , 83, 930-938	1.9	3
34	Increase of resistance to macrolides in invasive <i>Streptococcus pneumoniae</i> in Spain (2000-2001). <i>Clinical Microbiology and Infection</i> , 2004 , 10, 851-4	9.5	3
33	Reply. <i>British Journal of Clinical Pharmacology</i> , 2000 , 49, 380	3.8	3
32	Antidepressant drugs: a potential new drug cause of upper gastrointestinal bleeding. <i>Digestive and Liver Disease</i> , 2000 , 32, 455-7	3.3	3
31	Time for less control of clozapine?. <i>Lancet, The</i> , 1995 , 346, 56-7	4.0	3
30	Small risk ratios may have strong public health impact. <i>BMJ, The</i> , 2003 , 327, 1050-1	5.9	3
29	Trends in the use of oral anticoagulants, antiplatelets and statins in four European countries: a population-based study. <i>European Journal of Clinical Pharmacology</i> , 2021 , 1	2.8	3
28	Risk of acute myocardial infarction among new users of chondroitin sulfate: A nested case-control study. <i>PLoS ONE</i> , 2021 , 16, e0253932	3.7	3
27	A patients view of OA: the Global Osteoarthritis Patient Perception Survey (GOAPPS), a pilot study. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 727	2.8	2
26	European Surveillance of Antimicrobial Consumption (ESAC): outpatient cephalosporin use in Europe (1997-2009). <i>Journal of Antimicrobial Chemotherapy</i> , 2012 , 67, 518-518	5.1	2
25	The continuing unacceptable marketing of Alka-Seltzer containing aspirin for stomach-related disorders. <i>Drug Safety</i> , 2009 , 32, 619-21	5.1	2
24	Psychomotor development in children and antenatal psychotropic and anti-epileptic drugs. <i>European Journal of Epidemiology</i> , 2003 , 18, 743-4	12.1	2
23	Triazolam regulatory measures in Spain. <i>Lancet, The</i> , 1993 , 341, 185-6	4.0	2
22	HLA-A*68, -A*11:01, and -A*29:02 alleles are strongly associated with benznidazole-induced maculopapular exanthema (MPE)/DRESS. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020 , 8, 3198-3200.e3	5.4	2
21	Relationship Between Influenza, Temperature, and Type 1 Myocardial Infarction: An Ecological Time-Series Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e019608	6	2
20	The HLA-B*15:02 allele in a Spanish Romani patient with carbamazepine-induced Stevens-Johnson syndrome. <i>Pharmacogenomics</i> , 2016 , 17, 541-5	2.6	2
19	Harmonizing and improving European education in prescribing: An overview of digital educational resources used in clinical pharmacology and therapeutics. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 1001-1011	3.8	2
18	Renin-angiotensin system inhibitors and COVID-19: overwhelming evidence against an association. <i>The Lancet Digital Health</i> , 2021 , 3, e70-e71	14.4	2

17	Cardiovascular safety of noninsulin antidiabetic drugs: facts and promises. <i>Revista Clinica Espanola</i> , 2017 , 217, 473-477	0.7	1
16	Use of Antihypertensive Drugs in Spain (1995-2001). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2004 , 57, 241-249	0.7	1
15	Ventricular arrhythmias and nonsedating antihistamines. <i>British Journal of Clinical Pharmacology</i> , 2000 , 49, 379-80	3.8	1
14	Before and after triazolam: changes in the consumption of hypnotics in Spain. <i>British Journal of Clinical Pharmacology</i> , 1995 , 40, 289-90	3.8	1
13	Comment: agranulocytosis caused by diclofenac?. <i>DICP: the Annals of Pharmacotherapy</i> , 1990 , 24, 786-7		1
12	Impact of pre-exposure time bias in self-controlled case series when the event conditions the exposure: Hip/femur fracture and use of benzodiazepines as a case study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 388-395	2.6	1
11	Clinical and Economic Consequences of Inhaled Corticosteroid Doses and Particle Size in Triple Inhalation Therapy for COPD: Real-Life Study. <i>International Journal of COPD</i> , 2020 , 15, 3291-3302	3	1
10	IN-HOSPITAL CONTINUATION WITH ANGIOTENSIN RECEPTOR BLOCKERS IS ASSOCIATED WITH A LOWER MORTALITY RATE THAN CONTINUATION WITH ANGIOTENSIN CONVERTING ENZYME INHIBITORS IN COVID-19 PATIENTS: A RETROSPECTIVE COHORT STUDY		1
9	Estudio de la utilizaci3n de ticlopidina en oficinas de farmacia de Espa3a. <i>Medicina Cl3nica</i> , 2000 , 115, 211-213	1	0
8	Selective Serotonin Reuptake Inhibitors and Risk of Noncardioembolic Ischemic Stroke: A Nested Case-Control Study.. <i>Stroke</i> , 2022 , STROKEAHA121036661	6.7	0
7	Desarrollo de un programa formativo transversal e integral en competencias cl3nicas, de comunicaci3n e investigaci3n en el 6.o curso del Grado en Medicina. <i>Educacion Medica</i> , 2019 , 20, 360-367	0.5	
6	Organization of Spanish Pharmacovigilance in the Multinational Situation: An Overview. <i>Drug Information Journal</i> , 1997 , 31, 889-893		
5	Utilizaci3n de antihipertensivos en Espa3a (1995-2001). <i>Revista Espanola De Cardiologia</i> , 2004 , 57, 241-249	1.5	
4	Uso de agentes antipsic3ticos en Espa3a durante 1985-2000. <i>European Psychiatry (Ed Espa3ola)</i> , 2003 , 10, 313-318		
3	Prescription prevalence of low dose aspirin in primary prevention in the Spanish population, trends over time and associated factors. <i>Medicina Cl3nica</i> , 2020 , 155, 104-111		1
2	Risk of acute myocardial infarction among new users of bisphosphonates: a nested case-control study. <i>Osteoporosis International</i> , 2020 , 31, 2403-2412	5.3	
1	Prescription prevalence of low dose aspirin in primary prevention in the Spanish population, trends over time and associated factors. <i>Medicina Cl3nica (English Edition)</i> , 2020 , 155, 104-111	0.3	