

# BelÃ©n Prieto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1974362/publications.pdf>

Version: 2024-02-01

20  
papers

220  
citations

1307594  
7  
h-index

996975  
15  
g-index

26  
all docs

26  
docs citations

26  
times ranked

347  
citing authors

#	ARTICLE	IF	CITATIONS
1	Midregional proadrenomedullin safely reduces hospitalization in a low severity cohort with infections in the ED: a randomized controlled multi-centre interventional pilot study. European Journal of Internal Medicine, 2021, 88, 104-113.	2.2	7
2	Biomarkers and Fever in Children with Cancer: Kinetics and Levels According to Final Diagnosis. Children, 2021, 8, 1027.	1.5	1
3	Cribado y diagnóstico prenatal de anomalías genéticas: recomendaciones de consenso SEGO, SEQC <sup>ML</sup> , AEDP. Advances in Laboratory Medicine / Avances En Medicina De Laboratorio, 2020, 1, .	0.2	1
4	Prenatal screening and diagnosis of genetic abnormalities: SEGO, SEQC <sup>ML</sup> , AEDP consensus recommendations. Advances in Laboratory Medicine / Avances En Medicina De Laboratorio, 2020, 1, .	0.2	1
5	Rendimiento de las metanefrinas libres plasmáticas en el diagnóstico de los feocromocitomas y paragangliomas en la población asturiana. Endocrinología, Diabetes Y Nutrición, 2019, 66, 312-319.	0.3	1
6	<i>In vivo</i> interference of loversol in serum and urine capillary electrophoresis: an optimized protocol for sample collection. Clinical Chemistry and Laboratory Medicine, 2018, 56, e53-e55.	2.3	3
7	Predictive capacity of a multimarker strategy to determine short-term mortality in patients attending a hospital emergency Department for acute heart failure. BIO-EAHFE study. Clinica Chimica Acta, 2017, 466, 22-30.	1.1	13
8	C-reactive protein, procalcitonin and interleukin-6 kinetics in pediatric postoperative patients. Journal of Critical Care, 2017, 41, 119-123.	2.2	5
9	The relationship of circulating relaxin-2 concentrations with short-term prognosis in patients with acute heart failure: the RELAHF study. European Journal of Heart Failure, 2017, 19, 1205-1209.	7.1	4
10	Determination of free methionine in human blood plasma by species-specific isotope dilution HPLC-ICP-MS using <sup>34</sup> S-labelled methionine. Journal of Analytical Atomic Spectrometry, 2016, 31, 1885-1894.	3.0	10
11	N-terminal pro B-type natriuretic peptide and angiogenic biomarkers in the prognosis of adverse outcomes in women with suspected preeclampsia. Clinica Chimica Acta, 2016, 463, 150-157.	1.1	22
12	Preeclampsia. Revista Del Laboratorio Clínico, 2016, 9, 81-89.	0.1	0
13	The importance of angiogenic markers in the differential diagnosis of HELLP syndrome vs. non-HELLP thrombocytopenia. Clinical Chemistry and Laboratory Medicine, 2016, 54, e187-9.	2.3	2
14	Diagnosis of Infection in Critical Care. Advances in Clinical Chemistry, 2014, 65, 43-67.	3.7	2
15	New biomarkers in diagnosis of early onset preeclampsia and imminent delivery prognosis. Clinical Chemistry and Laboratory Medicine, 2014, 52, 1159-68.	2.3	52
16	Vitamin D deficiency at pediatric intensive care admission. Jornal De Pediatria, 2014, 90, 135-142.	2.0	39
17	Pro-adrenomedullin, pro-endothelin-1, procalcitonin, C-reactive protein and mortality risk in critically ill children: a prospective study. Critical Care, 2013, 17, R240.	5.8	36
18	Falso incremento de la hormona estimulante del tiroides asociado a la presencia de macro-TSH. Revista Del Laboratorio Clínico, 2012, 5, 151-154.	0.1	0

#	ARTICLE	IF	CITATIONS
19	Diseño de un simulador de cálculo de riesgo prenatal de anomalías cromosómicas para un programa de cribado combinado en el primer trimestre de gestación. Revista Del Laboratorio Clínico, 2011, 4, 201-206.	0.1	1
20	Umbilical cord blood serum procalcitonin by Time-Resolved Amplified Cryptate Emission (TRACE) technology: reference values of a potential marker of vertically transmitted neonatal sepsis. Clinical Chemistry and Laboratory Medicine, 2007, 45, 1531-5.	2.3	12