Lydia Jiménez-DÃ-az

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1974399/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Spatial analysis of COVID-19 hospitalised cases in an entire city: The risk of studying only lattice data. Science of the Total Environment, 2022, 806, 150521.	8.0	5
2	Comments on "What is the radiation before 5G? A correlation study between measurements in situ and in real time and epidemiological indicators in Vallecas, Madrid― Environmental Research, 2022, 212, 113314.	7.5	0
3	G-Protein-Gated Inwardly Rectifying Potassium (Kir3/GIRK) Channels Govern Synaptic Plasticity That Supports Hippocampal-Dependent Cognitive Functions in Male Mice. Journal of Neuroscience, 2021, 41, 7086-7102.	3.6	23
4	Therapeutic potential of targeting G protein-gated inwardly rectifying potassium (GIRK) channels in the central nervous system. , 2021, 223, 107808.		49
5	Past, present and future of therapeutic strategies against amyloid-β peptides in Alzheimer's disease: a systematic review. Ageing Research Reviews, 2021, 72, 101496.	10.9	131
6	Comparison of statistic methods for censored personal exposure to RF-EMF data. Environmental Monitoring and Assessment, 2020, 192, 77.	2.7	12
7	Hippocampal longâ€term synaptic depression and memory deficits induced in early amyloidopathy are prevented by enhancing Gâ€proteinâ€gated inwardly rectifying potassium channel activity. Journal of Neurochemistry, 2020, 153, 362-376.	3.9	36
8	A Systematic Review and Meta-Analysis of Hospitalised Current Smokers and COVID-19. International Journal of Environmental Research and Public Health, 2020, 17, 7394.	2.6	47
9	Impairments of Synaptic Plasticity Induction Threshold and Network Oscillatory Activity in the Hippocampus Underlie Memory Deficits in a Non-Transgenic Mouse Model of Amyloidosis. Biology, 2020, 9, 175.	2.8	16
10	Longâ€ŧerm synaptic depression and memory deficits are reversed by enhancement of CirKâ€dependent signaling in a mouse model of early amyloidopathy. Alzheimer's and Dementia, 2020, 16, e038291.	0.8	1
11	Characterization of hippocampal amyloidosis induced by amyloid―β in behaving mice. Alzheimer's and Dementia, 2020, 16, e047414.	0.8	0
12	Cytokine Release Syndrome (CRS) and Nicotine in COVID-19 Patients: Trying to Calm the Storm. Frontiers in Immunology, 2020, 11, 1359.	4.8	57
13	Response to the Comment on "A Systematic Review and Meta-Analysis of Hospitalised Current Smokers and COVID-19― International Journal of Environmental Research and Public Health, 2020, 17, 9574.	2.6	2
14	Comments on "Wi-Fi is an important threat to human health― Environmental Research, 2019, 168, 514-515.	7.5	5
15	Personal RF-EMF exposure from mobile phone base stations during temporary events. Environmental Research, 2019, 175, 266-273.	7.5	20
16	Role of GirK Channels in Long-Term Potentiation of Synaptic Inhibition in an In Vivo Mouse Model of Early Amyloid-Î ² Pathology. International Journal of Molecular Sciences, 2019, 20, 1168.	4.1	28
17	Characterisation of personal exposure to environmental radiofrequency electromagnetic fields in Albacete (Spain) and assessment of risk perception. Environmental Research, 2019, 172, 109-116.	7.5	32
18	Response to the comments on "Radiofrequency electromagnetic fields and some cancers of unknown etiology: An ecological study―by J. Gonzalez-Rubio, E. Arribas, R. Ramirez-Vazquez and A. Najera. Science of the Total Environment 599–600 (2017) 834–843. Science of the Total Environment, 2018, 612, 368-369.	8.0	3

Lydia Jiménez-DÃaz

#	Article	IF	CITATIONS
19	Activation of G-protein-gated inwardly rectifying potassium (Kir3/GirK) channels rescues hippocampal functions in a mouse model of early amyloid-l² pathology. Scientific Reports, 2017, 7, 14658.	3.3	41
20	[P3–042]: Gâ€PROTEINâ€GATED INWARDLYâ€RECTIFYING POTASSIUM (GIRK/KIR3) CHANNEL ACTIVATION REV SYNAPTIC, NETWORK, AND COGNITIVE HIPPOCAMPAL DEFICITS IN AN ALZHEIMER'S DISEASE MOUSE MODEL. Alzheimer's and Dementia, 2017, 13, P945.	/ERSES 0.8	0
21	P4â€076: Amyloidâ€B and Gâ€Proteinâ€Gated Inwardlyâ€Rectifying Potassium (Girk/Kir3) Channel in the Rodent Hippocampus. Alzheimer's and Dementia, 2016, 12, P1042.	0.8	0
22	Comprehensive personal RF-EMF exposure map and its potential use in epidemiological studies. Environmental Research, 2016, 149, 105-112.	7.5	39
23	Inhibition of the mammalian target of rapamycin complex 1 signaling pathway reduces itch behaviour in mice. Pain, 2015, 156, 1519-1529.	4.2	16
24	Amyloid-β(25-35) Modulates the Expression of GirK and KCNQ Channel Genes in the Hippocampus. PLoS ONE, 2015, 10, e0134385.	2.5	45
25	GABAergic neurotransmission and new strategies of neuromodulation to compensate synaptic dysfunction in early stages of Alzheimerââ,¬â"¢s disease. Frontiers in Cellular Neuroscience, 2014, 8, 167.	3.7	88
26	Amyloid-β induces synaptic dysfunction through G protein-gated inwardly rectifying potassium channels in the fimbria-CA3 hippocampal synapse. Frontiers in Cellular Neuroscience, 2013, 7, 117.	3.7	40
27	TRP Channels and Neural Persistent Activity. Advances in Experimental Medicine and Biology, 2011, 704, 595-613.	1.6	36
28	A Rapamycin-Sensitive Signaling Pathway Is Essential for the Full Expression of Persistent Pain States. Journal of Neuroscience, 2009, 29, 15017-15027.	3.6	161
29	Electrophysiological and Synaptic Characterization of Transplanted Neurons in Adult Rat Motor Cortex. Journal of Neurotrauma, 2009, 26, 1593-1607.	3.4	14
30	Electrophysiological and Molecular Analysis of Kv7/KCNQ Potassium Channels in the Inferior Colliculus of Adult Guinea Pig. Journal of Molecular Neuroscience, 2009, 37, 263-268.	2.3	8
31	Local Translation in Primary Afferent Fibers Regulates Nociception. PLoS ONE, 2008, 3, e1961.	2.5	134
32	Extracellular amino acid levels in the interpositus nucleus during classical eyeblink conditioning in alert cats Behavioral Neuroscience, 2007, 121, 1106-1112.	1.2	3
33	Evolution of cerebral cortex involvement in the acquisition of associative learning Behavioral Neuroscience, 2006, 120, 1043-1056.	1.2	11
34	Role of Cerebellar Interpositus Nucleus in the Genesis and Control of Reflex and Conditioned Eyelid Responses. Journal of Neuroscience, 2004, 24, 9138-9145.	3.6	73
35	Ca2+-dependent prodynorphin transcriptional derepression in neuroblastoma cells is exerted through DREAM protein activity in a kinase-independent manner. Molecular and Cellular Neurosciences, 2003, 22, 135-145.	2.2	22