

John M Mariadason

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1975666/publications.pdf>

Version: 2024-02-01

122
papers

8,789
citations

38720

50
h-index

45285

90
g-index

127
all docs

127
docs citations

127
times ranked

16067
citing authors

#	ARTICLE	IF	CITATIONS
1	FunRich: An open access standalone functional enrichment and interaction network analysis tool. <i>Proteomics</i> , 2015, 15, 2597-2601.	1.3	1,145
2	Histone Deacetylase 3 (HDAC3) and Other Class I HDACs Regulate Colon Cell Maturation and p21 Expression and Are Deregulated in Human Colon Cancer. <i>Journal of Biological Chemistry</i> , 2006, 281, 13548-13558.	1.6	486
3	PIK3CA Mutation/PTEN Expression Status Predicts Response of Colon Cancer Cells to the Epidermal Growth Factor Receptor Inhibitor Cetuximab. <i>Cancer Research</i> , 2008, 68, 1953-1961.	0.4	435
4	Colorectal Cancer Cell Lines Are Representative Models of the Main Molecular Subtypes of Primary Cancer. <i>Cancer Research</i> , 2014, 74, 3238-3247.	0.4	317
5	<i>SMAD2</i> , <i>SMAD3</i> and <i>SMAD4</i> Mutations in Colorectal Cancer. <i>Cancer Research</i> , 2013, 73, 725-735.	0.4	260
6	Resistance to BRAF Inhibition in BRAF-Mutant Colon Cancer Can Be Overcome with PI3K Inhibition or Demethylating Agents. <i>Clinical Cancer Research</i> , 2013, 19, 657-667.	3.2	250
7	Genomic and Biological Characterization of Exon 4 KRAS Mutations in Human Cancer. <i>Cancer Research</i> , 2010, 70, 5901-5911.	0.4	245
8	Molecular mechanisms of action and prediction of response to oxaliplatin in colorectal cancer cells. <i>British Journal of Cancer</i> , 2004, 91, 1931-1946.	2.9	212
9	HDACs and HDAC inhibitors in colon cancer. <i>Epigenetics</i> , 2008, 3, 28-37.	1.3	192
10	HDAC4 Promotes Growth of Colon Cancer Cells via Repression of p21. <i>Molecular Biology of the Cell</i> , 2008, 19, 4062-4075.	0.9	188
11	Gene expression profiling of intestinal epithelial cell maturation along the crypt-villus axis. <i>Gastroenterology</i> , 2005, 128, 1081-1088.	0.6	171
12	Gene expression profiling-based prediction of response of colon carcinoma cells to 5-fluorouracil and camptothecin. <i>Cancer Research</i> , 2003, 63, 8791-812.	0.4	154
13	Kaiso-Deficient Mice Show Resistance to Intestinal Cancer. <i>Molecular and Cellular Biology</i> , 2006, 26, 199-208.	1.1	146
14	BCL-XL and MCL-1 are the key BCL-2 family proteins in melanoma cell survival. <i>Cell Death and Disease</i> , 2019, 10, 342.	2.7	125
15	Intravenous administration of Reolysin [®] , a live replication competent RNA virus is safe in patients with advanced solid tumors. <i>Investigational New Drugs</i> , 2010, 28, 641-649.	1.2	123
16	The prognostic impact of consensus molecular subtypes (CMS) and its predictive effects for bevacizumab benefit in metastatic colorectal cancer: molecular analysis of the AGITG MAX clinical trial. <i>Annals of Oncology</i> , 2018, 29, 2240-2246.	0.6	113
17	Resistance to butyrate-induced cell differentiation and apoptosis during spontaneous Caco-2 cell differentiation. <i>Gastroenterology</i> , 2001, 120, 889-899.	0.6	108
18	<i>ROS1</i> and <i>ALK</i> Fusions in Colorectal Cancer, with Evidence of Intratumoral Heterogeneity for Molecular Drivers. <i>Molecular Cancer Research</i> , 2014, 12, 111-118.	1.5	104

#	ARTICLE	IF	CITATIONS
19	Na ⁺ /monocarboxylate transport (SMCT) protein expression correlates with survival in colon cancer: Molecular characterization of SMCT. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 7270-7275.	3.3	98
20	Apoptotic Sensitivity of Colon Cancer Cells to Histone Deacetylase Inhibitors Is Mediated by an Sp1/Sp3-Activated Transcriptional Program Involving Immediate-Early Gene Induction. Cancer Research, 2010, 70, 609-620.	0.4	98
21	Dual Targeting of the Epidermal Growth Factor Receptor Using the Combination of Cetuximab and Erlotinib: Preclinical Evaluation and Results of the Phase II DUX Study in Chemotherapy-Refractory, Advanced Colorectal Cancer. Journal of Clinical Oncology, 2012, 30, 1505-1512.	0.8	95
22	RHOA inactivation enhances Wnt signalling and promotes colorectal cancer. Nature Communications, 2014, 5, 5458.	5.8	95
23	Drug-induced inactivation or gene silencing of class I histone deacetylases suppresses ovarian cancer cell growth: Implications for therapy. Cancer Biology and Therapy, 2007, 6, 795-801.	1.5	93
24	A gene expression profile that defines colon cell maturation in vitro. Cancer Research, 2002, 62, 4791-804.	0.4	93
25	c-Jun NH2-Terminal Kinase 1 Plays a Critical Role in Intestinal Homeostasis and Tumor Suppression. American Journal of Pathology, 2007, 171, 297-303.	1.9	89
26	TR3/Nur77 in colon cancer cell apoptosis. Cancer Research, 2003, 63, 5401-7.	0.4	89
27	Divergent phenotypic patterns and commitment to apoptosis of Caco-2 cells during spontaneous and butyrate-induced differentiation. Journal of Cellular Physiology, 2000, 183, 347-354.	2.0	87
28	PTEN Gene Expression and Mutations in the PIK3CA Gene as Predictors of Clinical Benefit to Anti-Epidermal Growth Factor Receptor Antibody Therapy in Patients With KRAS Wild-Type Metastatic Colorectal Cancer. Clinical Colorectal Cancer, 2012, 11, 143-150.	1.0	87
29	Aberrant DNA Methylation in Colorectal Cancer: What Should We Target?. Trends in Cancer, 2017, 3, 698-712.	3.8	85
30	Mechanisms of Inactivation of the Receptor Tyrosine Kinase EPHB2 in Colorectal Tumors. Cancer Research, 2005, 65, 10170-10173.	0.4	84
31	EPHB4 and Survival of Colorectal Cancer Patients. Cancer Research, 2006, 66, 8943-8948.	0.4	80
32	ELF3, ELF5, EHF and SPDEF Transcription Factors in Tissue Homeostasis and Cancer. Molecules, 2018, 23, 2191.	1.7	79
33	Colonic epithelial cell activation and the paradoxical effects of butyrate. Carcinogenesis, 1999, 20, 539-544.	1.3	78
34	Expression of selenium-binding protein 1 characterizes intestinal cell maturation and predicts survival for patients with colorectal cancer. Molecular Nutrition and Food Research, 2008, 52, 1289-1299.	1.5	75
35	c-Myc overexpression sensitises colon cancer cells to camptothecin-induced apoptosis. British Journal of Cancer, 2003, 89, 1757-1765.	2.9	71
36	Phase II trial of the histone deacetylase inhibitor romidepsin in patients with recurrent/metastatic head and neck cancer. Oral Oncology, 2012, 48, 1281-1288.	0.8	71

#	ARTICLE	IF	CITATIONS
37	Dual Targeting of Bromodomain and Extraterminal Domain Proteins, and WNT or MAPK Signaling, Inhibits c-MYC Expression and Proliferation of Colorectal Cancer Cells. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 1217-1226.	1.9	71
38	Widespread FRA1-Dependent Control of Mesenchymal Transdifferentiation Programs in Colorectal Cancer Cells. <i>PLoS ONE</i> , 2014, 9, e88950.	1.1	69
39	Oncogenic Ki-Ras Inhibits the Expression of Interferon-responsive Genes through Inhibition of STAT1 and STAT2 Expression. <i>Journal of Biological Chemistry</i> , 2003, 278, 46278-46287.	1.6	61
40	Brush border Myosin Ia has tumor suppressor activity in the intestine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 1530-1535.	3.3	60
41	Repression of MUC2 gene expression by butyrate, a physiological regulator of intestinal cell maturation. <i>Oncogene</i> , 2003, 22, 4983-4992.	2.6	59
42	Therapeutic Targeting of the Epidermal Growth Factor Receptor in Human Cancer. <i>Critical Reviews in Oncogenesis</i> , 2012, 17, 31-50.	0.2	59
43	The Receptor Tyrosine Kinase EPHB4 Has Tumor Suppressor Activities in Intestinal Tumorigenesis. <i>Cancer Research</i> , 2009, 69, 7430-7438.	0.4	58
44	Mechanisms of Histone Deacetylase Inhibitor-Regulated Gene Expression in Cancer Cells. <i>Antioxidants and Redox Signaling</i> , 2015, 23, 66-84.	2.5	58
45	Prostate cancer cellâ€™intrinsic interferon signaling regulates dormancy and metastatic outgrowth in bone. <i>EMBO Reports</i> , 2020, 21, e50162.	2.0	58
46	Colorectal cancer atlas: An integrative resource for genomic and proteomic annotations from colorectal cancer cell lines and tissues. <i>Nucleic Acids Research</i> , 2016, 44, D969-D974.	6.5	55
47	Colorectal Cancer Cell Line Proteomes Are Representative of Primary Tumors and Predict Drug Sensitivity. <i>Gastroenterology</i> , 2017, 153, 1082-1095.	0.6	55
48	Î²-catenin represses expression of the tumour suppressor 15-prostaglandin dehydrogenase in the normal intestinal epithelium and colorectal tumour cells. <i>Gut</i> , 2012, 61, 1306-1314.	6.1	54
49	Vascular endothelial growth factor D expression is a potential biomarker of bevacizumab benefit in colorectal cancer. <i>British Journal of Cancer</i> , 2015, 113, 37-45.	2.9	54
50	Proteomic changes during intestinal cell maturation in vivo. <i>Journal of Proteomics</i> , 2008, 71, 530-546.	1.2	53
51	The Intestinal Epithelial Cell Differentiation Marker Intestinal Alkaline Phosphatase (ALPi) Is Selectively Induced by Histone Deacetylase Inhibitors (HDACi) in Colon Cancer Cells in a Kruppel-like Factor 5 (KLF5)-dependent Manner. <i>Journal of Biological Chemistry</i> , 2014, 289, 25306-25316.	1.6	53
52	Paneth cell marker expression in intestinal villi and colon crypts characterizes dietary induced risk for mouse sporadic intestinal cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 10272-10277.	3.3	52
53	BRAF Inhibitorâ€™Driven Tumor Proliferation in a <i>KRAS</i> -Mutated Colon Carcinoma Is Not Overcome by MEK1/2 Inhibition. <i>Journal of Clinical Oncology</i> , 2013, 31, e448-e451.	0.8	51
54	ARC (apoptosis repressor with caspase recruitment domain) is a novel marker of human colon cancer. <i>Cell Cycle</i> , 2008, 7, 1640-1647.	1.3	50

#	ARTICLE	IF	CITATIONS
55	Effect of butyrate on paracellular permeability in rat distal colonic mucosa ex vivo. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1999, 14, 873-879.	1.4	48
56	Regulation of Enterocyte Apoptosis by Acyl-CoA Synthetase 5 Splicing. <i>Gastroenterology</i> , 2007, 133, 587-598.	0.6	47
57	ATF3 Repression of BCL-XL Determines Apoptotic Sensitivity to HDAC Inhibitors across Tumor Types. <i>Clinical Cancer Research</i> , 2017, 23, 5573-5584.	3.2	46
58	PLX8394, a new generation BRAF inhibitor, selectively inhibits BRAF in colonic adenocarcinoma cells and prevents paradoxical MAPK pathway activation. <i>Molecular Cancer</i> , 2017, 16, 112.	7.9	44
59	Enhanced Solubility, Permeability and Anticancer Activity of Vorinostat Using Tailored Mesoporous Silica Nanoparticles. <i>Pharmaceutics</i> , 2018, 10, 283.	2.0	44
60	Oncolytic reovirus preferentially induces apoptosis in KRAS mutant colorectal cancer cells, and synergizes with irinotecan. <i>Oncotarget</i> , 2014, 5, 2807-2819.	0.8	43
61	Heterogeneity of Jagged1 expression in human and mouse intestinal tumors: implications for targeting Notch signaling. <i>Oncogene</i> , 2010, 29, 992-1002.	2.6	42
62	FOXP3 over-expression inhibits melanoma tumorigenesis via effects on proliferation and apoptosis. <i>Oncotarget</i> , 2014, 5, 264-276.	0.8	38
63	Deletion of intestinal Hdac3 remodels the lipidome of enterocytes and protects mice from diet-induced obesity. <i>Nature Communications</i> , 2019, 10, 5291.	5.8	37
64	Aprataxin Tumor Levels Predict Response of Colorectal Cancer Patients to Irinotecan-based Treatment. <i>Clinical Cancer Research</i> , 2010, 16, 2375-2382.	3.2	35
65	Phase II study of everolimus (RAD001) monotherapy as first-line treatment in advanced biliary tract cancer with biomarker exploration: the RADiChol Study. <i>British Journal of Cancer</i> , 2018, 118, 966-971.	2.9	35
66	An A13 Repeat within the 5'-Untranslated Region of Epidermal Growth Factor Receptor (EGFR) Is Frequently Mutated in Microsatellite Instability Colon Cancers and Is Associated with Increased EGFR Expression. <i>Cancer Research</i> , 2009, 69, 7811-7818.	0.4	34
67	Interleukin 33 Signaling Restrains Sporadic Colon Cancer in an Interferon- γ -Dependent Manner. <i>Cancer Immunology Research</i> , 2018, 6, 409-421.	1.6	31
68	Mutational analysis of genes coding for cell surface proteins in colorectal cancer cell lines reveal novel altered pathways, druggable mutations and mutated epitopes for targeted therapy. <i>Oncotarget</i> , 2014, 5, 9199-9213.	0.8	31
69	Intestinal epithelial-specific PTEN inactivation results in tumor formation. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 301, G856-G864.	1.6	29
70	Protective Role of the Epithelium of the Small Intestine and Colon. <i>Inflammatory Bowel Diseases</i> , 1996, 2, 279-302.	0.9	28
71	Dietary Components Modify Gene Expression: Implications for Carcinogenesis. <i>Journal of Nutrition</i> , 2005, 135, 2710-2714.	1.3	28
72	Villin Expression Is Frequently Lost in Poorly Differentiated Colon Cancer. <i>American Journal of Pathology</i> , 2012, 180, 1509-1521.	1.9	28

#	ARTICLE	IF	CITATIONS
73	A 19S proteasomal subunit cooperates with an ERK MAPK-regulated degron to regulate accumulation of Fra-1 in tumour cells. <i>Oncogene</i> , 2012, 31, 1817-1824.	2.6	27
74	Anti-EGFR therapeutic efficacy correlates directly with inhibition of STAT3 activity. <i>Cancer Biology and Therapy</i> , 2014, 15, 623-632.	1.5	27
75	Implications of Epithelial-Mesenchymal Plasticity for Heterogeneity in Colorectal Cancer. <i>Frontiers in Oncology</i> , 2015, 5, 13.	1.3	27
76	Protective role of the epithelium of the small intestine and colon. <i>Inflammatory Bowel Diseases</i> , 1996, 2, 279-302.	0.9	25
77	Highly Expressed Genes in Rapidly Proliferating Tumor Cells as New Targets for Colorectal Cancer Treatment. <i>Clinical Cancer Research</i> , 2015, 21, 3695-3704.	3.2	25
78	Loss of the EPH receptor B6 contributes to colorectal cancer metastasis. <i>Scientific Reports</i> , 2017, 7, 43702.	1.6	25
79	Mechanisms of inactivation of the tumour suppressor gene RHOA in colorectal cancer. <i>British Journal of Cancer</i> , 2018, 118, 106-116.	2.9	24
80	Gene expression profiling of primary and metastatic colon cancers identifies a reduced proliferative rate in metastatic tumors. <i>Clinical and Experimental Metastasis</i> , 2010, 27, 1-9.	1.7	23
81	A novel BH3-mimetic, AZD0466, targeting BCL-XL and BCL-2 is effective in pre-clinical models of malignant pleural mesothelioma. <i>Cell Death Discovery</i> , 2021, 7, 122.	2.0	23
82	Telomere length is a novel predictive biomarker of sensitivity to anti-EGFR therapy in metastatic colorectal cancer. <i>British Journal of Cancer</i> , 2015, 112, 313-318.	2.9	22
83	Brush border myosin Ia inactivation in gastric but not endometrial tumors. <i>International Journal of Cancer</i> , 2013, 132, 1790-1799.	2.3	21
84	PR55-containing protein phosphatase 2A complexes promote cancer cell migration and invasion through regulation of AP-1 transcriptional activity. <i>Oncogene</i> , 2015, 34, 1333-1339.	2.6	21
85	Meta-Analysis of Microarray Studies Reveals a Novel Hematopoietic Progenitor Cell Signature and Demonstrates Feasibility of Inter-Platform Data Integration. <i>PLoS ONE</i> , 2008, 3, e2965.	1.1	20
86	By moonlighting in the nucleus, villin regulates epithelial plasticity. <i>Molecular Biology of the Cell</i> , 2016, 27, 535-548.	0.9	20
87	Oxaliplatin resistance induced by ERCC1 up-regulation is abrogated by siRNA-mediated gene silencing in human colorectal cancer cells. <i>Anticancer Research</i> , 2010, 30, 2531-8.	0.5	20
88	Short-chain fatty acids reduce expression of specific protein kinase C isoforms in human colonic epithelial cells. , 2000, 182, 222-231.		17
89	Quantitative rather than qualitative differences in gene expression predominate in intestinal cell maturation along distinct cell lineages. <i>Experimental Cell Research</i> , 2005, 304, 28-39.	1.2	16
90	p27kip1 Regulates cdk2 Activity in the Proliferating Zone of the Mouse Intestinal Epithelium: Potential Role in Neoplasia. <i>Gastroenterology</i> , 2007, 133, 232-243.	0.6	16

#	ARTICLE	IF	CITATIONS
91	Customizing chemotherapy for colon cancer: the potential of gene expression profiling. Drug Resistance Updates, 2004, 7, 209-218.	6.5	15
92	Molecular Imaging of Death Receptor 5 Occupancy and Saturation Kinetics <i>In Vivo</i> by Humanized Monoclonal Antibody CS-1008. Clinical Cancer Research, 2013, 19, 5984-5993.	3.2	15
93	Kâ€Ras mutation and amplification status is predictive of resistance and high basal pAKT is predictive of sensitivity to everolimus in biliary tract cancer cell lines. Molecular Oncology, 2017, 11, 1130-1142.	2.1	15
94	Genomic Profiling of Biliary Tract Cancer Cell Lines Reveals Molecular Subtypes and Actionable Drug Targets. IScience, 2019, 21, 624-637.	1.9	15
95	Application of Gene Expression Profiling to Colon Cell Maturation, Transformation and Chemoprevention. Journal of Nutrition, 2003, 133, 2410S-2416S.	1.3	14
96	BCL-XL is an actionable target for treatment of malignant pleural mesothelioma. Cell Death Discovery, 2020, 6, 114.	2.0	13
97	CSK-homologous kinase (CHK/MATK) is a potential colorectal cancer tumour suppressor gene epigenetically silenced by promoter methylation. Oncogene, 2021, 40, 3015-3029.	2.6	13
98	Promoter hypomethylation of NY-ESO-1, association with clinicopathological features and PD-L1 expression in non-small cell lung cancer. Oncotarget, 2017, 8, 74036-74048.	0.8	13
99	Excision repair cross-complementing group-1 (ERCC1) induction kinetics and polymorphism are markers of inferior outcome in patients with colorectal cancer treated with oxaliplatin. Oncotarget, 2019, 10, 5510-5522.	0.8	13
100	Dissecting HDAC3-mediated tumor progression. Cancer Biology and Therapy, 2008, 7, 1581-1583.	1.5	12
101	Relationship of hydrolase activities to epithelial cell turnover in distal colonic mucosa of normal rats. Journal of Gastroenterology and Hepatology (Australia), 1999, 14, 866-872.	1.4	11
102	Cellular Mechanisms of Risk and Transformation. Annals of the New York Academy of Sciences, 1999, 889, 20-31.	1.8	11
103	Altered Dynamics of Intestinal Cell Maturation in <i>Apc1638N/+</i> Mice. Cancer Research, 2010, 70, 5348-5357.	0.4	11
104	DUSP5 is methylated in CIMP-high colorectal cancer but is not a major regulator of intestinal cell proliferation and tumorigenesis. Scientific Reports, 2018, 8, 1767.	1.6	11
105	Prediction and Testing of Biological Networks Underlying Intestinal Cancer. PLoS ONE, 2010, 5, e12497.	1.1	11
106	Making Sense of HDAC2 Mutations in Colon Cancer. Gastroenterology, 2008, 135, 1457-1459.	0.6	10
107	Rapid Resistance of FGFR-driven Gastric Cancers to Regorafenib and Targeted FGFR Inhibitors can be Overcome by Parallel Inhibition of MEK. Molecular Cancer Therapeutics, 2021, 20, 704-715.	1.9	10
108	Overexpression of TP53 protein is associated with the lack of adjuvant chemotherapy benefit in patients with stage III colorectal cancer. Modern Pathology, 2020, 33, 483-495.	2.9	9

#	ARTICLE	IF	CITATIONS
109	Phase II study of everolimus monotherapy as first-line treatment in advanced biliary tract cancer: RADichol.. Journal of Clinical Oncology, 2014, 32, 4101-4101.	0.8	9
110	EHF is essential for epidermal and colonic epithelial homeostasis, and suppresses <i>Apc</i> -initiated colonic tumorigenesis. Development (Cambridge), 2021, 148, .	1.2	8
111	Dual targeting of FGFR3 and ERBB3 enhances the efficacy of FGFR inhibitors in FGFR3 fusion-driven bladder cancer. BMC Cancer, 2022, 22, 478.	1.1	8
112	VEGF-A, VEGFR1 and VEGFR2 single nucleotide polymorphisms and outcomes from the AGITG MAX trial of capecitabine, bevacizumab and mitomycin C in metastatic colorectal cancer. Scientific Reports, 2022, 12, 1238.	1.6	7
113	Cell Line Models of Molecular Subtypes of Colorectal Cancer. Methods in Molecular Biology, 2018, 1765, 3-26.	0.4	6
114	Molecular regulators of lipid metabolism in the intestine – Underestimated therapeutic targets for obesity?. Biochemical Pharmacology, 2020, 178, 114091.	2.0	6
115	Epithelial de-differentiation triggered by co-ordinate epigenetic inactivation of the EHF and CDX1 transcription factors drives colorectal cancer progression. Cell Death and Differentiation, 2022, 29, 2288-2302.	5.0	6
116	<i>FOXP3</i> is not mutated in human melanoma. Pigment Cell and Melanoma Research, 2012, 25, 398-400.	1.5	5
117	Identification of ZBTB18 as a novel colorectal tumor suppressor gene through genome-wide promoter hypermethylation analysis. Clinical Epigenetics, 2021, 13, 88.	1.8	5
118	Interaction of Genetic and Dietary Factors in Mouse Intestinal Tumorigenesis. Journal of Nutrition, 2006, 136, 2695S-2696S.	1.3	3
119	Global protein profiling reveals anti-EGFR monoclonal antibody 806-modulated proteins in A431 tumor xenografts. Growth Factors, 2013, 31, 154-164.	0.5	3
120	Genetics and Epigenetics in Cancer Biology. , 2006, , 25-56.		1
121	Meta-Transcriptome of Bone Marrow Stem Cells Demonstrates Platform and Lab Dependant Variability in Gene Expression and Reveals a Novel Set of Enriched Genes.. Blood, 2006, 108, 4189-4189.	0.6	0
122	Rapid screening of SNPs in metastatic colorectal cancer (mCRC) utilizing multiplex sequencing technology (Sequenom).. Journal of Clinical Oncology, 2012, 30, 418-418.	0.8	0