

Alexandra Resch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/197645/publications.pdf>

Version: 2024-02-01

22
papers

2,023
citations

471477

17
h-index

713444

21
g-index

24
all docs

24
docs citations

24
times ranked

1398
citing authors

#	ARTICLE	IF	CITATIONS
1	Quality-of-life results for accelerated partial breast irradiation with interstitial brachytherapy versus whole-breast irradiation in early breast cancer after breast-conserving surgery (GEC-ESTRO): 5-year results of a randomised, phase 3 trial. <i>Lancet Oncology, The</i> , 2018, 19, 834-844.	10.7	102
2	Late side-effects and cosmetic results of accelerated partial breast irradiation with interstitial brachytherapy versus whole-breast irradiation after breast-conserving surgery for low-risk invasive and in-situ carcinoma of the female breast: 5-year results of a randomised, controlled, phase 3 trial. <i>Lancet Oncology, The</i> , 2017, 18, 259-268.	10.7	220
3	Impact of heterogeneity-corrected dose calculation using a grid-based Boltzmann solver on breast and cervix cancer brachytherapy. <i>Journal of Contemporary Brachytherapy</i> , 2016, 2, 143-149.	0.9	22
4	GEC-ESTRO multicenter phase 3-trial: Accelerated partial breast irradiation with interstitial multicatheter brachytherapy versus external beam whole breast irradiation: Early toxicity and patient compliance. <i>Radiotherapy and Oncology</i> , 2016, 120, 119-123.	0.6	90
5	5-year results of accelerated partial breast irradiation using sole interstitial multicatheter brachytherapy versus whole-breast irradiation with boost after breast-conserving surgery for low-risk invasive and in-situ carcinoma of the female breast: a randomised, phase 3, non-inferiority trial. <i>Lancet, The</i> , 2016, 387, 229-238.	13.7	578
6	Recommendations from GEC ESTRO Breast Cancer Working Group (I): Target definition and target delineation for accelerated or boost Partial Breast Irradiation using multicatheter interstitial brachytherapy after breast conserving closed cavity surgery. <i>Radiotherapy and Oncology</i> , 2015, 115, 342-348.	0.6	111
7	Interobserver variations of target volume delineation in multicatheter partial breast brachytherapy after open cavity surgery. <i>Brachytherapy</i> , 2015, 14, 925-932.	0.5	18
8	Is oncoplastic surgery a contraindication for accelerated partial breast radiation using the interstitial multicatheter brachytherapy method?. <i>Brachytherapy</i> , 2014, 13, 394-399.	0.5	17
9	Accelerated partial breast irradiation with interstitial brachytherapy as second conservative treatment for ipsilateral breast tumour recurrence: Multicentric study of the GEC-ESTRO Breast Cancer Working Group. <i>Radiotherapy and Oncology</i> , 2013, 108, 226-231.	0.6	132
10	German, Austrian and Swiss consensus conference on the diagnosis and local treatment of the axilla in breast cancer. <i>European Journal of Cancer</i> , 2013, 49, 2277-2283.	2.8	20
11	Partial breast irradiation for locally recurrent breast cancer within a second breast conserving treatment: Alternative to mastectomy? Results from a prospective trial. <i>Radiotherapy and Oncology</i> , 2012, 102, 96-101.	0.6	82
12	Accelerated Partial Breast Irradiation: 5-Year Results of the German-Austrian Multicenter Phase II Trial Using Interstitial Multicatheter Brachytherapy Alone After Breast-Conserving Surgery. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 80, 17-24.	0.8	116
13	Accelerated Partial Breast Irradiation With Interstitial Implants: Risk Factors Associated With Increased Local Recurrence. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 80, 1458-1463.	0.8	33
14	Accelerated partial breast irradiation with multi-catheter brachytherapy: Local control, side effects and cosmetic outcome for 274 patients. Results of the German-Austrian multi-centre trial. <i>Radiotherapy and Oncology</i> , 2007, 82, 281-286.	0.6	137
15	Partial breast irradiation using multicatheter interstitial brachytherapy for early breast cancer—results of the German-Austrian Phase II study. <i>Brachytherapy</i> , 2007, 6, 77.	0.5	0
16	Radiation Therapy of Invasive Breast Cancer. <i>Breast Care</i> , 2006, 1, 396-401.	1.4	0
17	Interstitial brachytherapy alone after breast conserving surgery: Interim results of a German-Austrian multicenter phase II trial. <i>Brachytherapy</i> , 2004, 3, 115-119.	0.5	55
18	Accelerated Partial Breast Irradiation with Iridium-192 Multicatheter PDR/HDR Brachytherapy. <i>Strahlentherapie Und Onkologie</i> , 2004, 180, 642-649.	2.0	57

#	ARTICLE	IF	CITATIONS
19	Locally Recurrent Breast Cancer: Pulse Dose Rate Brachytherapy for Repeat Irradiation Following Lumpectomyâ€”A Second Chance to Preserve the Breast. <i>Radiology</i> , 2002, 225, 713-718.	7.3	102
20	Long-term results (10 years) of intensive breast conserving therapy including a high-dose and large-volume interstitial brachytherapy boost (LDR/HDR) for T1/T2 breast cancer. <i>Radiotherapy and Oncology</i> , 2002, 63, 47-58.	0.6	52
21	Effect of distortions and asymmetry in MR images on radiotherapeutic treatment planning. , 2000, 90, 46-50.		13
22	Evidence that Tamoxifen Preserves Bone Density in Late Postmenopausal Women with Breast Cancer. <i>Acta OncolÃ³gica</i> , 1998, 37, 661-664.	1.8	48