

Sajeewa S N Maharachchikumbura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1977239/publications.pdf>

Version: 2024-02-01

173
papers

13,696
citations

61857

43
h-index

24179

110
g-index

182
all docs

182
docs citations

182
times ranked

9220
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Endophytic fungi from the medicinal plant <i>Aloe dhufarensis</i> Lavranos exhibit antagonistic potential against phytopathogenic fungi. <i>South African Journal of Botany</i> , 2022, 147, 1078-1085. | 1.2 | 15 |
| 2 | First Report of Molecular Detection of <i>Leveillula taurica</i> Associated with Powdery Mildew of Linseed (<i>Linum usitatissimum</i>) from India. <i>Plant Disease</i> , 2022, 106, 1529. | 0.7 | 2 |
| 3 | Reassessment of <i>Dyfrolomyces</i> and Four New Species of <i>Melomastia</i> from Olive (<i>Olea europaea</i>) in Sichuan Province, China. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 76. | 1.5 | 6 |
| 4 | Taxonomy, phylogeny, molecular dating and ancestral state reconstruction of <i>Xylariomycetidae</i> (<i>Sordariomycetes</i>). <i>Fungal Diversity</i> , 2022, 112, 1-88. | 4.7 | 35 |
| 5 | The numbers of fungi: are the most speciose genera truly diverse?. <i>Fungal Diversity</i> , 2022, 114, 387-462. | 4.7 | 52 |
| 6 | <i>Brunneosporopsis yunnanensis</i> gen. et sp. nov. and <i>Alloccryptovalsa xishuangbanica</i> sp. nov., New Terrestrial <i>Sordariomycetes</i> from Southwest China. <i>Life</i> , 2022, 12, 635. | 1.1 | 3 |
| 7 | Genomic Characteristics and Comparative Genomics Analysis of <i>Parafenestella ontariensis</i> sp. nov.. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 732. | 1.5 | 4 |
| 8 | <i>Synhelminthosporium</i> gen. et sp. nov. and Two New Species of <i>Helminthosporium</i> (<i>Massarinaceae</i>), <i>Tj ETQq0 0 0 rgBT /Overlçk 10 Tf 5</i> | 1.5 | 4 |
| 9 | Additions to pestalotioid fungi in Thailand: <i>Neopestalotiopsis hydeana</i> sp. nov. and <i>Pestalotiopsis hydei</i> sp. nov. <i>Phytotaxa</i> , 2021, 479, 23-43. | 0.1 | 13 |
| 10 | <i>Acrocordiella yunnanensis</i> sp. nov. (<i>Requienellaceae</i>), <i>Tj ETQq0 0 0 rgBT /Overlçk 10 Tf 5</i> | 0.1 | 3 |
| 11 | The complete mitochondrial genome of <i>Gymnobelideus leadbeateri</i> (Mammalia: <i>Petauridae</i>). <i>Mitochondrial DNA Part B: Resources</i> , 2021, 6, 589-590. | 0.2 | 0 |
| 12 | <i>Fusarium</i> : more than a node or a foot-shaped basal cell. <i>Studies in Mycology</i> , 2021, 98, 100116. | 4.5 | 134 |
| 13 | First Report of <i>Didymosphaeria rubi-ulmifolii</i> Brown Spot Infection of Chinese Quince Fruit in South Korea. <i>Plant Disease</i> , 2021, 105, 1195-1195. | 0.7 | 2 |
| 14 | First Report of Fruit Canker Caused by <i>Nothophoma quercina</i> on Chinese Quince in South Korea. <i>Plant Disease</i> , 2021, 105, 3760. | 0.7 | 5 |
| 15 | Taxonomic and phylogenetic contributions to <i>Celtis formosana</i> , <i>Ficus ampelas</i> , <i>F. septica</i> , <i>Macaranga tanarius</i> and <i>Morus australis</i> leaf litter inhabiting microfungi. <i>Fungal Diversity</i> , 2021, 108, 1-215. | 4.7 | 48 |
| 16 | Rhizospheric <i>Bacillus amyloliquefaciens</i> Protects <i>Capsicum annuum</i> cv. <i>Geumsugangsan</i> From Multiple Abiotic Stresses via Multifarious Plant Growth-Promoting Attributes. <i>Frontiers in Plant Science</i> , 2021, 12, 669693. | 1.7 | 52 |
| 17 | Biocontrol Potential of <i>Bacillus amyloliquefaciens</i> against <i>Botrytis pelargonii</i> and <i>Alternaria alternata</i> on <i>Capsicum annuum</i> . <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 472. | 1.5 | 21 |
| 18 | Morphological and molecular characterization of <i>Neopestalotiopsis vitis</i> associated with leaf blight disease of <i>Manilkara zapota</i> – a new record from India. <i>Letters in Applied Microbiology</i> , 2021, 73, 352-362. | 1.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Integrative approaches for species delimitation in Ascomycota. <i>Fungal Diversity</i> , 2021, 109, 155-179. | 4.7 | 55 |
| 20 | <i>Colletotrichum</i> species causing anthracnose disease in <i>A. andraeanum</i> , manifested as spathe rot also in addition to spadix rot and leaf spot.. <i>European Journal of Plant Pathology</i> , 2021, 161, 837. | 0.8 | 1 |
| 21 | Insight into the Systematics of Novel Entomopathogenic Fungi Associated with Armored Scale Insect, <i>Kuwanaspis howardi</i> (Hemiptera: Diaspididae) in China. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 628. | 1.5 | 6 |
| 22 | Editorial: Emerging Fungal Plant Pathogens. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 765549. | 1.8 | 3 |
| 23 | Three novel sooty moulds species of <i>Trichomerium</i> from Yunnan, China. <i>Phytotaxa</i> , 2021, 518, 271-280. | 0.1 | 0 |
| 24 | <i>Yuxiensis granularis</i> gen. et sp. nov., a Novel Quellung-Reaktion-Bearing Fungal Taxon Added to Scortechiniaceae and Inclusion of Parasymphodiellaceae in Coronophorales Based on Phylogenetic Evidence. <i>Life</i> , 2021, 11, 1011. | 1.1 | 1 |
| 25 | The Presence of Marine Filamentous Fungi on a Copper-Based Antifouling Paint. <i>Applied Sciences</i> (Switzerland), 2021, 11, 8277. | 1.3 | 8 |
| 26 | Uncovering the hidden taxonomic diversity of fungi in Oman. <i>Fungal Diversity</i> , 2021, 106, 229-268. | 4.7 | 11 |
| 27 | Morphomolecular taxonomic studies reveal a high number of endophytic fungi from <i>Magnolia candolli</i> and <i>M. garrettii</i> in China and Thailand. <i>Mycosphere</i> , 2021, 12, 163-237. | 1.9 | 23 |
| 28 | Taxonomic studies of Coronophorales and Niessliaceae (Hypocreomycetidae). <i>Mycosphere</i> , 2021, 12, 875-992. | 1.9 | 9 |
| 29 | <i>Lembosia mimusopis</i> sp. nov. from Thailand. <i>Mycotaxon</i> , 2021, 136, 635-644. | 0.1 | 1 |
| 30 | Taxonomic studies of some often over-looked Diaporthomycetidae and Sordariomycetidae. <i>Fungal Diversity</i> , 2021, 111, 443. | 4.7 | 12 |
| 31 | Fungal diversity notes 1387-1511: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2021, 111, 1-335. | 4.7 | 88 |
| 32 | Characterization of <i>Neopestalotiopsis</i> Species Associated with Mango Grey Leaf Spot Disease in Sinaloa, Mexico. <i>Pathogens</i> , 2020, 9, 788. | 1.2 | 10 |
| 33 | <i>Alternaria alternata</i> and <i>Neocosmospora</i> sp. from the medicinal plant <i>Euphorbia larica</i> exhibit antagonistic activity against <i>Fusarium</i> sp., a plant pathogenic fungus. <i>International Journal of Transgender Health</i> , 2020, 13, 223-232. | 1.1 | 9 |
| 34 | Molecular identification of fungal pathogens associated with leaf spot disease of date palms (<i>Phoenix dactylifera</i>). <i>International Journal of Transgender Health</i> , 2020, 13, 587-597. | 1.1 | 10 |
| 35 | The numbers of fungi: is the descriptive curve flattening?. <i>Fungal Diversity</i> , 2020, 103, 219-271. | 4.7 | 128 |
| 36 | Molecular Phylogeny and Morphology of <i>Amphisphaeria</i> (= <i>Lepteutypa</i>) (Amphisphaeriaceae). <i>Journal of Fungi</i> (Basel, Switzerland), 2020, 6, 174. | 1.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | First sexual morph record of <i>Sarcopodium vanillae</i> . <i>Mycotaxon</i> , 2020, 134, 707-717. | 0.1 | 2 |
| 38 | Fungal diversity notes 1151–1276: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2020, 100, 5-277. | 4.7 | 156 |
| 39 | Antagonistic Activity of Endophytic and Rhizosphere Fungi Isolated From Sea Purslane (<i>Sesuvium</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 | 0.7 | 13 |
| 40 | Taxonomy and phylogeny of hyaline-spored coelomycetes. <i>Fungal Diversity</i> , 2020, 100, 279-801. | 4.7 | 58 |
| 41 | <i>Bimuria omanensis</i> sp. nov. (Didymosphaeriaceae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 | 0.1 | 3 |
| 42 | FungalTraits: a user-friendly traits database of fungi and fungus-like stramenopiles. <i>Fungal Diversity</i> , 2020, 105, 1-16. | 4.7 | 387 |
| 43 | <i>Phaeosphaeriopsis omaniana</i> (Phaeosphaeriaceae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 | 0.1 | 2 |
| 44 | AJOM new records and collections of fungi: 1–100. <i>Asian Journal of Mycology</i> , 2020, 3, 22-294. | 1.8 | 46 |
| 45 | Morpho-molecular characterization of microfungi associated with marine based habitats. <i>Mycosphere</i> , 2020, 11, 1-188. | 1.9 | 89 |
| 46 | A dynamic portal for a community-driven, continuously updated classification of Fungi and fungus-like organisms: outlineoffungi.org. <i>Mycosphere</i> , 2020, 11, 1514-1526. | 1.9 | 8 |
| 47 | Fungi on wild seeds and fruits. <i>Mycosphere</i> , 2020, 11, 2108-2480. | 1.9 | 29 |
| 48 | Polyphyletic genera in Xylariaceae (Xylariales): <i>Neoxylaria</i> gen. nov. and <i>Stilbohypoxylon</i> . <i>Mycosphere</i> , 2020, 11, 2629-2651. | 1.9 | 14 |
| 49 | Applied aspects of methods to infer phylogenetic relationships amongst fungi. <i>Mycosphere</i> , 2020, 11, 2652-2676. | 1.9 | 84 |
| 50 | Additions to the genus <i>Cytospora</i> with sexual morph in Cytosporaceae. <i>Mycosphere</i> , 2020, 11, 189-224. | 1.9 | 17 |
| 51 | A new genus <i>Allodiatrype</i> , five new species and a new host record of diatrypaceous fungi from palms (Arecaceae). <i>Mycosphere</i> , 2020, 11, 239-268. | 1.9 | 20 |
| 52 | Refined families of Sordariomycetes. <i>Mycosphere</i> , 2020, 11, 305-1059. | 1.9 | 219 |
| 53 | Outline of Fungi and fungus-like taxa. <i>Mycosphere</i> , 2020, 11, 1060-1456. | 1.9 | 405 |
| 54 | https://sordariomycetes.org/ , a platform for the identification, ranking and classification of taxa within Sordariomycetes. <i>Asian Journal of Mycology</i> , 2020, 3, 13-21. | 1.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Sexual Morph of <i>Furcaterigmium furcatum</i> (Plectosphaerellaceae) from <i>Magnolia liliifera</i> Collected in Northern Thailand. <i>Phyton</i> , 2020, 89, 765-777. | 0.4 | 1 |
| 56 | Molecular identification of fungal pathogens associated with date palm root diseases in the United Arab Emirates. <i>Journal of Plant Pathology</i> , 2019, 101, 141-147. | 0.6 | 7 |
| 57 | <i>Talaromyces variabilis</i> interferes with <i>Pythium aphanidermatum</i> growth and suppresses <i>Pythium</i> -induced damping-off of cucumbers and tomatoes. <i>Scientific Reports</i> , 2019, 9, 11255. | 1.6 | 25 |
| 58 | Freshwater Sordariomycetes. <i>Fungal Diversity</i> , 2019, 99, 451-660. | 4.7 | 119 |
| 59 | <i>Talaromyces omanensis</i> sp. nov.: phenotypic and molecular characterization of a novel species isolated from <i>Rhazya stricta</i> in Oman. <i>Phytotaxa</i> , 2019, 404, 190. | 0.1 | 5 |
| 60 | Characterization of fungal species associated with cladode brown spot on <i>Nopalea cochenillifera</i> in Brazil. <i>European Journal of Plant Pathology</i> , 2019, 155, 1179-1194. | 0.8 | 16 |
| 61 | A new section and a new species of <i>Alternaria</i> encountered from Oman. <i>Phytotaxa</i> , 2019, 405, 279. | 0.1 | 20 |
| 62 | <i>Endophytic pestalotioid taxa in Dendrobium orchids</i> . <i>Phytotaxa</i> , 2019, 419, 268-286. | 0.1 | 18 |
| 63 | Taxonomy and the evolutionary history of Micropeltidaceae. <i>Fungal Diversity</i> , 2019, 97, 393-436. | 4.7 | 17 |
| 64 | Fungal diversity notes 1036-1150: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2019, 96, 1-242. | 4.7 | 148 |
| 65 | Fungal diversity notes 929-1035: taxonomic and phylogenetic contributions on genera and species of fungi. <i>Fungal Diversity</i> , 2019, 95, 1-273. | 4.7 | 203 |
| 66 | <i>Cladosporium omanense</i> , a new endophytic species from <i>Zygophyllum coccineum</i> in Oman. <i>Phytotaxa</i> , 2019, 388, 145. | 0.1 | 9 |
| 67 | Phylogenetic classification and generic delineation of <i>Hydeomyces desertipleosporoides</i> gen. et sp. nov., (Phaeosphaeriaceae) from Jebel Akhdar Mountain in Oman. <i>Phytotaxa</i> , 2019, 391, 28. | 0.1 | 12 |
| 68 | <i>Neopestalotiopsis alpapicalis</i> sp. nov. a new endophyte from tropical mangrove trees in Krabi Province (Thailand). <i>Phytotaxa</i> , 2019, 393, 251. | 0.1 | 19 |
| 69 | Phylogenetic Revision of Savoryellaceae and Evidence for Its Ranking as a Subclass. <i>Frontiers in Microbiology</i> , 2019, 10, 840. | 1.5 | 25 |
| 70 | Sexual morph of <i>Phaeoacremonium aureum</i> from <i>Rhizophora mucronata</i> collected in southern Thailand. <i>Phytotaxa</i> , 2019, 387, 21. | 0.1 | 1 |
| 71 | One stop shop III: taxonomic update with molecular phylogeny for important phytopathogenic genera: 51-75 (2019). <i>Fungal Diversity</i> , 2019, 98, 77-160. | 4.7 | 35 |
| 72 | https://onestopshopfungi.org/ , a database to enhance identification of phytopathogenic genera. <i>Asian Journal of Mycology</i> , 2019, 2, 281-286. | 1.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | https://fungalgenera.org/ : a comprehensive database providing webbased information for all fungal genera. Asian Journal of Mycology, 2019, 2, 298-305. | 1.8 | 6 |
| 74 | Lignicolous freshwater fungi from China and Thailand: Multi-gene phylogeny reveals new species and new records in Lophiostomataceae. Mycosphere, 2019, 10, 1080-1099. | 1.9 | 13 |
| 75 | <i>Aspergillus terreus</i> obtained from mangrove exhibits antagonistic activities against <i>Pythium aphanidermatum</i> -induced damping-off of cucumber. PeerJ, 2019, 7, e7884. | 0.9 | 17 |
| 76 | <i>Ceratomyrium chiangraiense</i> , a novel species of Chaetothyriales (Eurotiomycetes) from <i>Ficus</i> sp. in Thailand. Asian Journal of Mycology, 2019, 2, 269-280. | 1.8 | 2 |
| 77 | Morphological and molecular taxonomy of <i>Jahnula dianchia</i> sp. nov. (Jahnulales) from submerged wood in Dianchi Lake, Yunnan China. Mycological Progress, 2018, 17, 547-555. | 0.5 | 11 |
| 78 | Outline of Ascomycota: 2017. Fungal Diversity, 2018, 88, 167-263. | 4.7 | 232 |
| 79 | Morphological and molecular taxonomy of novel species Pleurotheciaceae from freshwater habitats in Yunnan, China. Mycological Progress, 2018, 17, 511-530. | 0.5 | 33 |
| 80 | Reticulascaceae hyphomycetes from submerged wood in Yunnan, China. Phytotaxa, 2018, 348, 187. | 0.1 | 8 |
| 81 | <i>Acrocordiella omanensis</i> sp. nov. (Requienellaceae, Xylariales) from the Sultanate of Oman. Phytotaxa, 2018, 338, 294. | 0.1 | 6 |
| 82 | Development of Resistance to Hymexazol Among <i>Pythium</i> Species in Cucumber Greenhouses in Oman. Plant Disease, 2018, 102, 202-208. | 0.7 | 17 |
| 83 | <i>Pseudostanjehughesia aquitropica</i> gen. et sp. nov. and <i>Sporidesmium</i> sensu lato species from freshwater habitats. Mycological Progress, 2018, 17, 591-616. | 0.5 | 41 |
| 84 | Diversity of <i>Neopestalotiopsis</i> and <i>Pestalotiopsis</i> spp., Causal Agents of Guava Scab in Colombia. Plant Disease, 2018, 102, 49-59. | 0.7 | 33 |
| 85 | Fungal diversity notes 840-928: micro-fungi associated with Pandanaceae. Fungal Diversity, 2018, 93, 1-160. | 4.7 | 125 |
| 86 | <i>Bipolaris omanensis</i> , a novel saprobic species of <i>Bipolaris</i> from Oman based on morphology and sequence data. Phytotaxa, 2018, 385, 23. | 0.1 | 5 |
| 87 | <i>Monochaetia sinensis</i> sp. nov. from Yunnan Province in China. Phytotaxa, 2018, 375, 59. | 0.1 | 4 |
| 88 | Molecular phylogeny, morphology and pathogenicity of <i>Pseudopestalotiopsis</i> species on <i>Ixora</i> in Taiwan. Mycological Progress, 2018, 17, 941-952. | 0.5 | 17 |
| 89 | Molecular characterization and pathogenicity of <i>Alternaria</i> species on wheat and date palms in Oman. European Journal of Plant Pathology, 2018, 152, 577-588. | 0.8 | 27 |
| 90 | Combined multi-gene backbone tree for the genus <i>Coniochaeta</i> with two new species from Uzbekistan. Phytotaxa, 2018, 336, 43. | 0.1 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Characterization of Huanglongbing disease associated with acid lime (<i>Citrus aurantifolia</i> Swingle) in Oman. <i>Journal of Plant Pathology</i> , 2018, 100, 419-427. | 0.6 | 1 |
| 92 | An appendage-bearing coelomycete <i>Pseudotruncatella arezzoensis</i> gen. and sp. nov. (Amphisphaeriales) Tj ETQq0 0,0 rgBT /Qverlock 10 | 0.1 | 5 |
| 93 | <i>Lecanicillium subprimulinum</i> (Cordycipitaceae, Hypocreales), a novel species from Baoshan, Yunnan. <i>Phytotaxa</i> , 2018, 348, 99. | 0.1 | 13 |
| 94 | <i>Phaeosaccardinula coffeicola</i> and <i>Trichomerium chiangmaiensis</i> , two new species of Chaetothyriales (Eurotiomycetes) from Thailand. <i>Mycosphere</i> , 2018, 9, 769-778. | 1.9 | 7 |
| 95 | Isolation and identification of pathogenic fungi and oomycetes associated with beans and cowpea root diseases in Oman. <i>PeerJ</i> , 2018, 6, e6064. | 0.9 | 18 |
| 96 | <i>Monochaetia ilexae</i> sp. nov. (Pestalotiopsidaceae) from Yunnan Province in China. <i>Phytotaxa</i> , 2017, 291, 123. | 0.1 | 7 |
| 97 | A novel <i>Pestalotiopsis</i> species isolated from <i>Bulbophyllum thouars</i> in Guangxi Province, China. <i>Phytotaxa</i> , 2017, 306, 96. | 0.1 | 3 |
| 98 | Fungal diversity notes 491â€“602: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2017, 83, 1-261. | 4.7 | 180 |
| 99 | The ranking of fungi: a tribute to David L. Hawksworth on his 70th birthday. <i>Fungal Diversity</i> , 2017, 84, 1-23. | 4.7 | 84 |
| 100 | Ranking higher taxa using divergence times: a case study in Dothideomycetes. <i>Fungal Diversity</i> , 2017, 84, 75-99. | 4.7 | 138 |
| 101 | An updated phylogeny of Sordariomycetes based on phylogenetic and molecular clock evidence. <i>Fungal Diversity</i> , 2017, 84, 25-41. | 4.7 | 142 |
| 102 | <i>Diatrypella tectonae</i> and <i>Peroneutypa mackenziei</i> spp. nov. (Diatrypaceae) from northern Thailand. <i>Mycological Progress</i> , 2017, 16, 463-476. | 0.5 | 25 |
| 103 | <i>Calcarisporium xylariicola</i> sp. nov. and introduction of <i>Calcarisporiaceae</i> fam. nov. in Hypocreales. <i>Mycological Progress</i> , 2017, 16, 433-445. | 0.5 | 15 |
| 104 | Notes for genera: Ascomycota. <i>Fungal Diversity</i> , 2017, 86, 1-594. | 4.7 | 213 |
| 105 | Families of <i>Diaporthales</i> based on morphological and phylogenetic evidence. <i>Studies in Mycology</i> , 2017, 86, 217-296. | 4.5 | 130 |
| 106 | Towards a natural classification of Annulatascaceae-like taxa: introducing <i>Atractosporales</i> ord. nov. and six new families. <i>Fungal Diversity</i> , 2017, 85, 75-110. | 4.7 | 41 |
| 107 | Fungal diversity notes 603â€“708: taxonomic and phylogenetic notes on genera and species. <i>Fungal Diversity</i> , 2017, 87, 1-235. | 4.7 | 165 |
| 108 | Fungal Diversity in Tomato Rhizosphere Soil under Conventional and Desert Farming Systems. <i>Frontiers in Microbiology</i> , 2017, 8, 1462. | 1.5 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | High Fungal Diversity and Dominance by Ascomycota in Dam Reservoir Soils of Arid Climates. International Journal of Agriculture and Biology, 2017, 19, 682-688. | 0.2 | 23 |
| 110 | Two new records in Pestalotiopsis associated with Orchidaceae disease in Guangxi Province, China. Mycosphere, 2017, 8, 121-130. | 1.9 | 5 |
| 111 | Morphophylogenetic study of Sydowiellaceae reveals several new genera. Mycosphere, 2017, 8, 172-217. | 1.9 | 11 |
| 112 | Fungi from Asian Karst formations I. Pestalotiopsis photincola sp. nov., causing leaf spots of Photinia serrulata. Mycosphere, 2017, 8, 103-110. | 1.9 | 11 |
| 113 | Establishment of Zygosporiaceae fam. nov. (Xylariales, Sordariomycetes) based on rDNA sequence data to accommodate Zygosporium. Mycosphere, 2017, 8, 1855-1868. | 1.9 | 8 |
| 114 | Leptospora (Leptosporaceae fam. nov.) and Linocarpon and Neolinocarpon (Linocarpaceae fam.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 1.9 | 27 |
| 115 | Neophyllachora gen nov. (Phyllachorales), three new species of Phyllachora from Poaceae and resurrection of Polystigmataceae (Xylariales). Mycosphere, 2017, 8, 1598-1625. | 1.9 | 16 |
| 116 | <i>Delonicicola siamense</i> gen. & sp. nov. (<i>Delonicicolaceae</i> fam. nov., Delonicicolales) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 321-340. | 0.2 | 9 |
| 117 | Tar spot fungi from Thailand. Mycosphere, 2017, 8, 1054-1058. | 1.9 | 2 |
| 118 | Recommendations for competing sexual-asexually typified generic names in Sordariomycetes (except) Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 1.7 | 84 |
| 119 | Neopestalotiopsis vitis sp. nov. causing grapevine leaf spot in China. Phytotaxa, 2016, 258, 63. | 0.1 | 37 |
| 120 | A checklist of fungi in Oman. Phytotaxa, 2016, 273, 219. | 0.1 | 14 |
| 121 | Additions to Karst Fungi 2: Alpestrisphaeria jonesii from Guizhou Province, China. Phytotaxa, 2016, 277, 255. | 0.1 | 10 |
| 122 | Two new Pseudohalonectria species on beech cupules (Fagus sylvatica) and a new genus to accommodate P. suthepensis. Phytotaxa, 2016, 278, 115. | 0.1 | 4 |
| 123 | Fungal diversity notes 253-366: taxonomic and phylogenetic contributions to fungal taxa. Fungal Diversity, 2016, 78, 1-237. | 4.7 | 239 |
| 124 | The families Distoseptisporaceae fam. nov., Kirschsteinioteliaceae, Sporormiaceae and Torulaceae, with new species from freshwater in Yunnan Province, China. Fungal Diversity, 2016, 80, 375-409. | 4.7 | 75 |
| 125 | Seimatosporium quercina sp. nov. (Discosiaceae) on Quercus robur from Germany. Phytotaxa, 2016, 255, 240. | 0.1 | 9 |
| 126 | Sexual morph of Seimatosporium cornii found on Cornus sanguinea in Italy. Phytotaxa, 2016, 257, 51. | 0.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Taxonomy and phylogeny of dematiaceous coelomycetes. <i>Fungal Diversity</i> , 2016, 77, 1-316. | 4.7 | 134 |
| 128 | Additions to Karst Fungi 3: <i>Prosthemium sinense</i> sp nov., from Guizhou Province, China. <i>Phytotaxa</i> , 2016, 284, 281. | 0.1 | 4 |
| 129 | Novel chaetosphaeriaceous hyphomycetes from aquatic habitats. <i>Mycological Progress</i> , 2016, 15, 1157-1167. | 0.5 | 26 |
| 130 | Families of Sordariomycetes. <i>Fungal Diversity</i> , 2016, 79, 1-317. | 4.7 | 256 |
| 131 | The holomorph of <i>Parasarcopodium</i> (Stachybotryaceae), introducing <i>P. pandanicola</i> sp. nov. on <i>Pandanus</i> sp.. <i>Phytotaxa</i> , 2016, 266, 250. | 0.1 | 9 |
| 132 | <i>Pseudopestalotiopsis ignota</i> and <i>Ps. camelliae</i> spp. nov. associated with grey blight disease of tea in China. <i>Mycological Progress</i> , 2016, 15, 1. | 0.5 | 31 |
| 133 | Taxonomic utility of old names in current fungal classification and nomenclature: Conflicts, confusion & clarifications. <i>Mycosphere</i> , 2016, 7, 1622-1648. | 1.9 | 29 |
| 134 | Perspectives into the value of genera, families and orders in classification. <i>Mycosphere</i> , 2016, 7, 1649-1668. | 1.9 | 20 |
| 135 | Evolution of Xylariomycetidae (Ascomycota: Sordariomycetes). <i>Mycosphere</i> , 2016, 7, 1746-1761. | 1.9 | 39 |
| 136 | Phomatosporales ord. nov. and Phomatosporaceae fam. nov., to accommodate <i>Lanspora</i> , <i>Phomatospora</i> and <i>Tenuimurus</i> , gen. nov.. <i>Mycosphere</i> , 2016, 7, 628-641. | 1.9 | 18 |
| 137 | Morpho-molecular characterization and epitypification of <i>Annulatascus velatisporus</i> . <i>Mycosphere</i> , 2016, 7, 1389-1398. | 1.9 | 7 |
| 138 | An advance in the endophyte story: <i>Oxydothidaceae</i> fam. nov. with six new species of <i>Oxydothis</i> . <i>Mycosphere</i> , 2016, 7, 1425-1446. | 1.9 | 30 |
| 139 | New species of <i>Thozetella</i> and <i>Chaetosphaeria</i> and new records of <i>Chaetosphaeria</i> and <i>Tainosphaeria</i> from Thailand. <i>Mycosphere</i> , 2016, 7, 1301-1321. | 1.9 | 15 |
| 140 | Fuscosporellales, a New Order of Aquatic and Terrestrial Hypocreomycetidae (Sordariomycetes). <i>Cryptogamie, Mycologie</i> , 2016, 37, 449-475. | 0.2 | 23 |
| 141 | <i>Annulatascus saprophyticus</i> sp. nov. and <i>Pseudoannulatascus</i> gen. nov. to accommodate <i>Annulatascus biatriisporus</i> (Annulatascales, Sordariomycetes) from Thailand. <i>Phytotaxa</i> , 2015, 239, 174. | 0.1 | 12 |
| 142 | <i>Aquapteridospora lignicola</i> gen. et sp. nov., a New Hyphomycetous Taxon (Sordariomycetes) from Wood Submerged in a Freshwater Stream. <i>Cryptogamie, Mycologie</i> , 2015, 36, 469-478. | 0.2 | 19 |
| 143 | Identification and characterization of <i>Pestalotiopsis</i> -like fungi related to grapevine diseases in China. <i>Fungal Biology</i> , 2015, 119, 348-361. | 1.1 | 43 |
| 144 | Towards unraveling relationships in Xylariomycetidae (Sordariomycetes). <i>Fungal Diversity</i> , 2015, 73, 73-144. | 4.7 | 164 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Epitypification of <i>Broomella vitalbae</i> and Introduction of a Novel Species of <i>Hyalotiella</i> . <i>Cryptogamie, Mycologie</i> , 2015, 36, 93-108. | 0.2 | 8 |
| 146 | Towards a natural classification and backbone tree for Sordariomycetes. <i>Fungal Diversity</i> , 2015, 72, 199-301. | 4.7 | 273 |
| 147 | Fungal diversity notes 110: taxonomic and phylogenetic contributions to fungal species. <i>Fungal Diversity</i> , 2015, 72, 1-197. | 4.7 | 304 |
| 148 | The Faces of Fungi database: fungal names linked with morphology, phylogeny and human impacts. <i>Fungal Diversity</i> , 2015, 74, 3-18. | 4.7 | 471 |
| 149 | Fungal diversity notes 111: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2015, 75, 27-274. | 4.7 | 375 |
| 150 | <i>Seiridium venetum</i> redescribed, and <i>S. camelliae</i> , a new species from <i>Camellia reticulata</i> in China. <i>Mycological Progress</i> , 2015, 14, 1. | 0.5 | 4 |
| 151 | Towards a backbone tree for <i>Seimatosporium</i> , with <i>S. physocarpi</i> sp. nov.. <i>Mycosphere</i> , 2015, 6, 385-400. | 1.9 | 19 |
| 152 | <i>Pestalotiopsis</i> revisited. <i>Studies in Mycology</i> , 2014, 79, 121-186. | 4.5 | 337 |
| 153 | Epitypification and neotypification: guidelines with appropriate and inappropriate examples. <i>Fungal Diversity</i> , 2014, 69, 57-91. | 4.7 | 125 |
| 154 | Improving the backbone tree for the genus <i>Pestalotiopsis</i> ; addition of <i>P. steyaertii</i> and <i>P. magna</i> sp. nov.. <i>Mycological Progress</i> , 2014, 13, 617-624. | 0.5 | 37 |
| 155 | Improving ITS sequence data for identification of plant pathogenic fungi. <i>Fungal Diversity</i> , 2014, 67, 11-19. | 4.7 | 123 |
| 156 | One stop shop: backbone trees for important phytopathogenic genera: I (2014). <i>Fungal Diversity</i> , 2014, 67, 21-125. | 4.7 | 241 |
| 157 | Novel <i>Pestalotiopsis</i> Species from Thailand Point to the Rich Undiscovered Diversity of this Chemically Creative Genus. <i>Cryptogamie, Mycologie</i> , 2014, 35, 139-149. | 0.2 | 13 |
| 158 | <i>Greeneria saprophytica</i> sp. nov. on dead leaves of <i>Syzygium cumini</i> from Chiang Rai, Thailand. <i>Phytotaxa</i> , 2014, 184, 275. | 0.1 | 4 |
| 159 | Morphology and phylogeny of <i>Pseudorobillarda eucalypti</i> sp. nov., from Thailand. <i>Phytotaxa</i> , 2014, 176, 251. | 0.1 | 15 |
| 160 | Morphology and phylogeny of <i>Chaetospermum</i> (asexual coelomycetous Basidiomycota). <i>Phytotaxa</i> , 2014, 175, 61. | 0.1 | 7 |
| 161 | <i>Clavatispora thailandica</i> gen. et sp. nov., a novel taxon of Venturiales (Dothideomycetes) from Thailand. <i>Phytotaxa</i> , 2014, 176, 92. | 0.1 | 10 |
| 162 | Finding needles in haystacks: linking scientific names, reference specimens and molecular data for Fungi. <i>Database: the Journal of Biological Databases and Curation</i> , 2014, 2014, bau061-bau061. | 1.4 | 272 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | <i>Deniquelata barringtoniae</i> gen. et sp. nov., associated with leaf spots of <i>Barringtonia asiatica</i>. Phytotaxa, 2013, 105, 11. | 0.1 | 34 |
| 164 | <i>Pestalotiopsis</i> species associated with <i>Camellia sinensis</i> (tea). Mycotaxon, 2013, 123, 47-61. | 0.1 | 52 |
| 165 | <i>Pestalotiopsis anacardiacearum</i> sp. nov. (<i>Amphisphaeriaceae</i>) has an intricate relationship with <i>Penicillaria jocosatrix</i> the mango tip borer. Phytotaxa, 2013, 99, 49. | 0.1 | 17 |
| 166 | A destructive new disease of <i>Syzygium samarangense</i> in Thailand caused by the new species <i>Pestalotiopsis samarangensis</i> . Tropical Plant Pathology, 2013, 38, 227-235. | 0.8 | 50 |
| 167 | Cloning and Sequence Analysis of the Cellobiohydrolase I Genes from Some Basidiomycetes. Mycobiology, 2012, 40, 107-110. | 0.6 | 4 |
| 168 | Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for <i>Fungi</i>. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 6241-6246. | 3.3 | 4,012 |
| 169 | A multi-locus backbone tree for <i>Pestalotiopsis</i> , with a polyphasic characterization of 14 new species. Fungal Diversity, 2012, 56, 95-129. | 4.7 | 211 |
| 170 | A Novel Species of <i>Pestalotiopsis</i> Causing Leaf Spots of <i>Trachycarpus Fortunei</i> . Cryptogamie, Mycologie, 2012, 33, 311-318. | 0.2 | 45 |
| 171 | Characterization and pathogenicity of fungi and oomycetes associated with root diseases of date palms in Oman. Crop Protection, 2012, 37, 1-6. | 1.0 | 39 |
| 172 | The need to carry out re-inventory of plant pathogenic fungi. Tropical Plant Pathology, 2011, 36, 205-213. | 0.8 | 37 |
| 173 | <i>Pestalotiopsis</i> "morphology, phylogeny, biochemistry and diversity. Fungal Diversity, 2011, 50, 167-187. | 4.7 | 198 |