

# Marco Racioppi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1978560/marco-racioppi-publications-by-year.pdf>

**Version:** 2023-01-31

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74  
papers

967  
citations

19  
h-index

27  
g-index

86  
ext. papers

1,142  
ext. citations

2.3  
avg, IF

3.64  
L-index

#	Paper	IF	Citations
74	A multi-surgeon learning curve analysis of overall and site-specific positive surgical margins after RARP and implications for training.. <i>Journal of Robotic Surgery</i> , <b>2022</b> , 1	2.9	
73	Male sling placement for post-prostatectomy incontinence can involve a lengthy learning curve: A multi-outcome assessment via cumulative sum failure analysis.. <i>Urologia</i> , <b>2022</b> , 3915603211072844	1.1	
72	Artificial urinary sphincter significantly better than fixed sling for moderate post-prostatectomy stress urinary incontinence: a propensity score-matched study. <i>BJU International</i> , <b>2021</b> , 127, 229-237	5.4	5
71	Metanephric adenoma with BRAF V600K mutation and a doubtful radiological imaging: pitfalls in the diagnostic process. <i>Medical Molecular Morphology</i> , <b>2021</b> , 54, 187-191	2.1	2
70	Second-Line Conservative Device-Assisted Intravesical Treatment in Selected Patients With Recurrent High-Risk Non-Muscle-Invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2021</b> , 19, e100-e119	3.2	0
69	Bladder cancer in the time of machine learning: Intelligent tools for diagnosis and management. <i>Urologia</i> , <b>2021</b> , 88, 94-102	1.1	1
68	Multiparametric magnetic resonance imaging of the prostate: Lights and shadows. <i>Urologia</i> , <b>2021</b> , 88, 280-286	1.1	1
67	Upper urothelial tract high-grade carcinoma: comparison of urine cytology and DNA methylation analysis in urinary samples. <i>Human Pathology</i> , <b>2021</b> , 118, 42-48	3.6	1
66	Rate of clinically significant prostate cancer on repeat saturation biopsy after a diagnosis of atypical small acinar proliferation. <i>Urologia</i> , <b>2021</b> , 88, 194-199	1.1	2
65	The bladder epicheck test and cytology in the follow-up of patients with non-muscle-invasive high grade bladder carcinoma.. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 40, 108.e19-108.e19	2.7	1
64	The Impact of SARS-CoV-2 Pandemic on Time to Primary, Secondary Resection and Adjuvant Intravesical Therapy in Patients with High-Risk Non-Muscle Invasive Bladder Cancer: A Retrospective Multi-Institutional Cohort Analysis. <i>Cancers</i> , <b>2021</b> , 13,	6.3	2
63	Immediate ileal ureter replacement for ureteral avulsion during ureteroscopy. <i>IJU Case Reports</i> , <b>2020</b> , 3, 241-243	0.5	0
62	Circulating tumor cells as prognostic biological marker in different stages prostate cancer and the effect of different therapeutic approaches on their expression. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2020</b> , 72, 214-222	4.2	5
61	Can Neutrophil-to-Lymphocyte ratio predict the response to BCG in high-risk non muscle invasive bladder cancer?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , <b>2019</b> , 45, 315-324	2	15
60	Chemoablation with Intensive Intravesical Mitomycin C Treatment: A New Approach for Non-muscle-invasive Bladder Cancer. <i>European Urology Oncology</i> , <b>2019</b> , 2, 576-583	6.5	9
59	Quality of life following urinary diversion: Orthotopic ileal neobladder versus ileal conduit. A multicentre study among long-term, female bladder cancer survivors. <i>European Journal of Surgical Oncology</i> , <b>2019</b> , 45, 477-481	1.3	10
58	Patient pad count is a poor measure of urinary incontinence compared with 48-h pad test: results of a large-scale multicentre study. <i>BJU International</i> , <b>2019</b> , 123, E69-E78	5.4	8

57	Health-Related Quality of Life after Radical Cystectomy for Bladder Cancer in Elderly Patients with Ileal Orthotopic Neobladder or Ileal Conduit: Results from a Multicentre Cross-Sectional Study Using Validated Questionnaires. <i>Urologia Internationalis</i> , <b>2018</b> , 100, 346-352	1.8	12
56	Titanized Transobturator Sling Placement for Male Stress Urinary Incontinence Using an Inside-out Single-incision Technique: Minimum 12-Months Follow-up Study. <i>Urology</i> , <b>2018</b> , 115, 144-150	1.5	9
55	The challenges of Bacillus of Calmette-Guerin (BCG) therapy for high risk non muscle invasive bladder cancer treatment in older patients. <i>Journal of Geriatric Oncology</i> , <b>2018</b> , 9, 507-512	2.3	8
54	Intraprostatic botulinum toxin type "A" injection in patients with benign prostatic hyperplasia and unsatisfactory response to medical therapy: A randomized, double-blind, controlled trial using urodynamic evaluation. <i>Neurourology and Urodynamics</i> , <b>2018</b> , 37, 1031-1038	2.3	5
53	Quality of Life in Patients with Bladder Cancer Undergoing Ileal Conduit: A Comparison of Women Men. <i>In Vivo</i> , <b>2018</b> , 32, 139-143	2.2	8
52	ElectroMotive drug administration (EMDA) of Mitomycin C as first-line salvage therapy in high risk "BCG failure" non muscle invasive bladder cancer: 3 years follow-up outcomes. <i>BMC Cancer</i> , <b>2018</b> , 18, 1224	4.6	28
51	MP83-01 ELECTROMOTIVE DRUG ADMINISTRATION (EMDA) OF MITOMYCIN C AS FIRST LINE SALVAGE THERAPY IN HIGH RISK BCG-FAILURE[NON MUSCLE INVASIVE BLADDER CANCER: 3YEARS FOLLOWUP OUTCOMES. <i>Journal of Urology</i> , <b>2018</b> , 199,	1.5	1
50	High intensity focused ultrasound as first line salvage therapy in prostate cancer local relapse after radical prostatectomy: 4-year follow-up outcomes. <i>Minerva Urology and Nephrology</i> , <b>2017</b> , 69, 93-100	1.9	2
49	Health-related Quality of Life After Radical Cystectomy: A Cross-sectional Study With Matched-pair Analysis on Ileal Conduit vs Ileal Orthotopic Neobladder Diversion. <i>Urology</i> , <b>2017</b> , 108, 82-89	1.5	14
48	Is Health-Related Quality of Life after Radical Cystectomy Using Validated Questionnaires Really Better in Patients with Ileal Orthotopic Neobladder Compared to Ileal Conduit: A Meta-Analysis of Retrospective Comparative Studies. <i>Current Urology</i> , <b>2017</b> , 10, 57-68	1.7	12
47	Neoadjuvant Chemotherapy for Patients with Muscle-invasive Urothelial Bladder Cancer Candidates for Curative Surgery: A Prospective Clinical Trial Based on Cisplatin Feasibility. <i>Anticancer Research</i> , <b>2017</b> , 37, 6453-6458	2.3	3
46	Mitomycin C: new strategies to improve efficacy of a well-known therapy. <i>Urologia</i> , <b>2016</b> , 83, 24-28	1.1	5
45	The occult urothelial cancer. <i>Urologia</i> , <b>2016</b> , 83, 55-60	1.1	
44	Postoperative Quality of Life in Patients with Ileal Neobladder at Short-, Intermediate- and Long-Term Follow-Up. <i>Urologia Internationalis</i> , <b>2016</b> , 97, 54-60	1.8	6
43	Quality of Life Assessment With Orthotopic Ileal Neobladder Reconstruction After Radical Cystectomy: Results From a Prospective Italian Multicenter Observational Study. <i>Urology</i> , <b>2015</b> , 86, 974-975	1.5	30
42	NBI: results review. <i>Urologia</i> , <b>2015</b> , 82 Suppl 2, S9-11	1.1	
41	Endourethral migration of a Hem-o-Lok Clip after robot-assisted laparoscopic radical prostatectomy. <i>Urologia</i> , <b>2015</b> , 82, 242-4	1.1	9
40	Discovery history and clinical development of mirabegron for the treatment of overactive bladder and urinary incontinence. <i>Expert Opinion on Drug Discovery</i> , <b>2014</b> , 9, 433-48	5.9	39

39	Concordance and clinical significance of uncommon variants of bladder urothelial carcinoma in transurethral resection and radical cystectomy specimens. <i>Urology</i> , <b>2014</b> , 84, 1141-6	1.5	26
38	OnabotulinumtoxinA injection therapy in men with LUTS due to primary bladder-neck dysfunction: objective and patient-reported outcomes. <i>Neurourology and Urodynamics</i> , <b>2014</b> , 33, 142-6	2.3	7
37	Development of a questionnaire specifically for patients with Ileal Orthotopic Neobladder (IONB). <i>Health and Quality of Life Outcomes</i> , <b>2014</b> , 12, 135	2.9	19
36	Behavioural profile and human adaptation of survivors after radical cystectomy and ileal conduit. <i>Health and Quality of Life Outcomes</i> , <b>2014</b> , 12, 46	2.9	23
35	Advanced bladder cancer: new agents and new approaches. A review. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2013</b> , 31, 9-16	2.7	10
34	High-intensity focused ultrasound in prostate cancer: today's outcomes and tomorrow's perspectives. <i>Scandinavian Journal of Urology</i> , <b>2013</b> , 47, 179-87	1.5	8
33	HER-2 immunohistochemical expression as prognostic marker in high-grade T1 bladder cancer (T1G3). <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2013</b> , 85, 73-7	1.3	5
32	Sexual outcomes after organ potency-sparing surgery and glans reconstruction in patients with penile carcinoma. <i>Indian Journal of Urology</i> , <b>2013</b> , 29, 119-23	0.8	21
31	Imaging in prostate cancer staging: present role and future perspectives. <i>Urologia Internationalis</i> , <b>2012</b> , 88, 125-36	1.8	43
30	Complications of extracorporeal shock wave lithotripsy for urinary stones: to know and to manage them-a review. <i>Scientific World Journal, The</i> , <b>2012</b> , 2012, 619820	2.1	21
29	Efficacy of an assisted low-intensity programme of perioperative pelvic floor muscle training in improving the recovery of continence after radical prostatectomy: a randomized controlled trial. <i>BJU International</i> , <b>2012</b> , 110, 1004-10	5.4	70
28	Patient-reported outcomes in men with lower urinary tract symptoms (LUTS) due to benign prostatic hyperplasia (BPH) treated with intraprostatic OnabotulinumtoxinA: 3-month results of a prospective single-armed cohort study. <i>BJU International</i> , <b>2012</b> , 110, E837-44	5.4	23
27	Bradeion (SEPT4) as a urinary marker of transitional cell bladder cancer: a real-time polymerase chain reaction study of gene expression. <i>Journal of Urology</i> , <b>2012</b> , 187, 2223-7	1.5	8
26	Bladder pain syndrome associated with highest impact on sexual function among women with lower urinary tract symptoms. <i>International Journal of Gynecology and Obstetrics</i> , <b>2012</b> , 117, 168-72	3.9	15
25	Imaging in prostate cancer diagnosis: present role and future perspectives. <i>Urologia Internationalis</i> , <b>2011</b> , 86, 373-82	1.8	48
24	Imaging of renal cell carcinoma: state of the art and recent advances. <i>Urologia Internationalis</i> , <b>2011</b> , 86, 125-39	1.8	25
23	Postoperative nomogram for invasive bladder cancer: does it really work? A multicenter cohort study. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2011</b> , 29, 698-702	2.7	5
22	Imaging in bladder cancer: present role and future perspectives. <i>Urologia Internationalis</i> , <b>2010</b> , 85, 373-80.8	2.4	24

21	Considerations on implementing diagnostic markers into clinical decision making in bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2010</b> , 28, 441-8	2.7	81
20	Social, economic, and health utility considerations in the treatment of overactive bladder. <i>Research and Reports in Urology</i> , <b>2010</b> , 2, 11-24	1.2	20
19	Intensive intravesical mitomycin C therapy in non-muscle-invasive bladder cancer: a dose intensity approach. <i>Urologia Internationalis</i> , <b>2010</b> , 85, 266-9	1.8	4
18	Paraneoplastic syndromes in patients with urological malignancies. <i>Urologia Internationalis</i> , <b>2009</b> , 83, 1-11	1.8	53
17	Is extracorporeal shock wave lithotripsy in pediatrics a safe procedure?. <i>Journal of Pediatric Surgery</i> , <b>2008</b> , 43, 591-6	2.5	20
16	The cost of treatment and follow-up of bladder cancer in Italy. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2007</b> , 79, 111-7	1.3	8
15	Thick loop prostatectomy in the endoscopic treatment of benign prostatic hyperplasia: results of a prospective randomised study. <i>Urologia Internationalis</i> , <b>2005</b> , 74, 114-7	1.8	5
14	Bladder perforation: a potential risk of early endovesical chemotherapy with mitomycin C. <i>Urologia Internationalis</i> , <b>2005</b> , 75, 373-5	1.8	21
13	Radiotherapy in cT3 prostatic carcinoma: retrospective comparison between neoadjuvant and adjuvant hormonotherapy. <i>Urologia Internationalis</i> , <b>2004</b> , 72, 21-7	1.8	
12	Ileocecal with teniomyotomies and ileal detubularized neobladders: considerations about a videourodynamic study after a long-term follow-up. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2004</b> , 76, 69-74	1.3	2
11	Use of a duodenoscope to manage complications at the ureteroileal anastomotic site after total urinary bladder resection and the Bricker procedure. <i>Gastrointestinal Endoscopy</i> , <b>2002</b> , 55, 242-8	1.4	9
10	Hormono-Radiotherapy in Prostatic Carcinoma: Prognostic Factors and Implications for Combined Modality Treatment. <i>Tumori</i> , <b>2002</b> , 88, 495-499	1.7	1
9	Long-term behavior of secretory immunity in ileocecal and ileal orthotopic neobladders. <i>Urologia Internationalis</i> , <b>2001</b> , 67, 41-5	1.8	
8	Acid-base and electrolyte balance in urinary intestinal orthotopic reservoir: ileocecal neobladder compared with ileal neobladder. <i>Urology</i> , <b>1999</b> , 54, 629-35	1.5	19
7	Adenocarcinoma of the urachus: radical or conservative surgery? A report of a case and a review of the literature. <i>European Journal of Surgical Oncology</i> , <b>1998</b> , 24, 131-3	1.3	10
6	XYLOSE ABSORPTION AND METABOLIC STATUS IN URINARY INTESTINAL ORTHOTOPIC RESERVOIR: ILEOCECAL COMPARED WITH ILEAL NEOBLADDER. <i>Journal of Urology</i> , <b>1998</b> , 160, 1655-1657 <sup>15</sup>		3
5	A rare case of perirenal myelolipoma. Diagnostic approach and therapeutic strategy. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>1997</b> , 31, 579-81		3
4	Vitamin B12 and folic acid plasma levels after ileocecal and ileal neobladder reconstruction. <i>Urology</i> , <b>1997</b> , 50, 888-92	1.5	21

- 3 Non-Hodgkin's lymphoma: a case report of a secondary bladder involvement. *Scandinavian Journal of Urology and Nephrology*, **1996**, 30, 429-31 1
- 2 Refluxes in orthotopic neobladders: can the ileocecal sphincter be considered an adequate antireflux mechanism?. *Urology*, **1994**, 44, 38-45 1.5 11
- 1 Urethrospingiosal fistulas: clinical and therapeutic considerations. *European Urology*, **1993**, 24, 248-50 9.9 2