

# Juan JosÃ© Lucena

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1978754/publications.pdf>

Version: 2024-02-01

97  
papers

2,967  
citations

159525

30  
h-index

206029

48  
g-index

98  
all docs

98  
docs citations

98  
times ranked

2210  
citing authors

#	ARTICLE	IF	CITATIONS
1	Leonardite iron humate and synthetic iron chelate mixtures in Glycine max nutrition. Journal of the Science of Food and Agriculture, 2021, 101, 4207-4219.	1.7	4
2	Implications of the Mn:ligand ratio for Mn uptake by Glycine max L. plants fertilized with heptagluconate and gluconate complexes. Journal of the Science of Food and Agriculture, 2021, 101, 4662-4671.	1.7	1
3	Application of Seaweed Organic Components Increases Tolerance to Fe Deficiency in Tomato Plants. Agronomy, 2021, 11, 507.	1.3	7
4	Synthesis and Characterization of Nano Fe and Mn (hydr)oxides to Be Used as Natural Sorbents and Micronutrient Fertilizers. Agronomy, 2021, 11, 1876.	1.3	2
5	Fast Determination of a Novel Iron Chelate Prototype Used as a Fertilizer by Liquid Chromatography Coupled to a Diode Array Detector. Journal of Agricultural and Food Chemistry, 2021, 69, 15746-15754.	2.4	3
6	Assessing metal-EDDS lignosulfonates as fertilizers using gel filtration chromatography and high-performance size exclusion chromatography. International Journal of Biological Macromolecules, 2020, 142, 163-171.	3.6	13
7	Effect of Fe:ligand ratios on hydroponic conditions and calcareous soil in Solanum lycopersicum L. and Glycine max L. fertilized with heptagluconate and gluconate. Journal of the Science of Food and Agriculture, 2020, 100, 1106-1117.	1.7	3
8	Testing a Bovine Blood-Derived Compound as Iron Supply on Cucumis sativus L.. Agronomy, 2020, 10, 1480.	1.3	1
9	[S,S]-EDDS/Fe: A new chelate for the environmentally sustainable correction of iron chlorosis in calcareous soil. Science of the Total Environment, 2019, 647, 1508-1517.	3.9	31
10	Calcareous soil interactions of the iron(III) chelates of DPH and Azotochelin and its application on amending iron chlorosis in soybean (Glycine max). Science of the Total Environment, 2019, 647, 1586-1593.	3.9	23
11	Eco-Friendly Iron-Humic Nanofertilizers Synthesis for the Prevention of Iron Chlorosis in Soybean (Glycine max) Grown in Calcareous Soil. Frontiers in Plant Science, 2019, 10, 413.	1.7	55
12	Evaluation of the Efficacy of Two New Biotechnological-Based Freeze-Dried Fertilizers for Sustainable Fe Deficiency Correction of Soybean Plants Grown in Calcareous Soils. Frontiers in Plant Science, 2019, 10, 1335.	1.7	15
13	Iron and Humic Acid Accumulation on Soybean Roots Fertilized with Leonardite Iron Humates under Calcareous Conditions. Journal of Agricultural and Food Chemistry, 2018, 66, 13386-13396.	2.4	24
14	Effect of several commercial seaweed extracts in the mitigation of iron chlorosis of tomato plants (Solanum lycopersicum L.). Plant Growth Regulation, 2018, 86, 401-411.	1.8	28
15	Long-Term Effect of a Leonardite Iron Humate Improving Fe Nutrition As Revealed in Silico, in Vivo, and in Field Experiments. Journal of Agricultural and Food Chemistry, 2017, 65, 6554-6563.	2.4	16
16	Response of soybean plants to the application of synthetic and biodegradable Fe chelates and Fe complexes. Plant Physiology and Biochemistry, 2017, 118, 579-588.	2.8	16
17	Iron nutrition in plants: an overview. Plant and Soil, 2017, 418, 1-4.	1.8	54
18	Timing for a sustainable fertilisation of Glycine max by using HBED/Fe <sup>3+</sup> and EDDHA/Fe <sup>3+</sup> chelates. Journal of the Science of Food and Agriculture, 2017, 97, 2773-2781.	1.7	13

#	ARTICLE	IF	CITATIONS
19	EDTA Shuttle Effect vs. Lignosulfonate Direct Effect Providing Zn to Navy Bean Plants ( <i>Phaseolus</i> ) Tj ETQq1 1 0.784314 rgBT /Overloc	1.7	11
20	Novel chelating agents for iron, manganese, zinc, and copper mixed fertilisation in high <scp>pH</scp> soilâ€less cultures. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 1111-1120.	1.7	21
21	Reactivity and effectiveness of traditional and novel ligands for multi-micronutrient fertilization in a calcareous soil. <i>Frontiers in Plant Science</i> , 2015, 6, 752.	1.7	24
22	<i>Ulmus laevis</i> in the Iberian Peninsula: a review of its ecology and conservation. <i>IForest</i> , 2015, 8, 135-142.	0.5	16
23	Root iron uptake efficiency of <i>Ulmus laevis</i> and <i>U. minor</i> and their distribution in soils of the Iberian Peninsula. <i>Frontiers in Plant Science</i> , 2014, 5, 104.	1.7	17
24	Chemical properties and reactivity of manganese chelates and complexes in solution and soils. <i>Journal of Plant Nutrition and Soil Science</i> , 2014, 177, 189-198.	1.1	13
25	Efficacy of HBED/Fe <sup>3+</sup> at supplying iron to <i>Prunus persica</i> in calcareous soils. <i>European Journal of Agronomy</i> , 2013, 45, 105-113.	1.9	12
26	Characterization of Feâ€Leonardite Complexes as Novel Natural Iron Fertilizers. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 12200-12210.	2.4	23
27	Comparison of Different Nutritional Diagnostic Methods for Peach Trees Treated with Iron Chelates. <i>Communications in Soil Science and Plant Analysis</i> , 2013, 44, 850-860.	0.6	2
28	Iron Chelates Supplied Foliarly Improve the Iron Translocation Rate in Tempranillo Grapevine. <i>Communications in Soil Science and Plant Analysis</i> , 2013, 44, 794-804.	0.6	17
29	Effect of silicon addition on soybean ( <i>Glycine max</i> ) and cucumber ( <i>Cucumis sativus</i> ) plants grown under iron deficiency. <i>Plant Physiology and Biochemistry</i> , 2013, 70, 455-461.	2.8	99
30	Efficacy of Micronutrient Chelate Treatments in Commercial Crop of Strawberry on Sand Culture. <i>Communications in Soil Science and Plant Analysis</i> , 2013, 44, 826-836.	0.6	4
31	Novel chelating agents as manganese and zinc fertilisers: characterisation, theoretical speciation and stability in solution. <i>Chemical Speciation and Bioavailability</i> , 2012, 24, 147-158.	2.0	24
32	Influence of pH, Iron Source, and Fe/Ligand Ratio on Iron Speciation in Lignosulfonate Complexes Studied Using MÃssbauer Spectroscopy. Implications on Their Fertilizer Properties. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 3331-3340.	2.4	28
33	Biological activity of Fe(iii) aquo-complexes towards ferric chelate reductase (FCR). <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 2272.	1.5	11
34	Evaluation of Fe-N,Nâ€Bis(2-hydroxybenzyl)ethylenediamine-N,Nâ€diacetate (HBED/Fe <sup>3+</sup> ) as Fe carrier for soybean ( <i>Glycine max</i> ) plants grown in calcareous soil. <i>Plant and Soil</i> , 2012, 360, 349-362.	1.8	33
35	Fertilizer properties of DCHA/Fe <sup>3+</sup> . <i>Plant and Soil</i> , 2012, 356, 367-379.	1.8	5
36	Influence of the Soil/Solution Ratio, Interaction Time, and Extractant on the Evaluation of Iron Chelate Sorption/Desorption by Soils. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 2493-2500.	2.4	16

#	ARTICLE	IF	CITATIONS
37	Determination of <sup>67</sup> Zn Distribution in Navy Bean ( <i>Phaseolus vulgaris</i> L.) after Foliar Application of <sup>67</sup> Zn- <sup>67</sup> Zn- <sup>67</sup> Zn-Lignosulfonates Using Isotope Pattern Deconvolution. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 8829-8838.	2.4	22
38	Demetalation of Fe, Mn, and Cu Chelates and Complexes: Application to the NMR Analysis of Micronutrient Fertilizers. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 13110-13116.	2.4	11
39	Use of the stable isotope <sup>57</sup> Fe to track the efficacy of the foliar application of lignosulfonate/Fe <sup>3+</sup> complexes to correct Fe deficiencies in cucumber plants. <i>Journal of the Science of Food and Agriculture</i> , 2011, 91, 395-404.	1.7	19
40	Influence of irradiation time and solution concentration on the photochemical degradation of EDDHA/Fe <sup>3+</sup> : effect of its photodecomposition products on soybean growth. <i>Journal of the Science of Food and Agriculture</i> , 2011, 91, 2024-2030.	1.7	20
41	Iron supply to soybean plants through the foliar application of IDHA/Fe <sup>3+</sup> : effect of plant nutritional status and adjuvants. <i>Journal of the Science of Food and Agriculture</i> , 2010, 90, 2633-2640.	1.7	31
42	Stability in solution and reactivity with soils and soil components of iron and zinc complexes. <i>Journal of Plant Nutrition and Soil Science</i> , 2010, 173, 900-906.	1.1	30
43	Synthesis and Chemical Characterization of the Novel Agronomically Relevant Pentadentate Chelate 2-(2-((2-Hydroxybenzyl)amino)ethylamino)-2-(2-hydroxyphenyl)acetic Acid (DCHA). <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 7908-7914.	2.4	7
44	Revalorization of a Two-Phase Olive Mill Waste Extract into a Micronutrient Fertilizer. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 1085-1092.	2.4	19
45	Comparison of iron chelates and complexes supplied as foliar sprays and in nutrient solution to correct iron chlorosis of soybean. <i>Journal of Plant Nutrition and Soil Science</i> , 2010, 173, 120-126.	1.1	65
46	Evaluation of <sup>59</sup> Fe-lignosulfonates complexes as Fe-sources for plants. <i>Plant and Soil</i> , 2009, 325, 53-63.	1.8	38
47	Effectiveness of N,N-Bis(2-hydroxy-5-methylbenzyl) ethylenediamine-N,N-diacetic acid (HJB) to supply iron to dicot plants. <i>Plant and Soil</i> , 2009, 325, 65-77.	1.8	20
48	Chemical Evaluation of HBED/Fe <sup>3+</sup> and the Novel HJB/Fe <sup>3+</sup> Chelates as Fertilizers to Alleviate Iron Chlorosis. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 8504-8513.	2.4	42
49	Isotope pattern deconvolution as a tool to study iron metabolism in plants. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 390, 579-590.	1.9	41
50	IDHA Chelates as a Micronutrient Source for Green Bean and Tomato in Fertigation and Hydroponics. <i>Agronomy Journal</i> , 2008, 100, AGJ2AGRONJ20070257.	0.9	16
51	Response of Cucumber Plants to Low Doses of Different Synthetic Iron Chelates in Hydroponics. <i>Journal of Plant Nutrition</i> , 2007, 30, 795-809.	0.9	25
52	Comparison of Two Analytical Methods for the Evaluation of the Complexed Metal in Fertilizers and the Complexing Capacity of Complexing Agents. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 5746-5753.	2.4	31
53	Potential Use of Biodegradable Chelate N-(1,2-Dicarboxyethyl)-d,l-aspartic Acid/Fe <sup>3+</sup> as an Fe Fertilizer. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 402-407.	2.4	21
54	Tillage and crop rotation effects on barley yield and soil nutrients on a Calcicortidic Haploxeralf. <i>Soil and Tillage Research</i> , 2007, 92, 1-9.	2.6	108

#	ARTICLE	IF	CITATIONS
55	Chromatographic Determination of Fe Chelated by Ethylenediamine-N-(o-hydroxyphenylacetic)-Nâ€“(p-hydroxyphenylacetic) Acid in Commercial EDDHA/Fe <sup>3+</sup> +Fertilizers. Journal of Agricultural and Food Chemistry, 2006, 54, 1380-1386.	2.4	27
56	Synthetic Iron Chelates as Substrates of Root Ferric Chelate Reductase in Green Stressed Cucumber Plants. Journal of Plant Nutrition, 2006, 29, 423-439.	0.9	41
57	Synthetic Iron Chelates to Correct Iron Deficiency in Plants. , 2006, , 103-128.		64
58	On the Structure and Spin States of Fe(III)-EDDHA Complexes. Inorganic Chemistry, 2006, 45, 5321-5327.	1.9	10
59	Structure and Fertilizer Properties of Byproducts Formed in the Synthesis of EDDHA. Journal of Agricultural and Food Chemistry, 2006, 54, 4355-4363.	2.4	35
60	Characterization of Feâ€“humic complexes in an Fe-enriched biosolid by-product of water treatment. Chemosphere, 2006, 65, 2045-2053.	4.2	12
61	Effectiveness of Ethylenediamine-N(o-hydroxyphenylacetic)-Nâ€“(p-hydroxyphenylacetic) acid (o,p-EDDHA) to Supply Iron to Plants. Plant and Soil, 2006, 279, 31-40.	1.8	52
62	Gradient ion-pair chromatographic method for the determination of iron N,Nâ€“(2-hydroxy-5-sulfophenylacetate) by high performance liquid chromatographyâ€“atmospheric pressure ionization electrospray mass spectrometry. Journal of Chromatography A, 2005, 1064, 67-74.	1.8	16
63	Evaluation of synthetic iron(III)-chelates (EDDHA/Fe <sup>3+</sup> , EDDHMA/Fe <sup>3+</sup> and the novel EDDHSA/Fe <sup>3+</sup> ) to correct iron chlorosis. European Journal of Agronomy, 2005, 22, 119-130.	1.9	72
64	Effects of two iron sources on iron and cadmium allocation in poplar (Populus alba) plants exposed to cadmium. Tree Physiology, 2005, 25, 1173-1180.	1.4	49
65	Theoretical Modeling and Reactivity of the Iron Chelates in Agronomic Conditions. ACS Symposium Series, 2005, , 348-363.	0.5	3
66	Effect of the tether on the Mg(ii), Ca(ii), Cu(ii) and Fe(iii) stability constants and pM values of chelating agents related to EDDHA. Dalton Transactions, 2004, , 3741-3747.	1.6	14
67	Effects of cadmium and lead on ferric chelate reductase activities in sugar beet roots. Plant Physiology and Biochemistry, 2003, 41, 999-1005.	2.8	52
68	Methodology to Screen New Iron Chelates: Prediction of Their Behavior in Nutrient Solution and Soil Conditions. Journal of Plant Nutrition, 2003, 26, 1955-1968.	0.9	13
69	Chelating Agents Related to Ethylenediamine Bis(2-hydroxyphenyl)acetic Acid (EDDHA):â€“ Synthesis, Characterization, and Equilibrium Studies of the Free Ligands and Their Mg <sup>2+</sup> , Ca <sup>2+</sup> , Cu <sup>2+</sup> , and Fe <sup>3+</sup> Chelates. Inorganic Chemistry, 2003, 42, 5412-5421.	1.9	85
70	Theoretical Speciation of Ethylenediamine-N-(o-hydroxyphenylacetic)-Nâ€“(p-hydroxyphenylacetic) Acid (o,p-EDDHA) in Agronomic Conditions. Journal of Agricultural and Food Chemistry, 2003, 51, 5391-5399.	2.4	34
71	Evaluation of Commercial Fe(III)â€“Chelates Using Different Methods. Journal of Plant Nutrition, 2003, 26, 2009-2021.	0.9	7
72	Fe Chelates for Remediation of Fe Chlorosis in Strategy I Plants. Journal of Plant Nutrition, 2003, 26, 1969-1984.	0.9	96

#	ARTICLE	IF	CITATIONS
73	Nature of Impurities in Fertilizers Containing EDDHMA/Fe <sup>3+</sup> , EDDHSA/Fe <sup>3+</sup> , and EDDCHA/Fe <sup>3+</sup> Chelates. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 284-290.	2.4	26
74	Effects of Cd and Pb in sugar beet plants grown in nutrient solution: induced Fe deficiency and growth inhibition. <i>Functional Plant Biology</i> , 2002, 29, 1453.	1.1	115
75	Synthesis of o,p-EDDHA and Its Detection as the Main Impurity in o-EDDHA Commercial Iron Chelates. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 6395-6399.	2.4	33
76	Cadmium uptake and subcellular distribution in plants of <i>Lactuca sp.</i> Cd-Mn interaction. <i>Plant Science</i> , 2002, 162, 761-767.	1.7	235
77	Reactivity of synthetic Fe chelates with soils and soil components. <i>Plant and Soil</i> , 2002, 241, 129-137.	1.8	32
78	Fe enriched biosolids as fertilizers for orange and peach trees grown in field conditions. <i>Plant and Soil</i> , 2002, 241, 145-153.	1.8	14
79	Fe(III)-EDDHA and -EDDHMA Sorption on Ca-Montmorillonite, Ferrihydrite, and Peat. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 5258-5264.	2.4	33
80	NMR Analysis of the Iron Ligand Ethylenediaminedi(o-hydroxyphenyl)acetic Acid (EDDHA) Employed in Fertilizers. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 3527-3532.	2.4	36
81	EVALUATION OF EFFECT OF WASHING PROCEDURES ON MINERAL ANALYSIS OF ORANGE AND PEACH LEAVES SPRAYED WITH SEAWEED EXTRACTS ENRICHED WITH IRON. <i>Communications in Soil Science and Plant Analysis</i> , 2001, 32, 157-170.	0.6	46
82	Boron and calcium distribution in nitrogen-fixing pea plants. <i>Plant Science</i> , 2000, 151, 163-170.	1.7	53
83	Effects of bicarbonate, nitrate and other environmental factors on iron deficiency chlorosis. A review. <i>Journal of Plant Nutrition</i> , 2000, 23, 1591-1606.	0.9	151
84	Kinetics of reactions of chelates FeEDDHA and FeEDDHMA as affected by pH and competing ions. <i>Communications in Soil Science and Plant Analysis</i> , 1999, 30, 2769-2784.	0.6	4
85	Reduction of ferric chelates by leaf plasma membrane preparations from Fe-deficient and Fe-sufficient sugar beet. <i>Functional Plant Biology</i> , 1999, 26, 601.	1.1	17
86	Micronutrient extraction in calcareous soils treated with humic concentrates. <i>Journal of Plant Nutrition</i> , 1998, 21, 687-697.	0.9	7
87	Interaction of iron chelates with several soil materials and with a soil standard. <i>Journal of Plant Nutrition</i> , 1997, 20, 559-572.	0.9	30
88	Chromatographic determination of commercial Fe(III) chelates of ethylenediaminetetraacetic acid, ethylenediaminedi(o-hydroxyphenylacetic) acid and ethylenediaminedi(o-hydroxy-p-methylphenylacetic) acid. <i>Journal of Chromatography A</i> , 1997, 789, 453-460.	1.8	43
89	Isocratic ion-pair high-performance liquid chromatographic method for the determination of various iron(III) chelates. <i>Journal of Chromatography A</i> , 1996, 727, 253-264.	1.8	63
90	Effects of foliar sprays on turfgrass of an extract of peat and kelp amended with iron. <i>Journal of Plant Nutrition</i> , 1996, 19, 1179-1188.	0.9	3

#	ARTICLE	IF	CITATIONS
91	Tomato acquisition of iron from iron chelates in a calcareous sandy substrate. <i>Journal of Plant Nutrition</i> , 1996, 19, 1279-1293.	0.9	12
92	Efficacy of commercial Fe(III)-EDDHA and Fe(III)-EDDHMA chelates to supply iron to sunflower and corn seedlings. <i>Journal of Plant Nutrition</i> , 1995, 18, 1209-1223.	0.9	24
93	Iron fertirrigation. , 1995, , 153-158.		7
94	AB-DTPA cation extraction in Spanish soil samples. <i>Communications in Soil Science and Plant Analysis</i> , 1993, 24, 2427-2440.	0.6	7
95	Iron nutrition of a hydroponic strawberry culture ( <i>Fragaria vesca</i> L.) supplied with different Fe chelates. <i>Plant and Soil</i> , 1990, 123, 9-15.	1.8	18
96	<i>Lolium multiflorum</i> uptake of iron supplied as different synthetic chelates. <i>Plant and Soil</i> , 1988, 112, 23-28.	1.8	7
97	Azotochelin and N-dihydroxy-N,N'-diisopropylhexanediamide as Fe sources to cucumber plants in hydroponic cultures. <i>Emirates Journal of Food and Agriculture</i> , 0, , 65.	1.0	8