Hideaki Bando

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/19789/publications.pdf

Version: 2024-02-01

41 papers

1,262 citations

³⁶¹⁴¹³
20
h-index

395702 33 g-index

41 all docs

41 docs citations

times ranked

41

1741 citing authors

#	Article	IF	CITATIONS
1	Clinical utility of circulating tumor DNA sequencing in advanced gastrointestinal cancer: SCRUM-Japan GI-SCREEN and GOZILA studies. Nature Medicine, 2020, 26, 1859-1864.	30.7	209
2	A retrospective observational study of clinicopathological features of KRAS, NRAS, BRAF and PIK3CA mutations in Japanese patients with metastatic colorectal cancer. BMC Cancer, 2015, 15, 258.	2.6	93
3	Response to Anti-EGFR Therapy in Patients with BRAF non-V600–Mutant Metastatic Colorectal Cancer. Clinical Cancer Research, 2019, 25, 7089-7097.	7.0	79
4	A multicentre, prospective study of plasma circulating tumour DNA test for detecting RAS mutation in patients with metastatic colorectal cancer. British Journal of Cancer, 2019, 120, 982-986.	6.4	64
5	Preoperative Chemoradiotherapy plus Nivolumab before Surgery in Patients with Microsatellite Stable and Microsatellite Instability–High Locally Advanced Rectal Cancer. Clinical Cancer Research, 2022, 28, 1136-1146.	7.0	62
6	Clinical significance of BRAF non-V600E mutations on the therapeutic effects of anti-EGFR monoclonal antibody treatment in patients with pretreated metastatic colorectal cancer: the Biomarker Research for anti-EGFR monoclonal Antibodies by Comprehensive Cancer genomics (BREAC) study. British Journal of Cancer, 2017, 117, 1450-1458.	6.4	52
7	Simultaneous identification of 36 mutations in KRAS codons 61and 146, BRAF, NRAS, and PIK3CAin a single reaction by multiplex assay kit. BMC Cancer, 2013, 13, 405.	2.6	42
8	A multicenter phase II study of TAS-102 monotherapy in patients with pre-treated advanced gastric cancer (EPOC1201). European Journal of Cancer, 2016, 62, 46-53.	2.8	40
9	Short-term results of VOLTAGE-A: Nivolumab monotherapy and subsequent radical surgery following preoperative chemoradiotherapy in patients with microsatellite stable and microsatellite instability-high locally advanced rectal cancer Journal of Clinical Oncology, 2020, 38, 4100-4100.	1.6	40
10	Precision Oncology and the Universal Health Coverage System in Japan. JCO Precision Oncology, 2019, 3, 1-12.	3.0	39
11	Combined Analysis of Concordance between Liquid and Tumor Tissue Biopsies for <i>RAS</i> Mutations in Colorectal Cancer with a Single Metastasis Site: The METABEAM Study. Clinical Cancer Research, 2021, 27, 2515-2522.	7.0	39
12	Clinical practice guidance for nextâ€generation sequencing in cancer diagnosis and treatment (Edition) Tj ETQq0	0.0 _{3.9} rgBT	/Oggrlock 10
13	Efficacy and safety of S-1 and oxaliplatin combination therapy in elderly patients with advanced gastric cancer. Gastric Cancer, 2016, 19, 919-926.	5.3	36
14	A Multicenter Clinical Phase II Study of FOLFOXIRI Plus Bevacizumab as First-line Therapy in Patients With Metastatic Colorectal Cancer: QUATTRO Study. Clinical Colorectal Cancer, 2018, 17, 147-155.	2.3	35
15	Utility of the quasiâ€monomorphic variation range in unresectable metastatic colorectal cancer patients. Cancer Science, 2018, 109, 3411-3415.	3.9	35
16	Phase I doseâ€escalation study of capmatinib (<scp>INC</scp> 280) in Japanese patients with advanced solid tumors. Cancer Science, 2019, 110, 1340-1351.	3.9	33
17	Transcriptomic Profiling of MSI-H/dMMR Gastrointestinal Tumors to Identify Determinants of Responsiveness to Anti–PD-1 Therapy. Clinical Cancer Research, 2022, 28, 2110-2117.	7.0	30
18	Effects of Metastatic Sites on Circulating Tumor DNA in Patients With Metastatic Colorectal Cancer. JCO Precision Oncology, 2022, 6, e2100535.	3.0	29

#	Article	IF	CITATIONS
19	Distinct dependencies on receptor tyrosine kinases in the regulation of MAPK signaling between BRAF V600E and non-V600E mutant lung cancers. Oncogene, 2018, 37, 1775-1787.	5.9	28
20	Circulating Tumor DNA Analysis Detects <i>FGFR2</i> Amplification and Concurrent Genomic Alterations Associated with FGFR Inhibitor Efficacy in Advanced Gastric Cancer. Clinical Cancer Research, 2021, 27, 5619-5627.	7.0	27
21	SCRUMâ€Japan Glâ€SCREEN and MONSTARâ€SCREEN: Path to the realization of biomarkerâ€guided precision oncology in advanced solid tumors. Cancer Science, 2021, 112, 4425-4432.	3.9	24
22	Heat shock protein 105 peptide vaccine could induce antitumor immune reactions in a phase I clinical trial. Cancer Science, 2019, 110, 3049-3060.	3.9	20
23	REMARRY and PURSUIT trials: liquid biopsy-guided rechallenge with anti-epidermal growth factor receptor (EGFR) therapy with panitumumab plus irinotecan for patients with plasma RAS wild-type metastatic colorectal cancer. BMC Cancer, 2021, 21, 674.	2.6	19
24	Japanese Society of Medical Oncology Clinical Guidelines: Molecular Testing for Colorectal Cancer Treatment, 4th edition. Cancer Science, 2020, 111, 3962-3969.	3.9	18
25	The current status and problems confronted in delivering precision medicine in Japan and Europe. Current Problems in Cancer, 2017, 41, 166-175.	2.0	17
26	Appropriate use of cancer comprehensive genome profiling assay using circulating tumor DNA. Cancer Science, 2021, 112, 3911-3917.	3.9	17
27	BIG BANG study (EPOC1703): multicentre, proof-of-concept, phase II study evaluating the efficacy and safety of combination therapy with binimetinib, encorafenib and cetuximab in patients with BRAF non-V600E mutated metastatic colorectal cancer. ESMO Open, 2020, 5, e000624.	4.5	15
28	Phase I study of the irreversible fibroblast growth factor receptor $1\hat{a}\in 4$ inhibitor futibatinib in Japanese patients with advanced solid tumors. Cancer Science, 2023, 114, 574-585.	3.9	13
29	Risk of second primary malignancies after definitive treatment for esophageal cancer: A competing risk analysis. Cancer Medicine, 2020, 9, 394-400.	2.8	12
30	Novel Immunological Approaches in the Treatment of Locally Advanced Rectal Cancer. Clinical Colorectal Cancer, 2022, 21, 3-9.	2.3	11
31	Protocol of the QUATTRO-II study: a multicenter randomized phase II study comparing CAPOXIRI plus bevacizumab with FOLFOXIRI plus bevacizumab as a first-line treatment in patients with metastatic colorectal cancer. BMC Cancer, 2020, 20, 687.	2.6	9
32	Clinical Validity of Plasma-Based Genotyping for Microsatellite Instability Assessment in Advanced GI Cancers: SCRUM-Japan GOZILA Substudy. JCO Precision Oncology, 2022, 6, e2100383.	3.0	8
33	Updated Efficacy Outcomes of Anti-PD-1 Antibodies plus Multikinase Inhibitors for Patients with Advanced Gastric Cancer with or without Liver Metastases in Clinical Trials. Clinical Cancer Research, 2022, 28, 3480-3488.	7.0	8
34	Rapid Screening Using Pathomorphologic Interpretation to Detect <i>BRAF</i> V600E Mutation and Microsatellite Instability in Colorectal Cancer. Clinical Cancer Research, 2022, 28, 2623-2632.	7.0	4
35	Clinical outcomes in 66 patients with advanced gastric cancer treated in phase I trials: the NCCHE experience. Investigational New Drugs, 2015, 33, 664-670.	2.6	3
36	Analysis of esophagogastric cancer patients enrolled in the National Cancer Institute Cancer Therapy Evaluation Program sponsored phase 1 trials. Gastric Cancer, 2017, 20, 481-488.	5.3	3

#	Article	IF	CITATIONS
37	Combination therapy of capecitabine, irinotecan, oxaliplatin, and bevacizumab as a firstâ€line treatment for metastatic colorectal cancer: Safety leadâ€in results from the QUATTRO-II study. Investigational New Drugs, 2021, 39, 1649-1655.	2.6	3
38	The clinical position of ramucirumab-containing regimens for advanced gastric cancer: a review of clinical trial data. Future Oncology, 2022, 18, 2709-2721.	2.4	3
39	TiFFANY study: A multicenter phase II basket-type clinical trial to evaluate efficacy and safety of pan-FGFR inhibitor TAS-120 for advanced solid malignancies with FGFR alterations identified by circulating tumor DNA Journal of Clinical Oncology, 2019, 37, TPS3156-TPS3156.	1.6	2
40	Characteristics and clinical outcomes of patients with advanced gastric or gastroesophageal cancer treated in and out of randomized clinical trials of first-line immune checkpoint inhibitors. International Journal of Clinical Oncology, 2022, 27, 1413-1420.	2.2	2
41	Clinical utility of quasimonomorphic variation range (QMVR) on the determination of microsatellite instability (MSI) status in Japanese patients (pts) with colorectal cancer (CRC): GI-SCREEN-CRC-MSI sub-study 01 Journal of Clinical Oncology, 2017, 35, TPS808-TPS808.	1.6	1