

# Brian L Samuels

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1979691/publications.pdf>

Version: 2024-02-01

24  
papers

2,355  
citations

516710

16  
h-index

610901

24  
g-index

24  
all docs

24  
docs citations

24  
times ranked

2479  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of Dasatinib With Progression-Free Survival Among Patients With Advanced Gastrointestinal Stromal Tumors Resistant to Imatinib. <i>JAMA Oncology</i> , 2018, 4, 814.	7.1	26
2	Results of a prospective phase 2 study of pazopanib in patients with advanced intermediate- or high-grade liposarcoma. <i>Cancer</i> , 2017, 123, 4640-4647.	4.1	61
3	Phase 2 study of dasatinib in patients with alveolar soft part sarcoma, chondrosarcoma, chordoma, epithelioid sarcoma, or solitary fibrous tumor. <i>Cancer</i> , 2017, 123, 90-97.	4.1	101
4	SARC009: Phase 2 study of dasatinib in patients with previously treated, high-grade, advanced sarcoma. <i>Cancer</i> , 2016, 122, 868-874.	4.1	80
5	Efficacy of Imatinib in Aggressive Fibromatosis: Results of a Phase II Multicenter Sarcoma Alliance for Research through Collaboration (SARC) Trial. <i>Clinical Cancer Research</i> , 2010, 16, 4884-4891.	7.0	213
6	Phase II Multicenter Trial of Imatinib in 10 Histologic Subtypes of Sarcoma Using a Bayesian Hierarchical Statistical Model. <i>Journal of Clinical Oncology</i> , 2009, 27, 3148-3153.	1.6	210
7	Efficacy and Safety of Trabectedin in Patients With Advanced or Metastatic Liposarcoma or Leiomyosarcoma After Failure of Prior Anthracyclines and Ifosfamide: Results of a Randomized Phase II Study of Two Different Schedules. <i>Journal of Clinical Oncology</i> , 2009, 27, 4188-4196.	1.6	472
8	Histologic response of dose-intense chemotherapy with preoperative hypofractionated radiotherapy for patients with high-risk soft tissue sarcomas. <i>Cancer</i> , 2008, 112, 2432-2439.	4.1	61
9	Phase I Combination Study of Trabectedin and Doxorubicin in Patients with Soft-Tissue Sarcoma. <i>Clinical Cancer Research</i> , 2008, 14, 6656-6662.	7.0	73
10	Randomized Phase II Study of Gemcitabine and Docetaxel Compared With Gemcitabine Alone in Patients With Metastatic Soft Tissue Sarcomas: Results of Sarcoma Alliance for Research Through Collaboration Study 002. <i>Journal of Clinical Oncology</i> , 2007, 25, 2755-2763.	1.6	655
11	Mitomycin-C/5-Fluorouracil/Leucovorin and Hyperfractionated Radiation Therapy for Rectal Carcinoma: A Phase II Study with Long-Term Follow-up. <i>Clinical Colorectal Cancer</i> , 2007, 6, 436-441.	2.3	3
12	Androgen and c-Kit receptors in desmoplastic small round cell tumors resistant to chemotherapy: novel targets for therapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2007, 59, 429-437.	2.3	34
13	A phase II trial of O 6-benzylguanine and carmustine in patients with advanced soft tissue sarcoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2006, 58, 634-639.	2.3	35
14	A Phase II Trial of UFT and Leucovorin in Women 65 Years and Older With Advanced Breast Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2005, 28, 65-69.	1.3	7
15	Phase II trial of uracil/tegafur (UFT) plus leucovorin in patients with advanced biliary carcinoma. <i>Investigational New Drugs</i> , 1999, 17, 97-101.	2.6	30
16	Management of recurrent desmoid tumor after surgery and radiation: role of cytotoxic and non-cytotoxic therapies. <i>Surgical Oncology</i> , 1999, 8, 191-196.	1.6	16
17	Phase II trial of uracil/tegafur (UFT) plus leucovorin in patients with advanced hepatocellular carcinoma. <i>Investigational New Drugs</i> , 1998, 16, 279-283.	2.6	16
18	Dihydro-5-azacytidine and cisplatin in the treatment of malignant mesothelioma. <i>Cancer</i> , 1998, 82, 1578-1584.	4.1	65

#	ARTICLE	IF	CITATIONS
19	Dihydroazacytidine and cisplatin in the treatment of malignant mesothelioma. <i>Cancer</i> , 1998, 82, 1578-1584.	4.1	14
20	Dedifferentiated chordoma: Response to aggressive chemotherapy in two cases. <i>Cancer</i> , 1993, 72, 714-718.	4.1	119
21	Modulation of vinblastine resistance with cyclosporine: A phase I study. <i>Clinical Pharmacology and Therapeutics</i> , 1993, 54, 421-429.	4.7	40
22	Heat Shock Proteins in Normal and Leukemic Blood Cells. <i>Journal of Interferon Research</i> , 1989, 9, 195-204.	1.2	5
23	Technical note: Brachial plexopathy as a complication of intraarterial cisplatin chemotherapy. <i>CardioVascular and Interventional Radiology</i> , 1989, 12, 47-49.	2.0	14
24	The Role of High-Dose Therapy and Autologous Bone Marrow Reinfusion in the Treatment of Malignant Lymphomas. <i>Cancer Investigation</i> , 1988, 6, 427-437.	1.3	5