Zita Csendes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1980537/publications.pdf Version: 2024-02-01



7ITA CSENDES

#	Article	IF	CITATIONS
1	<i>E</i> -Selective Manganese-Catalyzed Semihydrogenation of Alkynes with H ₂ Directly Employed or In Situ-Generated. ACS Catalysis, 2022, 12, 2253-2260.	11.2	27
2	Toward the Recovery of Platinum Group Metals from a Spent Automotive Catalyst with Supported Ionic Liquid Phases. ACS Sustainable Chemistry and Engineering, 2021, 9, 375-386.	6.7	31
3	Influence of the Ionic Liquid on the Activity of a Supported Ionic Liquid Phase Fe ^{II} Pincer Catalyst for the Hydrogenation of Aldehydes. European Journal of Inorganic Chemistry, 2019, 2019, 3503-3510.	2.0	6
4	Chemoselective Supported Ionic-Liquid-Phase (SILP) Aldehyde Hydrogenation Catalyzed by an Fe(II) PNP Pincer Complex. ACS Catalysis, 2018, 8, 1048-1051.	11.2	59
5	Carbon-based SILP catalysis for the selective hydrogenation of aldehydes using a well-defined Fe(<scp>ii</scp>) PNP complex. Catalysis Science and Technology, 2018, 8, 4812-4820.	4.1	12
6	Continuous Conversion of Carbon Dioxide to Propylene Carbonate with Supported Ionic Liquids. ACS Sustainable Chemistry and Engineering, 2018, 6, 13131-13139.	6.7	46
7	Nonlinear electronic transport and enhanced catalytic behavior caused by native oxides on Cu nanowires. Surface Science, 2017, 663, 16-22.	1.9	8
8	Some aspects of the aqueous solution chemistry of the Na+/Ca2+/OHâ^'/Cit3â^' system: The structure of a new calcium citrate complex forming under hyperalkaline conditions. Journal of Molecular Structure, 2016, 1118, 110-116.	3.6	8
9	Synthesis of high-quality, well-characterized CaAlFe-layered triple hydroxide with the combination of dry-milling and ultrasonic irradiation in aqueous solution at elevated temperature. Ultrasonics Sonochemistry, 2016, 32, 173-180.	8.2	16
10	Calcium <scp>l</scp> -tartrate complex formation in neutral and in hyperalkaline aqueous solutions. Dalton Transactions, 2016, 45, 17296-17303.	3.3	6
11	Cu(II)-amino acid–CaAl-layered double hydroxide complexes, recyclable, efficient catalysts in various oxidative transformations. Journal of Molecular Catalysis A, 2016, 423, 49-60.	4.8	18
12	Mn(II)–amino acid complexes intercalated in CaAl-layered double hydroxide – Well-characterized, highly efficient, recyclable oxidation catalysts. Journal of Catalysis, 2016, 335, 125-134.	6.2	42
13	Mechanochemical synthesis and intercalation of Ca(II)Fe(III)-layered double hydroxides. Journal of Solid State Chemistry, 2016, 233, 236-243.	2.9	28
14	Fe-amino acid complexes immobilized on silica gel as active and highly selective catalysts in cyclohexene epoxidation. Research on Chemical Intermediates, 2015, 41, 9155-9169.	2.7	1
15	Building, characterising and catalytic activity testing of Co–C-protected amino acid complexes covalently grafted onto chloropropylated silica gel. Journal of Molecular Structure, 2015, 1090, 138-143.	3.6	3
16	Bioinspired covalently grafted Cu(II)–C protected amino acid complexes: selective catalysts in the epoxidation of cyclohexene. Reaction Kinetics, Mechanisms and Catalysis, 2015, 115, 33-43.	1.7	0
17	The catalytic epoxidation of 2-cyclohexen-1-one over uncalcined layered double hydroxides using various solvents. Catalysis Today, 2015, 241, 231-236.	4.4	13
18	Synthesis, structural characterisation, and catalytic activity of Mn(II)–protected amino acid complexes covalently immobilised on chloropropylated silica gel. Catalysis Today, 2015, 241, 264-269.	4.4	5

ZITA CSENDES

#	ARTICLE	IF	CITATIONS
19	Superoxide dismutase inspired immobilised Ni(II)–protected amino acid catalysts—Synthesis, characterisation, and catalytic activity. Journal of Molecular Catalysis A, 2014, 395, 93-99.	4.8	Ο
20	Using low-frequency IR spectra for the unambiguous identification of metal ion–ligand coordination sites in purpose-built complexes. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2014, 122, 257-259.	3.9	10
21	Aggregation of Negatively Charged Colloidal Particles in the Presence of Multivalent Cations. Langmuir, 2014, 30, 733-741.	3.5	88
22	Superoxide dismutase inspired Fe(III)â´'amino acid complexes covalently grafted onto chloropropylated silica gel – Syntheses, structural characterisation and catalytic activity. Journal of Molecular Structure, 2013, 1044, 39-45.	3.6	12
23	Multinuclear complex formation in aqueous solutions of Ca(ii) and heptagluconate ions. Dalton Transactions, 2013, 42, 8460.	3.3	15
24	Predicting Aggregation Rates of Colloidal Particles from Direct Force Measurements. Journal of Physical Chemistry B, 2013, 117, 11853-11862.	2.6	54
25	Histidine-rich branched peptides as Cu(<scp>ii</scp>) and Zn(<scp>ii</scp>) chelators with potential therapeutic application in Alzheimer's disease. Dalton Transactions, 2012, 41, 1713-1726.	3.3	32
26	Ni-S(uper)O(xide)D(ismutase) Inspired Ni(II)-Amino Acid Complexes Covalently Grafted onto Merrifield's Resin - Synthesis, Structure and Catalytic Activity. Materials Science Forum, 2012, 730-732, 1012-1017.	0.3	0
27	Covalently grafted, silica gel supported mixed amino acid iron complexes – Syntheses, structural characterization and catalytic testing. Journal of Molecular Structure, 2011, 993, 203-207.	3.6	7
28	Structure and equilibria of Ca2+-complexes of glucose and sorbitol from multinuclear (1H, 13C and) Tj ETQq0 0 (Structure, 2011, 993, 336-340.) rgBT /Ov 3.6	erlock 10 Tf 5 14
29	Superoxide dismutase mimicking Cu(II)–mixed amino acid complexes covalently grafted onto silica gel—an FT-IR study. Analytical and Bioanalytical Chemistry, 2010, 397, 549-555.	3.7	9
30	Structural characterisation of silica gel anchored, biomimetic, mixed-ligand Co(II)–amino acid complexes. Vibrational Spectroscopy, 2010, 53, 132-135.	2.2	7
31	Covalently grafted, silica gel supported C-protected cysteine or cystine copper complexes – syntheses, structure and possible surface reactions studied by FT-IR spectroscopy. Journal of Molecular Structure, 2009, 924-926, 166-169.	3.6	4