

Reimar Wernich Thomsen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1981190/reimar-wernich-thomsen-publications-by-year.pdf>

Version: 2024-03-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

264 papers	7,656 citations	44 h-index	78 g-index
278 ext. papers	9,575 ext. citations	6.7 avg, IF	6.25 L-index

#	Paper	IF	Citations
264	Changes in type 2 diabetes incidence and mortality associated with introduction of HbA1c as diagnostic option: A Danish 24-year population-based study.. <i>Lancet Regional Health - Europe, The</i> , 2022 , 14, 100291		1
263	Mortality Among Danish Patients with a Hospital Diagnosis of Overweight or Obesity Over a 40-Year Period.. <i>Clinical Epidemiology</i> , 2022 , 14, 309-325	5.9	0
262	SARS-CoV-2 vaccination and myocarditis or myopericarditis: population based cohort study.. <i>BMJ, The</i> , 2021 , 375, e068665	5.9	28
261	Cardiovascular risk in patients with and without diabetes presenting with chronic coronary syndrome in 2004-2016. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 579	2.3	0
260	Long-term Risk of Parkinson Disease Following Influenza and Other Infections. <i>JAMA Neurology</i> , 2021 , 78, 1461-1470	17.2	6
259	Association of Hospital-Diagnosed Infections and Antibiotic Use With Risk of Developing Guillain-Barré Syndrome. <i>Neurology</i> , 2021 , 96, e831-e839	6.5	1
258	Identification of Patients with CKD in Medical Databases: A Comparison of Different Algorithms. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021 , 16, 543-551	6.9	6
257	Body Mass Index and 90-Day Mortality Among 35,406 Danish Patients Hospitalized for Infection. <i>Mayo Clinic Proceedings</i> , 2021 , 96, 550-562	6.4	2
256	Thromboembolism and the Oxford-AstraZeneca COVID-19 vaccine: side-effect or coincidence?. <i>Lancet, The</i> , 2021 , 397, 1441-1443	40	83
255	Diabetic Polyneuropathy Early in Type 2 Diabetes Is Associated With Higher Incidence Rate of Cardiovascular Disease: Results From Two Danish Cohort Studies. <i>Diabetes Care</i> , 2021 , 44, 1714-1721	14.6	0
254	Mannose-binding lectin and risk of infections in type 2 diabetes: A Danish cohort study. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 107873	3.2	
253	Falls and fractures associated with type 2 diabetic polyneuropathy: A cross-sectional nationwide questionnaire study. <i>Journal of Diabetes Investigation</i> , 2021 , 12, 1827-1834	3.9	2
252	Response to Comment on Vistisen et al. A Validated Prediction Model for End-Stage Kidney Disease in Type 1 Diabetes. <i>Diabetes Care</i> 2021;44:901-907. <i>Diabetes Care</i> , 2021 , 44, e140-e141	14.6	1
251	Arterial events, venous thromboembolism, thrombocytopenia, and bleeding after vaccination with Oxford-AstraZeneca ChAdOx1-S in Denmark and Norway: population based cohort study. <i>BMJ, The</i> , 2021 , 373, n1114	5.9	144
250	Cardiovascular Events, Acute Hospitalizations, and Mortality in Patients With Type 2 Diabetes Mellitus Who Initiate Empagliflozin Versus Liraglutide: A Comparative Effectiveness Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e019356	6	4
249	Risk of asbestosis, mesothelioma, other lung disease or death among motor vehicle mechanics: a 45-year Danish cohort study. <i>Thorax</i> , 2021 ,	7.3	1
248	Real-world use of cardioprotective glucose-lowering drugs in patients with type 2 diabetes and cardiovascular disease: A Danish nationwide cohort study, 2012 to 2019. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 520-529	6.7	7

247	Incident psychopharmacological treatment and psychiatric hospital contact in individuals with newly developed type 2 diabetes - a register-based cohort study. <i>Acta Neuropsychiatrica</i> , 2021 , 33, 72-84	3.9	0
246	Small and large fiber sensory polyneuropathy in type 2 diabetes: Influence of diagnostic criteria on neuropathy subtypes. <i>Journal of the Peripheral Nervous System</i> , 2021 , 26, 55-65	4.7	9
245	SARS-CoV-2 infection and adverse outcomes in users of ACE inhibitors and angiotensin-receptor blockers: a nationwide case-control and cohort analysis. <i>Thorax</i> , 2021 , 76, 370-379	7.3	7
244	The impact of hospital-diagnosed depression or use of antidepressants on treatment initiation, adherence and HbA1c/LDL target achievement in newly diagnosed type 2 diabetes. <i>Diabetologia</i> , 2021 , 64, 361-374	10.3	4
243	Peripheral artery disease, lower limb revascularization, and amputation in diabetes patients with and without coronary artery disease: a cohort study from the Western Denmark Heart Registry. <i>BMJ Open Diabetes Research and Care</i> , 2021 , 9,	4.5	3
242	Fracture rates in patients discontinuing alendronate treatment in real life: a population-based cohort study. <i>Osteoporosis International</i> , 2021 , 32, 1103-1115	5.3	3
241	Incidence and Clinical Presentation of Pheochromocytoma and Sympathetic Paraganglioma: A Population-based Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e2251-e2261	5.6	8
240	Venous thromboembolism and major bleeding in patients with COVID-19: A nationwide population-based cohort study. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6	16
239	Hospitalization for hypoglycaemia in people with diabetes in Denmark, 1997-2017: Time trends in incidence and HbA1c and glucose-lowering drug use before and after hypoglycaemia. <i>Endocrinology, Diabetes and Metabolism</i> , 2021 , 4, e00227	2.7	
238	Comparable COVID-19 outcomes with current use of GLP-1 receptor agonists, DPP-4 inhibitors or SGLT-2 inhibitors among patients with diabetes who tested positive for SARS-CoV-2. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 1397-1401	6.7	27
237	Association of β -Blocker Receipt With 30-Day Mortality and Risk of Intensive Care Unit Admission Among Adults Hospitalized With Influenza or Pneumonia in Denmark. <i>JAMA Network Open</i> , 2021 , 4, e2037053	19.4	4
236	Clinical and biochemical characteristics of postpancreatitis diabetes mellitus: A cross-sectional study from the Danish nationwide DD2 cohort. <i>Journal of Diabetes</i> , 2021 , 13, 960-974	3.8	1
235	Nationwide Trends in Cardiac Risk and Mortality in Patients With Incident Type 2 Diabetes: A Danish Cohort Study. <i>Diabetes Care</i> , 2021 ,	14.6	1
234	Four-year HbA1c and LDL-cholesterol trajectories among individuals with mental disorders and newly developed type 2 diabetes. <i>Brain and Behavior</i> , 2021 , 11, e2372	3.4	1
233	Infections in temporal proximity to HPV vaccination and adverse effects following vaccination in Denmark: A nationwide register-based cohort study and case-crossover analysis. <i>PLoS Medicine</i> , 2021 , 18, e1003768	11.6	0
232	Post-acute effects of SARS-CoV-2 infection in individuals not requiring hospital admission: a Danish population-based cohort study. <i>Lancet Infectious Diseases, The</i> , 2021 , 21, 1373-1382	25.5	58
231	A Validated Prediction Model for End-Stage Kidney Disease in Type 1 Diabetes. <i>Diabetes Care</i> , 2021 , 44, 901-907	14.6	5
230	The impact of treatment with antidepressants on HbA1c- and LDL levels in type 2 diabetes: A real-world within-subject study. <i>European Psychiatry</i> , 2021 , 64, S235-S236	6	

229	Increased mortality following Guillain-Barré Syndrome. <i>European Journal of Neurology</i> , 2021 ,	6	1
228	Prognosis of pneumonia in patients with rheumatoid arthritis: the role of medication and disease activity prior to admission a population-based cohort study. <i>RMD Open</i> , 2020 , 6,	5.9	4
227	Ankylosing spondylitis and mortality following hospitalised pneumonia: a population-based cohort study. <i>RMD Open</i> , 2020 , 6,	5.9	3
226	Trends in HbA and LDL Cholesterol in Patients With Type 2 Diabetes Receiving First-Time Treatment in Northern Denmark, 2000-2017: Population-Based Sequential Cross-Sectional Analysis. <i>Diabetes Care</i> , 2020 , 43, e17-e19	14.6	6
225	Changes in SGLT2i and GLP-1RA real-world initiator profiles following cardiovascular outcome trials: A Danish nationwide population-based study. <i>PLoS ONE</i> , 2020 , 15, e0229621	3.7	16
224	Impact of Being Eligible for Type 2 Diabetes Treatment on All-Cause Mortality and Cardiovascular Events: Regression Discontinuity Design Study. <i>Clinical Epidemiology</i> , 2020 , 12, 569-577	5.9	5
223	Mannose-Binding Lectin and Risk of Cardiovascular Events and Mortality in Type 2 Diabetes: A Danish Cohort Study. <i>Diabetes Care</i> , 2020 , 43, 2190-2198	14.6	2
222	Differences Between Randomized Clinical Trial Participants and Real-World Empagliflozin Users and the Changes in Their Glycated Hemoglobin Levels. <i>JAMA Network Open</i> , 2020 , 3, e1920949	10.4	8
221	Pediatric Guillain-Barré Syndrome in a 30-Year Nationwide Cohort. <i>Pediatric Neurology</i> , 2020 , 107, 57-63	2.9	7
220	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study 2020 , 17, e1003308		1
219	Renin-Angiotensin System Blockers and Adverse Outcomes of Influenza and Pneumonia: A Danish Cohort Study. <i>Journal of the American Heart Association</i> , 2020 , 9, e017297	6	6
218	Prognostic impact of elevated lactate levels on mortality in critically ill patients with and without preadmission metformin treatment: a Danish registry-based cohort study. <i>Annals of Intensive Care</i> , 2020 , 10, 36	8.9	6
217	Metformin use and long-term risk of benign prostatic hyperplasia: a population-based cohort study. <i>BMJ Open</i> , 2020 , 10, e041875	3	0
216	Hospital Records of Pain, Fatigue, or Circulatory Symptoms in Girls Exposed to Human Papillomavirus Vaccination: Cohort, Self-Controlled Case Series, and Population Time Trend Studies. <i>American Journal of Epidemiology</i> , 2020 , 189, 277-285	3.8	10
215	Hospital-diagnosed overweight and obesity related to cancer risk: a 40-year Danish cohort study. <i>Journal of Internal Medicine</i> , 2020 , 287, 435-447	10.8	6
214	Diabetic polyneuropathy and pain, prevalence, and patient characteristics: a cross-sectional questionnaire study of 5,514 patients with recently diagnosed type 2 diabetes. <i>Pain</i> , 2020 , 161, 574-583	8	31
213	Statin Therapy and Risk of Polyneuropathy in Type 2 Diabetes: A Danish Cohort Study. <i>Diabetes Care</i> , 2020 , 43, 2945-2952	14.6	5
212	Risk of Anemia in Patients with Newly Identified Chronic Kidney Disease - A Population-Based Cohort Study. <i>Clinical Epidemiology</i> , 2020 , 12, 953-962	5.9	3

211	Metformin use and early lactate levels in critically ill patients according to chronic and acute renal impairment. <i>Critical Care</i> , 2020 , 24, 585	10.8	2
210	Are unexplained adverse health events following HPV vaccination associated with infectious mononucleosis? - A Danish nationwide matched case-control study. <i>Vaccine</i> , 2020 , 38, 5678-5684	4.1	
209	Diagnosis and prevalence of diabetic polyneuropathy: a cross-sectional study of Danish patients with type 2 diabetes. <i>European Journal of Neurology</i> , 2020 , 27, 2575-2585	6	14
208	Association of Nonsteroidal Anti-inflammatory Drug Use and Adverse Outcomes Among Patients Hospitalized With Influenza. <i>JAMA Network Open</i> , 2020 , 3, e2013880	10.4	12
207	Characteristics and predictors of hospitalization and death in the first 11 122 cases with a positive RT-PCR test for SARS-CoV-2 in Denmark: a nationwide cohort. <i>International Journal of Epidemiology</i> , 2020 , 49, 1468-1481	7.8	124
206	Existing Data Sources in Clinical Epidemiology: The Danish COVID-19 Cohort. <i>Clinical Epidemiology</i> , 2020 , 12, 875-881	5.9	19
205	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study. <i>PLoS Medicine</i> , 2020 , 17, e1003308	11.6	55
204	Anemia and clinical outcomes in patients with non-dialysis dependent or dialysis dependent severe chronic kidney disease: a Danish population-based study. <i>Journal of Nephrology</i> , 2020 , 33, 147-156	4.8	23
203	Metabolic Factors, Lifestyle Habits, and Possible Polyneuropathy in Early Type 2 Diabetes: A Nationwide Study of 5,249 Patients in the Danish Centre for Strategic Research in Type 2 Diabetes (DD2) Cohort. <i>Diabetes Care</i> , 2020 , 43, 1266-1275	14.6	19
202	Cohort profile: the Funen Diabetes Database-a population-based cohort of patients with diabetes in Denmark. <i>BMJ Open</i> , 2020 , 10, e035492	3	4
201	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study 2020 , 17, e1003308		
200	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study 2020 , 17, e1003308		
199	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study 2020 , 17, e1003308		
198	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study 2020 , 17, e1003308		
197	Changes in SGLT2i and GLP-1RA real-world initiator profiles following cardiovascular outcome trials: A Danish nationwide population-based study 2020 , 15, e0229621		
196	Changes in SGLT2i and GLP-1RA real-world initiator profiles following cardiovascular outcome trials: A Danish nationwide population-based study 2020 , 15, e0229621		
195	Changes in SGLT2i and GLP-1RA real-world initiator profiles following cardiovascular outcome trials: A Danish nationwide population-based study 2020 , 15, e0229621		
194	Changes in SGLT2i and GLP-1RA real-world initiator profiles following cardiovascular outcome trials: A Danish nationwide population-based study 2020 , 15, e0229621		

193	Changes in SGLT2i and GLP-1RA real-world initiator profiles following cardiovascular outcome trials: A Danish nationwide population-based study 2020 , 15, e0229621		
192	Changes in SGLT2i and GLP-1RA real-world initiator profiles following cardiovascular outcome trials: A Danish nationwide population-based study 2020 , 15, e0229621		
191	Influence of Acetylsalicylic Acid Use on Risk and Outcome of Community-Acquired Bacteremia: A Population-Based Study. <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz356	1	
190	Validity of ICD-10 diagnoses of overweight and obesity in Danish hospitals. <i>Clinical Epidemiology</i> , 2019 , 11, 845-854	5.9	20
189	Can diabetic polyneuropathy and foot ulcers in patients with type 2 diabetes be accurately identified based on ICD-10 hospital diagnoses and drug prescriptions?. <i>Clinical Epidemiology</i> , 2019 , 11, 311-321	5.9	7
188	Predictors for repeated hyperkalemia and potassium trajectories in high-risk patients - A population-based cohort study. <i>PLoS ONE</i> , 2019 , 14, e0218739	3.7	15
187	Influenza vaccination and 1-year risk of myocardial infarction, stroke, heart failure, pneumonia, and mortality among intensive care unit survivors aged 65 years or older: a nationwide population-based cohort study. <i>Intensive Care Medicine</i> , 2019 , 45, 957-967	14.5	6
186	Guillain-Barré syndrome in Denmark: validation of diagnostic codes and a population-based nationwide study of the incidence in a 30-year period. <i>Clinical Epidemiology</i> , 2019 , 11, 275-283	5.9	11
185	Healthcare resource utilisation and cost associated with elevated potassium levels: a Danish population-based cohort study. <i>BMJ Open</i> , 2019 , 9, e026465	3	12
184	Decreasing trends, and geographical variation in outpatient antibiotic use: a population-based study in Central Denmark. <i>BMC Infectious Diseases</i> , 2019 , 19, 337	4	7
183	Clinical characteristics and glucose-lowering drug utilization among patients initiating liraglutide in Denmark: a routine clinical care prescription study. <i>Journal of Diabetes</i> , 2019 , 11, 690-694	3.8	3
182	Hospital contacts and diagnoses five years prior to HPV vaccination among females referred for suspected adverse vaccine effects: A Danish nationwide case-control study. <i>Vaccine</i> , 2019 , 37, 1763-1768	4.1	6
181	Patterns of initial migraine treatment in Denmark: A population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 322-329	2.6	7
180	Effect of Roux-en-Y gastric bypass surgery on diabetes remission and complications in individuals with type 2 diabetes: a Danish population-based matched cohort study. <i>Diabetologia</i> , 2019 , 62, 611-620	10.3	39
179	Significant regional variation in use of implantable cardioverter-defibrillators in Denmark. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2019 , 5, 352-360	4.6	1
178	Cancer Risk and Prognosis after a Hospital Contact for an Elevated Erythrocyte Sedimentation Rate. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 225-232	4	1
177	Nonsteroidal Antiinflammatory Drug Use and Clinical Outcomes of Community-acquired Pneumonia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 198, 128-131	10.2	18
176	Lower mortality and cardiovascular event rates in patients with Latent Autoimmune Diabetes In Adults (LADA) as compared with type 2 diabetes and insulin deficient diabetes: A cohort study of 4368 patients. <i>Diabetes Research and Clinical Practice</i> , 2018 , 139, 107-113	7.4	12

175	Switching Between Antibiotics Among Danish Children 0-4 Years of Age: A Nationwide Drug Utilization Study. <i>Pediatric Infectious Disease Journal</i> , 2018 , 37, 1112-1117	3.4	4
174	Pathophysiology-based phenotyping in type 2 diabetes: A clinical classification tool. <i>Diabetes/Metabolism Research and Reviews</i> , 2018 , 34, e3005	7.5	19
173	Danish Centre for Strategic Research in Type 2 Diabetes (DD2) project cohort of newly diagnosed patients with type 2 diabetes: a cohort profile. <i>BMJ Open</i> , 2018 , 8, e017273	3	23
172	Elevated potassium levels in patients with chronic kidney disease: occurrence, risk factors and clinical outcomes-a Danish population-based cohort study. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1610-1620	4.3	38
171	Prediction of mortality in patients with chronic obstructive pulmonary disease with the new Global Initiative for Chronic Obstructive Lung Disease 2017 classification: a cohort study. <i>Lancet Respiratory Medicine</i> , 2018 , 6, 204-212	35.1	35
170	Early-onset type 2 diabetes: Age gradient in clinical and behavioural risk factors in 5115 persons with newly diagnosed type 2 diabetes-Results from the DD2 study. <i>Diabetes/Metabolism Research and Reviews</i> , 2018 , 34, e2968	7.5	20
169	Association of common comorbidities with osteonecrosis: a nationwide population-based case-control study in Denmark. <i>BMJ Open</i> , 2018 , 8, e020680	3	8
168	Rate of Acute Hospital Admissions Before and After Roux-en-Y Gastric Bypass Surgery: A Population-based Cohort Study. <i>Annals of Surgery</i> , 2018 , 267, 319-325	7.8	26
167	Quality and Predictors of Diabetes Care Among Patients With Schizophrenia: A Danish Nationwide Study. <i>Psychiatric Services</i> , 2018 , 69, 179-185	3.3	9
166	Prevalence of micro- and macrovascular diabetes complications at time of type 2 diabetes diagnosis and associated clinical characteristics: A cross-sectional baseline study of 6958 patients in the Danish DD2 cohort. <i>Journal of Diabetes and Its Complications</i> , 2018 , 32, 34-40	3.2	53
165	Maternal pregestational or gestational diabetes and childhood wheezing: A population-based cohort study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 2247-2250	9.3	6
164	Differences Between Randomized Clinical Trial Patients and Real-World Initiators of the Glucagon-Like Peptide 1 Receptor Agonist Liraglutide. <i>Diabetes Care</i> , 2018 , 41, e133-e135	14.6	12
163	Pheochromocytoma in Denmark during 1977-2016: validating diagnosis codes and creating a national cohort using patterns of health registrations. <i>Clinical Epidemiology</i> , 2018 , 10, 683-695	5.9	4
162	Risk of cancer in patients with thyroid disease and venous thromboembolism. <i>Clinical Epidemiology</i> , 2018 , 10, 907-915	5.9	1
161	Does low risk of infections as a marker of effective immunity predict increased risk of subsequent giant cell arteritis or polymyalgia rheumatica? A Danish population-based case-control study. <i>Clinical Epidemiology</i> , 2018 , 10, 1533-1543	5.9	6
160	Socioeconomic inequality in the use of prescription medications for smoking cessation among patients with COPD: a nationwide study. <i>International Journal of COPD</i> , 2018 , 13, 1775-1781	3	3
159	In utero beta-2-adrenergic agonists exposure and risk of epilepsy: A Danish nationwide population-based cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1200-1208	2.6	2
158	Validity of asthma diagnoses and patterns of anti-asthmatic drug use in a cohort of 2053 Danish children. <i>Health Science Reports</i> , 2018 , 1, e77	2.2	4

157	Body Mass Index of 92,027 patients acutely admitted to general hospitals in Denmark: Associated clinical characteristics and 30-day mortality. <i>PLoS ONE</i> , 2018 , 13, e0195853	3.7	4
156	Hyperkalaemia in people with diabetes: occurrence, risk factors and outcomes in a Danish population-based cohort study. <i>Diabetic Medicine</i> , 2018 , 35, 1051-1060	3.5	14
155	Elevated Potassium Levels in Patients With Congestive Heart Failure: Occurrence, Risk Factors, and Clinical Outcomes: A Danish Population-Based Cohort Study. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	28
154	Changes in Prescription Drug Use After Gastric Bypass Surgery: A Nationwide Cohort Study. <i>Annals of Surgery</i> , 2017 , 265, 757-765	7.8	10
153	Gender differences in the outcome of community-acquired Staphylococcus aureus bacteraemia: a historical population-based cohort study. <i>Clinical Microbiology and Infection</i> , 2017 , 23, 27-32	9.5	17
152	Effectiveness of intensification therapies in Danes with Type 2 diabetes who use basal insulin: a population-based study. <i>Diabetic Medicine</i> , 2017 , 34, 213-222	3.5	4
151	Lifestyle Factors and Early Clinical Outcome in Patients With Acute Stroke: A Population-Based Study. <i>Stroke</i> , 2017 , 48, 611-617	6.7	7
150	Microbiological point of care testing before antibiotic prescribing in primary care: considerable variations between practices. <i>BMC Family Practice</i> , 2017 , 18, 9	2.6	21
149	Early Glycemic Control and Magnitude of HbA Reduction Predict Cardiovascular Events and Mortality: Population-Based Cohort Study of 24,752 Metformin Initiators. <i>Diabetes Care</i> , 2017 , 40, 800-807	14.6	42
148	Impact of Glycemic Control on Risk of Infections in Patients With Type 2 Diabetes: A Population-Based Cohort Study. <i>American Journal of Epidemiology</i> , 2017 , 186, 227-236	3.8	35
147	Lifestyle, socioeconomic characteristics, and medical history of elderly persons who receive seasonal influenza vaccination in a tax-supported healthcare system. <i>Vaccine</i> , 2017 , 35, 2396-2403	4.1	9
146	Increased risk of active tuberculosis after cancer diagnosis. <i>Journal of Infection</i> , 2017 , 74, 590-598	18.9	21
145	Reducing socioeconomic inequalities in COPD care in the hospital outpatient setting - A nationwide initiative. <i>Respiratory Medicine</i> , 2017 , 125, 19-23	4.6	3
144	Overall and cause-specific mortality after Roux-en-Y gastric bypass surgery: A nationwide cohort study. <i>Surgery for Obesity and Related Diseases</i> , 2017 , 13, 581-587	3	34
143	Painful diabetic polyneuropathy and quality of life in Danish type 2 diabetic patients. <i>Scandinavian Journal of Pain</i> , 2017 , 16, 173-173	1.9	4
142	Statin Use and Risk of Community-Acquired Staphylococcus aureus Bacteremia: A Population-Based Case-Control Study. <i>Mayo Clinic Proceedings</i> , 2017 , 92, 1469-1478	6.4	13
141	Readmission and mortality in patients discharged with a diagnosis of medical observation and evaluation (Z03*-codes) from an acute admission unit in Denmark: a prospective cohort study. <i>BMC Health Services Research</i> , 2017 , 17, 211	2.9	6
140	Gram-negative bacteremia as a clinical marker of occult malignancy. <i>Journal of Infection</i> , 2017 , 74, 153-168	18.9	4

139	Protocol for the specialist supervised individualised multifactorial treatment of new clinically diagnosed type 2 diabetes in general practice (IDA): a prospective controlled multicentre open-label intervention study. <i>BMJ Open</i> , 2017 , 7, e017493	3	1
138	P1743Significant regional variation in cardioverter-defibrillator implantation rates in Denmark. <i>Europace</i> , 2017 , 19, iii379-iii380	3.9	
137	Patient-level predictors of achieving early glycaemic control in Type 2 diabetes mellitus: a population-based study. <i>Diabetic Medicine</i> , 2016 , 33, 1516-1523	3.5	8
136	Use of Glucocorticoids and Risk of Community-Acquired Staphylococcus aureus Bacteremia: A Population-Based Case-Control Study. <i>Mayo Clinic Proceedings</i> , 2016 , 91, 873-80	6.4	7
135	Risk of osteonecrosis in patients with systemic lupus erythematosus: A nationwide population-based study. <i>European Journal of Internal Medicine</i> , 2016 , 35, e23-e24	3.9	3
134	Congenital Heart Disease With and Without Cyanotic Potential and the Long-term Risk of Diabetes Mellitus: A Population-Based Follow-up Study. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	34
133	Metformin and other glucose-lowering drug initiation and rates of community-based antibiotic use and hospital-treated infections in patients with type 2 diabetes: a Danish nationwide population-based cohort study. <i>BMJ Open</i> , 2016 , 6, e011523	3	20
132	Determinants of Smoking Cessation in Patients With COPD Treated in the Outpatient Setting. <i>Chest</i> , 2016 , 150, 554-62	5.3	22
131	Rates of Community-based Antibiotic Prescriptions and Hospital-treated Infections in Individuals With and Without Type 2 Diabetes: A Danish Nationwide Cohort Study, 2004-2012. <i>Clinical Infectious Diseases</i> , 2016 , 63, 501-11	11.6	28
130	Diabetes and risk of community-acquired Staphylococcus aureus bacteremia: a population-based case-control study. <i>European Journal of Endocrinology</i> , 2016 , 174, 631-9	6.5	32
129	Response to Letter to the Editor: "Risk factors for postoperative pneumonia after lung cancer surgery and impact of pneumonia on survival". <i>Respiratory Medicine</i> , 2016 , 112, 133	4.6	
128	Venous thromboembolism and risk of cancer in patients with diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 603-7	3.2	10
127	Prevalence of Self-reported Symptoms After Gastric Bypass Surgery for Obesity. <i>JAMA Surgery</i> , 2016 , 151, 504-11	5.4	64
126	Validity of diagnostic coding for undernutrition in hospitals. <i>Clinical Nutrition</i> , 2016 , 35, 491-495	5.9	5
125	Response to comment on: "antibiotic use varies substantially among adults—a cross-national study from five European Countries in the ARITMO project". <i>Infection</i> , 2016 , 44, 135-41	5.8	1
124	Outcome of Community-Acquired Staphylococcus aureus Bacteraemia in Patients with Diabetes: A Historical Population-Based Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0153766	3.7	5
123	Nationwide trends in glucose-lowering drug use, Denmark, 1999-2014. <i>Clinical Epidemiology</i> , 2016 , 8, 381-387	5.9	40
122	Danish Register of chronic obstructive pulmonary disease. <i>Clinical Epidemiology</i> , 2016 , 8, 673-678	5.9	30

121	Incidence and outcomes of patients hospitalized with COPD exacerbation with and without pneumonia. <i>International Journal of COPD</i> , 2016 , 11, 455-65	3	33
120	Implementation of interval walking training in patients with type 2 diabetes in Denmark: rationale, design, and baseline characteristics. <i>Clinical Epidemiology</i> , 2016 , 8, 201-9	5.9	12
119	Chronic heart failure and mortality in patients with community-acquired Staphylococcus aureus bacteremia: a population-based cohort study. <i>BMC Infectious Diseases</i> , 2016 , 16, 227	4	7
118	Association of parental history of type 2 diabetes with age, lifestyle, anthropometric factors, and clinical severity at type 2 diabetes diagnosis: results from the DD2 study. <i>Diabetes/Metabolism Research and Reviews</i> , 2016 , 32, 308-15	7.5	9
117	Classification of Healthcare-Associated Staphylococcus aureus Bacteremia: Influence of Different Definitions on Prevalence, Patient Characteristics, and Outcome. <i>Infection Control and Hospital Epidemiology</i> , 2016 , 37, 208-11	2	8
116	Socioeconomic inequalities in adherence to inhaled maintenance medications and clinical prognosis of COPD. <i>Respiratory Medicine</i> , 2016 , 119, 160-167	4.6	41
115	Long-term risk of gastrointestinal cancers in persons with gastric or duodenal ulcers. <i>Cancer Medicine</i> , 2016 , 5, 1341-51	4.8	10
114	Risk factors for postoperative pneumonia after lung cancer surgery and impact of pneumonia on survival. <i>Respiratory Medicine</i> , 2015 , 109, 1340-6	4.6	45
113	Preoperative glucocorticoid use and risk of postoperative bleeding and infection after gastric bypass surgery for the treatment of obesity. <i>Surgery for Obesity and Related Diseases</i> , 2015 , 11, 1212-7	3	6
112	The effects of capillary dysfunction on oxygen and glucose extraction in diabetic neuropathy. <i>Diabetologia</i> , 2015 , 58, 666-77	10.3	46
111	Antibiotic use varies substantially among adults: a cross-national study from five European Countries in the ARITMO project. <i>Infection</i> , 2015 , 43, 453-72	5.8	24
110	Sarcoidosis and subsequent cancer risk: a Danish nationwide cohort study. <i>European Respiratory Journal</i> , 2015 , 45, 269-72	13.6	26
109	Early glycaemic control among patients with type 2 diabetes and initial glucose-lowering treatment: a 13-year population-based cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2015 , 17, 771-80	6.7	27
108	Pneumonia and the incidence of cancer: a Danish nationwide cohort study. <i>Journal of Internal Medicine</i> , 2015 , 277, 429-38	10.8	6
107	Early glycaemic control in metformin users receiving their first add-on therapy: a population-based study of 4,734 people with type 2 diabetes. <i>Diabetologia</i> , 2015 , 58, 2247-53	10.3	28
106	Response to Comment on Thomsen et al. Incretin-Based Therapy and Risk of Acute Pancreatitis: A Nationwide Population-Based Case-Control Study. <i>Diabetes Care</i> 2015;38:1089-1098. <i>Diabetes Care</i> , 2015 , 38, e108-9	14.6	1
105	Using registries to identify type 2 diabetes patients. <i>Clinical Epidemiology</i> , 2015 , 7, 1-3	5.9	10
104	Vagotomy and subsequent risk of Parkinson's disease. <i>Annals of Neurology</i> , 2015 , 78, 522-9	9.4	460

103	Does vagotomy reduce the risk of Parkinson's disease: The authors reply. <i>Annals of Neurology</i> , 2015 , 78, 1012-3	9.4	10
102	Evidence for the low recording of weight status and lifestyle risk factors in the Danish National Registry of Patients, 1999-2012. <i>BMC Public Health</i> , 2015 , 15, 1320	4.1	15
101	Pre-existing atrial fibrillation and risk of arterial thromboembolism and death in intensive care unit patients: a population-based cohort study. <i>Critical Care</i> , 2015 , 19, 299	10.8	4
100	Reply: To PMID 26031848. <i>Annals of Neurology</i> , 2015 , 78, 835	9.4	
99	Prescribing practices and clinical predictors of glucose-lowering therapy within the first year in people with newly diagnosed Type 2 diabetes. <i>Diabetic Medicine</i> , 2015 , 32, 1546-54	3.5	20
98	The impact of preadmission oral bisphosphonate use on 30-day mortality following stroke: a population-based cohort study of 100,043 patients. <i>Clinical Epidemiology</i> , 2015 , 7, 381-9	5.9	1
97	Positive predictive values of the International Classification of Diseases, 10th revision diagnoses of Gram-negative septicemia/sepsis and urosepsis for presence of Gram-negative bacteremia. <i>Clinical Epidemiology</i> , 2015 , 7, 195-9	5.9	10
96	Statin prescription patterns, adherence, and attainment of cholesterol treatment goals in routine clinical care: a Danish population-based study. <i>Clinical Epidemiology</i> , 2015 , 7, 213-23	5.9	39
95	Response to letter regarding article, "Risk for myocardial infarction and stroke after community-acquired bacteremia: a 20-year population-based cohort study". <i>Circulation</i> , 2015 , 131, e9	16.7	2
94	Rheumatoid Arthritis: Trends in Antirheumatic Drug Use, C-reactive Protein Levels, and Surgical Burden. <i>Journal of Rheumatology</i> , 2015 , 42, 2247-54	4.1	11
93	Association of pneumococcal conjugate vaccination with rates of ventilation tube insertion in Denmark: population-based register study. <i>BMJ Open</i> , 2015 , 5, e007151	3	4
92	Incretin-based therapy and risk of acute pancreatitis: a nationwide population-based case-control study. <i>Diabetes Care</i> , 2015 , 38, 1089-98	14.6	56
91	Relationship between death and infections among patients hospitalized in internal medicine departments: a prevalence and validation study. <i>American Journal of Infection Control</i> , 2014 , 42, 506-10	3.8	5
90	Nationwide trends in pneumonia hospitalization rates and mortality, Denmark 1997-2011. <i>Respiratory Medicine</i> , 2014 , 108, 1214-22	4.6	42
89	Modifiable clinical and lifestyle factors are associated with elevated alanine aminotransferase levels in newly diagnosed type 2 diabetes patients: results from the nationwide DD2 study. <i>Diabetes/Metabolism Research and Reviews</i> , 2014 , 30, 707-15	7.5	12
88	Incidence, length of stay, and prognosis of hospitalized patients with pleural empyema: a 15-year Danish nationwide cohort study. <i>Chest</i> , 2014 , 145, 189-192	5.3	36
87	Increased prevalence of coronary artery disease risk markers in patients with chronic hepatitis C--a cross-sectional study. <i>Vascular Health and Risk Management</i> , 2014 , 10, 55-62	4.4	29
86	Lifestyle and clinical factors associated with elevated C-reactive protein among newly diagnosed Type 2 diabetes mellitus patients: a cross-sectional study from the nationwide DD2 cohort. <i>BMC Endocrine Disorders</i> , 2014 , 14, 74	3.3	12

85	Risk for myocardial infarction and stroke after community-acquired bacteremia: a 20-year population-based cohort study. <i>Circulation</i> , 2014 , 129, 1387-96	16.7	95
84	Pre-existing atrial fibrillation and risk of arterial thromboembolism and death following pneumonia: a population-based cohort study. <i>BMJ Open</i> , 2014 , 4, e006486	3	11
83	Tuberculosis and risk of cancer: a Danish nationwide cohort study. <i>International Journal of Tuberculosis and Lung Disease</i> , 2014 , 18, 1211-9	2.1	27
82	The effect of community-acquired bacteraemia on return to workforce, risk of sick leave, permanent disability pension and death: a Danish population-based cohort study. <i>BMJ Open</i> , 2014 , 4, e004208	3	7
81	Socioeconomic inequalities in risk of hospitalization for community-acquired bacteremia: a Danish population-based case-control study. <i>American Journal of Epidemiology</i> , 2014 , 179, 1096-106	3.8	18
80	Registration of acute stroke: validity in the Danish Stroke Registry and the Danish National Registry of Patients. <i>Clinical Epidemiology</i> , 2014 , 6, 27-36	5.9	97
79	Venous thromboembolism after community-acquired bacteraemia: a 20-year danish cohort study. <i>PLoS ONE</i> , 2014 , 9, e86094	3.7	13
78	Lifestyle factors associated with type 2 diabetes and use of different glucose-lowering drugs: cross-sectional study. <i>PLoS ONE</i> , 2014 , 9, e111849	3.7	12
77	Female resistance to pneumonia identifies lung macrophage nitric oxide synthase-3 as a therapeutic target. <i>ELife</i> , 2014 , 3,	8.9	30
76	Author response: Female resistance to pneumonia identifies lung macrophage nitric oxide synthase-3 as a therapeutic target 2014 ,		2
75	Chronic heart failure and risk of hospitalization with pneumonia: a population-based study. <i>European Journal of Internal Medicine</i> , 2013 , 24, 349-53	3.9	27
74	Candida infection and cancer risk: a Danish nationwide cohort study. <i>European Journal of Internal Medicine</i> , 2013 , 24, 451-5	3.9	19
73	Lymph node enlargement and risk of haematological and solid cancer. <i>British Journal of Haematology</i> , 2013 , 160, 599-607	4.5	5
72	Endocarditis and risk of cancer: a Danish nationwide cohort study. <i>American Journal of Medicine</i> , 2013 , 126, 58-67	2.4	30
71	Chronic respiratory disease, inhaled corticosteroids and risk of non-tuberculous mycobacteriosis. <i>Thorax</i> , 2013 , 68, 256-62	7.3	203
70	Long-term mortality following peptic ulcer perforation in the PULP trial. A nationwide follow-up study. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 168-75	2.4	19
69	Improving quality of care among COPD outpatients in Denmark 2008-2011. <i>Clinical Respiratory Journal</i> , 2013 , 7, 319-27	1.7	22
68	Lifestyle profile among statin users. <i>Epidemiology</i> , 2013 , 24, 619-20	3.1	27

67	Does marriage protect against hospitalization with pneumonia? A population-based case-control study. <i>Clinical Epidemiology</i> , 2013 , 5, 397-405	5.9	9
66	Lifestyle factors among proton pump inhibitor users and nonusers: a cross-sectional study in a population-based setting. <i>Clinical Epidemiology</i> , 2013 , 5, 493-9	5.9	21
65	The impact of comorbidity on cancer survival: a review. <i>Clinical Epidemiology</i> , 2013 , 5, 3-29	5.9	304
64	Effect of socioeconomic status on mortality after bacteremia in working-age patients. A Danish population-based cohort study. <i>PLoS ONE</i> , 2013 , 8, e70082	3.7	23
63	Serotype distribution in non-bacteremic pneumococcal pneumonia: association with disease severity and implications for pneumococcal conjugate vaccines. <i>PLoS ONE</i> , 2013 , 8, e72743	3.7	23
62	Use of non-invasive ventilation is increasing in patients admitted with a chronic obstructive pulmonary disease exacerbation. <i>Danish Medical Journal</i> , 2013 , 60, A4686	3.8	5
61	Acute infections and venous thromboembolism. <i>Journal of Internal Medicine</i> , 2012 , 271, 608-18	10.8	117
60	Predictors of travel-related hepatitis A and B among native adult Danes: a nationwide case-control study. <i>Journal of Infection</i> , 2012 , 64, 399-408	18.9	9
59	The Peptic Ulcer Perforation (PULP) score: a predictor of mortality following peptic ulcer perforation. A cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2012 , 56, 655-62	1.9	62
58	Chronic infections in hip arthroplasties: comparing risk of reinfection following one-stage and two-stage revision: a systematic review and meta-analysis. <i>Clinical Epidemiology</i> , 2012 , 4, 57-73	5.9	110
57	The Danish Centre for Strategic Research in Type 2 Diabetes (DD2): organization of diabetes care in Denmark and supplementary data sources for data collection among DD2 study participants. <i>Clinical Epidemiology</i> , 2012 , 4, 15-9	5.9	27
56	The Danish Centre for Strategic Research in Type 2 Diabetes (DD2) study: Collection of baseline data from the first 580 patients. <i>Clinical Epidemiology</i> , 2012 , 4, 43-8	5.9	29
55	The Danish Centre for Strategic Research in Type 2 Diabetes (DD2) Project: rationale and planned nationwide studies of genetic predictors, physical exercise, and individualized pharmacological treatment. <i>Clinical Epidemiology</i> , 2012 , 4, 7-13	5.9	7
54	The Danish Centre for Strategic Research in Type 2 Diabetes (DD2) study: implementation of a nationwide patient enrollment system. <i>Clinical Epidemiology</i> , 2012 , 4, 27-36	5.9	24
53	Alcohol drinking and risk of subsequent hospitalisation with pneumonia. <i>European Respiratory Journal</i> , 2012 , 39, 149-55	13.6	20
52	Validity and underrecording of diagnosis of COPD in the Danish National Patient Registry. <i>Respiratory Medicine</i> , 2011 , 105, 1063-8	4.6	97
51	Existing data sources for clinical epidemiology: The clinical laboratory information system (LABKA) research database at Aarhus University, Denmark. <i>Clinical Epidemiology</i> , 2011 , 3, 133-8	5.9	139
50	Positive predictive value of the ICD-10 hospital diagnosis of pleural empyema in the Danish National Registry of Patients. <i>Clinical Epidemiology</i> , 2011 , 3, 85-9	5.9	17

49	Long-term clinical outcomes of patients with primary chronic immune thrombocytopenia: a Danish population-based cohort study. <i>Blood</i> , 2011 , 117, 3514-20	2.2	82
48	Baseline C-reactive protein level as a predictor of mortality in bacteraemia patients: a population-based cohort study. <i>Clinical Microbiology and Infection</i> , 2011 , 17, 627-32	9.5	22
47	Obesity, diabetes, and the risk of infections diagnosed in hospital and post-discharge infections after cesarean section: a prospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011 , 90, 501-9	3.8	44
46	Impact of diabetes and poor glycaemic control on risk of bacteraemia with haemolytic streptococci groups A, B, and G. <i>Journal of Infection</i> , 2011 , 63, 8-16	18.9	22
45	Diabetes, glycemic control, and risk of tuberculosis: a population-based case-control study. <i>Diabetes Care</i> , 2011 , 34, 2530-5	14.6	60
44	Obesity and risk of subsequent hospitalisation with pneumonia. <i>European Respiratory Journal</i> , 2010 , 36, 1330-6	13.6	69
43	Preadmission statin use and one-year mortality among patients in intensive care - a cohort study. <i>Critical Care</i> , 2010 , 14, R29	10.8	32
42	Mortality risk in splenectomised patients: a Danish population-based cohort study. <i>European Journal of Internal Medicine</i> , 2010 , 21, 12-6	3.9	31
41	Preoperative prognostic factors for mortality in peptic ulcer perforation: a systematic review. <i>Scandinavian Journal of Gastroenterology</i> , 2010 , 45, 785-805	2.4	71
40	Nontuberculous pulmonary mycobacteriosis in Denmark: incidence and prognostic factors. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010 , 181, 514-21	10.2	182
39	Preadmission use of systemic glucocorticoids and 30-day mortality following bleeding peptic ulcer: a population-based cohort study. <i>American Journal of Therapeutics</i> , 2010 , 17, 23-9	1	7
38	Change from oral antidiabetic therapy to insulin and risk of urinary tract infections in Type 2 diabetic patients: a population-based prescription study. <i>Journal of Diabetes and Its Complications</i> , 2010 , 24, 375-81	3.2	6
37	Surveillance of selected post-caesarean infections based on electronic registries: validation study including post-discharge infections. <i>Journal of Hospital Infection</i> , 2010 , 75, 200-4	6.9	15
36	Risk of venous thromboembolism in splenectomized patients compared with the general population and appendectomized patients: a 10-year nationwide cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1413-6	15.4	73
35	Diabetes, glycemic control and risk of medical glaucoma treatment: A population-based case-control study. <i>Clinical Epidemiology</i> , 2009 , 1, 125-31	5.9	9
34	Pneumococcal serotypes and mortality following invasive pneumococcal disease: a population-based cohort study. <i>PLoS Medicine</i> , 2009 , 6, e1000081	11.6	200
33	Sulfonylureas and prognosis after myocardial infarction in patients with diabetes: a population-based follow-up study. <i>Diabetes/Metabolism Research and Reviews</i> , 2009 , 25, 515-22	7.5	33
32	Proton pump inhibitors and risk of gastric cancer: a population-based cohort study. <i>British Journal of Cancer</i> , 2009 , 100, 1503-7	8.7	101

31	Arterial cardiovascular events, statins, low-dose aspirin and subsequent risk of venous thromboembolism: a population-based case-control study. <i>Journal of Thrombosis and Haemostasis</i> , 2009 , 7, 521-8	15.4	127
30	Risk of selected postpartum infections after cesarean section compared with vaginal birth: a five-year cohort study of 32,468 women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009 , 88, 976-83	3.8	81
29	Preadmission use of SSRIs alone or in combination with NSAIDs and 30-day mortality after peptic ulcer bleeding. <i>Scandinavian Journal of Gastroenterology</i> , 2009 , 44, 1288-95	2.4	7
28	Risk for hospital contact with infection in patients with splenectomy: a population-based cohort study. <i>Annals of Internal Medicine</i> , 2009 , 151, 546-55	8	103
27	Seasonal changes in climatic parameters and their relationship with the incidence of pneumococcal bacteraemia in Denmark. <i>Clinical Microbiology and Infection</i> , 2008 , 14, 1183-6	9.5	4
26	Antipsychotic drugs and short-term mortality after peptic ulcer perforation: a population-based cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2008 , 28, 895-902	6.1	9
25	Perforated peptic ulcer and short-term mortality among tramadol users. <i>British Journal of Clinical Pharmacology</i> , 2008 , 65, 565-72	3.8	15
24	Preadmission use of statins and outcomes after hospitalization with pneumonia: population-based cohort study of 29,900 patients. <i>Archives of Internal Medicine</i> , 2008 , 168, 2081-7		130
23	Diabetes, glycemic control, and risk of hospitalization with pneumonia: a population-based case-control study. <i>Diabetes Care</i> , 2008 , 31, 1541-5	14.6	202
22	Impact of COPD on outcome among patients with complicated peptic ulcer. <i>Chest</i> , 2008 , 133, 1360-1366	5.3	20
21	The impact of pre-existing heart failure on pneumonia prognosis: population-based cohort study. <i>Journal of General Internal Medicine</i> , 2008 , 23, 1407-13	4	34
20	Risk of cholecystitis in patients with cancer: a population-based cohort study in Denmark. <i>Cancer</i> , 2008 , 113, 3410-9	6.4	17
19	Type 2 diabetes and pneumonia outcomes: a population-based cohort study. <i>Diabetes Care</i> , 2007 , 30, 2251-7	14.6	161
18	CagA+ <i>Helicobacter pylori</i> infection and gastric cancer risk in the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007 , 120, 859-67	7.5	101
17	Introduction of newer selective cyclo-oxygenase-2 inhibitors and rates of hospitalization with bleeding and perforated peptic ulcer. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 25, 907-12	6.1	21
16	Diabetes mellitus and pyogenic liver abscess: risk and prognosis. <i>Clinical Infectious Diseases</i> , 2007 , 44, 1194-201	11.6	113
15	Aminoglycoside treatment and mortality after bacteraemia in patients given appropriate empirical therapy: a Danish hospital-based cohort study. <i>Journal of Antimicrobial Chemotherapy</i> , 2007 , 60, 1115-23	5.1	23
14	Severity of infection and seasonal variation of non-typhoid <i>Salmonella</i> occurrence in humans. <i>Epidemiology and Infection</i> , 2007 , 135, 93-9	4.3	21

13	Statin therapy and infection-related mortality. <i>Critical Care Medicine</i> , 2007 , 35, 1636	1.4	
12	Diabetes and 30-day mortality from peptic ulcer bleeding and perforation: a Danish population-based cohort study. <i>Diabetes Care</i> , 2006 , 29, 805-10	14.6	63
11	30-day mortality after peptic ulcer perforation among users of newer selective COX-2 inhibitors and traditional NSAIDs: a population-based study. <i>American Journal of Gastroenterology</i> , 2006 , 101, 2704-10	9.7	39
10	Thirty-day mortality after peptic ulcer bleeding in hospitalized patients receiving low-dose aspirin at time of admission. <i>American Journal of Geriatric Pharmacotherapy</i> , 2006 , 4, 244-50		25
9	Statin use and mortality within 180 days after bacteremia: a population-based cohort study. <i>Critical Care Medicine</i> , 2006 , 34, 1080-6	1.4	130
8	Diabetes and risk of acute infectious conjunctivitis--a population-based case-control study. <i>Diabetic Medicine</i> , 2006 , 23, 393-7	3.5	25
7	Rising incidence and persistently high mortality of hospitalized pneumonia: a 10-year population-based study in Denmark. <i>Journal of Internal Medicine</i> , 2006 , 259, 410-7	10.8	112
6	Perforated peptic ulcer: use of pre-admission oral glucocorticoids and 30-day mortality. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 23, 45-52	6.1	31
5	Outcome of peptic ulcer bleeding among users of traditional non-steroidal anti-inflammatory drugs and selective cyclo-oxygenase-2 inhibitors. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 1431-8	6.1	15
4	Socioeconomic gradient in use of statins among Danish patients: population-based cross-sectional study. <i>British Journal of Clinical Pharmacology</i> , 2005 , 60, 534-42	3.8	70
3	Diabetes mellitus as a risk and prognostic factor for community-acquired bacteremia due to enterobacteria: a 10-year, population-based study among adults. <i>Clinical Infectious Diseases</i> , 2005 , 40, 628-31	11.6	85
2	Risk of community-acquired pneumococcal bacteremia in patients with diabetes: a population-based case-control study. <i>Diabetes Care</i> , 2004 , 27, 1143-7	14.6	74
1	Diabetes and outcome of community-acquired pneumococcal bacteremia: a 10-year population-based cohort study. <i>Diabetes Care</i> , 2004 , 27, 70-6	14.6	74