

Wen-Harn Pan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1981503/wen-harn-pan-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45
papers

1,657
citations

22
h-index

40
g-index

45
ext. papers

1,935
ext. citations

4.8
avg, IF

4.28
L-index

#	Paper	IF	Citations
45	Body mass index and obesity-related metabolic disorders in Taiwanese and US whites and blacks: implications for definitions of overweight and obesity for Asians. <i>American Journal of Clinical Nutrition</i> , 2004 , 79, 31-9	7	268
44	Serum uric acid level as an independent risk factor for all-cause, cardiovascular, and ischemic stroke mortality: a Chinese cohort study. <i>Arthritis and Rheumatism</i> , 2009 , 61, 225-32		251
43	Derivation and validation of diagnostic thresholds for central blood pressure measurements based on long-term cardiovascular risks. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 1780-7	15.1	115
42	Obesity pandemic, correlated factors and guidelines to define, screen and manage obesity in Taiwan. <i>Obesity Reviews</i> , 2008 , 9 Suppl 1, 22-31	10.6	81
41	Prevalence, awareness, treatment and control of hypertension in Taiwan: results of Nutrition and Health Survey in Taiwan (NAHSIT) 1993-1996. <i>Journal of Human Hypertension</i> , 2001 , 15, 793-8	2.6	80
40	Morbid obesity in Taiwan: Prevalence, trends, associated social demographics, and lifestyle factors. <i>PLoS ONE</i> , 2017 , 12, e0169577	3.7	58
39	Obesity in the elderly and its relationship with cardiovascular risk factors in Taiwan. <i>Obesity</i> , 2005 , 13, 170-8		54
38	Genome-wide association study of young-onset hypertension in the Han Chinese population of Taiwan. <i>PLoS ONE</i> , 2009 , 4, e5459	3.7	51
37	Lower blood flow velocity, higher resistance index, and larger diameter of extracranial carotid arteries are associated with ischemic stroke independently of carotid atherosclerosis and cardiovascular risk factors. <i>Journal of Clinical Ultrasound</i> , 2007 , 35, 322-30	1	51
36	Linkage analysis with candidate genes: the Taiwan young-onset hypertension genetic study. <i>Human Genetics</i> , 2000 , 107, 210-5	6.3	48
35	Ala55Val polymorphism on UCP2 gene predicts greater weight loss in morbidly obese patients undergoing gastric banding. <i>Obesity Surgery</i> , 2007 , 17, 926-33	3.7	44
34	Identification of IGF1, SLC4A4, WWOX, and SFMBT1 as hypertension susceptibility genes in Han Chinese with a genome-wide gene-based association study. <i>PLoS ONE</i> , 2012 , 7, e32907	3.7	38
33	Dietary Pattern Associated with Frailty: Results from Nutrition and Health Survey in Taiwan. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2009-2015	5.6	37
32	Abdominal Obesity and Low Skeletal Muscle Mass Jointly Predict Total Mortality and Cardiovascular Mortality in an Elderly Asian Population. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 1049-55	6.4	34
31	Prevalence and awareness of diabetes and mean fasting glucose by age, sex, and region: results from the Nutrition and Health Survey in Taiwan, 1993-1996. <i>Diabetic Medicine</i> , 2003 , 20, 182-5	3.5	34
30	Age and Gender Differences in Urinary Levels of Eleven Phthalate Metabolites in General Taiwanese Population after a DEHP Episode. <i>PLoS ONE</i> , 2015 , 10, e0133782	3.7	28
29	Individualized home-based exercise and nutrition interventions improve frailty in older adults: a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 119	8.4	28

28	Hyperuricemia and incident atrial fibrillation in a normotensive elderly population in Taiwan. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 1020-6	4.5	27
27	Attention deficit-hyperactivity disorder is associated with allergic symptoms and low levels of hemoglobin and serotonin. <i>Scientific Reports</i> , 2018 , 8, 10229	4.9	26
26	Using endophenotypes for pathway clusters to map complex disease genes. <i>Genetic Epidemiology</i> , 2006 , 30, 143-54	2.6	25
25	Common carotid artery end-diastolic velocity is independently associated with future cardiovascular events. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 116-24	3.9	23
24	Interactive effects of dietary fat/carbohydrate ratio and body mass index on iron deficiency anemia among Taiwanese women. <i>Nutrients</i> , 2014 , 6, 3929-41	6.7	23
23	Probable blind spot in the International Diabetes Federation definition of metabolic syndrome. <i>Obesity</i> , 2007 , 15, 1096-100	8	21
22	Is Hyperuricemia, an Early-Onset Metabolic Disorder, Causally Associated with Cardiovascular Disease Events in Han Chinese?. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	19
21	Severe obesity is associated with novel single nucleotide polymorphisms of the ESR1 and PPARgamma locus in Han Chinese. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 255-62	7	18
20	Intake of potassium- and magnesium-enriched salt improves functional outcome after stroke: a randomized, multicenter, double-blind controlled trial. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 1267-1273	7	16
19	Fine-mapping angiotensin-converting enzyme gene: separate QTLs identified for hypertension and for ACE activity. <i>PLoS ONE</i> , 2013 , 8, e56119	3.7	16
18	Lipoprotein lipase gene is linked and associated with hypertension in Taiwan young-onset hypertension genetic study. <i>Journal of Biomedical Science</i> , 2005 , 12, 651-8	13.3	15
17	Dietary Patterns and Foods Associated With Cognitive Function in Taiwanese Older Adults: The Cross-sectional and Longitudinal Studies. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 544-550.e4	5.9	15
16	Low-normal serum potassium is associated with an increased risk of cardiovascular and all-cause death in community-based elderly. <i>Journal of the Formosan Medical Association</i> , 2015 , 114, 517-25	3.2	14
15	The application of traffic-light food labelling in a worksite canteen intervention in Taiwan. <i>Public Health</i> , 2017 , 150, 17-25	4	13
14	Vitamin E status and its dietary determinants in Taiwanese--results of the Nutrition and Health Survey in Taiwan 1993-1996. <i>European Journal of Nutrition</i> , 2004 , 43, 86-92	5.2	13
13	Lipoprotein lipase variants associated with an endophenotype of hypertension: hypertension combined with elevated triglycerides. <i>Human Mutation</i> , 2009 , 30, 49-55	4.7	10
12	Dietary Profiles, Nutritional Biochemistry Status, and Attention-Deficit/Hyperactivity Disorder: Path Analysis for a Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	9
11	A novel SNP associated with nighttime pulse pressure in young-onset hypertension patients could be a genetic prognostic factor for cardiovascular events in a general cohort in Taiwan. <i>PLoS ONE</i> , 2014 , 9, e97919	3.7	9

10	Genome-wide association study of morbid obesity in Han Chinese. <i>BMC Genetics</i> , 2019 , 20, 97	2.6	9
9	Vegetable, fruit, and phytonutrient consumption patterns in Taiwan. <i>Journal of Food and Drug Analysis</i> , 2018 , 26, 145-153	7	8
8	The causal role of elevated uric acid and waist circumference on the risk of metabolic syndrome components. <i>International Journal of Obesity</i> , 2020 , 44, 865-874	5.5	7
7	Postprandial Metabolomics Response to Various Cooking Oils in Humans. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 4977-4984	5.7	5
6	Dietary education with customised dishware and food supplements can reduce frailty and improve mental well-being in elderly people: A single-blind randomized controlled study. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2018 , 27, 1018-1030	1	5
5	A Two-Stage Whole-Genome Gene Expression Association Study of Young-Onset Hypertension in Han Chinese Population of Taiwan. <i>Scientific Reports</i> , 2018 , 8, 1800	4.9	4
4	The Mediterranean diet reduces the genetic risk of chromosome 9p21 for myocardial infarction in an Asian population community cohort. <i>Scientific Reports</i> , 2019 , 9, 18405	4.9	3
3	Applying polynomial standard curve method to correct bias encountered in estimating allele frequencies using DNA pooling strategy. <i>Genomics</i> , 2008 , 92, 429-35	4.3	2
2	Reply to "Lower intake of magnesium and dietary fiber increases the incidence of type 2 diabetes in Taiwanese". <i>Journal of the Formosan Medical Association</i> , 2013 , 112, 174	3.2	1
1	Hyperuricemia and pulse pressure are predictive of incident heart failure in an elderly population. <i>International Journal of Cardiology</i> , 2020 , 300, 178-183	3.2	1