Hong Wang

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1981897/hong-wang-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,246 71 22 33 g-index h-index citations papers 81 1,618 5.7 4.31 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
71	Nanobodies for accurate recognition of iso-tenuazonic acid and development of sensitive immunoassay for contaminant detection in foods. <i>Food Control</i> , 2022 , 136, 108835	6.2	1
70	An ultrasensitive sandwich chemiluminescent enzyme immunoassay based on phage-mediated double-nanobody for detection of Salmonella Typhimurium in food. <i>Sensors and Actuators B: Chemical</i> , 2022 , 352, 131058	8.5	2
69	Nanobodies as binding-chaperones stabilize the recombinant Bombyx mori acetylcholinesterase and protect the enzyme activity in pesticide detection <i>Enzyme and Microbial Technology</i> , 2022 , 155, 109992	3.8	
68	Nanobody-Based Assays for the Detection of Environmental and Agricultural Contaminants <i>Methods in Molecular Biology</i> , 2022 , 2446, 547-554	1.4	0
67	Ultrasensitive and rapid colorimetric detection of paraquat via a high specific VHH nanobody <i>Biosensors and Bioelectronics</i> , 2022 , 205, 114089	11.8	O
66	Multicolorimetric and fluorometric dual-modal immunosensor for histamine via enzyme-enabled metallization of gold nanorods and inner filter effect of carbon dots. <i>Food Control</i> , 2022 , 137, 108941	6.2	0
65	Immunological Activity and Gut Microbiota Modulation of Pectin from Kiwano (Cucumis metuliferus) Peels. <i>Foods</i> , 2022 , 11, 1632	4.9	O
64	Prussian blue nanoparticles-enabled sensitive and accurate ratiometric fluorescence immunoassay for histamine <i>Food Chemistry</i> , 2021 , 376, 131907	8.5	0
63	Phosphate-triggered ratiometric fluoroimmunoassay based on nanobody-alkaline phosphatase fusion for sensitive detection of 1-naphthol for the exposure assessment of pesticide carbaryl. Journal of Hazardous Materials, 2021 , 127411	12.8	4
62	Preparation of a Bombyx mori acetylcholinesterase enzyme reagent through chaperone protein disulfide isomerase co-expression strategy in Pichia pastoris for detection of pesticides. <i>Enzyme and Microbial Technology</i> , 2021 , 144, 109741	3.8	4
61	Enhanced Non-Toxic Immunodetection of Mycotoxin Tenuazonic Acid Based on Ferritin-Displayed Anti-Idiotypic Nanobody-Nanoluciferase Multimers. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 4911-4917	5.7	3
60	Development of an inner filter effect-based fluorescence immunoassay for the detection of acrylamide using 9-xanthydrol derivatization. <i>Sensors and Actuators B: Chemical</i> , 2021 , 332, 129561	8.5	5
59	Enhanced Secretory Expression and Surface Display Level of Bombyx mori Acetylcholinesterase 2 by Pichia pastoris Based on Codon Optimization Strategy for Pesticides Setection. <i>Applied Biochemistry and Biotechnology</i> , 2021 , 193, 3321-3335	3.2	1
58	Development of a sensitive non-competitive immunoassay via immunocomplex binding peptide for the determination of ethyl carbamate in wine samples. <i>Journal of Hazardous Materials</i> , 2021 , 406, 1242	8 ¹ 2.8	13
57	Generation of functional single-chain fragment variable from hybridoma and development of chemiluminescence enzyme immunoassay for determination of total malachite green in tilapia fish. <i>Food Chemistry</i> , 2021 , 337, 127780	8.5	10
56	Structural characterization and immunological activity of pectin polysaccharide from kiwano (Cucumis metuliferus) peels. <i>Carbohydrate Polymers</i> , 2021 , 254, 117371	10.3	24
55	A gold nanoparticle-based immunochromatographic assay for simultaneous detection of multiplex sildenafil adulterants in health food by only one antibody. <i>Analytica Chimica Acta</i> , 2021 , 1141, 1-12	6.6	6

54	Development of a chemiluminescence immunoassay for detection of tenuazonic acid mycotoxin in fruit juices with a specific camel polyclonal antibody. <i>Analytical Methods</i> , 2021 , 13, 1795-1802	3.2	4
53	Generation of recombinant antibodies by mammalian expression system for detecting S-metolachlor in environmental waters. <i>Journal of Hazardous Materials</i> , 2021 , 418, 126305	12.8	2
52	Mimotope-Based Immunoassays for the Rapid Analysis of Mycotoxin: A Review. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 11743-11752	5.7	5
51	An enhanced open sandwich immunoassay by molecular evolution for noncompetitive detection of Alternaria mycotoxin tenuazonic acid. <i>Food Chemistry</i> , 2021 , 361, 130103	8.5	6
50	Proteomics analysis of the protective effect of canola (Brassica campestris L.) bee pollen flavonoids on the tert-butyl hydroperoxide-induced EA.hy926 cell injury model. <i>Journal of Functional Foods</i> , 2020 , 75, 104223	5.1	1
49	Development of a Monoclonal Antibody-Based ELISA for the Detection of Alternaria Mycotoxin Tenuazonic Acid in Food Samples. <i>Food Analytical Methods</i> , 2020 , 13, 1594-1602	3.4	9
48	Structural Features of Three Hetero-Galacturonans from Fruits and Their in Vitro Immunomodulatory Effects. <i>Polymers</i> , 2020 , 12,	4.5	5
47	A rapid and simple fluorescence enzyme-linked immunosorbent assay for tetrabromobisphenol A in soil samples based on a bifunctional fusion protein. <i>Ecotoxicology and Environmental Safety</i> , 2020 , 188, 109904	7	11
46	Preparation monoclonal Etype anti-idiotype antibody of zearalenone and development of green ELISA quantitative detecting technique. <i>Preparative Biochemistry and Biotechnology</i> , 2020 , 50, 419-424	2.4	3
45	Development of a specific nanobody and its application in rapid and selective determination of Salmonella enteritidis in milk. <i>Food Chemistry</i> , 2020 , 310, 125942	8.5	25
44	Construction, expression and functional analysis of anti-clenbuterol codon-optimized scFv recombinant antibody. <i>Food and Chemical Toxicology</i> , 2020 , 135, 110973	4.7	1
43	Chemiluminescent Enzyme Immunoassay and Bioluminescent Enzyme Immunoassay for Tenuazonic Acid Mycotoxin by Exploitation of Nanobody and Nanobody-Nanoluciferase Fusion. <i>Analytical Chemistry</i> , 2020 , 92, 11935-11942	7.8	16
42	Development of a Simple Pretreatment Immunoassay Based on an Organic Solvent-Tolerant Nanobody for the Detection of Carbofuran in Vegetable and Fruit Samples. <i>Biomolecules</i> , 2019 , 9,	5.9	7
41	High affinity antibody based on a rationally designed hapten and development of a chemiluminescence enzyme immunoassay for quantification of Alternariol in fruit Juice, maize and flour. <i>Food Chemistry</i> , 2019 , 283, 359-366	8.5	11
40	Structure characterization of a novel polysaccharide from Chinese wild fruits (Passiflora foetida) and its immune-enhancing activity. <i>International Journal of Biological Macromolecules</i> , 2019 , 136, 324-32	37·9	37
39	Development of a skeleton-specific antibody and Au nanoparticle-based immunochromatographic sensor for simultaneous detection of various tadalafil adulterants in health food. <i>Food and Agricultural Immunology</i> , 2019 , 30, 349-368	2.9	9
38	Modulating Linker Composition of Haptens Resulted in Improved Immunoassay for Histamine. <i>Biomolecules</i> , 2019 , 9,	5.9	8
37	Detection of Tadalafil and Its Analogues in Health Wine and Oral Liquid by Microwell Lateral Flow Immunochromatography Assay. <i>Chinese Journal of Analytical Chemistry</i> , 2019 , 47, 1249-1257	1.6	0

36	Design of Novel Haptens and Development of Monoclonal Antibody-Based Immunoassays for the Simultaneous Detection of Tylosin and Tilmicosin in Milk and Water Samples. <i>Biomolecules</i> , 2019 , 9,	5.9	6
35	Specific Monoclonal Antibody-Based Enzyme Immunoassay for Sensitive and Reliable Detection of Alternaria Mycotoxin Iso-Tenuazonic Acid in Food Products. <i>Food Analytical Methods</i> , 2018 , 11, 635-645	3.4	15
34	Fluorescence Polarization Immunoassay for Alternaria Mycotoxin Tenuazonic Acid Detection and Molecular Modeling Studies of Antibody Recognition. <i>Food Analytical Methods</i> , 2018 , 11, 2455-2462	3.4	15
33	Production of Antigen-Binding Fragment against ,-Diethyl Organophosphorus Pesticides and Molecular Dynamics Simulations of Antibody Recognition. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	5
32	Nutritional Composition and Antioxidant Properties of the Fruits of a Chinese Wild Passiflora foetida. <i>Molecules</i> , 2018 , 23,	4.8	15
31	Hapten synthesis and production of specific antibody against 3-amino-5-morpholinomethyl-2-oxazolidone for immunoassay without derivatisation. <i>Food and</i> <i>Agricultural Immunology</i> , 2018 , 29, 332-345	2.9	6
30	Indirect Competitive Enzyme-Linked Immunosorbent Assay for Detection of Tylosin in Milk and Water Samples. <i>Chinese Journal of Analytical Chemistry</i> , 2018 , 46, 1275-1281	1.6	11
29	An Indirect Competitive Enzyme-linked Immunosorbent Assay for Simultaneous Determination of Florfenicol and Thiamphenicol in Animal Meat and Urine. <i>Chinese Journal of Analytical Chemistry</i> , 2018 , 46, 1321-1328	1.6	12
28	Isolation of Bactrian Camel Single Domain Antibody for Parathion and Development of One-Step dc-FEIA Method Using VHH-Alkaline Phosphatase Fusion Protein. <i>Analytical Chemistry</i> , 2018 , 90, 12886-	1 ⁷ 2892	25
27	Guided Evolution of Recombinant Acetylcholinesterase II by Homology Modeling to Change Pesticide Sensitivity. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	1
26	Immunochemical techniques for multianalyte analysis of chemical residues in food and the environment: A review. <i>TrAC - Trends in Analytical Chemistry</i> , 2017 , 88, 25-40	14.6	100
25	Novel haptens synthesis and development of a monoclonal antibody-based enzyme-linked immunosorbent assay for leuco-malachite green in fish. <i>Food and Agricultural Immunology</i> , 2017 , 28, 1460-1476	2.9	7
24	Development of an indirect ELISA for the determination of ethyl carbamate in Chinese rice wine. <i>Analytica Chimica Acta</i> , 2017 , 950, 162-169	6.6	23
23	Bispecific Monoclonal Antibody-Based Multianalyte ELISA for Furaltadone Metabolite, Malachite Green, and Leucomalachite Green in Aquatic Products. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 8054-8061	5.7	26
22	Codon modification for the DNA sequence of a single-chain Fv antibody against clenbuterol and expression in Pichia pastoris. <i>Applied Microbiology and Biotechnology</i> , 2014 , 98, 3679-89	5.7	1
21	Enhanced sensitive immunoassay: noncompetitive phage anti-immune complex assay for the determination of malachite green and leucomalachite green. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 8752-8	5.7	39
20	Hapten synthesis and development of a competitive indirect enzyme-linked immunosorbent assay for acrylamide in food samples. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 7078-84	5.7	30

(2006-2013)

18	Phage-displayed peptide that mimics aflatoxins and its application in immunoassay. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 2426-33	5.7	51
17	Surface display and bioactivity of Bombyx mori acetylcholinesterase on Pichia pastoris. <i>PLoS ONE</i> , 2013 , 8, e70451	3.7	7
16	Development of a monoclonal antibody-based competitive indirect enzyme-linked immunosorbent assay for furaltadone metabolite AMOZ in fish and shrimp samples. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 10991-7	5.7	27
15	Development of a solid-phase extraction coupling chemiluminescent enzyme immunoassay for determination of organophosphorus pesticides in environmental water samples. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 2069-75	5.7	27
14	Development of a single-chain variable fragment-alkaline phosphatase fusion protein and a sensitive direct competitive chemiluminescent enzyme immunoassay for detection of ractopamine in pork. <i>Analytica Chimica Acta</i> , 2012 , 736, 85-91	6.6	52
13	Production and characterization of a single-chain variable fragment linked alkaline phosphatase fusion protein for detection of O,O-diethyl organophosphorus pesticides in a one-step enzyme-linked immunosorbent assay. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 5076-83	5.7	39
12	Separation of Proteins by Aqueous Two-phase Extraction System Combined with Liquid Chromatography. <i>Chinese Journal of Analytical Chemistry</i> , 2012 , 40, 38	1.6	3
11	A simple, rapid and high-throughput fluorescence polarization immunoassay for simultaneous detection of organophosphorus pesticides in vegetable and environmental water samples. <i>Analytica Chimica Acta</i> , 2011 , 708, 123-9	6.6	75
10	Simultaneous determination of malachite green, brilliant green and crystal violet in grass carp tissues by a broad-specificity indirect competitive enzyme-linked immunosorbent assay. <i>Analytica Chimica Acta</i> , 2011 , 707, 148-54	6.6	48
9	Broad-specificity immunoassay for O,O-diethyl organophosphorus pesticides: application of molecular modeling to improve assay sensitivity and study antibody recognition. <i>Analytical Chemistry</i> , 2010 , 82, 9314-21	7.8	80
8	Expression and purification of an anti-clenbuterol single chain Fv antibody in Escherichia coli. <i>Protein Expression and Purification</i> , 2010 , 72, 26-31	2	17
7	Production and characterization of a single-chain Fv antibody-alkaline phosphatase fusion protein specific for clenbuterol. <i>Molecular Biotechnology</i> , 2010 , 45, 56-64	3	22
6	Cloning, expression, and identification of anti-carbofuran single chain Fv gene. <i>Biotechnology Progress</i> , 2009 , 25, 1018-24	2.8	8
5	Application of computer-assisted molecular modeling for immunoassay of low molecular weight food contaminants: A review. <i>Analytica Chimica Acta</i> , 2009 , 647, 125-36	6.6	62
4	Production and characterization of a broad-specificity polyclonal antibody for O,O-diethyl organophosphorus pesticides and a quantitative structure-activity relationship study of antibody recognition. <i>Analytica Chimica Acta</i> , 2009 , 647, 90-6	6.6	51
3	Development of an enzyme-linked immuno-sorbent assay (ELISA) method for carbofuran residues. <i>Molecules</i> , 2008 , 13, 871-81	4.8	23
2	Design and synthesis of immunoconjugates and development of an indirect ELISA for rapid detection of 3, 5-dinitrosalicyclic Acid hydrazide. <i>Molecules</i> , 2008 , 13, 2238-48	4.8	15
1	Production and characterization of single chain Fv directed against beta2-agonist clenbuterol. Journal of Agricultural and Food Chemistry, 2006, 54, 6654-9	5.7	20