

# Sang Ah Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/198300/publications.pdf>

Version: 2024-02-01

46  
papers

561  
citations

623574

14  
h-index

713332

21  
g-index

46  
all docs

46  
docs citations

46  
times ranked

965  
citing authors

#	ARTICLE	IF	CITATIONS
1	Medical Utilization and Costs in Preterm Infants in the First 6 Years of Life After Discharge From Neonatal Intensive Care Unit: A Nationwide Population-Based Study in Korea. <i>Journal of Korean Medical Science</i> , 2022, 37, e93.	1.1	6
2	Impact of Maternal Age on Singleton Pregnancy Outcomes in Primiparous Women in South Korea. <i>Journal of Clinical Medicine</i> , 2022, 11, 969.	1.0	4
3	Effectiveness of Hepatocellular Carcinoma Surveillance and an Optimal Surveillance Interval: Nationwide Cohort of Korea. <i>Yonsei Medical Journal</i> , 2021, 62, 758.	0.9	3
4	Body mass index as a predictor of mortality in bronchiectasis: A nationwide population-based study. <i>Respiratory Medicine</i> , 2021, 180, 106370.	1.3	5
5	Association of the type of counselor with suicidal ideation and suicide attempts: a survey of South Korean adolescents. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2021, 15, 62.	1.2	1
6	Prophylactic Cerclage to Prevent Preterm Birth after Conization: A Cohort Study Using Data from the National Health Insurance Service of Korea. <i>Yonsei Medical Journal</i> , 2021, 62, 1083.	0.9	2
7	Associations of electronic and conventional cigarette use with periodontal disease in South Korean adults. <i>Journal of Periodontology</i> , 2020, 91, 55-64.	1.7	43
8	Impact of Onset of Psychiatric Disorders and Psychiatric Treatment on Mortality Among Patients with Cancer. <i>Oncologist</i> , 2020, 25, e733-e742.	1.9	14
9	Transfusion demand in COVID-19 patients from the Korean population: a nationwide study in South Korea. <i>British Journal of Haematology</i> , 2020, 190, e323-e326.	1.2	10
10	Association between energy drink consumption, depression and suicide ideation in Korean adolescents. <i>International Journal of Social Psychiatry</i> , 2020, 66, 335-343.	1.6	12
11	Clinical Outcomes of COVID-19 Patients with Type 2 Diabetes: A Population-Based Study in Korea. <i>Endocrinology and Metabolism</i> , 2020, 35, 901-908.	1.3	21
12	Patient and Hospital Factors associated with 30-Day Unplanned Readmission in Patients with Stroke. <i>Journal of Investigative Medicine</i> , 2019, 67, 52-58.	0.7	5
13	The association between low frequency of having breakfast and dyslipidemia in South Korean men and women. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 896-904.	1.3	4
14	Association between Breakfast Frequency and Atherosclerotic Cardiovascular Disease Risk: A Cross-Sectional Study of KNHANES Data, 2014-2016. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1853.	1.2	6
15	Effects of different types and frequencies of physical activity on the homeostatic model assessment of insulin resistance. <i>Journal of Investigative Medicine</i> , 2019, 67, 841-849.	0.7	3
16	Association between Continuity of Care and the Onset of Thyroid Disorder among Diabetes Patients in Korea. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 233.	1.2	4
17	Association between the Type of Diabetes Treatment and Depressive Symptoms among Patients with Diabetes: A Cross-Sectional Study of Korea Community Health Surveys Data, 2011-2016. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4441.	1.2	8
18	Association between continuity of care and type 2 diabetes development among patients with thyroid disorder. <i>Medicine (United States)</i> , 2019, 98, e18537.	0.4	6

#	ARTICLE	IF	CITATIONS
19	Weight control success and depression by gender with respect to weight control behaviors. <i>Obesity Research and Clinical Practice</i> , 2019, 13, 168-175.	0.8	2
20	Association between family dinner and BMI in adults: data from the 2013 to 2015 Korean National Health and Nutrition Examination Survey. <i>Public Health Nutrition</i> , 2019, 22, 681-688.	1.1	5
21	The association between satisfaction with husband's participation in housework and suicidal ideation among married working women in Korea. <i>Psychiatry Research</i> , 2018, 261, 541-546.	1.7	11
22	Association between unplanned readmission to a different hospital and all-cause mortality among older patients with ischemic heart disease: A nationwide claim study. <i>European Journal of Internal Medicine</i> , 2018, 51, e25-e27.	1.0	0
23	The association between parental depression and adolescent's Internet addiction in South Korea. <i>Annals of General Psychiatry</i> , 2018, 17, 15.	1.2	16
24	Association between re-admission rate and hospital characteristics for ischemic heart disease. <i>Current Medical Research and Opinion</i> , 2018, 34, 441-446.	0.9	0
25	The influence of family stress and conflict on depressive symptoms among working married women: A longitudinal study. <i>Health Care for Women International</i> , 2018, 39, 275-288.	0.6	17
26	Management of Chronic Disease and Hospitalization Due to Diabetes among Type 2 Diabetes Patients in Korea: Using the National Sample Cohort Data 2002-2013. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2541.	1.2	2
27	Association between Smoking Behavior Patterns and Glycated Hemoglobin Levels in a General Population. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2260.	1.2	20
28	Implementation of the Chronic Disease Care System and its association with health care costs and continuity of care in Korean adults with type 2 diabetes mellitus. <i>BMC Health Services Research</i> , 2018, 18, 991.	0.9	9
29	The relationship between catastrophic health expenditure and health-related quality of life. <i>International Journal for Equity in Health</i> , 2018, 17, 166.	1.5	13
30	Association between thyroid hormones and the components of metabolic syndrome. <i>BMC Endocrine Disorders</i> , 2018, 18, 29.	0.9	25
31	Association between Sleep Duration and Perceived Stress: Salaried Worker in Circumstances of High Workload. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 796.	1.2	30
32	Factors associated with mental health consultation in South Korea. <i>BMC Psychiatry</i> , 2018, 18, 17.	1.1	17
33	Effects of Physician Volume on Readmission and Mortality in Elderly Patients with Heart Failure: Nationwide Cohort Study. <i>Yonsei Medical Journal</i> , 2018, 59, 243.	0.9	4
34	The Association between Social Contacts and Depressive Symptoms among Elderly Koreans. <i>Psychiatry Investigation</i> , 2018, 15, 861-868.	0.7	8
35	Association between Parents' Country of Birth and Adolescent Depressive Symptoms: the Early Stages of Multicultural Society. <i>Journal of Korean Medical Science</i> , 2018, 33, e116.	1.1	4
36	Projection of Breast Cancer Burden due to Reproductive/Lifestyle Changes in Korean Women (2013-2030) Using an Age-Period-Cohort Model. <i>Cancer Research and Treatment</i> , 2018, 50, 1388-1395.	1.3	19

#	ARTICLE	IF	CITATIONS
37	Association between unmet healthcare needs and health-related quality of life: a longitudinal study. <i>European Journal of Public Health</i> , 2017, 27, ckw264.	0.1	15
38	The effect of job loss on depressive symptoms: The results from the Korean Welfare Panel Study (2007–2013). <i>International Journal of Social Psychiatry</i> , 2017, 63, 57-62.	1.6	8
39	Breakfast consumption and depressive mood: A focus on socioeconomic status. <i>Appetite</i> , 2017, 114, 313-319.	1.8	52
40	Association between home-visit nursing utilization and all-cause hospitalization among long-term care insurance beneficiaries: A retrospective cohort study. <i>International Journal of Nursing Studies</i> , 2017, 75, 93-100.	2.5	5
41	The association between loss of work ability and depression: a focus on employment status. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 109-116.	1.1	16
42	Lack of Retirement Preparation is Associated with Increased Depressive Symptoms in the Elderly: Findings from the Korean Retirement and Income Panel Study. <i>Journal of Korean Medical Science</i> , 2017, 32, 1516.	1.1	11
43	The Association between Inappropriate Weight Control Behaviors and Suicide Ideation and Attempt among Korean Adolescents. <i>Journal of Korean Medical Science</i> , 2016, 31, 1529.	1.1	11
44	The relationship between sports facility accessibility and physical activity among Korean adults. <i>BMC Public Health</i> , 2016, 16, 893.	1.2	44
45	Effects of diagnosis-related group payment system on appendectomy outcomes. <i>Journal of Surgical Research</i> , 2016, 206, 347-354.	0.8	18
46	Is one's usual dinner companion associated with greater odds of depression? Using data from the 2014 Korean National Health and Nutrition Examination Survey. <i>International Journal of Social Psychiatry</i> , 2016, 62, 560-568.	1.6	22