

Guillaume St-Onge

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/198479/publications.pdf>

Version: 2024-02-01

112
papers

2,942
citations

126907

33
h-index

206112

48
g-index

114
all docs

114
docs citations

114
times ranked

2941
citing authors

#	ARTICLE	IF	CITATIONS
1	Influential groups for seeding and sustaining nonlinear contagion in heterogeneous hypergraphs. <i>Communications Physics</i> , 2022, 5, .	5.3	25
2	Source-sink behavioural dynamics limit institutional evolution in a group-structured society. <i>Royal Society Open Science</i> , 2022, 9, 211743.	2.4	5
3	Localization, epidemic transitions, and unpredictability of multistrain epidemics with an underlying genotype network. <i>PLoS Computational Biology</i> , 2021, 17, e1008606.	3.2	6
4	Master equation analysis of mesoscopic localization in contagion dynamics on higher-order networks. <i>Physical Review E</i> , 2021, 103, 032301.	2.1	24
5	Social Confinement and Mesoscopic Localization of Epidemics on Networks. <i>Physical Review Letters</i> , 2021, 126, 098301.	7.8	30
6	Diatom sedimentary assemblages and Holocene pH reconstruction from the Canadian Arctic Archipelago's largest lake. <i>Écoscience</i> , 2021, 28, 347-360.	1.4	9
7	Inference, Model Selection, and the Combinatorics of Growing Trees. <i>Physical Review Letters</i> , 2021, 126, 038301.	7.8	6
8	Universal Nonlinear Infection Kernel from Heterogeneous Exposure on Higher-Order Networks. <i>Physical Review Letters</i> , 2021, 127, 158301.	7.8	51
9	Defining the maximum extent of the Laurentide Ice Sheet in Home Bay (eastern Arctic Canada) during the Last Glacial episode. <i>Boreas</i> , 2020, 49, 52-70.	2.4	13
10	Storm-induced turbidity currents on a sediment-starved shelf: Insight from direct monitoring and repeat seabed mapping of upslope migrating bedforms. <i>Sedimentology</i> , 2020, 67, 1045-1068.	3.1	29
11	Pollen dispersal patterns in marine surface sediments from the San Jorge Gulf, SE Patagonia (Argentina). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 556, 109869.	2.3	2
12	Quantifying Provenance and Transport Pathways of Holocene Sediments From the Northwestern Greenland Margin. <i>Paleoceanography and Paleoclimatology</i> , 2020, 35, e2019PA003809.	2.9	8
13	Threefold way to the dimension reduction of dynamics on networks: An application to synchronization. <i>Physical Review Research</i> , 2020, 2, .	3.6	14
14	Landforms and Landscapes of the Magdalen Islands: The Role of Geology and Climate. <i>World Geomorphological Landscapes</i> , 2020, , 431-451.	0.3	0
15	Evolution of sea-surface conditions on the northwestern Greenland margin during the Holocene. <i>Journal of Quaternary Science</i> , 2019, 34, 569-580.	2.1	19
16	Chronology and sedimentology of a new 2.9 ka annually laminated record from South Sawtooth Lake, Ellesmere Island in this NOAA depository: https://www.ncdc.noaa.gov/paleo/study/33214 . <i>Quaternary Science Reviews</i> , 2019, 222, 105875.	3.0	6
17	Compositional changes in deglacial red mud event beds off the Laurentian Channel reveal source mixing, grain-size partitioning and ice retreat. <i>Quaternary Science Reviews</i> , 2019, 215, 98-115.	3.0	3
18	Holocene Changes in Deep Water Circulation Inferred From Authigenic Nd and Hf Isotopes in Sediment Records From the Chukchi-Alaskan and Canadian Beaufort Margins. <i>Paleoceanography and Paleoclimatology</i> , 2019, 34, 1038-1056.	2.9	10

#	ARTICLE	IF	CITATIONS
19	Efficient sampling of spreading processes on complex networks using a composition and rejection algorithm. <i>Computer Physics Communications</i> , 2019, 240, 30-37.	7.5	26
20	REE distribution and Nd isotope composition of estuarine waters and bulk sediment leachates tracing lithogenic inputs in eastern Canada. <i>Marine Chemistry</i> , 2019, 211, 117-130.	2.3	25
21	Phase Transition in the Recoverability of Network History. <i>Physical Review X</i> , 2019, 9, .	8.9	12
22	Holocene chronostratigraphy of northeastern Baffin Bay based on radiocarbon and palaeomagnetic data. <i>Boreas</i> , 2019, 48, 147-165.	2.4	12
23	Phase transition of the susceptible-infected-susceptible dynamics on time-varying configuration model networks. <i>Physical Review E</i> , 2018, 97, 022305.	2.1	21
24	Late-Quaternary glacial to postglacial sedimentation in three adjacent fjord-lakes of the QuÃ©bec North Shore (eastern Canadian Shield). <i>Quaternary Science Reviews</i> , 2018, 186, 91-110.	3.0	16
25	Sedimentary and rock magnetic signatures and event scenarios of deglacial outburst floods from the Laurentian Channel Ice Stream. <i>Quaternary Science Reviews</i> , 2018, 186, 27-46.	3.0	12
26	Geometric evolution of complex networks with degree correlations. <i>Physical Review E</i> , 2018, 97, 032309.	2.1	5
27	Baffin Bay paleoenvironments in the LGM and HS1: Resolving the ice-shelf question. <i>Marine Geology</i> , 2018, 402, 5-16.	2.1	34
28	Chronostratigraphy and spatial distribution of magnetic sediments in the Chukchi and Beaufort seas since the last deglaciation. <i>Boreas</i> , 2018, 47, 544-564.	2.4	16
29	Recent sedimentation in three adjacent fjord-lakes on the QuÃ©bec North Shore (eastern Canada): facies analysis, laminae preservation, and potential for varve formation. <i>Canadian Journal of Earth Sciences</i> , 2018, 55, 138-153.	1.3	2
30	Deglacial to postglacial history of Nares Strait, Northwest Greenland: a marine perspective from Kane Basin. <i>Climate of the Past</i> , 2018, 14, 1991-2010.	3.4	25
31	Multivariate modeling of glacial marine lithostratigraphy combining scanning XRF, multisensory core properties, and CT imagery: IODP Site U1419. , 2018, 14, 1935-1960.		11
32	Universality of the stochastic block model. <i>Physical Review E</i> , 2018, 98, .	2.1	22
33	Are Paleomagnetic Records From UÃ©Channels Appropriate for Studies of Reversals and Excursions?. <i>Geochemistry, Geophysics, Geosystems</i> , 2018, 19, 4130-4142.	2.5	14
34	Sediment Provenance Changes in the Western Arctic Ocean in Response to Ice Rafting, Sea Level, and Oceanic Circulation Variations Since the Last Deglaciation. <i>Geochemistry, Geophysics, Geosystems</i> , 2018, 19, 2147-2165.	2.5	19
35	Distribution of Modern Dinoflagellate Cyst Assemblages in Surface Sediments of San Jorge Gulf (Patagonia, Argentina). <i>Oceanography</i> , 2018, 31, 122-131.	1.0	5
36	Large-scale seismically-induced mass-movements in a former glacial lake basin: Lake TÃ©miscouata, northeastern Appalachians (eastern Canada). <i>Marine Geology</i> , 2017, 384, 120-130.	2.1	28

#	ARTICLE	IF	CITATIONS
37	Mineralogical, geochemical, and magnetic signatures of surface sediments from the Canadian Beaufort Shelf and Amundsen Gulf (Canadian Arctic). <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 488-512.	2.5	29
38	Influence of the Laurentide Ice Sheet and relative sea-level changes on sediment dynamics in the Estuary and Gulf of St. Lawrence since the last deglaciation. <i>Boreas</i> , 2017, 46, 541-561.	2.4	9
39	Contrasting fates of organic matter in locations having different organic matter inputs and bottom water O ₂ concentrations. <i>Estuarine, Coastal and Shelf Science</i> , 2017, 198, 63-72.	2.1	6
40	Relative sea-level changes and glacio-isostatic adjustment on the Magdalen Islands archipelago (Atlantic Canada) from MIS 5 to the late Holocene. <i>Quaternary Science Reviews</i> , 2017, 171, 216-233.	3.0	10
41	Sediment records of the influence of river damming on the dynamics of the Nelson and Churchill Rivers, western Hudson Bay, Canada, during the last centuries. <i>Holocene</i> , 2017, 27, 712-725.	1.7	11
42	Authigenic ¹⁰ Be/ ⁹ Be ratios and ¹⁰ Be-fluxes (²³⁰ Thxs-normalized) in central Baffin Bay sediments during the last glacial cycle: Paleoenvironmental implications. <i>Quaternary Science Reviews</i> , 2016, 140, 142-162.	3.0	59
43	Chronology and stratigraphy of the Magdalen Islands archipelago from the last glaciation to the early Holocene: new insights into the glacial and sea-level history of eastern Canada. <i>Boreas</i> , 2016, 45, 604-628.	2.4	18
44	High-resolution paleomagnetic and sedimentological investigations on the Tibetan Plateau for the past 16 ka cal B.P. The Tangra Yumco record. <i>Geochemistry, Geophysics, Geosystems</i> , 2016, 17, 774-790.	2.5	22
45	Palaeoenvironmental history of the last six centuries in the Nettilling Lake area (Baffin Island, Nunavut). <i>Journal of Quaternary Science</i> , 2016, 31, 107-117.	1.7	10
46	Unravelling the past 1,000 years of history of human-climate-landscape interactions at the Lindu plain, Sulawesi, Indonesia. <i>Vegetation History and Archaeobotany</i> , 2016, 25, 1-17.	2.1	6
47	Earthquake Induced Landslides in Lake TERNIT, Québec, Canada. <i>Advances in Natural and Technological Hazards Research</i> , 2016, , 361-370.	1.1	3
48	The Betsiamites-Colombier slides along the St. Lawrence Estuary Linking a 7250 years BP submarine slide to a 1663 coastal landslide. <i>Journal of Quaternary Science</i> , 2016, , 605-614.		1
49	Deglacial and postglacial evolution of the Pingualuit Crater Lake basin, northern Québec (Canada). <i>Geomorphology</i> , 2015, 248, 327-343.	2.6	5
50	Chronology and palaeoenvironmental implications of the ice-wedge pseudomorphs and composite-wedge casts on the Magdalen Islands (eastern Canada). <i>Boreas</i> , 2015, 44, 658-675.	2.4	13
51	Independently dated paleomagnetic secular variation records from the Tibetan Plateau. <i>Earth and Planetary Science Letters</i> , 2015, 416, 98-108.	4.4	30
52	Climate change and recent sedimentation in Nastapoka Sound, eastern coast of Hudson Bay. <i>Canadian Journal of Earth Sciences</i> , 2015, 52, 322-337.	1.3	4
53	Submarine canyons and channels in the Lower St. Lawrence Estuary (Eastern Canada): Morphology, classification and recent sediment dynamics. <i>Geomorphology</i> , 2015, 241, 1-18.	2.6	40
54	Mid-Pleistocene climate transition drives net mass loss from rapidly uplifting St. Elias Mountains, Alaska. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 15042-15047.	7.1	74

#	ARTICLE	IF	CITATIONS
55	Rock-magnetic proxies of wind intensity and dust since 51,200 cal BP from lacustrine sediments of Laguna Potrok Aike, southeastern Patagonia. <i>Earth and Planetary Science Letters</i> , 2015, 411, 72-86.	4.4	18
56	Microfacies and microstructures of subglacial and deglacial sediments from the Pingualuit Crater Lake (Ungava Peninsula, Canada). <i>Canadian Journal of Earth Sciences</i> , 2014, 51, 1084-1096.	1.3	7
57	Stratigraphy and infill history of the glacially eroded Matane River Valley, eastern Quebec, Canada. <i>Canadian Journal of Earth Sciences</i> , 2014, 51, 105-124.	1.3	9
58	North-eastern Laurentide, western Greenland and southern Innuitian ice stream dynamics during the last glacial cycle. <i>Journal of Quaternary Science</i> , 2014, 29, 14-26.	2.1	57
59	Environmental changes in Baffin Bay during the Holocene based on the physical and magnetic properties of sediment cores. <i>Journal of Quaternary Science</i> , 2014, 29, 41-56.	2.1	12
60	Morphodynamics in sediment-starved inner-shelf submarine canyons (Lower St. Lawrence Estuary). <i>Journal of Quaternary Science</i> , 2014, 29, 47-56.	2.1	43
61	Destructive and non-destructive density determination: method comparison and evaluation from the Laguna Potrok Aike sedimentary record. <i>Quaternary Science Reviews</i> , 2013, 71, 147-153.	3.0	54
62	Late-Holocene NAO and oceanic forcing on high-altitude proglacial sedimentation (Lake Bramant). <i>Journal of Quaternary Science</i> , 2013, 28, 117-126.	1.7	14
63	The Corossol structure: A possible impact crater on the seafloor of the northwestern Gulf of St. Lawrence, Eastern Canada. <i>Meteoritics and Planetary Science</i> , 2013, 48, 2542-2558.	1.6	8
64	Late Quaternary glacial history and meltwater discharges along the Northeastern Newfoundland Shelf. <i>Canadian Journal of Earth Sciences</i> , 2013, 50, 1178-1194.	1.3	34
65	Pro- and postglacial invertebrate communities of Pingualuit Crater Lake, Nunavik (Canada), and their paleoenvironmental implications. <i>Freshwater Science</i> , 2013, 32, 951-963.	1.8	7
66	High-resolution multiproxy records of sedimentological changes induced by dams in the Sept-Îles area (Gulf of St. Lawrence, Canada). <i>Marine Geology</i> , 2013, 338, 17-29.	2.1	10
67	Quaternary history of sea ice in the western Arctic Ocean based on foraminifera. <i>Quaternary Science Reviews</i> , 2013, 79, 145-156.	3.0	75
68	High-resolution paleomagnetic secular variations and relative paleointensity since the Late Pleistocene in southern South America. <i>Quaternary Science Reviews</i> , 2013, 71, 91-108.	3.0	41
69	Lithology, radiocarbon chronology and sedimentological interpretation of the lacustrine record from Laguna Potrok Aike, southern Patagonia. <i>Quaternary Science Reviews</i> , 2013, 71, 54-69.	3.0	60
70	Shallow-water longshore drift-fed submarine fan deposition (Moisie River Delta, Eastern Canada). <i>Geo-Marine Letters</i> , 2013, 33, 391-403.	1.1	18
71	Evaluating Late Holocene radiocarbon-based chronologies by matching palaeomagnetic secular variations to geomagnetic field models: an example from Lake Kalimpa (Sulawesi, Indonesia). <i>Geological Society Special Publication</i> , 2013, 373, 245-259.	1.3	9
72	The Late Quaternary Flow through the Bering Strait Has Been Forced by the Southern Ocean Winds. <i>Journal of Physical Oceanography</i> , 2012, 42, 2014-2029.	1.7	11

#	ARTICLE	IF	CITATIONS
73	New insights into paleoenvironmental changes in Laguna Potrok Aike, southern Patagonia, since the Late Pleistocene: The PASADO multiproxy record. <i>Holocene</i> , 2012, 22, 1323-1335.	1.7	39
74	High-resolution paleomagnetic records from Laguna Potrok Aike (Patagonia, Argentina) for the last 16,000 years. <i>Geochemistry, Geophysics, Geosystems</i> , 2012, 13, .	2.5	18
75	Late Quaternary chronostratigraphic framework of deep Baffin Bay glaciomarine sediments from high-resolution paleomagnetic data. <i>Geochemistry, Geophysics, Geosystems</i> , 2012, 13, .	2.5	35
76	Comparison of earthquake-triggered turbidites from the Saguenay (Eastern Canada) and Reloncavi (Chilean margin) Fjords: Implications for paleoseismicity and sedimentology. <i>Sedimentary Geology</i> , 2012, 243-244, 89-107.	2.1	72
77	New Evidence of Holocene Mass Wasting Events in Recent Volcanic Lakes from the French Massif Central (Lakes Pavin, Montcineyre and Chauvet) and Implications for Natural Hazards. , 2012, , 255-264.		13
78	New insights into Late Pleistocene glacial and postglacial history of northernmost Ungava (Canada) from Pingualuit Crater Lake sediments. <i>Quaternary Science Reviews</i> , 2011, 30, 3892-3907.	3.0	22
79	Oceanography and Quaternary geology of the St. Lawrence Estuary and the Saguenay Fjord. <i>IOP Conference Series: Earth and Environmental Science</i> , 2011, 14, 012004.	0.3	0
80	Marine geology of the St. Lawrence Estuary. <i>IOP Conference Series: Earth and Environmental Science</i> , 2011, 14, 012003.	0.3	2
81	Large-scale subaerial and submarine Holocene and recent mass movements in the Betsiamites area, Quebec, Canada. <i>Engineering Geology</i> , 2011, 121, 28-45.	6.3	30
82	Diatom-inferred wind activity at Lac du Sommet, southern QuÃ©bec, Canada: A multiproxy paleoclimate reconstruction based on diatoms, chironomids and pollen for the past 9500 years. <i>Holocene</i> , 2011, 21, 925-938.	1.7	18
83	Holocene dynamics of the Arctic's largest ice shelf. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 18899-18904.	7.1	41
84	Ocean and climate changes in polar and sub-polar environments: proceedings from the 2010 IODP-Canada/ECORD summer school. <i>IOP Conference Series: Earth and Environmental Science</i> , 2011, 14, 011001.	0.3	0
85	Multi-proxy records of environmental changes in Hudson Bay and Strait since the final outburst flood of Lake Agassizâ€“Ojibway. <i>Marine Geology</i> , 2010, 271, 93-105.	2.1	6
86	Role of the bedrock topography in the Quaternary filling of a giant estuarine basin: the Lower St. Lawrence Estuary, Eastern Canada. <i>Basin Research</i> , 2010, 22, 933-951.	2.7	37
87	Holocene sea ice history and climate variability along the main axis of the Northwest Passage, Canadian Arctic. <i>Paleoceanography</i> , 2010, 25, .	3.0	37
88	Holocene paleoceanography of the northwest passage, Canadian Arctic Archipelago. <i>Quaternary Science Reviews</i> , 2010, 29, 3468-3488.	3.0	42
89	Recent transfer of coastal sediments to the Laurentian Channel, Lower St. Lawrence Estuary (Eastern) Tj ETQq1 1 0,784314 rgBT /Overlo 1.1 16	1.1	16
90	CAT-scan analysis of sedimentary sequences: An ultrahigh-resolution paleoclimatic tool. <i>Engineering Geology</i> , 2009, 103, 127-133.	6.3	36

#	ARTICLE	IF	CITATIONS
91	Paleomagnetic constraints on the Holocene stratigraphy of the Arctic Alaskan margin. <i>Global and Planetary Change</i> , 2009, 68, 85-99.	3.5	50
92	Impact of diagenesis on the environmental magnetic record from a Holocene sedimentary sequence from the Chukchi Alaskan margin, Arctic Ocean. <i>Global and Planetary Change</i> , 2009, 68, 100-114.	3.5	21
93	Foraminiferal assemblage changes over the last 15,000 years on the Mackenzie Beaufort Sea Slope and Amundsen Gulf, Canada: Implications for past sea ice conditions. <i>Paleoceanography</i> , 2009, 24, .	3.0	45
94	Late-Quaternary morpho-sedimentology and submarine mass movements of the Betsiamites area, Lower St. Lawrence Estuary, Quebec, Canada. <i>Marine Geology</i> , 2008, 251, 233-252.	2.1	41
95	The subglacial origin of the Lake Agassiz Ojibway final outburst flood. <i>Nature Geoscience</i> , 2008, 1, 184-188.	12.9	94
96	High-resolution paleomagnetic secular variation and relative paleointensity records from the western Canadian Arctic: implication for Holocene stratigraphy and geomagnetic field behaviour This article is one of a series of papers published in this Special Issue on the theme <i>Polar Climate Stability Network</i>. GEOTOP Contribution 2008-0024.. <i>Canadian Journal of Earth Sciences</i> , 2008, 45, 1265-1281.	1.3	51
97	Identification and dating of a key Late Pleistocene stratigraphic unit in the St. Lawrence Estuary and Gulf (Eastern Canada). <i>Quaternary Science Reviews</i> , 2008, 27, 2390-2400.	3.0	40
98	Palynological evidence of Holocene climate change in the eastern Arctic: a possible shift in the Arctic oscillation at the millennial time scale This article is one of a series of papers published in this Special Issue on the theme <i>Polar Climate Stability Network</i>.. <i>Canadian Journal of Earth Sciences</i> , 2008, 45, 1363-1375.	1.3	38
99	High-resolution seismo-stratigraphy and sedimentological properties of late- and postglacial sediments in Lac Guillaume-Delisle Estuary and Nastapoka Sound, eastern Hudson Bay. <i>Canadian Journal of Earth Sciences</i> , 2008, 45, 427-441.	1.3	11
100	Chapter Three Magnetic Stratigraphy in <i>Paleoceanography: Reversals, Excursions, Paleointensity, and Secular Variation</i> . <i>Developments in Marine Geology</i> , 2007, 1, 99-138.	0.4	47
101	Chapter Two Continuous Physical Properties of Cored Marine Sediments. <i>Developments in Marine Geology</i> , 2007, , 63-98.	0.4	46
102	High-altitude varve records of abrupt environmental changes and mining activity over the last 4000 years in the Western French Alps (Lake Bramant, Grandes Rousses Massif). <i>Quaternary Science Reviews</i> , 2007, 26, 2644-2660.	3.0	163
103	Flood-Induced Turbidites From Northern Hudson Bay And Western Hudson Strait: A Two-Pulse Record Of Lake Agassiz Final Outburst Flood?. , 2007, , 129-137.		9
104	Submarine Mass Movements In The Betsiamites Area, Lower St. Lawrence Estuary, Québec, Canada. , 2007, , 233-241.		3
105	The Ad 1881 Earthquake-Triggered Slump And Late Holocene Flood-Induced Turbidites From Proglacial Lake Bramant, Western French Alps. , 2007, , 279-286.		20
106	Morphosedimentology Of Submarine Mass-Movements And Gravity Flows Offshore Sept-Îles, Nw Gulf Of St. Lawrence (Québec, Canada). , 2007, , 287-296.		6
107	Earthquake and flood-induced turbidites in the Saguenay Fjord (Québec): a Holocene paleoseismicity record. <i>Quaternary Science Reviews</i> , 2004, 23, 283-294.	3.0	130
108	Holocene paleomagnetic records from the St. Lawrence Estuary, eastern Canada: centennial- to millennial-scale geomagnetic modulation of cosmogenic isotopes. <i>Earth and Planetary Science Letters</i> , 2003, 209, 113-130.	4.4	168

#	ARTICLE	IF	CITATIONS
109	Isotopic constraints of sedimentary inputs and organic carbon burial rates in the Saguenay Fjord, Quebec. <i>Marine Geology</i> , 2001, 176, 1-22.	2.1	85
110	A new ~900-year varved record in Lake Walker, Québec North Shore, eastern Canada: insight on late Holocene climate mode of variability. <i>Journal of Paleolimnology</i> , 0, , 1.	1.6	3
111	IODP workshop: developing scientific drilling proposals for the Argentina Passive Volcanic Continental Margin (APVCM) basin evolution, deep biosphere, hydrates, sediment dynamics and ocean evolution. <i>Scientific Drilling</i> , 0, 22, 49-61.	0.6	1
112	Lateglacial and Holocene sedimentary dynamics in northwestern Baffin Bay as recorded in sediment cores from Cape Norton Shaw Inlet (Nunavut, Canada). <i>Boreas</i> , 0, , .	2.4	5