## Flvia Da R Guerra

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1984817/flavia-da-re-guerra-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

21 244 9 15 g-index

24 280 2.5 avg, IF L-index

#	Paper	IF	Citations
21	Anabolic steroids and their effects of on neuronal density in cortical areas and hippocampus of mice. <i>Brazilian Journal of Biology</i> , <b>2021</b> , 81, 537-543	1.5	2
20	Effects of Supraphysiological Doses of Testosterone Cypionate and Stanozolol on Neuronal Density of Basolateral and Medial Amygdala and on the Anxious Behavior of Mice. <i>Journal of Morphological Sciences</i> , <b>2019</b> , 36, 115-121	0.1	O
19	Effects of Supraphysiological Doses of Anabolic Androgenic Steroids on the Left Ventricles of Male and Female Mice Submitted to Swimming. <i>Journal of Morphological Sciences</i> , <b>2019</b> , 36, 002-006	0.1	
18	Effect of testosterone cypionate and stanozolol on the heart of young trained mice: A morphometric study. <i>Steroids</i> , <b>2019</b> , 145, 19-22	2.8	О
17	Chronical treatment with sildenafil causes Achilles tendinopathy in rats. <i>Life Sciences</i> , <b>2018</b> , 212, 87-92	6.8	O
16	Low level laser therapy accelerates the extracellular matrix reorganization of inflamed tendon. <i>Tissue and Cell</i> , <b>2017</b> , 49, 483-488	2.7	7
15	Green Tea and Glycine Modulate the Activity of Metalloproteinases and Collagen in the Tendinitis of the Myotendinous Junction of the Achilles Tendon. <i>Anatomical Record</i> , <b>2016</b> , 299, 918-28	2.1	4
14	Low-level laser therapy modulates pro-inflammatory cytokines after partial tenotomy. <i>Lasers in Medical Science</i> , <b>2016</b> , 31, 759-66	3.1	11
13	Birefringence of collagen fibres in rat calcaneal tendons treated with acupuncture during three phases of healing. <i>Acupuncture in Medicine</i> , <b>2016</b> , 34, 27-32	1.9	6
12	Biochemical and morphological alterations in the Achilles tendon of mdx mice. <i>Microscopy Research and Technique</i> , <b>2015</b> , 78, 85-93	2.8	3
11	Acupuncture increases the diameter and reorganisation of collagen fibrils during rat tendon healing. <i>Acupuncture in Medicine</i> , <b>2015</b> , 33, 51-7	1.9	14
10	Glycine improves biochemical and biomechanical properties following inflammation of the achilles tendon. <i>Anatomical Record</i> , <b>2015</b> , 298, 538-45	2.1	22
9	Structural and biomechanical changes in the Achilles tendon after chronic treatment with statins. <i>Food and Chemical Toxicology</i> , <b>2015</b> , 77, 50-7	4.7	19
8	Pulsed LLLT improves tendon healing in rats: a biochemical, organizational, and functional evaluation. <i>Lasers in Medical Science</i> , <b>2014</b> , 29, 805-11	3.1	23
7	A hypothesis for the anti-inflammatory and mechanotransduction molecular mechanisms underlying acupuncture tendon healing. <i>Acupuncture in Medicine</i> , <b>2014</b> , 32, 178-82	1.9	12
6	Statins induce biochemical changes in the Achilles tendon after chronic treatment. <i>Toxicology</i> , <b>2013</b> , 311, 162-8	4.4	31
5	LLLT improves tendon healing through increase of MMP activity and collagen synthesis. <i>Lasers in Medical Science</i> , <b>2013</b> , 28, 1281-8	3.1	52

## LIST OF PUBLICATIONS

4	Inflammatory process induced by carrageenan in adjacent tissue triggers the acute inflammation in deep digital flexor tendon of rats. <i>Anatomical Record</i> , <b>2013</b> , 296, 1187-95	2.1	7
3	Electroacupuncture increases the concentration and organization of collagen in a tendon healing model in rats. <i>Connective Tissue Research</i> , <b>2012</b> , 53, 542-7	3.3	18
2	Alterations in the Achilles tendon after inflammation in surrounding tissue. <i>Acta Ortopedica Brasileira</i> , <b>2012</b> , 20, 266-9	0.6	7
1	Protocol on induction of TMJ articular disc degeneration in rats by utilization of botulinum toxin. <i>Archives of Oral Biology</i> , <b>2010</b> , 55, 530-4	2.8	6