

Axel Brandes

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1986144/axel-brandes-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers

5,461
citations

25
h-index

73
g-index

99
ext. papers

8,995
ext. citations

6.6
avg, IF

4.98
L-index

#	Paper	IF	Citations
89	Accuracy, analysis time, and reproducibility of dedicated 4D echocardiographic left atrial volume quantification software.. <i>International Journal of Cardiovascular Imaging</i> , 2022 , 1	2.5	0
88	Atrial Fibrillation and Dementia: A Report From the AF-SCREEN International Collaboration.. <i>Circulation</i> , 2022 , 145, 392-409	16.7	4
87	NT-proBNP and ICD in Nonischemic Systolic Heart Failure: Extended Follow-Up of the DANISH Trial.. <i>JACC: Heart Failure</i> , 2022 , 10, 161-171	7.9	0
86	Potential role of conventional and speckle-tracking echocardiography in the screening of structural and functional cardiac abnormalities in elderly individuals: Baseline echocardiographic findings from the LOOP study. <i>PLoS ONE</i> , 2022 , 17, e0269475	3.7	0
85	Haematuria and urinary tract cancers in patients with atrial fibrillation treated with oral anticoagulants. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 373-379	6.4	1
84	The Authors Reply. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 704-705	8.4	
83	Prognostic importance of left atrial size measured by non-contrast cardiac computed tomography - A DANCAVAS study. <i>International Journal of Cardiology</i> , 2021 , 328, 220-226	3.2	2
82	Atrial fibrillation is a marker of increased mortality risk in nonischemic heart failure-Results from the DANISH trial. <i>American Heart Journal</i> , 2021 , 232, 61-70	4.9	0
81	Prevalence and prognostic association of ventricular arrhythmia in non-ischaemic heart failure patients: results from the DANISH trial. <i>Europace</i> , 2021 , 23, 587-595	3.9	4
80	2020 ESC Guidelines for the diagnosis and management of atrial fibrillation developed in collaboration with the European Association for Cardio-Thoracic Surgery (EACTS): The Task Force for the diagnosis and management of atrial fibrillation of the European Society of Cardiology (ESC)	9.5	1676
79	Developed with the special contribution of the European Heart Rhythm Association (EHRA) of the Lenient rate control versus strict rate control for atrial fibrillation: a protocol for the Danish Atrial Fibrillation (DanAF) randomised clinical trial. <i>BMJ Open</i> , 2021 , 11, e044744	3	1
78	Cost Analysis of a Dedicated Outpatient Clinic in Patients With Newly Diagnosed Atrial Fibrillation. <i>Journal of Cardiovascular Nursing</i> , 2021 , 36,	2.1	1
77	Comparison of the three-level and the five-level versions of the EQ-5D. <i>European Journal of Health Economics</i> , 2021 , 22, 621-628	3.6	6
76	Effectiveness and safety of oral anticoagulation treatment beyond 1 year after venous thromboembolism in patients at intermediate recurrence risk. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021 , 129, 210-220	3.1	
75	Implantable loop recorder detection of atrial fibrillation to prevent stroke (The LOOP Study): a randomised controlled trial. <i>Lancet, The</i> , 2021 , 398, 1507-1516	40	47
74	Systematic, early rhythm control strategy for atrial fibrillation in patients with or without symptoms: the EAST-AFNET 4 trial. <i>European Heart Journal</i> , 2021 ,	9.5	10
73	Day-to-day measurement of physical activity and risk of atrial fibrillation. <i>European Heart Journal</i> , 2021 , 42, 3979-3988	9.5	3

72	Early Rhythm Control Therapy in Patients With Atrial Fibrillation and Heart Failure. <i>Circulation</i> , 2021 , 144, 845-858	16.7	14
71	Assessment of patients with a suspected cardioembolic ischemic stroke. A national consensus statement. <i>Scandinavian Cardiovascular Journal</i> , 2021 , 55, 315-325	2	1
70	Atrial fibrillation burden and cognitive decline in elderly patients undergoing continuous monitoring. <i>American Heart Journal</i> , 2021 , 242, 15-23	4.9	1
69	Left Atrial Remodeling and Cerebrovascular Disease Assessed by Magnetic Resonance Imaging in Continuously Monitored Patients. <i>Cerebrovascular Diseases</i> , 2021 , 1-10	3.2	
68	Left Atrial Late Gadolinium Enhancement is Associated With Incident Atrial Fibrillation as Detected by Continuous Monitoring With Implantable Loop Recorders. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 1690-1700	8.4	10
67	Comprehensive Evaluation of Rhythm Monitoring Strategies in Screening for Atrial Fibrillation: Insights From Patients at Risk Monitored Long Term With an Implantable Loop Recorder. <i>Circulation</i> , 2020 , 141, 1510-1522	16.7	39
66	Left atrial volume and function assessed by cardiac magnetic resonance imaging are markers of subclinical atrial fibrillation as detected by continuous monitoring. <i>Europace</i> , 2020 , 22, 724-731	3.9	18
65	Persistence with Anticoagulation for Atrial Fibrillation: Report from the GLORIA-AF Phase III 1-Year Follow-up. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3
64	Gastrointestinal bleeding and the risk of colorectal cancer in anticoagulated patients with atrial fibrillation. <i>European Heart Journal</i> , 2020 ,	9.5	12
63	Subclinical atherosclerosis is associated with incident atrial fibrillation: a systematic review and meta-analysis. <i>Europace</i> , 2020 , 22, 991-1000	3.9	5
62	Cardioversion of atrial fibrillation and atrial flutter revisited: current evidence and practical guidance for a common procedure. <i>Europace</i> , 2020 , 22, 1149-1161	3.9	19
61	Incidence and predictors of atrial fibrillation episodes as detected by implantable loop recorder in patients at risk: From the LOOP study. <i>American Heart Journal</i> , 2020 , 219, 117-127	4.9	20
60	Electrical cardioversion of atrial fibrillation and atrial flutter: manoeuvres and tips to increase its effectiveness-Authors' reply. <i>Europace</i> , 2020 , 22, 1602	3.9	
59	Predictive Markers of Atrial Fibrillation in Patients with Transient Ischemic Attack. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020 , 29, 104643	2.8	1
58	Early Rhythm-Control Therapy in Patients with Atrial Fibrillation. <i>New England Journal of Medicine</i> , 2020 , 383, 1305-1316	59.2	337
57	New-Onset Atrial Fibrillation Among Patients With Infection in the Emergency Department: A Multicenter Cohort Study of 1-Year Stroke Risk. <i>American Journal of Medicine</i> , 2020 , 133, 352-359.e3	2.4	4
56	Left atrial volume index and left ventricular global longitudinal strain predict new-onset atrial fibrillation in patients with transient ischemic attack. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 1277-1286	2.5	6
55	The impact of implantable cardioverter-defibrillator implantation on health-related quality of life in the DANISH trial. <i>Europace</i> , 2019 , 21, 900-908	3.9	7

54	Atrial high-rate episodes: prevalence, stroke risk, implications for management, and clinical gaps in evidence. <i>Europace</i> , 2019 , 21, 1459-1467	3.9	24
53	Risk Models for Prediction of Implantable Cardioverter-Defibrillator Benefit: Insights From the DANISH Trial. <i>JACC: Heart Failure</i> , 2019 , 7, 717-724	7.9	14
52	A changing landscape: Temporal trends in incidence and characteristics of patients hospitalized with venous thromboembolism 2006-2015. <i>Thrombosis Research</i> , 2019 , 176, 46-53	8.2	17
51	Cabins, castles, and constant hearts: rhythm control therapy in patients with atrial fibrillation. <i>European Heart Journal</i> , 2019 , 40, 3793-3799c	9.5	29
50	Natural History of Subclinical Atrial Fibrillation Detected by Implanted Loop Recorders. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 2771-2781	15.1	40
49	Searching for Atrial Fibrillation Poststroke: A White Paper of the AF-SCREEN International Collaboration. <i>Circulation</i> , 2019 , 140, 1834-1850	16.7	93
48	Subclinical atrial fibrillation in patients with recent transient ischemic attack. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 707-714	2.7	11
47	Measurement of left atrial volume by 2D and 3D non-contrast computed tomography compared with cardiac magnetic resonance imaging. <i>Journal of Cardiovascular Computed Tomography</i> , 2018 , 12, 316-319	2.8	3
46	Does an interdisciplinary outpatient atrial fibrillation (AF) clinic affect the number of acute AF admissions? A retrospective cohort study. <i>Journal of Clinical Nursing</i> , 2018 , 27, 2684-2690	3.2	3
45	Patient-Reported Outcomes in Relation to Continuously Monitored Rhythm Before and During 2 Years After Atrial Fibrillation Ablation Using a Disease-Specific and a Generic Instrument. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	8
44	Integrating new approaches to atrial fibrillation management: the 6th AFNET/EHRA Consensus Conference. <i>Europace</i> , 2018 , 20, 395-407	3.9	66
43	Management of newly diagnosed atrial fibrillation in an outpatient clinic setting-patient's perspectives and experiences. <i>Journal of Clinical Nursing</i> , 2018 , 27, 601-611	3.2	11
42	The long-term efficacy of concomitant maze IV surgery in patients with atrial fibrillation. <i>IJC Heart and Vasculature</i> , 2018 , 19, 20-26	2.4	4
41	Risk Factor Management in Atrial Fibrillation. <i>Arrhythmia and Electrophysiology Review</i> , 2018 , 7, 118-127	3.2	54
40	The Changing Landscape for Stroke Prevention in AF: Findings From the GLORIA-AF Registry Phase 2. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 777-785	15.1	193
39	Screening for Atrial Fibrillation: A Report of the AF-SCREEN International Collaboration. <i>Circulation</i> , 2017 , 135, 1851-1867	16.7	302
38	Dabigatran reduces thrombin-induced platelet aggregation and activation in a dose-dependent manner. <i>Journal of Thrombosis and Thrombolysis</i> , 2017 , 44, 216-222	5.1	14
37	Complications after implantation of a new-generation insertable cardiac monitor: Results from the LOOP study. <i>International Journal of Cardiology</i> , 2017 , 241, 229-234	3.2	15

36	Antithrombotic Therapy and First Myocardial Infarction in Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2901-2909	15.1	16
35	Atrial fibrillation detected by continuous electrocardiographic monitoring using implantable loop recorder to prevent stroke in individuals at risk (the LOOP study): Rationale and design of a large randomized controlled trial. <i>American Heart Journal</i> , 2017 , 187, 122-132	4.9	39
34	Setting priorities in the health care sector - the case of oral anticoagulants in nonvalvular atrial fibrillation in Denmark. <i>ClinicoEconomics and Outcomes Research</i> , 2017 , 9, 617-627	1.7	5
33	Age and Outcomes of Primary Prevention Implantable Cardioverter-Defibrillators in Patients With Nonischemic Systolic Heart Failure. <i>Circulation</i> , 2017 , 136, 1772-1780	16.7	89
32	Detection of Subclinical Atrial Fibrillation in High-Risk Patients Using an Insertable Cardiac Monitor. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 1557-1564	4.6	14
31	Assessment of Atrial Fibrillation-Specific Symptoms Before and 2 Years After Atrial Fibrillation Ablation: Do Patients and Physicians Differ in Their Perception of Symptom Relief?. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 1168-1176	4.6	16
30	Defibrillator Implantation in Patients with Nonischemic Systolic Heart Failure. <i>New England Journal of Medicine</i> , 2016 , 375, 1221-30	59.2	876
29	Rationale, design, and baseline characteristics of the DANish randomized, controlled, multicenter study to assess the efficacy of Implantable cardioverter defibrillators in patients with non-ischemic Systolic Heart failure on mortality (DANISH). <i>American Heart Journal</i> , 2016 , 179, 136-41	4.9	20
28	Use of Antithrombotic Therapy and Long-Term Clinical Outcome Among Patients Surviving Intracerebral Hemorrhage. <i>Stroke</i> , 2016 , 47, 1837-43	6.7	43
27	A roadmap to improve the quality of atrial fibrillation management: proceedings from the fifth Atrial Fibrillation Network/European Heart Rhythm Association consensus conference. <i>Europace</i> , 2016 , 18, 37-50	3.9	90
26	Low Incidence of Atrial Fibrillation in Patients with Transient Ischemic Attack. <i>Cerebrovascular Diseases Extra</i> , 2016 , 6, 140-149	2.1	2
25	Substantial differences in initiation of oral anticoagulant therapy and clinical outcome among non-valvular atrial fibrillation patients treated in inpatient and outpatient settings. <i>Europace</i> , 2016 , 18, 492-500	3.9	11
24	Rhythm Control and Its Relation to Symptoms during the First Two Years after Radiofrequency Ablation for Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016 , 39, 914-25	1.6	7
23	The EAST study: redefining the role of rhythm control therapy in atrial fibrillation: EAST, the Early treatment of Atrial fibrillation for Stroke prevention Trial. <i>European Heart Journal</i> , 2015 , 36, 255-6	9.5	19
22	Predictors of hospitalization for heart failure and of all-cause mortality after atrioventricular nodal ablation and right ventricular pacing for atrial fibrillation. <i>Europace</i> , 2014 , 16, 1772-8	3.9	4
21	Preadmission oral anticoagulant treatment and clinical outcome among patients hospitalized with acute stroke and atrial fibrillation: a nationwide study. <i>Stroke</i> , 2014 , 45, 168-75	6.7	19
20	Atrial fibrillation in severe aortic valve stenosis Association with left ventricular left atrial remodeling. <i>International Journal of Cardiology Heart & Vessels</i> , 2014 , 4, 102-107		8
19	Preadmission oral anticoagulant therapy and clinical outcome in patients hospitalised with acute stroke and atrial fibrillation. <i>Danish Medical Journal</i> , 2014 , 61, A4904	3.8	8

18	Personalized management of atrial fibrillation: Proceedings from the fourth Atrial Fibrillation competence NETWORK/European Heart Rhythm Association consensus conference. <i>Europace</i> , 2013 , 15, 1540-56	3.9	101
17	Duration of vitamin K-antagonist treatment before DC cardioversion does not affect recurrence rate in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2013 , 168, 2986-8	3.2	
16	A proposal for interdisciplinary, nurse-coordinated atrial fibrillation expert programmes as a way to structure daily practice. <i>European Heart Journal</i> , 2013 , 34, 2725-30	9.5	58
15	Guideline adherence of antithrombotic treatment initiated by general practitioners in patients with nonvalvular atrial fibrillation: a Danish survey. <i>Clinical Cardiology</i> , 2013 , 36, 427-32	3.3	22
14	Positive predictive value of device-detected atrial high-rate episodes at different rates and durations: an analysis from ASSERT. <i>Heart Rhythm</i> , 2012 , 9, 1241-6	6.7	108
13	Comprehensive risk reduction in patients with atrial fibrillation: emerging diagnostic and therapeutic options--a report from the 3rd Atrial Fibrillation Competence NETWORK/European Heart Rhythm Association consensus conference. <i>Europace</i> , 2012 , 14, 8-27	3.9	156
12	Rationale and current perspective for early rhythm control therapy in atrial fibrillation. <i>Europace</i> , 2011 , 13, 1517-25	3.9	41
11	Does bipolar pacemaker current activate blood platelets?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 627-31	1.6	2
10	Depression assessed over 1-year survival in patients with myocardial infarction. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 290-7	6.5	19
9	Psychosocial predictors of depression in patients with acute coronary syndrome. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 111, 116-24	6.5	32
8	Circadian profile of cardiac autonomic nervous modulation in healthy subjects: differing effects of aging and gender on heart rate variability. <i>Journal of Cardiovascular Electrophysiology</i> , 2003 , 14, 791-9	2.7	330
7	Circadian profile of QT interval and QT interval variability in 172 healthy volunteers. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003 , 26, 377-82	1.6	35
6	Development of sinus node disease in patients with AV block: implications for single lead VDD pacing. <i>Heart</i> , 1999 , 81, 580-5	5.1	19
5	Diagnosis of atrial undersensing in dual chamber pacemakers: impact of autodiagnostic features. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1999 , 22, 894-902	1.6	12
4	Atrial sensing and AV synchrony in single lead VDD pacemakers: a prospective comparison to DDD devices with bipolar atrial leads. <i>Journal of Cardiovascular Electrophysiology</i> , 1999 , 10, 513-20	2.7	43
3	Should unipolar leads be implanted in the atrium? A Holter electrocardiographic comparison of threshold adapted unipolar and high sensitive bipolar sensing. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1998 , 21, 1601-8	1.6	5
2	Die Bedeutung des Langzeit-EKG für die Schrittmacherambulanz. <i>Herzschrittmachertherapie Und Elektrophysiologie</i> , 1998 , 9, 30-36	0.8	
1	Electrophysiological characteristics of bipolar membrane carbon leads with and without steroid elution compared with a conventional carbon and a steroid-eluting platinum lead. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996 , 19, 1155-61	1.6	11

