## Chia-Lin Lee

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1986584/publications.pdf

Version: 2024-02-01

794141 840119 33 437 11 19 citations h-index g-index papers 36 36 36 785 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Prognostic value of circulating tumor cells with podoplanin expression in patients with locally advanced or metastatic head and neck squamous cell carcinoma. Head and Neck, 2015, 37, 1448-1455.	0.9	55
2	Trajectories of fasting plasma glucose variability and mortality in type 2 diabetes. Diabetes and Metabolism, 2018, 44, 121-128.	1.4	36
3	Circulating Tumour Cells as an Independent Prognostic Factor in Patients with Advanced Oesophageal Squamous Cell Carcinoma Undergoing Chemoradiotherapy. Scientific Reports, 2016, 6, 31423.	1.6	34
4	Circulating Tumor Cells as a Tool of Minimal Residual Disease Can Predict Lung Cancer Recurrence: A longitudinal, Prospective Trial. Diagnostics, 2020, 10, 144.	1.3	33
5	Postoperative Mycobacterium tuberculosis infection after total knee arthroplasty. Knee, 2009, 16, 87-89.	0.8	32
6	Influenza-like illness prediction using a long short-term memory deep learning model with multiple open data sources. Journal of Supercomputing, 2020, 76, 9303-9329.	2.4	30
7	Changes in serum α-fetoprotein level predicts treatment response and survival in hepatocellular carcinoma patients and literature review. Journal of the Formosan Medical Association, 2018, 117, 153-163.	0.8	21
8	Baseline circulating stem-like cells predict survival in patients with metastatic breast Cancer. BMC Cancer, 2019, 19, 1167.	1.1	20
9	The variability of glycated hemoglobin is associated with renal function decline in patients with type 2 diabetes. Therapeutic Advances in Chronic Disease, 2020, 11, 204062231989837.	1.1	20
10	Dynamic and Dual Effects of Glycated Hemoglobin on Estimated Glomerular Filtration Rate in Type 2 Diabetic Outpatients. American Journal of Nephrology, 2013, 38, 19-26.	1.4	17
11	A cross-sectional analysis of the association between sleep duration and osteoporosis risk in adults using 2005–2010 NHANES. Scientific Reports, 2021, 11, 9090.	1.6	15
12	Systolic blood pressure trajectory and cardiovascular outcomes: An analysis using data in the Systolic Blood Pressure Intervention Trial. International Journal of Clinical Practice, 2020, 74, e13450.	0.8	13
13	Association between mortality and serum uric acid levels in non-diabetes-related chronic kidney disease: An analysis of the National Health and Nutrition Examination Survey, USA, 1999–2010. Scientific Reports, 2020, 10, 17585.	1.6	11
14	Hemoglobin glycation index as a useful predictor of therapeutic responses to dipeptidyl peptidase-4 inhibitors in patients with type 2 diabetes. PLoS ONE, 2017, 12, e0171753.	1.1	10
15	Hemoglobin level trajectories in the early treatment period are related with survival outcomes in patients with breast cancer. Oncotarget, 2017, 8, 1569-1579.	0.8	10
16	Association of Adherence to the Mediterranean Diet with All-Cause Mortality in Subjects with Heart Failure. Nutrients, 2022, 14, 842.	1.7	9
17	Approximate Mortality Risks between Hyperuricemia and Diabetes in the United States. Journal of Clinical Medicine, 2019, 8, 2127.	1.0	8
18	Associations of low-carbohydrate and low-fat intakes with all-cause mortality in subjects with prediabetes with and without insulin resistance. Clinical Nutrition, 2021, 40, 3601-3607.	2.3	8

#	Article	IF	CITATIONS
19	Associations of Adherence to the DASH Diet and the Mediterranean Diet With All-Cause Mortality in Subjects With Various Glucose Regulation States. Frontiers in Nutrition, 2022, 9, 828792.	1.6	8
20	Effects of statins on all-cause mortality at different low-density-lipoprotein cholesterol levels in Asian patients with type 2 diabetes. Current Medical Research and Opinion, 2018, 34, 1885-1892.	0.9	7
21	Physical activity and albuminuria were associated with painful diabetic polyneuropathy in type 2 diabetes in an ethnic Chinese population. Clinica Chimica Acta, 2016, 462, 55-59.	0.5	6
22	The impact of protein diet on bone density in people with/without chronic kidney disease: An analysis of the National Health and Nutrition Examination Survey database. Clinical Nutrition, 2020, 39, 3497-3503.	2.3	6
23	Factors associated with fibroblast growth factor 19 increment after oral glucose loading in patients who were previously admitted for coronary angiography. Clinica Chimica Acta, 2015, 450, 237-242.	0.5	4
24	HbA1c trajectory and cardiovascular outcomes: an analysis of data from the Action to Control Cardiovascular Risk in Diabetes (ACCORD) study. Therapeutic Advances in Chronic Disease, 2021, 12, 204062232110263.	1.1	4
25	<i>&gt;FTO</i> Obesity Variant–Exercise Interaction on Changes in Body Weight and BMI: The Taiwan Biobank Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e3673-e3681.	1.8	4
26	Effect of lowâ€protein intake on allâ€cause mortality in subjects with an estimated glomerular filtration rate higher than 60ÂmL/min/1.73Âm 2 with or without albuminuria. International Journal of Clinical Practice, 2020, 74, e13505.	0.8	3
27	Metformin as a potential protective therapy against tuberculosis in patients with diabetes mellitus: A retrospective cohort study in a single teaching hospital. Journal of Diabetes Investigation, 2021, 12, 1603-1609.	1.1	3
28	Effects of hyperuricemia on incident renal replacement therapy and all-cause mortality among patients with chronic kidney disease stages 3-5: a retrospective cohort study. Sao Paulo Medical Journal, 2019, 137, 523-529.	0.4	3
29	Hyperuricemia and diabetes mellitus when occurred together have higher risks than alone on all-cause mortality and end-stage renal disease in patients with chronic kidney disease. BMC Nephrology, 2022, 23, 157.	0.8	3
30	Statin treatment is associated with a negative correlation between NT-proBNP and insulin resistance in patients without history of heart failure. Clinica Chimica Acta, 2016, 459, 84-88.	0.5	2
31	Association of diurnal calorie trajectory with all-cause mortality: Findings from the National Health and Nutrition Examination Survey. Clinical Nutrition, 2021, 40, 1920-1925.	2.3	1
32	Association of MMP-9 to TIMP-1 ratio with long-term body weight and waist circumference after dietary weight reduction in men with metabolic syndrome. Clinica Chimica Acta, 2016, 452, 182-184.	0.5	0
33	Slow Weight Loss During Comprehensive Treatment and Worse Metabolic Control with Higher Weight Regain: A Trajectory Analysis. Obesity, 2019, 27, 1925-1926.	1.5	0