
Richard BarteÄek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1987380/publications.pdf Version: 2024-02-01



Ριςμαρη Βαρτεάεκ

#	Article	IF	CITATIONS
1	Identification of common variants associated with human hippocampal and intracranial volumes. Nature Genetics, 2012, 44, 552-561.	21.4	594
2	EEG Resting-State Large-Scale Brain Network Dynamics Are Related to Depressive Symptoms. Frontiers in Psychiatry, 2019, 10, 548.	2.6	72
3	Altered directed functional connectivity of the right amygdala in depression: high-density EEG study. Scientific Reports, 2020, 10, 4398.	3.3	26
4	Impulsivity in patients with borderline personality disorder: a comprehensive profile compared with healthy people and patients with ADHD. Psychological Medicine, 2020, 50, 1829-1838.	4.5	23
5	Serum dextromethorphan/dextrorphan metabolic ratio for CYP2D6 phenotyping in clinical practice. Journal of Clinical Pharmacy and Therapeutics, 2012, 37, 486-490.	1.5	21
6	Dimensions of Impulsivity in Healthy People, Patients with Borderline Personality Disorder, and Patients with Attention-Deficit/Hyperactivity Disorder. Journal of Attention Disorders, 2021, 25, 584-595.	2.6	14
7	Emotional impulsivity is connected to suicide attempts and health care utilization in patients with borderline personality disorder. General Hospital Psychiatry, 2019, 56, 54-55.	2.4	12
8	Examination of electrodermal and cardio-vascular reactivity in virtual reality through a combined stress induction protocol. Journal of Ambient Intelligence and Humanized Computing, 2020, 11, 6033-6042.	4.9	12
9	Clozapine Reverses Dysfunction of Glutamatergic Neurons Derived From Clozapine-Responsive Schizophrenia Patients. Frontiers in Cellular Neuroscience, 2022, 16, 830757.	3.7	10
10	The Practice of Electroconvulsive Therapy in Children and Adolescents in the Czech Republic. Journal of ECT, 2021, 37, 112-118.	0.6	8
11	Electroconvulsive Therapy in the Treatment of Patient With Depressive Disorder After Traumatic Brain Injury, Intracranial Bleeding, and Polytrauma. Journal of ECT, 2017, 33, e22-e24.	0.6	5
12	Sick leave duration as a potential marker of functionality and disease severity in depression. International Journal of Psychiatry in Clinical Practice, 2022, 26, 406-416.	2.4	5
13	Social Environment Simulation in VR Elicits a Distinct Reaction in Subjects with Different Levels of Anxiety and Somatoform Dissociation. International Journal of Human-Computer Interaction, 2020, 36, 505-515.	4.8	4
14	Withdrawal related adverse effects of antipsychotic medication in a patient with first-episode schizophrenia. Open Medicine (Poland), 2011, 6, 662-664.	1.3	2
15	Follow‑up care after COVID-19 and its related concerns. Vnitrni Lekarstvi, 2021, 67, 30-35.	0.2	1
16	Methodology of cognitive impairment assessment in depressive disorder. Ceska A Slovenska Neurologie A Neurochirurgie, 2020, 83/116, 43-47.	0.1	1
17	Longitudinal monitoring of hair cortisol using liquid chromatography-mass spectrometry to prevent hypercortisolism in patients undergoing glucocorticoid replacement therapy. Therapeutic Drug Monitoring, 2021, Publish Ahead of Print, 438-447.	2.0	1