Enzo Masci

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1988462/publications.pdf

Version: 2024-02-01

126 papers 4,798 citations

32 h-index 98622 67 g-index

127 all docs

127 docs citations

127 times ranked

4144 citing authors

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 1 | Migration rate using Fullyâ€covered metal stent in anastomotic strictures after liver transplantation: Results from the <scp>BASALT</scp> Study Group. Liver International, 2022, , . | 1.9 | 3 |
| 2 | Endosonographic evaluation of the mediastinum through the i-gel O ₂ supraglottic airway device. Tumori, 2021, 107, 86-90. | 0.6 | 4 |
| 3 | Preventive Anti-inflammatory Diet to Reduce Gastrointestinal Inflammation in Familial Adenomatous Polyposis Patients: A Prospective Pilot Study. Cancer Prevention Research, 2021, 14, 963-972. | 0.7 | 8 |
| 4 | Plasma miRNAâ€based signatures in CRC screening programs. International Journal of Cancer, 2020, 146, 1164-1173. | 2.3 | 35 |
| 5 | Tu1354 CLINICAL PERFORMANCE OF NEW THREE POINTS 19 G ENDOSCOPIC ULTRASOUND CORE NEEDLE FOR THE HISTOLOGICAL DIAGNOSIS OF MESENCHYMAL TUMORS. Gastrointestinal Endoscopy, 2019, 89, AB586. | 0.5 | O |
| 6 | A Pilot Low-Inflammatory Dietary Intervention to Reduce Inflammation and Improve Quality of Life in Patients With Familial Adenomatous Polyposis: Protocol Description and Preliminary Results. Integrative Cancer Therapies, 2019, 18, 153473541984640. | 0.8 | 10 |
| 7 | Endoâ€therapies for biliary ductâ€toâ€duct anastomotic stricture after liver transplantation: Outcomes of a nationwide survey. Liver International, 2019, 39, 1355-1362. | 1.9 | 18 |
| 8 | EUS-guided tissue sampling with a 20-gauge core biopsy needle for the characterization of gastrointestinal subepithelial lesions: A multicenter study. Endoscopic Ultrasound, 2019, 8, 105. | 0.6 | 32 |
| 9 | Hemospray for treatment of acute bleeding due to upper gastrointestinal tumours. Digestive and Liver Disease, 2017, 49, 514-517. | 0.4 | 40 |
| 10 | Mo1194 Acute Bleeding Due to Upper Gastrointestinal Tumors Treated With Hemospray: A Case Series From 4 European Endoscopy Centers. Gastrointestinal Endoscopy, 2017, 85, AB457-AB458. | 0.5 | 1 |
| 11 | Italian survey on non-steroidal anti-inflammatory drugs and gastrointestinal bleeding in children. World Journal of Gastroenterology, 2016, 22, 1877. | 1.4 | 38 |
| 12 | Endoscopic ultrasound-guided esophagoenterostomy for a completely obstructed surgical anastomosis. Endoscopy, 2016, 48, E1-E2. | 1.0 | 24 |
| 13 | Endoscopic ultrasound-guided fine needle aspiration of splenic vein thrombosis: a novel approach to the portal venous system. Endoscopy, 2016, 48, E40-E41. | 1.0 | 4 |
| 14 | Over-the-scope clips in the treatment of gastrointestinal tract iatrogenic perforation: A multicenter retrospective study and a classification of gastrointestinal tract perforations. World Journal of Gastrointestinal Surgery, 2016, 8, 315. | 0.8 | 39 |
| 15 | Comparison between loop-tip guidewire-assisted and conventional endoscopic cannulation in high risk patients. Endoscopy International Open, 2015, 03, E464-E470. | 0.9 | 12 |
| 16 | The Great Pretender: Rectal Syphilis Mimic a Cancer. Case Reports in Surgery, 2015, 2015, 1-4. | 0.2 | 9 |
| 17 | Blue rubber bleb nevus syndrome: combined surgical and endoscopic treatment. Endoscopy, 2015, 47, E372-E373. | 1.0 | 12 |
| 18 | 2-Litre polyethylene glycol-citrate-simethicone plus bisacodyl versus 4-litre polyethylene glycol as preparation for colonoscopy in chronic constipation. Digestive and Liver Disease, 2015, 47, 857-863. | 0.4 | 50 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Removable covered self-expanding metal stent for extraction of a large biliary stone in a patient on dual antiplatelet therapy. Endoscopy, 2014, 46, E342-E342. | 1.0 | 3 |
| 20 | Successful closure of an endoscopic ultrasound-induced duodenal perforation using an over-the-scope-clip. Endoscopy, 2014, 46, E206-E207. | 1.0 | 7 |
| 21 | An â€~omental patch' created during over-the-scope clipping completely sealed a duodenal perforation after endoultrasonography. Therapeutic Advances in Gastroenterology, 2014, 7, 280-281. | 1.4 | 2 |
| 22 | Hemospray Application in Nonvariceal Upper Gastrointestinal Bleeding. Journal of Clinical Gastroenterology, 2014, 48, e89-e92. | 1.1 | 115 |
| 23 | Endoscopic resection for superficial colorectal neoplasia in Italy: A prospective multicentre study. Digestive and Liver Disease, 2014, 46, 146-151. | 0.4 | 26 |
| 24 | Upper gastrointestinal active bleeding ulcers: review of literature on the results of endoscopic techniques and our experience with Hemospray. Scandinavian Journal of Gastroenterology, 2014, 49, 1290-1295. | 0.6 | 27 |
| 25 | Liver steatosis (LS) evaluated through chemical-shift magnetic resonance imaging liver enzymes in morbid obesity; effect of weight loss obtained with intragastric balloon gastric banding. Acta Diabetologica, 2014, 51, 361-368. | 1.2 | 41 |
| 26 | Treatment of a Sigmoid Perforation With an Over-the-Scope Clip During Diagnostic Colonoscopy. Clinical Gastroenterology and Hepatology, 2014, 12, A21-A22. | 2.4 | 11 |
| 27 | The Use of Double Lasso, Fully Covered Self-Expandable Metal Stents with New "Anchoring Flap― System in the Treatment of Benign Biliary Diseases. Digestive Diseases and Sciences, 2014, 59, 2308-2313. | 1.1 | 17 |
| 28 | Endoscopic mucosal resection in high- and low-volume centers: a prospective multicentric study. Surgical Endoscopy and Other Interventional Techniques, 2013, 27, 3799-3805. | 1.3 | 20 |
| 29 | Long term outcome of acute pancreatitis in Italy: Results of a multicentre study. Digestive and Liver Disease, 2013, 45, 827-832. | 0.4 | 20 |
| 30 | Author reply: Comment to "Fully covered, self-expandable metal stents for first-step endoscopic treatment of biliary leaks secondary to hepato-biliary surgery: A retrospective study― Digestive and Liver Disease, 2013, 45, 618. | 0.4 | 0 |
| 31 | Interobserver agreement among endoscopists on evaluation of polypoid colorectal lesions visualized with the Pentax i-Scan technique. Digestive and Liver Disease, 2013, 45, 207-210. | 0.4 | 9 |
| 32 | Is pregnancy a predisposing factor for Dieulafoy's duodenal lesion or only a coincidence?. Clinics and Research in Hepatology and Gastroenterology, 2013, 37, e119-e120. | 0.7 | 2 |
| 33 | Fully covered, self-expandable metal stents for first-step endoscopic treatment of biliary leaks secondary to hepato-biliary surgery: A retrospective study. Digestive and Liver Disease, 2013, 45, 430-432. | 0.4 | 10 |
| 34 | Over-the-scope clip (OTSC) represents an effective endoscopic treatment for acute GI bleeding after failure of conventional techniques. Surgical Endoscopy and Other Interventional Techniques, 2013, 27, 3162-3164. | 1.3 | 123 |
| 35 | Cholesterol Metabolism After Bariatric Surgery in Grade 3 Obesity. Diabetes Care, 2013, 36, 1443-1447. | 4.3 | 65 |
| 36 | Efficacy and acceptability of sodium picosulphate/magnesium citrate ⟨i⟩vs⟨/i⟩ lowâ€volume polyethylene glycol plus ascorbic acid for colon cleansing: a randomized controlled trial. Colorectal Disease, 2013, 15, 1145-1153. | 0.7 | 41 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Accidental endoscopic piercing of the tongue with an Ovesco clip. Endoscopy, 2012, 44, E221-E221. | 1.0 | 7 |
| 38 | Fully covered self-expandable metallic stents in benign biliary strictures: a multicenter study on efficacy and safety. Endoscopy, 2012, 44, 923-927. | 1.0 | 77 |
| 39 | Rectal band ligation for treatment of extensive chronic hemorrhagic radiation proctitis. Endoscopy, 2012, 44, E375-E375. | 1.0 | 8 |
| 40 | Oral high dose Beclomethasone dipropionate for treatment of active ulcerative colitis. Gastroenterology Insights, 2012, 4, 9. | 0.7 | 2 |
| 41 | Successful treatment with an over-the-scope clip of Dieulafoy's gastric lesion resistant to conventional endoscopic treatment. Endoscopy, 2012, 44, E387-E387. | 1.0 | 6 |
| 42 | Covered removable selfâ€expandable metal stents for the treatment of refractory benign biliary disease. Journal of Digestive Diseases, 2012, 13, 486-490. | 0.7 | 9 |
| 43 | Hood Colonoscopy in Trainees: A Useful Adjunct to Improve the Performance. Digestive Diseases and Sciences, 2012, 57, 2675-2679. | 1.1 | 6 |
| 44 | Erratum to "No increase in prevalence of Barrett's oesophagus in a surgical series of obese patients referred for laparoscopic gastric banding―[Dig. Liver Dis. 43 (2011) 613–615]. Digestive and Liver Disease, 2012, 44, 88. | 0.4 | 0 |
| 45 | Double endoscopic retrograde ureteral drainage performed with a standard gastroscope in a cystectomized patient with a Wallace ureteroilealcutaneous anastomosis. Digestive and Liver Disease, 2012, 44, 624-625. | 0.4 | 1 |
| 46 | Can we improve the detection rate and interobserver agreement in capsule endoscopy?. Digestive and Liver Disease, 2012, 44, 1006-1011. | 0.4 | 35 |
| 47 | Singleâ€step versus twoâ€step endo–ultrasonographyâ€guided drainage of pancreatic pseudocyst. Journal of Digestive Diseases, 2012, 13, 47-53. | 0.7 | 17 |
| 48 | Management of warfarin-associated coagulopathy in patients with acute gastrointestinal bleeding: A cross-sectional physician survey of current practice. Digestive and Liver Disease, 2011, 43, 444-447. | 0.4 | 11 |
| 49 | No increase in prevalence of Barrett's oesophagus in a surgical series of obese patients referred for laparoscopic gastric banding. Digestive and Liver Disease, 2011, 43, 613-615. | 0.4 | 10 |
| 50 | Endoscopic Palliation in Patients With Incurable Malignant Colorectal Obstruction by Means of Self-expanding Metal Stent. Archives of Surgery, 2011, 146, 1157. | 2.3 | 104 |
| 51 | Small bowel capsule endoscopy in clinical practice. European Journal of Gastroenterology and Hepatology, 2010, 22, 1380-1386. | 0.8 | 75 |
| 52 | Effect of Transoral Incisionless Fundoplication on Symptoms, PPI Use, and pHâ€lmpedance Refluxes of GERD Patients. World Journal of Surgery, 2010, 34, 750-757. | 0.8 | 51 |
| 53 | Sentinel node mapping during laparoscopic distal gastrectomy for gastric cancer: technical notes. Surgical Endoscopy and Other Interventional Techniques, 2010, 24, 2324-2326. | 1.3 | 4 |
| 54 | Surgical management of acute pancreatitis in Italy: lessons from a prospective multicentre study. Hpb, 2010, 12, 597-604. | 0.1 | 22 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Endoscopic closure of acute iatrogenic perforations during diagnostic and therapeutic endoscopy in the gastrointestinal tract using metallic clips: A literature review. Journal of Digestive Diseases, 2010, 11, 12-18. | 0.7 | 89 |
| 56 | Risk Factors for Post-ERCP Pancreatitis in High- and Low-Volume Centers and Among Expert and Non-Expert Operators: A Prospective Multicenter Study. American Journal of Gastroenterology, 2010, 105, 1753-1761. | 0.2 | 224 |
| 57 | Avoiding duodenal endoscopic biopsies in celiac disease: Are we going forward or looking to the past?. Digestive and Liver Disease, 2010, 42, 154-155. | 0.4 | O |
| 58 | Bulb biopsies for the diagnosis of celiac disease in pediatric patients. Gastrointestinal Endoscopy, 2010, 72, 564-568. | 0.5 | 41 |
| 59 | Endoscopic sealing of a rectovesical fistula with a combination of an over the scope clip and cyano-acrylate injection. Journal of Gastrointestinal Oncology, 2010, 1, 122-4. | 0.6 | 11 |
| 60 | Pancreatic Ductal Abnormalities Documented by Secretin-Enhanced MRCP in Asymptomatic Subjects With Chronic Pancreatic Hyperenzymemia. American Journal of Gastroenterology, 2009, 104, 1780-1786. | 0.2 | 42 |
| 61 | Patient satisfaction after endoscopic retrograde cholangiopancreatography for biliary stones: A prospective multicenter study in Lombardy. Journal of Gastroenterology and Hepatology (Australia), 2009, 24, 1510-1515. | 1.4 | 6 |
| 62 | Second-line levofloxacin-based triple schemes for Helicobacter pylori eradication. Digestive and Liver Disease, 2009, 41, 480-485. | 0.4 | 53 |
| 63 | Optical coherence tomography in pediatric patients: A feasible technique for diagnosing celiac disease in children with villous atrophy. Digestive and Liver Disease, 2009, 41, 639-643. | 0.4 | 20 |
| 64 | Diagnostic bulb biopsies in celiac disease. Gastrointestinal Endoscopy, 2009, 69, 388-389. | 0.5 | 4 |
| 65 | The Role of the Bulb Biopsies in Children with Celiac Disease. Gastrointestinal Endoscopy, 2009, 69, AB101. | 0.5 | O |
| 66 | Sentinel node mapping during laparoscopic distal gastrectomy for gastric cancer. Surgical Endoscopy and Other Interventional Techniques, 2008, 22, 118-121. | 1.3 | 48 |
| 67 | Ultraflex precision colonic stent placement as a bridge to surgery in patients with malignant colon obstruction. Gastrointestinal Endoscopy, 2008, 67, 68-73. | 0.5 | 51 |
| 68 | MRCP-secretin test–guided management of idiopathic recurrent pancreatitis: long-term outcomes. Gastrointestinal Endoscopy, 2008, 67, 1028-1034. | 0.5 | 63 |
| 69 | Evaluation Study On the Correlation Between Optical Coherence Tomography and Histology in the Diagnosis of Celiac Disease in Pediatric Patients. Gastrointestinal Endoscopy, 2008, 67, AB79. | 0.5 | O |
| 70 | EUS-guided rendezvous technique for difficult cannulation of an intradiverticular papilla. Endoscopy, 2008, 40, E87-E88. | 1.0 | 12 |
| 71 | Enteral Self-expandable Metal Stent for Malignant Luminal Obstruction of the Upper and Lower Gastrointestinal Tract. Journal of Clinical Gastroenterology, 2008, 42, 389-394. | 1.1 | 29 |
| 72 | Lack of Colonic Neoplastic Lesions in Patients Under 50 Yr of Age With Hematochezia: A Multicenter Prospective Study. American Journal of Gastroenterology, 2007, 102, 2011-2015. | 0.2 | 29 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Intraductal Optical Coherence Tomography for Investigating Main Pancreatic Duct Strictures. American Journal of Gastroenterology, 2007, 102, 269-274. | 0.2 | 64 |
| 74 | Metal stent migration after chemotherapy. Endoscopy, 2007, 39, E111-E111. | 1.0 | 2 |
| 75 | EUS-guided methylene blue injection into the pancreatic duct as a guide for pancreatic stenting after ampullectomy. Endoscopy, 2007, 39, E151-E152. | 1.0 | 13 |
| 76 | Prospective multicenter quality assessment of endotherapy of biliary stones: does center volume matter?. Endoscopy, 2007, 39, 1076-1081. | 1.0 | 17 |
| 77 | An obstructive, proximally migrated plastic biliary stent extracted with a "modified―Seldinger technique and a polypectomy snare. Endoscopy, 2007, 39, E256-E256. | 1.0 | 2 |
| 78 | Diagnostic assessment and outcome of acute pancreatitis in Italy: Results of a prospective multicentre study. Digestive and Liver Disease, 2007, 39, 829-837. | 0.4 | 41 |
| 79 | A prospective multicentre survey on the treatment of acute pancreatitis in Italy. Digestive and Liver Disease, 2007, 39, 838-846. | 0.4 | 81 |
| 80 | Detection of Sphincter of Oddi Fibrosis By Optical CoherenceÂTomography in Patients with Type I Dysfunction: AnÂExperimental "In Vivo―Study. Gastrointestinal Endoscopy, 2007, 65, AB213. | 0.5 | 0 |
| 81 | Bridging to Surgery By Ultraflexâ,,¢ Precision Colonic Stent Placement in Patients with Malignant Colonic Obstruction. Gastrointestinal Endoscopy, 2007, 65, AB257. | 0.5 | 1 |
| 82 | Linear Vs Radial Optical Coherence Tomography in the Visualization of the Normal Common Bile Duct: An Experimental Study. Gastrointestinal Endoscopy, 2007, 65, AB336. | 0.5 | 0 |
| 83 | Double self-expandable total-coated metal stent for gastrojejunal leak after pancreatoduodenectomy. Gastrointestinal Endoscopy, 2007, 66, 1024-1025. | 0.5 | 1 |
| 84 | Pilot study on the correlation of optical coherence tomography with histology in celiac disease and normal subjects. Journal of Gastroenterology and Hepatology (Australia), 2007, 22, 2256-2260. | 1.4 | 24 |
| 85 | Main pancreatic duct, common bile duct and sphincter of Oddi structure visualized by optical coherence tomography: An ex vivo study compared with histology. Digestive and Liver Disease, 2006, 38, 409-414. | 0.4 | 34 |
| 86 | Frequency of post-ERCP pancreatitis in a single tertiary referral centre without and with routine prophylaxis with gabexate: A 6-year survey and cost-effectiveness analysis. Digestive and Liver Disease, 2006, 38, 588-595. | 0.4 | 13 |
| 87 | Optical coherence tomography compared with histology of the main pancreatic duct structure in normal and pathological conditions: An †ex vivo studyâ€. Digestive and Liver Disease, 2006, 38, 688-695. | 0.4 | 17 |
| 88 | Intraductal Optical Coherence Tomography (OCT) for Investigating Main Pancreatic Duct Strictures. Gastrointestinal Endoscopy, 2006, 63, AB89. | 0.5 | 1 |
| 89 | Is the fluoroscopic image always a true representation of the position of an endoscopically placed device?. Endoscopy, 2006, 38, E60-E60. | 1.0 | 0 |
| 90 | Optical coherence tomography in the diagnosis of coeliac disease: a preliminary report. Gut, 2006, 55, 579-579. | 6.1 | 10 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Preliminary data on the use of intraductal optical coherence tomography during ERCP for investigating main pancreatic duct strictures. Gut, 2006, 55, 1680-1681. | 6.1 | 5 |
| 92 | Optical Coherence Tomography to Detect Epithelial Lesions of the Main Pancreatic Duct: An Ex Vivo Study. American Journal of Gastroenterology, 2005, 100, 2777-2783. | 0.2 | 28 |
| 93 | ENDOSCOPIC EVALUATION OF HEMATOCHEZIA IN PERSONS BETWEEN 30-50 YEARS. American Journal of Gastroenterology, 2004, 99, S293. | 0.2 | 0 |
| 94 | Short-term prophylactic prevention of post-ERCP pancreatitis. Gastrointestinal Endoscopy, 2003, 58, 816. | 0.5 | 5 |
| 95 | Secretin MRCP and endoscopic pancreatic manometry in the evaluation of sphincter of Oddi function: a comparative pilot study in patients with idiopathic recurrent pancreatitis. Gastrointestinal Endoscopy, 2003, 58, 847-852. | 0.5 | 93 |
| 96 | Comparison of Two Dosing Regimens of Gabexate in The Prophylaxis of Post-Ercp Pancreatitis. American Journal of Gastroenterology, 2003, 98, 2182-2186. | 0.2 | 64 |
| 97 | Risk Factors for Pancreatitis Following Endoscopic Retrograde Cholangiopancreatography: A Meta-Analysis. Endoscopy, 2003, 35, 830-834. | 1.0 | 391 |
| 98 | Effects of gabexate mesilate, a protease inhibitor, on human sphincter of Oddi motility. Digestive Diseases and Sciences, 2002, 47, 741-745. | 1.1 | 10 |
| 99 | Does aging influence the main pancreatic duct diameter measured by magnetic resonance pancreatography?. Digestive and Liver Disease, 2000, 32, A107. | 0.4 | 2 |
| 100 | Comparison of secretin MR pancreatography (MRP-S) and ultrasonography (US-S) in idiopathic recurrent pancreatitis. Gastroenterology, 2000, 118, A1150. | 0.6 | 0 |
| 101 | A New Simple Immunoassay for Detecting <i>Helicobacter pylori </i> Infection: Antigen in Stool Specimens. Digestion, 1999, 60, 456-460. | 1.2 | 42 |
| 102 | Selection criteria for pre-operative endoscopic retrograde cholangiography and endoscopic-laparoscopic treatment of biliary stones. European Journal of Gastroenterology and Hepatology, 1999, 11, 781-784. | 0.8 | 17 |
| 103 | Accuracy of the Plasma Amino Acid–Consumption Test in Detecting Pancreatic Diseases Is Due to Different Methods. Pancreas, 1999, 18, 203-211. | 0.5 | 6 |
| 104 | Laparoscopy versus endoscopy for bile-duct stones. Lancet, The, 1998, 351, 984-986. | 6.3 | 0 |
| 105 | Prospective multicentric randomized trial comparing banding ligation with sclerotherapy of esophageal varices. Gastrointestinal Endoscopy, 1997, 45, AB74. | 0.5 | 4 |
| 106 | Intestinal metaplasia in gastric mucosa and helicobacter pylori therapy: Is it possible the regression. Gastrointestinal Endoscopy, 1997, 45, AB97. | 0.5 | 0 |
| 107 | Multidisciplinary Conservative Treatment of Difficult Bile Duct Stones: A Real Alternative to Surgery. HPB Surgery, 1997, 10, 229-234. | 2.2 | 3 |
| 108 | Gabexate for the Prevention of Pancreatic Damage Related to Endoscopic Retrograde Cholangiopancreatography. New England Journal of Medicine, 1996, 335, 919-923. | 13.9 | 351 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Colloid bismuth <i>versus</i> famotidine in the treatment and prevention of duodenal ulcer relapse: results of a doubleâ€blind, double dummy randomized study. Fundamental and Clinical Pharmacology, 1995, 9, 280-283. | 1.0 | 1 |
| 110 | Different interdigestive antroduodenal motility patterns in chronic antral gastritis with and withoutHelicobacter pylori infection. Digestive Diseases and Sciences, 1993, 38, 2255-2261. | 1.1 | 26 |
| 111 | Effectiveness of Cisapride in Gastric Ulcer Results of a Double-Blind Randomized Trial Versus Ranitidine and Versus Cisapride plus Ranitidine. Journal of Clinical Gastroenterology, 1993, 17, 5-9. | 1.1 | 8 |
| 112 | Alkaline Reflux Gastritis after Partial Gastrectomy: Evidence for a Pathogenetic Role of Deoxycholic Acid. Digestive Surgery, 1990, 7, 13-18. | 0.6 | 0 |
| 113 | Manometric evaluation of the interdigestive antroduodenal motility in subjects with fasting bile reflux, with and without antral gastritis Gut, 1989, 30, 443-448. | 6.1 | 16 |
| 114 | Estudio controlado doble-ciego del efecto del acido ursodeoxicolico (UDCA) versus placebo en el tratamiento de la gastritis por reflujo biliar en pacientes no operados. Acta Endoscopica, 1989, 19, 251-260. | 0.0 | 0 |
| 115 | Prediction of the First Variceal Hemorrhage in Patients with Cirrhosis of the Liver and Esophageal Varices. New England Journal of Medicine, 1988, 319, 983-989. | 13.9 | 1,278 |
| 116 | Interdigestive Motility Pattern in Subjects with Duodenogastric Bile Reflux. Scandinavian Journal of Gastroenterology, 1987, 22, 757-762. | 0.6 | 16 |
| 117 | Duodenogastric Reflux: Correlations among Bile Acid Pattern, Mucus Secretion, and Mucosal Damage. Scandinavian Journal of Gastroenterology, 1987, 22, 308-312. | 0.6 | 15 |
| 118 | Effect of H ₂ -Receptor Blockade on Gastric Mucus Composition. A Comparative Study with Ranitidine and Famotidine. Journal of International Medical Research, 1987, 15, 224-226. | 0.4 | 3 |
| 119 | Effects of FCE 20700, a new PGE2 derivative, on gastric acid secretion and cytoprotective processes in man. European Journal of Clinical Pharmacology, 1987, 31, 535-539. | 0.8 | 2 |
| 120 | Effect of nifedipine on gastric acid secretion and gastrin release in healthy man. European Journal of Clinical Pharmacology, 1985, 28, 677-679. | 0.8 | 11 |
| 121 | Effect of L-dopa with and without inhibition of extra cerebral dopa decarboxylase on gastric acid secretion and gastrin release in man Gut, 1985, 26, 1014-1017. | 6.1 | 4 |
| 122 | Lack of effect of domperidone on gastrin release: evidence for a peripheral activity of the drug British Journal of Clinical Pharmacology, 1984, 17, 588-590. | 1.1 | 5 |
| 123 | Early Detection of Pancreatic Lesions in Chronic Alcoholism: Diagnostic Accuracy of ERP. Journal of Clinical Gastroenterology, 1984, 6, 519-523. | 1.1 | 7 |
| 124 | Effect of sulpiride isomers on gastric acid and gastrin secretion in healthy man. European Journal of Clinical Pharmacology, 1983, 25, 319-322. | 0.8 | 15 |
| 125 | Dopaminergic control of gastric acid and gastrin secretion in man: lack of effects after acute oral administration of ibopamine, an analogue of dopamine British Journal of Clinical Pharmacology, 1983, 16, 112-114. | 1.1 | 4 |
| 126 | The role of pancreatography in differential diagnosis between chronic pancreatitis and pancreatic cancer. Acta Endoscopica, 1981, 11, 435-441. | 0.0 | 0 |