

Yunfeng Feng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1988629/publications.pdf>

Version: 2024-02-01

37
papers

2,809
citations

186265

28
h-index

361022

35
g-index

38
all docs

38
docs citations

38
times ranked

4518
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Active MT1-MMP is tethered to collagen fibers in DDR2-containing remnants. <i>Gene</i> , 2021, 788, 145673. | 2.2 | 2 |
| 2 | Incorporation of DDR2 clusters into collagen matrix via integrin-dependent posterior remnant tethering. <i>International Journal of Biological Sciences</i> , 2018, 14, 654-666. | 6.4 | 2 |
| 3 | Immune-checkpoint protein VISTA critically regulates the IL-23/IL-17 inflammatory axis. <i>Scientific Reports</i> , 2017, 7, 1485. | 3.3 | 68 |
| 4 | Mst1 Kinase Regulates the Actin-Bundling Protein L-Plastin To Promote T Cell Migration. <i>Journal of Immunology</i> , 2016, 197, 1683-1691. | 0.8 | 32 |
| 5 | PLEKHM1/DEF8/RAB7 complex regulates lysosome positioning and bone homeostasis. <i>JCI Insight</i> , 2016, 1, e86330. | 5.0 | 57 |
| 6 | Three-dimensional matrix fiber alignment modulates cell migration and MT1-MMP utility by spatially and temporally directing protrusions. <i>Scientific Reports</i> , 2015, 5, 14580. | 3.3 | 183 |
| 7 | Endothelial Surface Protrusion by a Point Load. <i>Biophysical Journal</i> , 2014, 106, 172a. | 0.5 | 0 |
| 8 | β -Catenin Serves as a Clutch between Low and High Intercellular E-Cadherin Bond Strengths. <i>Biophysical Journal</i> , 2013, 105, 2289-2300. | 0.5 | 11 |
| 9 | β -Actinin1 and 4 tyrosine phosphorylation is critical for stress fiber establishment, maintenance and focal adhesion maturation. <i>Experimental Cell Research</i> , 2013, 319, 1124-1135. | 2.6 | 28 |
| 10 | Actin cap associated focal adhesions and their distinct role in cellular mechanosensing. <i>Scientific Reports</i> , 2012, 2, 555. | 3.3 | 159 |
| 11 | Dimensional and temporal controls of three-dimensional cell migration by zyxin and binding partners. <i>Nature Communications</i> , 2012, 3, 719. | 12.8 | 92 |
| 12 | Curcumin inhibits gene expression of receptor for advanced glycation end-products (RAGE) in hepatic stellate cells <i>in vitro</i> by elevating PPAR β activity and attenuating oxidative stress. <i>British Journal of Pharmacology</i> , 2012, 166, 2212-2227. | 5.4 | 100 |
| 13 | The LIMD1 protein bridges an association between the prolyl hydroxylases and VHL to repress HIF-1 activity. <i>Nature Cell Biology</i> , 2012, 14, 201-208. | 10.3 | 77 |
| 14 | Surface Protrusion of Human Umbilical Vein Endothelial Cells. <i>Biophysical Journal</i> , 2011, 100, 190a. | 0.5 | 0 |
| 15 | LIS1 Regulates Osteoclast Formation and Function through Its Interactions with Dynein/Dynactin and Plekhh1. <i>PLoS ONE</i> , 2011, 6, e27285. | 2.5 | 42 |
| 16 | Reply: reducing background fluorescence reveals adhesions in 3D matrices. <i>Nature Cell Biology</i> , 2011, 13, 5-7. | 10.3 | 53 |
| 17 | Effect of Focal Adhesion Proteins on Endothelial Cell Adhesion, Motility and Orientation Response to Cyclic Strain. <i>Annals of Biomedical Engineering</i> , 2010, 38, 208-222. | 2.5 | 45 |
| 18 | Prediction of Sphingosine 1-Phosphate-Stimulated Endothelial Cell Migration Rates Using Biochemical Measurements. <i>Annals of Biomedical Engineering</i> , 2010, 38, 2775-2790. | 2.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Ajuba LIM Proteins Are Negative Regulators of the Hippo Signaling Pathway. <i>Current Biology</i> , 2010, 20, 657-662. | 3.9 | 240 |
| 20 | A distinctive role for focal adhesion proteins in three-dimensional cell motility. <i>Nature Cell Biology</i> , 2010, 12, 598-604. | 10.3 | 525 |
| 21 | LIM-domain proteins, LIMD1, Ajuba, and WTIP are required for microRNA-mediated gene silencing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 12499-12504. | 7.1 | 61 |
| 22 | LIM protein Ajuba functions as a nuclear receptor corepressor and negatively regulates retinoic acid signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 2938-2943. | 7.1 | 47 |
| 23 | Regulation of U6 Promoter Activity by Transcriptional Interference in Viral Vector-Based RNAi. <i>Genomics, Proteomics and Bioinformatics</i> , 2010, 8, 170-179. | 6.9 | 17 |
| 24 | A Multifunctional Lentiviral-Based Gene Knockdown with Concurrent Rescue that Controls for Off-Target Effects of RNAi. <i>Genomics, Proteomics and Bioinformatics</i> , 2010, 8, 238-245. | 6.9 | 40 |
| 25 | Loss of β -Catenin Decreases the Strength of Single E-cadherin Bonds between Human Cancer Cells. <i>Journal of Biological Chemistry</i> , 2009, 284, 18252-18259. | 3.4 | 54 |
| 26 | Down-regulation of Rap1GAP via Promoter Hypermethylation Promotes Melanoma Cell Proliferation, Survival, and Migration. <i>Cancer Research</i> , 2009, 69, 449-457. | 0.9 | 73 |
| 27 | Actin stress fiber pre-extension in human aortic endothelial cells. <i>Cytoskeleton</i> , 2008, 65, 281-294. | 4.4 | 58 |
| 28 | β -Catenin mediates initial E-cadherin-dependent cell-cell recognition and subsequent bond strengthening. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 18331-18336. | 7.1 | 70 |
| 29 | Ajuba LIM Proteins Are Snail/Slug Corepressors Required for Neural Crest Development in <i>Xenopus</i> . <i>Developmental Cell</i> , 2008, 14, 424-436. | 7.0 | 106 |
| 30 | The LIM Protein, LIMD1, Regulates AP-1 Activation through an Interaction with TRAF6 to Influence Osteoclast Development. <i>Journal of Biological Chemistry</i> , 2007, 282, 39-48. | 3.4 | 46 |
| 31 | Phosphatidylinositol 3-Kinase Activation Is Required To Form the NKG2D Immunological Synapse. <i>Molecular and Cellular Biology</i> , 2007, 27, 8583-8599. | 2.3 | 42 |
| 32 | Ras-Associated Protein-1 Regulates Extracellular Signal-Regulated Kinase Activation and Migration in Melanoma Cells: Two Processes Important to Melanoma Tumorigenesis and Metastasis. <i>Cancer Research</i> , 2006, 66, 7880-7888. | 0.9 | 91 |
| 33 | The LIM Protein Ajuba Influences Interleukin-1-Induced NF- κ B Activation by Affecting the Assembly and Activity of the Protein Kinase C α /p62/TRAF6 Signaling Complex. <i>Molecular and Cellular Biology</i> , 2005, 25, 4010-4022. | 2.3 | 73 |
| 34 | The LIM Protein Ajuba Regulates Phosphatidylinositol 4,5-Bisphosphate Levels in Migrating Cells through an Interaction with and Activation of PIPK β . <i>Molecular and Cellular Biology</i> , 2005, 25, 3956-3966. | 2.3 | 58 |
| 35 | The LIM protein Ajuba influences p130Cas localization and Rac1 activity during cell migration. <i>Journal of Cell Biology</i> , 2005, 168, 813-824. | 5.2 | 106 |
| 36 | Cytoplasmic retention of HIV-1 regulatory protein Vpr by protein-protein interaction with a novel human cytoplasmic protein VprBP. <i>Gene</i> , 2001, 263, 131-140. | 2.2 | 95 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Direct binding to nucleic acids by Vpr of human immunodeficiency virus type 1. <i>Gene</i> , 1998, 212, 157-166. | 2.2 | 53 |