

Aleksandra Kropińska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1988890/publications.pdf>

Version: 2024-02-01

9
papers

309
citations

1307594

7
h-index

1474206

9
g-index

9
all docs

9
docs citations

9
times ranked

490
citing authors

#	ARTICLE	IF	CITATIONS
1	Total Thyroidectomy and Adjuvant Radioiodine Treatment Independently Decrease Locoregional Recurrence Risk in Childhood and Adolescent Differentiated Thyroid Cancer. <i>Journal of Nuclear Medicine</i> , 2007, 48, 879-888.	5.0	169
2	Coexistence of TERT Promoter Mutations and the BRAF V600E Alteration and Its Impact on Histopathological Features of Papillary Thyroid Carcinoma in a Selected Series of Polish Patients. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2647.	4.1	37
3	Rekomendacje Polskich Towarzystw Naukowych –Diagnostyka i leczenie raka tarczycy–. Aktualizacja na rok 2018. <i>Endokrynologia Polska</i> , 2018, 69, 34-74.	1.0	32
4	Polskie rekomendacje diagnostyki i leczenia zróżnicowanego raka tarczycy u dzieci. <i>Endokrynologia Polska</i> , 2016, 67, 628-642.	1.0	22
5	Ciąga stratyfikacja ryzyka w zróżnicowanym raku tarczycy (DTC) – stymulowane stężenie tyreoglobuliny (Tg) w surowicy, przed leczeniem uzupełnionym radiojodem (RAI), najważniejszym czynnikiem ryzyka nawrotu raka u pacjentów w MO. <i>Endokrynologia Polska</i> , 2016, 67, 2-11.	1.0	20
6	TERT Promoter Mutations and Their Impact on Gene Expression Profile in Papillary Thyroid Carcinoma. <i>Cancers</i> , 2020, 12, 1597.	3.7	13
7	Postoperative Radioiodine Treatment within 9 Months from Diagnosis Significantly Reduces the Risk of Relapse in Low-Risk Differentiated Thyroid Carcinoma. <i>Nuclear Medicine and Molecular Imaging</i> , 2019, 53, 320-327.	1.0	10
8	Only peak thyroglobulin concentration on day 1 and 3 of rhTSH-aided RAI adjuvant treatment has prognostic implications in differentiated thyroid cancer. <i>Annals of Nuclear Medicine</i> , 2021, 35, 1214-1222.	2.2	4
9	Positive resources: feeling of hope and life satisfaction in a group of patients treated in childhood because of differentiated thyroid gland cancer. <i>Współczesna Onkologia</i> , 2010, 5, 316-320.	1.4	2