## Moisés Blanco-Calvo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1990019/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Potential Role of Sugar Transporters in Cancer and Their Relationship with Anticancer Therapy. International Journal of Endocrinology, 2010, 2010, 1-14.	1.5	144
2	Circulating miR-200c as a diagnostic and prognostic biomarker for gastric cancer. Journal of Translational Medicine, 2012, 10, 186.	4.4	130
3	Wnt signalling and cancer stem cells. Clinical and Translational Oncology, 2009, 11, 411-427.	2.4	100
4	New Insights into Molecular Mechanisms of Sunitinib-Associated Side Effects. Molecular Cancer Therapeutics, 2011, 10, 2215-2223.	4.1	98
5	Notch signalling in cancer stem cells. Clinical and Translational Oncology, 2009, 11, 11-19.	2.4	89
6	Circulating miR-200c and miR-141 and outcomes in patients with breast cancer. BMC Cancer, 2015, 15, 297.	2.6	72
7	Biology of BMP signalling and cancer. Clinical and Translational Oncology, 2009, 11, 126-137.	2.4	62
8	Colorectal Cancer Classification and Cell Heterogeneity: A Systems Oncology Approach. International Journal of Molecular Sciences, 2015, 16, 13610-13632.	4.1	47
9	Clinical implications of epithelial cell plasticity in cancer progression. Cancer Letters, 2015, 366, 1-10.	7.2	43
10	Biological influence of Hakai in cancer: a 10-year review. Cancer and Metastasis Reviews, 2012, 31, 375-386.	5.9	42
11	Hedgehog signalling as a target in cancer stem cells. Clinical and Translational Oncology, 2009, 11, 199-207.	2.4	41
12	A novel procedure for protein extraction from formalinâ€fixed paraffinâ€embedded tissues. Proteomics, 2011, 11, 2555-2559.	2.2	41
13	Evaluation of the Adenocarcinoma-Associated Gene AGR2 and the Intestinal Stem Cell Marker LGR5 as Biomarkers in Colorectal Cancer. International Journal of Molecular Sciences, 2012, 13, 4367-4387.	4.1	40
14	Circulating levels of GDF15, MMP7 and miR-200c as a poor prognostic signature in gastric cancer. Future Oncology, 2014, 10, 1187-1202.	2.4	37
15	Prognostic impact of disseminated tumor cells and microRNA-17-92 cluster deregulation in gastrointestinal cancer. International Journal of Oncology, 2011, 39, 1253-64.	3.3	35
16	miR-203 Regulates Cell Proliferation through Its Influence on Hakai Expression. PLoS ONE, 2012, 7, e52568.	2.5	34
17	Circulating MicroRNAs: Molecular Microsensors in Gastrointestinal Cancer. Sensors, 2012, 12, 9349-9362.	3.8	31
18	Expression of Wnt gene family and frizzled receptors in head and neck squamous cell carcinomas. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2009, 455, 67-75.	2.8	23

Moisés Blanco-Calvo

#	Article	IF	CITATIONS
19	Comprehensive lung injury pathology induced by mTOR inhibitors. Clinical and Translational Oncology, 2009, 11, 499-510.	2.4	21
20	Role of the microtubule-targeting drug vinflunine on cell-cell adhesions in bladder epithelial tumour cells. BMC Cancer, 2014, 14, 507.	2.6	19
21	Evaluation of <i>Plakophilin-3</i> mRNA as a Biomarker for Detection of Circulating Tumor Cells in Gastrointestinal Cancer Patients. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1432-1440.	2.5	18
22	An approach to the hypoxic and oxidative stress responses inKluyveromyces lactisby analysis of mRNA levels. FEMS Yeast Research, 2007, 7, 702-714.	2.3	17
23	Glucose transporter expression and the potential role of fructose in renal cell carcinoma: A correlation with pathological parameters. Molecular Medicine Reports, 2010, 3, 575-80.	2.4	15
24	KlRox1p contributes to yeast resistance to metals and is necessary for KlYCF1 expression in the presence of cadmium. Gene, 2012, 497, 27-37.	2.2	14
25	Functional characterization of KlHEM13, a hypoxic gene of Kluyveromyces lactis. Canadian Journal of Microbiology, 2005, 51, 241-249.	1.7	11
26	Systems oncology: toward the clinical application of cancer systems biology. Future Oncology, 2015, 11, 553-555.	2.4	4
27	Functional characterization of KIHEM13, a hypoxic gene of Kluyveromyces lactis. Canadian Journal of Microbiology, 2005, 51, 431-431.	1.7	1
28	Two Proteins with Different Functions Are Derived from the <i>KlHEM13</i> Gene. Eukaryotic Cell, 2011, 10, 1331-1339.	3.4	1