
Moisés Blanco-Calvo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1990019/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Circulating miR-200c and miR-141 and outcomes in patients with breast cancer. BMC Cancer, 2015, 15, 297.	2.6	72
2	Systems oncology: toward the clinical application of cancer systems biology. Future Oncology, 2015, 11, 553-555.	2.4	4
3	Clinical implications of epithelial cell plasticity in cancer progression. Cancer Letters, 2015, 366, 1-10.	7.2	43
4	Colorectal Cancer Classification and Cell Heterogeneity: A Systems Oncology Approach. International Journal of Molecular Sciences, 2015, 16, 13610-13632.	4.1	47
5	Circulating levels of GDF15, MMP7 and miR-200c as a poor prognostic signature in gastric cancer. Future Oncology, 2014, 10, 1187-1202.	2.4	37
6	Role of the microtubule-targeting drug vinflunine on cell-cell adhesions in bladder epithelial tumour cells. BMC Cancer, 2014, 14, 507.	2.6	19
7	Circulating MicroRNAs: Molecular Microsensors in Gastrointestinal Cancer. Sensors, 2012, 12, 9349-9362.	3.8	31
8	Evaluation of the Adenocarcinoma-Associated Gene AGR2 and the Intestinal Stem Cell Marker LGR5 as Biomarkers in Colorectal Cancer. International Journal of Molecular Sciences, 2012, 13, 4367-4387.	4.1	40
9	KlRox1p contributes to yeast resistance to metals and is necessary for KlYCF1 expression in the presence of cadmium. Gene, 2012, 497, 27-37.	2.2	14
10	Circulating miR-200c as a diagnostic and prognostic biomarker for gastric cancer. Journal of Translational Medicine, 2012, 10, 186.	4.4	130
11	miR-203 Regulates Cell Proliferation through Its Influence on Hakai Expression. PLoS ONE, 2012, 7, e52568.	2.5	34
12	Biological influence of Hakai in cancer: a 10-year review. Cancer and Metastasis Reviews, 2012, 31, 375-386.	5.9	42
13	Prognostic impact of disseminated tumor cells and microRNA-17-92 cluster deregulation in gastrointestinal cancer. International Journal of Oncology, 2011, 39, 1253-64.	3.3	35
14	A novel procedure for protein extraction from formalinâ€fixed paraffinâ€embedded tissues. Proteomics, 2011, 11, 2555-2559.	2.2	41
15	New Insights into Molecular Mechanisms of Sunitinib-Associated Side Effects. Molecular Cancer Therapeutics, 2011, 10, 2215-2223.	4.1	98
16	Two Proteins with Different Functions Are Derived from the <i>KlHEM13</i> Gene. Eukaryotic Cell, 2011, 10, 1331-1339.	3.4	1
17	Glucose transporter expression and the potential role of fructose in renal cell carcinoma: A correlation with pathological parameters. Molecular Medicine Reports, 2010, 3, 575-80.	2.4	15
18	Evaluation of <i>Plakophilin-3</i> mRNA as a Biomarker for Detection of Circulating Tumor Cells in Gastrointestinal Cancer Patients. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1432-1440.	2.5	18

#	Article	IF	CITATIONS
19	Potential Role of Sugar Transporters in Cancer and Their Relationship with Anticancer Therapy. International Journal of Endocrinology, 2010, 2010, 1-14.	1.5	144
20	Expression of Wnt gene family and frizzled receptors in head and neck squamous cell carcinomas. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2009, 455, 67-75.	2.8	23
21	Notch signalling in cancer stem cells. Clinical and Translational Oncology, 2009, 11, 11-19.	2.4	89
22	Biology of BMP signalling and cancer. Clinical and Translational Oncology, 2009, 11, 126-137.	2.4	62
23	Hedgehog signalling as a target in cancer stem cells. Clinical and Translational Oncology, 2009, 11, 199-207.	2.4	41
24	Wnt signalling and cancer stem cells. Clinical and Translational Oncology, 2009, 11, 411-427.	2.4	100
25	Comprehensive lung injury pathology induced by mTOR inhibitors. Clinical and Translational Oncology, 2009, 11, 499-510.	2.4	21
26	An approach to the hypoxic and oxidative stress responses inKluyveromyces lactisby analysis of mRNA levels. FEMS Yeast Research, 2007, 7, 702-714.	2.3	17
27	Functional characterization of KIHEM13, a hypoxic gene of Kluyveromyces lactis. Canadian Journal of Microbiology, 2005, 51, 431-431.	1.7	1
28	Functional characterization of KlHEM13, a hypoxic gene of Kluyveromyces lactis. Canadian Journal of Microbiology, 2005, 51, 241-249.	1.7	11