

Dave Mark Walton

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1990781/dave-mark-walton-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116
papers

3,011
citations

27
h-index

53
g-index

144
ext. papers

3,796
ext. citations

2.3
avg, IF

5.58
L-index

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 116 | Measurement properties of the neck disability index: a systematic review. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2009 , 39, 400-17 | 4.2 | 496 |
| 115 | Neck Pain: Revision 2017. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017 , 47, A1-A83 | 4.2 | 292 |
| 114 | Reliability, standard error, and minimum detectable change of clinical pressure pain threshold testing in people with and without acute neck pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011 , 41, 644-50 | 4.2 | 292 |
| 113 | Risk factors for persistent problems following acute whiplash injury: update of a systematic review and meta-analysis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013 , 43, 31-43 | 4.2 | 142 |
| 112 | Risk factors for persistent problems following whiplash injury: results of a systematic review and meta-analysis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2009 , 39, 334-50 | 4.2 | 118 |
| 111 | An Overview of Systematic Reviews on Prognostic Factors in Neck Pain: Results from the International Collaboration on Neck Pain (ICON) Project. <i>The Open Orthopaedics Journal</i> , 2013 , 7, 494-503 | 0.3 | 82 |
| 110 | Clinical pressure pain threshold testing in neck pain: comparing protocols, responsiveness, and association with psychological variables. <i>Physical Therapy</i> , 2014 , 94, 827-37 | 3.3 | 78 |
| 109 | La croisée des chemins dans l'évolution de la physiothérapie. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2018 , 70, 201-203 | 0.8 | 78 |
| 108 | A research synthesis of therapeutic interventions for whiplash-associated disorder (WAD): part 4 - noninvasive interventions for chronic WAD. <i>Pain Research and Management</i> , 2010 , 15, 313-22 | 2.6 | 58 |
| 107 | A "Wii" bit of fun: the effects of adding Nintendo Wii(™) Bowling to a standard exercise regimen for residents of long-term care with upper extremity dysfunction. <i>Physiotherapy Theory and Practice</i> , 2011 , 27, 185-93 | 1.5 | 55 |
| 106 | A research synthesis of therapeutic interventions for whiplash-associated disorder (WAD): part 2 - interventions for acute WAD. <i>Pain Research and Management</i> , 2010 , 15, 295-304 | 2.6 | 48 |
| 105 | A systematic review of prognostic factors for return to work following work-related traumatic hand injury. <i>Journal of Hand Therapy</i> , 2014 , 27, 55-62; quiz 62 | 1.6 | 46 |
| 104 | Pressure pain threshold testing demonstrates predictive ability in people with acute whiplash. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011 , 41, 658-65 | 4.2 | 46 |
| 103 | Reliability and validity of two versions of the upper extremity functional index. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2014 , 66, 243-53 | 0.8 | 44 |
| 102 | Treatment preferences amongst physical therapists and chiropractors for the management of neck pain: results of an international survey. <i>Chiropractic & Manual Therapies</i> , 2014 , 22, 11 | 1.8 | 41 |
| 101 | Predictors of outcomes after rotator cuff repair-A meta-analysis. <i>Journal of Hand Therapy</i> , 2017 , 30, 276-292 | 2.9 | 39 |
| 100 | The Multimodal Assessment Model of Pain: A Novel Framework for Further Integrating the Subjective Pain Experience Within Research and Practice. <i>Clinical Journal of Pain</i> , 2019 , 35, 212-221 | 3.5 | 39 |

| | | | |
|----|---|-----|----|
| 99 | A Rasch analysis of the pain catastrophizing scale supports its use as an interval-level measure. <i>Clinical Journal of Pain</i> , 2013 , 29, 499-506 | 3.5 | 39 |
| 98 | A descriptive study of pressure pain threshold at 2 standardized sites in people with acute or subacute neck pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011 , 41, 651-7 | 4.2 | 35 |
| 97 | Rasch analysis supports the use of the depression, anxiety, and stress scales to measure mood in groups but not in individuals with chronic low back pain. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 189-98 | 5.7 | 34 |
| 96 | A review of the definitions of RecoveryQ used in prognostic studies on whiplash using an ICF framework. <i>Disability and Rehabilitation</i> , 2009 , 31, 943-57 | 2.4 | 33 |
| 95 | An Integrated Model of Chronic Whiplash-Associated Disorder. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017 , 47, 462-471 | 4.2 | 32 |
| 94 | Validation of the QuickDASH and DASH in Patients With Distal Radius Fractures Through Agreement Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 1217-1222.e1 | 2.8 | 32 |
| 93 | Use of outcome measures in managing neck pain: an international multidisciplinary survey. <i>The Open Orthopaedics Journal</i> , 2013 , 7, 506-20 | 0.3 | 32 |
| 92 | An ICON Overview on Physical Modalities for Neck Pain and Associated Disorders. <i>The Open Orthopaedics Journal</i> , 2013 , 7, 440-60 | 0.3 | 31 |
| 91 | Reflex inhibition during muscle fatigue in endurance-trained and sedentary individuals. <i>European Journal of Applied Physiology</i> , 2002 , 87, 462-8 | 3.4 | 31 |
| 90 | Quantification of cervical spine muscle fat: a comparison between T1-weighted and multi-echo gradient echo imaging using a variable projection algorithm (VARPRO). <i>BMC Medical Imaging</i> , 2013 , 13, 30 | 2.9 | 28 |
| 89 | Patient-Reported Outcome Measures Used for Neck Disorders: An Overview of Systematic Reviews. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 775-788 | 4.2 | 27 |
| 88 | A brief 5-item version of the Neck Disability Index shows good psychometric properties. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 108 | 3 | 26 |
| 87 | A research synthesis of therapeutic interventions for whiplash-associated disorder: part 1 - overview and summary. <i>Pain Research and Management</i> , 2010 , 15, 287-94 | 2.6 | 26 |
| 86 | Identifying SLAP lesions: a meta-analysis of clinical tests and exercise in clinical reasoning. <i>Physical Therapy in Sport</i> , 2008 , 9, 167-76 | 3 | 26 |
| 85 | What does RecoveryQ mean to people with neck pain? Results of a descriptive thematic analysis. <i>The Open Orthopaedics Journal</i> , 2013 , 7, 420-7 | 0.3 | 24 |
| 84 | Chronic Pain Self-Management Support With Pain Science Education and Exercise (COMMENCE) for People With Chronic Pain and Multiple Comorbidities: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 750-761 | 2.8 | 21 |
| 83 | Psychometric properties of the global rating of change scales in patients with neck disorders: a systematic review with meta-analysis and meta-regression. <i>BMJ Open</i> , 2019 , 9, e033909 | 3 | 21 |
| 82 | Direct player observation is needed to accurately quantify heading frequency in youth soccer. <i>Research in Sports Medicine</i> , 2018 , 26, 191-198 | 3.8 | 20 |

| | | | |
|----|--|-----|----|
| 81 | Critical appraisal of research evidence for its validity and usefulness. <i>Hand Clinics</i> , 2009 , 25, 29-42, v | 1.7 | 20 |
| 80 | Head impact magnitudes that occur from purposeful soccer heading depend on the game scenario and head impact location. <i>Musculoskeletal Science and Practice</i> , 2019 , 40, 53-57 | 2.4 | 19 |
| 79 | A higher-order analysis supports use of the 11-item version of the tampa scale for kinesiophobia in people with neck pain. <i>Physical Therapy</i> , 2013 , 93, 60-8 | 3.3 | 19 |
| 78 | Psychological Care, Patient Education, Orthotics, Ergonomics and Prevention Strategies for Neck Pain: An Systematic Overview Update as Part of the ICON Project. <i>The Open Orthopaedics Journal</i> , 2013 , 7, 530-61 | 0.3 | 18 |
| 77 | A research synthesis of therapeutic interventions for whiplash-associated disorder (WAD): part 3 - interventions for subacute WAD. <i>Pain Research and Management</i> , 2010 , 15, 305-12 | 2.6 | 18 |
| 76 | Mechanisms underlying chronic whiplash: contributions from an incomplete spinal cord injury?. <i>Pain Medicine</i> , 2014 , 15, 1938-44 | 2.8 | 17 |
| 75 | A research synthesis of therapeutic interventions for whiplash-associated disorder (WAD): part 5 - surgical and injection-based interventions for chronic WAD. <i>Pain Research and Management</i> , 2010 , 15, 323-34 | 2.6 | 17 |
| 74 | A comparison of the polytomous Rasch analysis output of RUMM2030 and R (ltm/eRm/TAM/lordif). <i>BMC Medical Research Methodology</i> , 2019 , 19, 36 | 4.7 | 15 |
| 73 | Recovery from acute injury: clinical, methodological and philosophical considerations. <i>Disability and Rehabilitation</i> , 2010 , 32, 864-74 | 2.4 | 14 |
| 72 | The number of purposeful headers female youth soccer players experience during games depends on player age but not player position. <i>Science and Medicine in Football</i> , 2019 , 3, 109-114 | 2.7 | 13 |
| 71 | Association Between Knee Load and Pain: Within-Patient, Between-Knees, Case-Control Study in Patients With Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2019 , 71, 647-650 | 4.7 | 12 |
| 70 | Cluster Analysis of an International Pressure Pain Threshold Database Identifies 4 Meaningful Subgroups of Adults With Mechanical Neck Pain. <i>Clinical Journal of Pain</i> , 2017 , 33, 422-428 | 3.5 | 11 |
| 69 | Exploring the clinical course of neck pain in physical therapy: a longitudinal study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 303-8 | 2.8 | 11 |
| 68 | A description of the methodology used in an overview of reviews to evaluate evidence on the treatment, harms, diagnosis/classification, prognosis and outcomes used in the management of neck pain. <i>The Open Orthopaedics Journal</i> , 2013 , 7, 461-72 | 0.3 | 11 |
| 67 | Developing biologically-based assessment tools for physical therapy management of neck pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2009 , 39, 388-99 | 4.2 | 11 |
| 66 | Confirmatory factor analysis of 2 versions of the Brief Pain Inventory in an ambulatory population indicates that sleep interference should be interpreted separately. <i>Scandinavian Journal of Pain</i> , 2016 , 12, 110-116 | 1.9 | 11 |
| 65 | A new clinical model for facilitating the development of pattern recognition skills in clinical pain assessment. <i>Musculoskeletal Science and Practice</i> , 2018 , 36, 17-24 | 2.4 | 10 |
| 64 | A Rasch analysis of the Brief Pain Inventory Interference subscale reveals three dimensions and an age bias. <i>Journal of Clinical Epidemiology</i> , 2016 , 74, 218-26 | 5.7 | 10 |

| | | | |
|----|---|-----|----|
| 63 | Reflecting on whiplash associated disorder through a QoL lens: an option to advance practice and research. <i>Disability and Rehabilitation</i> , 2012 , 34, 1131-9 | 2.4 | 10 |
| 62 | The Traumatic Injuries Distress Scale: A New Tool That Quantifies Distress and Has Predictive Validity With Patient-Reported Outcomes. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016 , 46, 920-928 | 4.2 | 10 |
| 61 | Recommendations For Core Outcome Domain Set For Whiplash-Associated Disorders (CATWAD). <i>Clinical Journal of Pain</i> , 2019 , 35, 727-736 | 3.5 | 10 |
| 60 | A Qualitative Description of Chronic Neck Pain has Implications for Outcome Assessment and Classification. <i>The Open Orthopaedics Journal</i> , 2016 , 10, 746-756 | 0.3 | 9 |
| 59 | Rasch analysis of the patient-rated wrist evaluation questionnaire. <i>Archives of Physiotherapy</i> , 2018 , 8, 5 | 2.5 | 8 |
| 58 | Development and Initial Validation of the Satisfaction and Recovery Index (SRI) for Measurement of Recovery from Musculoskeletal Trauma. <i>The Open Orthopaedics Journal</i> , 2014 , 8, 316-25 | 0.3 | 8 |
| 57 | What is the Experience of Receiving Health Care for Neck Pain?. <i>The Open Orthopaedics Journal</i> , 2013 , 7, 428-39 | 0.3 | 7 |
| 56 | A core outcome set for clinical trials in whiplash-associated disorders (WAD): a study protocol. <i>Trials</i> , 2018 , 19, 635 | 2.8 | 7 |
| 55 | Why So Stressed? A Descriptive Thematic Analysis of Physical Therapy Students' Descriptions of Causes of Anxiety during Objective Structured Clinical Exams. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2018 , 70, 356-362 | 0.8 | 7 |
| 54 | Depression affects the recovery trajectories of patients with distal radius fractures: A latent growth curve analysis. <i>Musculoskeletal Science and Practice</i> , 2019 , 43, 96-102 | 2.4 | 6 |
| 53 | Results of an International Survey of Practice Patterns for Establishing Prognosis in Neck Pain: The ICON Project. <i>The Open Orthopaedics Journal</i> , 2013 , 7, 387-95 | 0.3 | 6 |
| 52 | The construct validity and responsiveness of sensory tests in patients with carpal tunnel syndrome. <i>The Open Orthopaedics Journal</i> , 2014 , 8, 100-7 | 0.3 | 6 |
| 51 | Does Overall Cervical Spine Pathology Relate to the Clinical Heterogeneity of Chronic Whiplash?. <i>American Journal of Emergency Medicine</i> , 2020 , 38, 869-873 | 2.9 | 6 |
| 50 | Development of the circumduction metric for identification of cervical motion impairment. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2018 , 5, 2055668318777984 | 1.7 | 6 |
| 49 | Safety and feasibility of transcranial direct current stimulation (tDCS) combined with sensorimotor retraining in chronic low back pain: a protocol for a pilot randomised controlled trial. <i>BMJ Open</i> , 2017 , 7, e013080 | 3 | 5 |
| 48 | Depicting individual responses to physical therapist led chronic pain self-management support with pain science education and exercise in primary health care: multiple case studies. <i>Archives of Physiotherapy</i> , 2017 , 7, 4 | 2.5 | 5 |
| 47 | Chronic pain self-management support with pain science education and exercise (COMMENCE): study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 462 | 2.8 | 5 |
| 46 | Exploring the Causes of Neck Pain and Disability as Perceived by Those Who Experience the Condition: A Mixed-Methods Study. <i>ISRN Rehabilitation</i> , 2012 , 2012, 1-7 | | 5 |

| | | | |
|----|---|-----|---|
| 45 | Effect of force level and training status on contractile properties following fatigue. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2003 , 28, 93-101 | | 5 |
| 44 | Pharmacological, psychological, and patient education interventions for patients with neck pain: results of an international survey. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2015 , 28, 561-73 | 1.4 | 4 |
| 43 | Hair-Normalized Cortisol Waking Response as a Novel Biomarker of Hypothalamic-Pituitary-Adrenal Axis Activity following Acute Trauma: A Proof-of-Concept Study with Pilot Results. <i>Pain Research and Treatment</i> , 2013 , 2013, 876871 | 1.9 | 4 |
| 42 | Physiotherapists' Perspectives on the Threats Posed to Their Profession in the Areas of Training, Education, and Knowledge Exchange: A Pan-Canadian Perspective from the Physio Moves Canada Project, Part 1. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2020 , 72, 26-33 | 0.8 | 4 |
| 41 | Defining pain and interference recovery trajectories after acute non-catastrophic musculoskeletal trauma through growth mixture modeling. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 615 | 2.8 | 4 |
| 40 | Advancing imaging technologies for patients with spinal pain: with a focus on whiplash injury. <i>Spine Journal</i> , 2018 , 18, 1489-1497 | 4 | 4 |
| 39 | Rasch analysis indicates that the Simple Shoulder Test is robust, but minor item modifications and attention to gender differences should be considered. <i>Journal of Hand Therapy</i> , 2017 , 30, 348-358 | 1.6 | 3 |
| 38 | The Brief Illness Perceptions Questionnaire identifies 3 classes of people seeking rehabilitation for mechanical neck pain. <i>Manual Therapy</i> , 2015 , 20, 420-6 | | 3 |
| 37 | Physiotherapists' Perspectives on the Threats Facing Their Profession in the Areas of Leadership, Burnout, and Branding: A Pan-Canadian Perspective from the Physio Moves Canada Project, Part 3. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2020 , 72, 43-51 | 0.8 | 3 |
| 36 | Creation and validation of the 4-item Brief PCS-chronic through methodological triangulation. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 124 | 3 | 3 |
| 35 | Clinical Genomics in Physical Therapy: Where to From Here?. <i>Physical Therapy</i> , 2018 , 98, 733-736 | 3.3 | 3 |
| 34 | An Evaluation of Heart Rate Variability in Female Youth Soccer Players Following Soccer Heading: A Pilot Study. <i>Sports</i> , 2019 , 7, | 3 | 3 |
| 33 | Scaphoid fractures: a higher order analysis of clinical tests and application of clinical reasoning strategies. <i>Manual Therapy</i> , 2014 , 19, 372-8 | | 3 |
| 32 | Evaluating the Effects of a Novel Neuromuscular Neck Training Device on Multiplanar Static and Dynamic Neck Strength: A Pilot Study. <i>Journal of Strength and Conditioning Research</i> , 2020 , 34, 708-716 | 3.2 | 3 |
| 31 | Measuring Pain for Patients Seeking Physical Therapy: Can Functional Magnetic Resonance Imaging (fMRI) Help?. <i>Physical Therapy</i> , 2017 , 97, 145-155 | 3.3 | 3 |
| 30 | The effect of diabetes on functional outcomes among individuals with distal radial fractures. <i>Journal of Hand Therapy</i> , 2019 , 32, 476-482 | 1.6 | 3 |
| 29 | Psychometric properties and cross-cultural adaptation of the Patient-Rated Tennis Elbow Evaluation (PRTEE); a systematic review and meta-analysis. <i>Disability and Rehabilitation</i> , 2021 , 1-16 | 2.4 | 3 |
| 28 | Questions raised by the proposed definition of pain: what characterizes the experience of pain and how is subjectivity validated?. <i>Pain</i> , 2018 , 159, 995-996 | 8 | 2 |

| | | | |
|----|---|-----|---|
| 27 | The Multidimensional Symptom Index: A new patient-reported outcome for pain phenotyping, prognosis and treatment decisions. <i>European Journal of Pain</i> , 2018 , 22, 1351-1361 | 3.7 | 2 |
| 26 | Clinical Diagnostic Tests versus Medial Branch Blocks for Adults with Persisting Cervical Zygapophyseal Joint Pain: A Systematic Review and Meta-Analysis. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2018 , 70, 179-187 | 0.8 | 2 |
| 25 | A Mediation Analysis of Stress, Inflammation, Sleep, and Pain in Acute Musculoskeletal Trauma. <i>Clinical Journal of Pain</i> , 2020 , 36, 197-202 | 3.5 | 2 |
| 24 | Physiotherapy@ Place in a Rapidly Changing World: A Pan-Canadian Perspective of Threats Facing Practice from the Physio Moves Canada Project, Part 2. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2020 , 72, 34-42 | 0.8 | 2 |
| 23 | Systematic review of the measurement properties of performance-based functional tests in patients with neck disorders. <i>BMJ Open</i> , 2019 , 9, e031242 | 3 | 2 |
| 22 | Quantifying performance metrics of cervical spine mobilization for improved education and clinical outcomes: Early experience with a novel wearable device. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2018 , 5, 2055668318765396 | 1.7 | 2 |
| 21 | Cumulative soccer heading amplifies the effects of brain activity observed during concurrent moderate exercise and continuous performance task in female youth soccer players. <i>Journal of Concussion</i> , 2020 , 4, 205970022091265 | 1 | 1 |
| 20 | A sensorized glove for therapist skill performance assessment during neck manipulation 2017 , | | 1 |
| 19 | Confirmatory Factor and Rasch Analyses Support a Revised 14-Item Version of the Organizational, Policies, and Practices (OPP) Scale. <i>Journal of Occupational Rehabilitation</i> , 2017 , 27, 258-267 | 3.6 | 1 |
| 18 | Development of a national pain management competency profile to guide entry-level physiotherapy education in Canada.. <i>Canadian Journal of Pain</i> , 2022 , 6, 1-11 | 1.5 | 1 |
| 17 | Identification of clinically-useful cut scores of the Traumatic Injuries Distress Scale (TIDS) for predicting rate of recovery following musculoskeletal trauma. <i>PLoS ONE</i> , 2021 , 16, e0248745 | 3.7 | 1 |
| 16 | Exploring the Domains of Gender as Measured by a New Gender, Pain and Expectations Scale. <i>Women S Health Reports</i> , 2021 , 2, 87-96 | 0.5 | 1 |
| 15 | Effects of childhood trauma on pain-related distress in adults. <i>European Journal of Pain</i> , 2021 , 25, 2166-2176 | 3.7 | 1 |
| 14 | Clinimetric Properties of Self-reported Disability Scales for Whiplash: A Systematic Review for the Whiplash Core Outcome Set (CATWAD). <i>Clinical Journal of Pain</i> , 2021 , 37, 766-787 | 3.5 | 1 |
| 13 | Research Priorities in the Field of Posttraumatic Pain and Disability: Results of a Transdisciplinary Consensus-Generating Workshop. <i>Pain Research and Management</i> , 2016 , 2016, 1859434 | 2.6 | 1 |
| 12 | What Factors Contribute to Falls-Related Distal Radius Fracture?. <i>Journal of Aging and Physical Activity</i> , 2019 , 27, 392-397 | 1.6 | 1 |
| 11 | Latent profile analysis of blood marker phenotypes and their relationships with clinical pain and interference reports in people with acute musculoskeletal trauma. <i>Canadian Journal of Pain</i> , 2021 , 5, 30-42 | 1.5 | 1 |
| 10 | microRNA let-7i-5p mediates the relationship between muscle fat infiltration and neck pain disability following motor vehicle collision: a preliminary study. <i>Scientific Reports</i> , 2021 , 11, 3140 | 4.9 | 1 |

| | | | |
|---|---|-----|---|
| 9 | An integrative review of the qualities of a Good Physiotherapist. <i>Physiotherapy Theory and Practice</i> , 2021 , 1-27 | 1.5 | 1 |
| 8 | Motor vehicle crash reconstruction: Does it relate to the heterogeneity of whiplash recovery?. <i>PLoS ONE</i> , 2019 , 14, e0225686 | 3.7 | 0 |
| 7 | Reliability, discriminative accuracy, and an exploration of response shift as measured using the satisfaction and Recovery Index over 12 months from musculoskeletal trauma. <i>Musculoskeletal Science and Practice</i> , 2021 , 51, 102300 | 2.4 | 0 |
| 6 | Nerve compression syndromes of the forearm 2011 , 370-380 | | |
| 5 | Exploring the relationship between meaningful conditioned pain modulation and stress system reactivity in healthy adults following exposure to the cold pressor task. <i>Musculoskeletal Science and Practice</i> , 2021 , 57, 102489 | 2.4 | |
| 4 | Reliability, Discriminative, and Prognostic Validity of the Multidimensional Symptom Index in Musculoskeletal Trauma. <i>Clinical Journal of Pain</i> , 2020 , 36, 700-706 | 3.5 | |
| 3 | An Exploration of Blood Marker-Environment Interaction Effects on Pain Severity and Interference Scores in People With Acute Musculoskeletal Trauma. <i>Clinical Journal of Pain</i> , 2021 , 37, 747-758 | 3.5 | |
| 2 | Virtual Self-Management Has Potential Benefits and Challenges: A Response to a Letter to the Editor. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021 , 102, 161-162 | 2.8 | |
| 1 | Physical therapy and rehabilitation 2022 , 160-169 | | |