

Christopher D Ingersoll

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1991902/publications.pdf>

Version: 2024-02-01

136
papers

6,192
citations

66234

42
h-index

74018

75
g-index

136
all docs

136
docs citations

136
times ranked

4212
citing authors

#	ARTICLE	IF	CITATIONS
1	Gamma Loop Dysfunction as a Possible Neurophysiological Mechanism of Arthrogenic Muscle Inhibition: A Narrative Review of the Literature. <i>Journal of Sport Rehabilitation</i> , 2022, 31, 736-741.	0.4	10
2	Arthrogenic Muscle Inhibition: 20 Years On. <i>Journal of Sport Rehabilitation</i> , 2022, 31, 665-666.	0.4	2
3	Understanding Athletic Trainers' Knowledge, Intervention, and Barriers Toward Arthrogenic Muscle Inhibition. <i>Journal of Sport Rehabilitation</i> , 2021, , 1-9.	0.4	2
4	Corticomotor function is associated with quadriceps rate of torque development in individuals with ACL surgery. <i>Experimental Brain Research</i> , 2020, 238, 283-294.	0.7	29
5	Fibular Reposition Taping Does Not Change Lower Extremity Biomechanics During Gait in Active Adults With Chronic Ankle Instability. <i>International Journal of Athletic Therapy and Training</i> , 2019, 24, 122-128.	0.1	2
6	Association Between the Single Assessment Numeric Evaluation and the Western Ontario and McMaster Universities Osteoarthritis Index. <i>Journal of Athletic Training</i> , 2017, 52, 526-533.	0.9	14
7	Rehabilitation of Leg, Ankle, and Foot Injuries. , 2016, , 851-880.		1
8	Facilitation of Hoffmann Reflexes of Ankle Muscles in Prone but Not Standing Positions by Focal Ankle-Joint Cooling. <i>Journal of Sport Rehabilitation</i> , 2015, 24, 130-139.	0.4	12
9	Medial Tibiofemoral-Joint Stiffness in Males and Females Across the Lifespan. <i>Journal of Athletic Training</i> , 2014, 49, 399-405.	0.9	1
10	Quadriceps Muscle Function After Rehabilitation With Cryotherapy in Patients With Anterior Cruciate Ligament Reconstruction. <i>Journal of Athletic Training</i> , 2014, 49, 733-739.	0.9	43
11	Manual therapy directed at the knee or lumbopelvic region does not influence quadriceps spinal reflex excitability. <i>Manual Therapy</i> , 2014, 19, 299-305.	1.6	9
12	Association between quadriceps strength and self-reported physical activity in people with knee osteoarthritis. <i>International Journal of Sports Physical Therapy</i> , 2014, 9, 320-8.	0.5	24
13	Different Exercise Training Interventions and Drop-Landing Biomechanics in High School Female Athletes. <i>Journal of Athletic Training</i> , 2013, 48, 450-462.	0.9	45
14	Quadriceps function in anterior cruciate ligament-deficient knees exercising with transcutaneous electrical nerve stimulation and cryotherapy: a randomized controlled study. <i>Clinical Rehabilitation</i> , 2012, 26, 974-981.	1.0	27
15	Differential Rates of Recovery After Acute Sport-Related Concussion. <i>Journal of Clinical Neurophysiology</i> , 2012, 29, 23-32.	0.9	41
16	The Effect of Cold Water Immersion on 48-Hour Performance Testing in Collegiate Soccer Players. <i>Journal of Strength and Conditioning Research</i> , 2012, 26, 2043-2050.	1.0	26
17	Lumbopelvic Joint Manipulation and Quadriceps Activation of People With Patellofemoral Pain Syndrome. <i>Journal of Athletic Training</i> , 2012, 47, 24-31.	0.9	26
18	Altered Plantar-Receptor Stimulation Impairs Postural Control in Those With Chronic Ankle Instability. <i>Journal of Sport Rehabilitation</i> , 2012, 21, 1-6.	0.4	56

#	ARTICLE	IF	CITATIONS
19	The Effect of Traditional Bridging or Suspension-Exercise Bridging on Lateral Abdominal Thickness in Individuals With Low Back Pain. <i>Journal of Sport Rehabilitation</i> , 2012, 21, 151-160.	0.4	25
20	Knee-Extension Exercise's Lack of Immediate Effect on Maximal Voluntary Quadriceps Torque and Activation in Individuals With Anterior Knee Pain. <i>Journal of Sport Rehabilitation</i> , 2012, 21, 119-126.	0.4	13
21	Effects of a Proximal or Distal Tibiofibular Joint Manipulation on Ankle Range of Motion and Functional Outcomes in Individuals With Chronic Ankle Instability. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012, 42, 125-134.	1.7	49
22	Altered postural modulation of Hoffmann reflex in the soleus and fibularis longus associated with chronic ankle instability. <i>Journal of Electromyography and Kinesiology</i> , 2012, 22, 997-1002.	0.7	47
23	Voluntary Quadriceps Activation Deficits in Patients with Tibiofemoral Osteoarthritis: A Meta-Analysis. <i>PM and R</i> , 2011, 3, 153-162.	0.9	69
24	Effects of paraspinal fatigue on lower extremity motoneuron excitability in individuals with a history of low back pain. <i>Journal of Electromyography and Kinesiology</i> , 2011, 21, 466-470.	0.7	5
25	Immediate effects of a tibiofibular joint manipulation on lower extremity H-reflex measurements in individuals with chronic ankle instability. <i>Journal of Electromyography and Kinesiology</i> , 2011, 21, 652-658.	0.7	39
26	Sling Exercise and Traditional Warm-Up Have Similar Effects on the Velocity and Accuracy of Throwing. <i>Journal of Strength and Conditioning Research</i> , 2011, 25, 1673-1679.	1.0	21
27	Motor-Neuron Pool Excitability of the Lower Leg Muscles After Acute Lateral Ankle Sprain. <i>Journal of Athletic Training</i> , 2011, 46, 263-269.	0.9	40
28	Electrode Type and Placement Configuration for Quadriceps Activation Evaluation. <i>Journal of Athletic Training</i> , 2011, 46, 621-628.	0.9	31
29	Sex Differences in Concussion Symptoms of High School Athletes. <i>Journal of Athletic Training</i> , 2011, 46, 76-84.	0.9	236
30	Neuromuscular Changes After Aerobic Exercise in People with Anterior Cruciate Ligament-Reconstructed Knees. <i>Journal of Athletic Training</i> , 2011, 46, 476-483.	0.9	27
31	Lower Extremity Neuromuscular Control Immediately After Fatiguing Hip-Abduction Exercise. <i>Journal of Athletic Training</i> , 2011, 46, 607-614.	0.9	25
32	Quadriceps Function After Exercise in Patients with Anterior Cruciate Ligament-Reconstructed Knees Wearing Knee Braces. <i>Journal of Athletic Training</i> , 2011, 46, 615-620.	0.9	6
33	Development of a 3D immersive videogame to improve arm-postural coordination in patients with TBI. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2011, 8, 61.	2.4	43
34	Effects of Transcutaneous Electrical Nerve Stimulation and Therapeutic Exercise on Quadriceps Activation in People With Tibiofemoral Osteoarthritis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011, 41, 4-12.	1.7	79
35	Impact Factor: 2.478. <i>Journal of Athletic Training</i> , 2011, 46, 229-229.	0.9	0
36	Quadriceps Activation Following Knee Injuries: A Systematic Review. <i>Journal of Athletic Training</i> , 2010, 45, 87-97.	0.9	378

#	ARTICLE	IF	CITATIONS
37	Relationship Between Transcranial Magnetic Stimulation and Percutaneous Electrical Stimulation in Determining the Quadriceps Central Activation Ratio. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2010, 89, 986-996.	0.7	25
38	Transcranial Magnetic Stimulation and Volitional Quadriceps Activation. <i>Journal of Athletic Training</i> , 2010, 45, 570-579.	0.9	21
39	Tibiofemoral Joint Positioning for the Valgus Stress Test. <i>Journal of Athletic Training</i> , 2010, 45, 357-363.	0.9	11
40	Effects of Menthol-Based Counterirritant on Quadriceps Motoneuron-Pool Excitability. <i>Journal of Sport Rehabilitation</i> , 2010, 19, 30-40.	0.4	10
41	Decreased Motoneuron Pool Excitability of the Peroneals and Soleus with Chronic Ankle Instability. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 12.	0.2	2
42	Voluntary Quadriceps Activation Deficits in Patients with Tibiofemoral Osteoarthritis: A Meta-Analysis. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 580.	0.2	2
43	The Effects of Disinhibitory Transcutaneous Electrical Nerve Stimulation on Contralateral Quadriceps Activation in Osteoarthritic Patients. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 150-151.	0.2	0
44	The influence of gender, hand dominance, and upper extremity length on motor evoked potentials. <i>Journal of Clinical Monitoring and Computing</i> , 2010, 24, 427-436.	0.7	38
45	Threshold frequency of an electrically induced cramp increases following a repeated, localized fatiguing exercise. <i>Journal of Sports Sciences</i> , 2010, 28, 399-405.	1.0	14
46	Treatment of a female collegiate rower with costochondritis: a case report. <i>Journal of Manual and Manipulative Therapy</i> , 2010, 18, 64-68.	0.7	8
47	Effects of disinhibitory transcutaneous electrical nerve stimulation and therapeutic exercise on sagittal plane peak knee kinematics and kinetics in people with knee osteoarthritis during gait: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2010, 24, 1091-1101.	1.0	22
48	Quadriceps EMG frequency content following isometric lumbar extension exercise. <i>Journal of Electromyography and Kinesiology</i> , 2010, 20, 840-844.	0.7	5
49	Quadriceps activation following aerobic exercise in persons with low back pain and healthy controls. <i>Clinical Biomechanics</i> , 2010, 25, 847-851.	0.5	13
50	A preliminary investigation of motor evoked potential abnormalities following sport-related concussion. <i>Brain Injury</i> , 2010, 24, 904-913.	0.6	40
51	Contralateral effects of disinhibitory tens on quadriceps function in people with knee osteoarthritis following unilateral treatment. <i>North American Journal of Sports Physical Therapy: NAJSPT</i> , 2010, 5, 111-21.	0.1	4
52	Editorial: The Periodic Health Evaluation of Elite Athletes: A Consensus Statement From the International Olympic Committee. <i>Journal of Athletic Training</i> , 2009, 44, 453-453.	0.9	7
53	Effects of lumbopelvic joint manipulation on quadriceps activation and strength in healthy individuals. <i>Manual Therapy</i> , 2009, 14, 415-420.	1.6	68
54	Effect of early active range of motion rehabilitation on outcome measures after partial meniscectomy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2009, 17, 607-616.	2.3	24

#	ARTICLE	IF	CITATIONS
55	Focal knee joint cooling increases the quadriceps central activation ratio. <i>Journal of Sports Sciences</i> , 2009, 27, 873-879.	1.0	59
56	Jogging gait kinetics following fatiguing lumbar paraspinal exercise. <i>Journal of Electromyography and Kinesiology</i> , 2009, 19, e458-e464.	0.7	13
57	Effects of balance training on gait parameters in patients with chronic ankle instability: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2009, 23, 609-621.	1.0	78
58	Immediate Effects of Transcutaneous Electrical Nerve Stimulation and Focal Knee Joint Cooling on Quadriceps Activation. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 1175-1181.	0.2	111
59	Altered Ankle Kinematics and Shank-Rear-Foot Coupling in Those with Chronic Ankle Instability. <i>Journal of Sport Rehabilitation</i> , 2009, 18, 375-388.	0.4	126
60	Jogging Kinematics After Lumbar Paraspinal Muscle Fatigue. <i>Journal of Athletic Training</i> , 2009, 44, 475-481.	0.9	33
61	Effects of Focal Knee Joint Cooling on Spectral Properties of Rectus Femoris and Vastus Lateralis Electromyography. <i>Athletic Training & Sports Health Care</i> , 2009, 1, 154-161.	0.4	5
62	Neuromuscular Consequences of Anterior Cruciate Ligament Injury. <i>Clinics in Sports Medicine</i> , 2008, 27, 383-404.	0.9	188
63	Fatigue of the plantar intrinsic foot muscles increases navicular drop. <i>Journal of Electromyography and Kinesiology</i> , 2008, 18, 420-425.	0.7	209
64	Immediate Effects of Anterior-to-Posterior Talocrural Joint Mobilization after Prolonged Ankle Immobilization: A Preliminary Study. <i>Journal of Manual and Manipulative Therapy</i> , 2008, 16, 100-105.	0.7	57
65	Decreased Quadriceps Activation Measured Hours Prior to a Noncontact Anterior Cruciate Ligament Tear. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2008, 38, 502-507.	1.7	15
66	INTRA-RATER RELIABILITY OF A TRANSCRANIAL MAGNETIC STIMULATION TECHNIQUE TO OBTAIN MOTOR EVOKED POTENTIALS. <i>International Journal of Neuroscience</i> , 2008, 118, 239-256.	0.8	62
67	Balance Training Improves Function and Postural Control in Those with Chronic Ankle Instability. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 1810-1819.	0.2	283
68	The Role of Disinhibitory Modalities in Joint Injury Rehabilitation. <i>Athletic Therapy Today</i> , 2008, 13, 2-5.	0.2	17
69	Lower Extremity Joint Moments of Collegiate Soccer Players Differ between Genders during a Forward Jump. <i>Journal of Sport Rehabilitation</i> , 2008, 17, 137-147.	0.4	8
70	Anterior Shoulder Laxity Is Not Correlated with Medial Elbow Laxity in High School Baseball Players. <i>Journal of Sport Rehabilitation</i> , 2008, 17, 106-118.	0.4	3
71	Closed-Kinetic Chain Upper-Body Training Improves Throwing Performance of NCAA Division I Softball Players. <i>Journal of Strength and Conditioning Research</i> , 2008, 22, 1790-1798.	1.0	68
72	Joint Angle and Contraction Mode Influence Quadriceps Motor Neuron Pool Excitability. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2008, 87, 100-108.	0.7	21

#	ARTICLE	IF	CITATIONS
73	Bilateral Medial Tibiofemoral Joint Stiffness in Full Extension and 20° of Knee Flexion. <i>Journal of Athletic Training</i> , 2008, 43, 157-163.	0.9	4
74	The Effects of a Worksite Neuromuscular Activation Program on Sick Leave: A Pilot Study. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, S434-S435.	0.2	2
75	A New Era. <i>Journal of Athletic Training</i> , 2008, 43, 5-5.	0.9	4
76	Balance Training Significantly Alters Ankle Kinematics During Gait In Those With Chronic Ankle Instability. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, S59.	0.2	0
77	Cryotherapy Does Not Affect Peroneal Reaction Following Sudden Inversion. <i>Journal of Sport Rehabilitation</i> , 2007, 16, 285-294.	0.4	11
78	The Effect of Textured Insoles on Postural Control in Double and Single Limb Stance. <i>Journal of Sport Rehabilitation</i> , 2007, 16, 363-372.	0.4	102
79	Altered Shank-Rearfoot Coupling During Walking and Jogging in those with Chronic Ankle Instability. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, S6.	0.2	1
80	PERIPHERAL JOINT COOLING INCREASES SPINAL REFLEX EXCITABILITY AND SERUM NOREPINEPHRINE. <i>International Journal of Neuroscience</i> , 2007, 117, 229-242.	0.8	43
81	Gender Differences in Gluteus Medius Muscle Activity Exist in Soccer Players Performing a Forward Jump. <i>Research in Sports Medicine</i> , 2007, 15, 147-155.	0.7	40
82	Blisters on the anterior shin in 3 research subjects after a 1-MHz, 1.5-W/cm ² , continuous ultrasound treatment: a case series. <i>Journal of Athletic Training</i> , 2007, 42, 425-30.	0.9	3
83	Arthrogenic muscle response of the quadriceps and hamstrings with chronic ankle instability. <i>Journal of Athletic Training</i> , 2007, 42, 355-60.	0.9	43
84	Reduced quadriceps activation after lumbar paraspinal fatiguing exercise. <i>Journal of Athletic Training</i> , 2006, 41, 79-86.	0.9	32
85	Sex differences in valgus knee angle during a single-leg drop jump. <i>Journal of Athletic Training</i> , 2006, 41, 166-71.	0.9	115
86	Quadriceps inhibition after repetitive lumbar extension exercise in persons with a history of low back pain. <i>Journal of Athletic Training</i> , 2006, 41, 264-9.	0.9	23
87	Contribution of hamstring fatigue to quadriceps inhibition following lumbar extension exercise. <i>Journal of Sports Science and Medicine</i> , 2006, 5, 70-9.	0.7	4
88	Effects of Ankle Support on Lower-Extremity Functional Performance: A Meta-Analysis. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 635-641.	0.2	59
89	Single-Leg Landing Strategy after Knee-Joint Cryotherapy. <i>Journal of Sport Rehabilitation</i> , 2005, 14, 313-320.	0.4	12
90	Comparison of Knee-Joint Moments in Male and Female College Soccer Players during a Single-Leg Landing. <i>Journal of Sport Rehabilitation</i> , 2005, 14, 332-337.	0.4	4

#	ARTICLE	IF	CITATIONS
91	Lower Extremity EMG in Male and Female College Soccer Players during Single-Leg Landing. <i>Journal of Sport Rehabilitation</i> , 2005, 14, 48-57.	0.4	15
92	Pre-synaptic modulation of quadriceps arthrogenic muscle inhibition. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2005, 13, 370-376.	2.3	68
93	Reduced Quadriceps Activation Following Lumbar Paraspinal Fatiguing Exercise. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, S418.	0.2	0
94	INTERSESSION RELIABILITY OF A PROTOCOL TO ASSESS REFLEX ACTIVATION HISTORY IN THE VASTUS MEDIALIS. <i>International Journal of Neuroscience</i> , 2005, 115, 735-740.	0.8	13
95	Arthrogenic Muscle Inhibition in the Leg Muscles of Subjects Exhibiting Functional Ankle Instability. <i>Foot and Ankle International</i> , 2005, 26, 1055-1061.	1.1	135
96	A Hamstring Fatiguing Protocol Has No Effect On Knee Joint Moments During Landing. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, S277-S278.	0.2	0
97	Medial Collateral Ligament Stiffness In Males And Females. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, S200.	0.2	1
98	An experimental knee joint effusion does not affect plasma catecholamine concentration in humans. <i>Neuroscience Letters</i> , 2004, 366, 76-79.	1.0	2
99	Arthrogenic muscle response induced by an experimental knee joint effusion is mediated by pre- and post-synaptic spinal mechanisms. <i>Journal of Electromyography and Kinesiology</i> , 2004, 14, 631-640.	0.7	95
100	Effects of Altering Intensity during 1-MHz Ultrasound Treatment on Increasing Triceps Surae Temperature. <i>Journal of Sport Rehabilitation</i> , 2004, 13, 275-286.	0.4	11
101	An Experimental Knee Joint Effusion Does Not Affect Plasma Catecholamine Concentration. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, S301.	0.2	0
102	Lower Extremity EMG Activity of Collegiate Soccer Players Does Not Differ Between Genders During Single-Leg Landing. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, S347.	0.2	0
103	The hoffmann reflex: methodologic considerations and applications for use in sports medicine and athletic training research. <i>Journal of Athletic Training</i> , 2004, 39, 268-77.	0.9	199
104	Reliability of an electrical method to induce muscle cramp. <i>Muscle and Nerve</i> , 2003, 27, 122-123.	1.0	35
105	The effect of a simulated knee joint effusion on postural control in healthy subjects11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 1076-1079.	0.5	36
106	Brief Technical Note: SIMULTANEOUS HOFFMANN REFLEX MEASUREMENTS IN MULTIPLE MUSCLES AROUND THE ANKLE. <i>International Journal of Neuroscience</i> , 2003, 113, 39-46.	0.8	11
107	Arthrogenic Muscle Inhibition Is Not Present in the Limb Contralateral to a Simulated Knee Joint Effusion. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2003, 82, 910-916.	0.7	47
108	A Single Dose of Ginkgo biloba Does Not Affect Soleus Motoneuron Pool Excitability. <i>Journal of Strength and Conditioning Research</i> , 2003, 17, 587-589.	1.0	0

#	ARTICLE	IF	CITATIONS
109	Certified Athletic Trainers' Perceptions of Exercise-Associated Muscle Cramps. <i>Journal of Sport Rehabilitation</i> , 2003, 12, 333-342.	0.4	28
110	A Comparison of Intramuscular Temperatures During Ultrasound Treatments With Coupling Gel or Gel Pads. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2002, 32, 216-220.	1.7	20
111	INTERSESSION RELIABILITY FOR H-REFLEX MEASUREMENTS ARISING FROM THE SOLEUS, PERONEAL, AND TIBIALIS ANTERIOR MUSCULATURE. <i>International Journal of Neuroscience</i> , 2002, 112, 841-850.	0.8	82
112	Preliminary Comparison of Bromelain and Ibuprofen for Delayed Onset Muscle Soreness Management. <i>Clinical Journal of Sport Medicine</i> , 2002, 12, 373-378.	0.9	38
113	Center-of-Pressure Parameters Used in the Assessment of Postural Control. <i>Journal of Sport Rehabilitation</i> , 2002, 11, 51-66.	0.4	310
114	Subcutaneous adipose tissue thickness alters cooling time during cryotherapy. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002, 83, 1501-1505.	0.5	119
115	Cryotherapy and Transcutaneous Electric Neuromuscular Stimulation Decrease Arthrogenic Muscle Inhibition of the Vastus Medialis After Knee Joint Effusion. <i>Journal of Athletic Training</i> , 2002, 37, 25-31.	0.9	87
116	The Spectral Qualities of Postural Control are Unaffected by 4 Days of Ankle-Brace Application. <i>Journal of Athletic Training</i> , 2002, 37, 269-274.	0.9	11
117	Efficacy of Prophylactic Ankle Support: An Experimental Perspective. <i>Journal of Athletic Training</i> , 2002, 37, 446-457.	0.9	48
118	The relationship between intramuscular temperature, skin temperature, and adipose thickness during cryotherapy and rewarming. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001, 82, 845-850.	0.5	116
119	Effects of shoe sole thickness on joint position sense. <i>Gait and Posture</i> , 2001, 13, 221-228.	0.6	33
120	Delayed-Onset Muscle Soreness Does Not Alter the Kinematics and Kinetics of the Squat-Lifting Technique. <i>Journal of Sport Rehabilitation</i> , 2001, 10, 184-195.	0.4	0
121	Isotonic Contractions Might Be More Effective than Isokinetic Contractions in Developing Muscle Strength. <i>Journal of Sport Rehabilitation</i> , 2001, 10, 124-131.	0.4	4
122	Effect of knee joint effusion on quadriceps and soleus motoneuron pool excitability. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 123-126.	0.2	168
123	Clinical and Radiological Assessment of Patellar Position. <i>Athletic Therapy Today</i> , 2000, 5, 19-24.	0.2	1
124	Arthrogenic Muscle inhibition: A Limiting Factor in Joint Rehabilitation. <i>Journal of Sport Rehabilitation</i> , 2000, 9, 135-159.	0.4	297
125	Quadriceps Concentric EMG Activity Is Greater than Eccentric EMG Activity during the Lateral Step-Up Exercise. <i>Journal of Sport Rehabilitation</i> , 2000, 9, 124-134.	0.4	38
126	The Relationship of Ankle Temperature during Cooling and Rewarming to the Human Soleus H Reflex. <i>Journal of Sport Rehabilitation</i> , 2000, 9, 253-262.	0.4	31

#	ARTICLE	IF	CITATIONS
127	Influence of Ankle Support on Joint Range of Motion Before and After Exercise: A Meta-Analysis. Journal of Orthopaedic and Sports Physical Therapy, 2000, 30, 170-182.	1.7	91
128	Changes in soleus motoneuron pool excitability after artificial knee joint effusion. Archives of Physical Medicine and Rehabilitation, 2000, 81, 1199-1203.	0.5	53
129	Correlation of isokinetic, isometric, isotonic strength measurements with a one-leg vertical jump. Isokinetics and Exercise Science, 1997, 6, 203-208.	0.2	13
130	Hip Isometric Strength Following Knee Surgery. Journal of Orthopaedic and Sports Physical Therapy, 1994, 20, 160-165.	1.7	72
131	Long Term Effects of Closed Head Injuries in Sport. Sports Medicine, 1993, 16, 342-354.	3.1	10
132	Effects of patella taping on patella position and perceived pain. Medicine and Science in Sports and Exercise, 1993, 25, 989-992.	0.2	95
133	The effects of closed-head injury on postural sway. Medicine and Science in Sports and Exercise, 1992, 24, 739-743.	0.2	45
134	Patellar location changes following EMG biofeedback or progressive resistive exercises. Medicine and Science in Sports and Exercise, 1991, 23, 1122-1127.	0.2	38
135	Within- and Between-Session Reliability of Corticospinal Excitability in the Upper Extremity. Measurement in Physical Education and Exercise Science, 0, , 1-12.	1.3	0
136	Neuromuscular function of the shoulder girdle and upper extremity musculature in individuals with a history of glenohumeral labral repair. Scandinavian Journal of Medicine and Science in Sports, 0, , .	1.3	1