

Daniela Capello

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1991997/daniela-capello-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

5,576
citations

40
h-index

71
g-index

131
ext. papers

6,008
ext. citations

5.4
avg, IF

4.34
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 130 | Analysis of the chronic lymphocytic leukemia coding genome: role of NOTCH1 mutational activation. <i>Journal of Experimental Medicine</i> , 2011 , 208, 1389-401 | 16.6 | 483 |
| 129 | Mutations of NOTCH1 are an independent predictor of survival in chronic lymphocytic leukemia. <i>Blood</i> , 2012 , 119, 521-9 | 2.2 | 337 |
| 128 | The prognostic value of TP53 mutations in chronic lymphocytic leukemia is independent of Del17p13: implications for overall survival and chemorefractoriness. <i>Clinical Cancer Research</i> , 2009 , 15, 995-1004 | 12.9 | 245 |
| 127 | Hypermethylation of the DNA repair gene O(6)-methylguanine DNA methyltransferase and survival of patients with diffuse large B-cell lymphoma. <i>Journal of the National Cancer Institute</i> , 2002 , 94, 26-32 | 9.7 | 219 |
| 126 | Expression profile of MUM1/IRF4, BCL-6, and CD138/syndecan-1 defines novel histogenetic subsets of human immunodeficiency virus-related lymphomas. <i>Blood</i> , 2001 , 97, 744-51 | 2.2 | 214 |
| 125 | The dynamic DNA methylomes of double-stranded DNA viruses associated with human cancer. <i>Genome Research</i> , 2009 , 19, 438-51 | 9.7 | 201 |
| 124 | Biological and clinical risk factors of chronic lymphocytic leukaemia transformation to Richter syndrome. <i>British Journal of Haematology</i> , 2008 , 142, 202-15 | 4.5 | 173 |
| 123 | Alteration of BIRC3 and multiple other NF- κ B pathway genes in splenic marginal zone lymphoma. <i>Blood</i> , 2011 , 118, 4930-4 | 2.2 | 151 |
| 122 | Aberrant somatic hypermutation in multiple subtypes of AIDS-associated non-Hodgkin lymphoma. <i>Blood</i> , 2003 , 102, 1833-41 | 2.2 | 124 |
| 121 | Post-transplant lymphoproliferative disorders: molecular basis of disease histogenesis and pathogenesis. <i>Hematological Oncology</i> , 2005 , 23, 61-7 | 1.3 | 113 |
| 120 | Molecular and clinical features of chronic lymphocytic leukaemia with stereotyped B cell receptors: results from an Italian multicentre study. <i>British Journal of Haematology</i> , 2009 , 144, 492-506 | 4.5 | 100 |
| 119 | Molecular histogenesis of posttransplantation lymphoproliferative disorders. <i>Blood</i> , 2003 , 102, 3775-85 | 2.2 | 97 |
| 118 | Analysis of the host pharmacogenetic background for prediction of outcome and toxicity in diffuse large B-cell lymphoma treated with R-CHOP21. <i>Leukemia</i> , 2009 , 23, 1118-26 | 10.7 | 87 |
| 117 | Telomere length is an independent predictor of survival, treatment requirement and Richter syndrome transformation in chronic lymphocytic leukemia. <i>Leukemia</i> , 2009 , 23, 1062-72 | 10.7 | 85 |
| 116 | Genetic characterization of HHV-8/KSHV-positive primary effusion lymphoma reveals frequent mutations of BCL6: implications for disease pathogenesis and histogenesis. <i>Genes Chromosomes and Cancer</i> , 1999 , 24, 16-23 | 5 | 81 |
| 115 | Rearrangements of bcl-6, bcl-2, c-myc and 6q deletion in B-diffuse large-cell lymphoma: clinical relevance in 71 patients. <i>Annals of Oncology</i> , 1998 , 9, 55-61 | 10.3 | 77 |
| 114 | Stereotyped patterns of B-cell receptor in splenic marginal zone lymphoma. <i>Haematologica</i> , 2010 , 95, 1792-6 | 6.6 | 74 |

| | | | |
|-----|--|------|----|
| 113 | Establishment and characterization of EBV-positive and EBV-negative primary effusion lymphoma cell lines harbouring human herpesvirus type-8. <i>British Journal of Haematology</i> , 1998 , 102, 1081-9 | 4.5 | 71 |
| 112 | Chronic lymphocytic leukemia patients with highly stable and indolent disease show distinctive phenotypic and genotypic features. <i>Blood</i> , 2003 , 102, 1035-41 | 2.2 | 70 |
| 111 | Molecular histogenesis of plasmablastic lymphoma of the oral cavity. <i>British Journal of Haematology</i> , 2002 , 119, 622-8 | 4.5 | 69 |
| 110 | Aberrant promoter methylation of multiple genes throughout the clinico-pathologic spectrum of B-cell neoplasia. <i>Haematologica</i> , 2004 , 89, 154-64 | 6.6 | 69 |
| 109 | Distribution of human herpesvirus-8 sequences throughout the spectrum of AIDS-related neoplasia. <i>Aids</i> , 1996 , 10, 941-9 | 3.5 | 67 |
| 108 | CD49d expression is an independent risk factor of progressive disease in early stage chronic lymphocytic leukemia. <i>Haematologica</i> , 2008 , 93, 1575-9 | 6.6 | 66 |
| 107 | Aberrant methylation in the promoter region of the reduced folate carrier gene is a potential mechanism of resistance to methotrexate in primary central nervous system lymphomas. <i>British Journal of Haematology</i> , 2004 , 126, 657-64 | 4.5 | 66 |
| 106 | The mutator pathway is a feature of immunodeficiency-related lymphomas. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 5002-7 | 11.5 | 61 |
| 105 | Aberrant somatic hypermutation in tumor cells of nodular-lymphocyte-predominant and classic Hodgkin lymphoma. <i>Blood</i> , 2006 , 108, 1013-20 | 2.2 | 59 |
| 104 | Comprehensive characterization of IGHV3-21-expressing B-cell chronic lymphocytic leukemia: an Italian multicenter study. <i>Blood</i> , 2007 , 109, 2989-98 | 2.2 | 57 |
| 103 | Aberrant somatic hypermutation in transformation of follicular lymphoma and chronic lymphocytic leukemia to diffuse large B-cell lymphoma. <i>Haematologica</i> , 2006 , 91, 1405-9 | 6.6 | 57 |
| 102 | Genome wide DNA-profiling of HIV-related B-cell lymphomas. <i>British Journal of Haematology</i> , 2010 , 148, 245-55 | 4.5 | 56 |
| 101 | Genome-wide DNA analysis identifies recurrent imbalances predicting outcome in chronic lymphocytic leukaemia with 17p deletion. <i>British Journal of Haematology</i> , 2008 , 143, 532-6 | 4.5 | 53 |
| 100 | Molecular profile of Epstein-Barr virus infection in HHV-8-positive primary effusion lymphoma. <i>Leukemia</i> , 2000 , 14, 271-7 | 10.7 | 53 |
| 99 | AP-2 transcription factors in the regulation of ERBB2 gene transcription by oestrogen. <i>Oncogene</i> , 2000 , 19, 280-8 | 9.2 | 53 |
| 98 | Expression of MUM1/IRF4 selectively clusters with primary effusion lymphoma among lymphomatous effusions: implications for disease histogenesis and pathogenesis. <i>British Journal of Haematology</i> , 2000 , 111, 247-57 | 4.5 | 53 |
| 97 | Comparative genome-wide profiling of post-transplant lymphoproliferative disorders and diffuse large B-cell lymphomas. <i>British Journal of Haematology</i> , 2006 , 134, 27-36 | 4.5 | 52 |
| 96 | Epigenetic inactivation of suppressors of cytokine signalling in Philadelphia-negative chronic myeloproliferative disorders. <i>British Journal of Haematology</i> , 2008 , 141, 504-11 | 4.5 | 51 |

| | | | |
|----|---|------|----|
| 95 | Proliferation centers in chronic lymphocytic leukemia: correlation with cytogenetic and clinicobiological features in consecutive patients analyzed on tissue microarrays. <i>Leukemia</i> , 2012 , 26, 499-508 | 10.7 | 49 |
| 94 | Simian virus 40 infection in lymphoproliferative disorders. <i>Lancet, The</i> , 2003 , 361, 88-9 | 4.0 | 49 |
| 93 | Primary cutaneous large B-cell lymphoma of the leg: histogenetic analysis of a controversial clinicopathologic entity. <i>Human Pathology</i> , 2002 , 33, 937-43 | 3.7 | 46 |
| 92 | Single nucleotide polymorphism-arrays provide new insights in the pathogenesis of post-transplant diffuse large B-cell lymphoma. <i>British Journal of Haematology</i> , 2010 , 149, 569-77 | 4.5 | 45 |
| 91 | Identification of three subgroups of B cell chronic lymphocytic leukemia based upon mutations of BCL-6 and IgV genes. <i>Leukemia</i> , 2000 , 14, 811-5 | 10.7 | 42 |
| 90 | Frequent aberrant promoter hypermethylation of O6-methylguanine-DNA methyltransferase and death-associated protein kinase genes in immunodeficiency-related lymphomas. <i>British Journal of Haematology</i> , 2003 , 123, 475-8 | 4.5 | 40 |
| 89 | Subcutaneous lipoma-like B-cell lymphoma associated with HCV infection: a new presentation of primary extranodal marginal zone B-cell lymphoma of MALT. <i>Annals of Oncology</i> , 2010 , 21, 1189-1195 | 10.3 | 39 |
| 88 | Expression of mutated IGHV3-23 genes in chronic lymphocytic leukemia identifies a disease subset with peculiar clinical and biological features. <i>Clinical Cancer Research</i> , 2010 , 16, 620-8 | 12.9 | 38 |
| 87 | Molecular characterization of post-transplant lymphoproliferative disorders of donor origin occurring in liver transplant recipients. <i>Journal of Pathology</i> , 2009 , 218, 478-86 | 9.4 | 34 |
| 86 | Evidence of biased immunoglobulin variable gene usage in highly stable B-cell chronic lymphocytic leukemia. <i>Leukemia</i> , 2004 , 18, 1941-7 | 10.7 | 34 |
| 85 | Point mutations of the BCL-6 gene: clinical and prognostic correlation in B-diffuse large cell lymphoma. <i>Leukemia</i> , 2002 , 16, 268-75 | 10.7 | 33 |
| 84 | Human herpesvirus type-8 (HHV-8) in haematopoietic neoplasia. <i>Leukemia and Lymphoma</i> , 1997 , 24, 257-66 | 10.7 | 32 |
| 83 | Point mutations of the BCL-6 gene in Burkitt's lymphoma. <i>British Journal of Haematology</i> , 1997 , 99, 168-70 | 10.7 | 31 |
| 82 | High density genome-wide DNA profiling reveals a remarkably stable profile in hairy cell leukaemia. <i>British Journal of Haematology</i> , 2008 , 141, 622-30 | 4.5 | 31 |
| 81 | The tyrosine kinase receptor met and its ligand HGF are co-expressed and functionally active in HHV-8 positive primary effusion lymphoma. <i>Leukemia</i> , 2000 , 14, 285-91 | 10.7 | 31 |
| 80 | Intraclonal molecular heterogeneity suggests a hierarchy of pathogenetic events in Burkitt's lymphoma. <i>Annals of Oncology</i> , 1997 , 8, 987-94 | 10.3 | 29 |
| 79 | Detection of BCL-6 rearrangements and p53 mutations in Malt-lymphomas. <i>American Journal of Hematology</i> , 1997 , 56, 206-13 | 7.1 | 29 |
| 78 | JAK2 V617F mutation in leukaemic transformation of philadelphia-negative chronic myeloproliferative disorders. <i>British Journal of Haematology</i> , 2006 , 135, 267-8 | 4.5 | 29 |

| | | | |
|----|---|------|----|
| 77 | Acquired immunodeficiency syndrome-associated lymphomas are efficiently lysed through complement-dependent cytotoxicity and antibody-dependent cellular cytotoxicity by rituximab. <i>British Journal of Haematology</i> , 2002 , 119, 923-9 | 4.5 | 29 |
| 76 | Characterization of a novel HHV-8-positive cell line reveals implications for the pathogenesis and cell cycle control of primary effusion lymphoma. <i>Leukemia</i> , 2000 , 14, 1301-9 | 10.7 | 29 |
| 75 | The host genetic background of DNA repair mechanisms is an independent predictor of survival in diffuse large B-cell lymphoma. <i>Blood</i> , 2011 , 117, 2405-13 | 2.2 | 28 |
| 74 | Transient monoclonal expansion of CD8+/CD57+ T-cell large granular lymphocytes after primary cytomegalovirus infection. <i>American Journal of Hematology</i> , 2007 , 82, 1103-5 | 7.1 | 28 |
| 73 | Early-stage diffuse large B cell lymphoma of the head and neck: clinico-biological characterization and 18½-year follow-up of 488 patients (IELSG 23 study). <i>Annals of Hematology</i> , 2014 , 93, 221-231 | 3 | 27 |
| 72 | Primary effusion lymphoma cell lines harbouring human herpesvirus type-8. <i>Leukemia and Lymphoma</i> , 2000 , 36, 447-56 | 1.9 | 27 |
| 71 | Genetic pathways and histogenetic models of AIDS-related lymphomas. <i>European Journal of Cancer</i> , 2001 , 37, 1270-5 | 7.5 | 27 |
| 70 | Aberrant somatic hypermutation in primary mediastinal large B-cell lymphoma. <i>Leukemia</i> , 2005 , 19, 2363-67 | 16.7 | 26 |
| 69 | Analysis of aberrant somatic hypermutation (SHM) in non-Hodgkin's lymphomas of patients with chronic HCV infection. <i>Journal of Pathology</i> , 2005 , 206, 87-91 | 9.4 | 26 |
| 68 | Analysis of SF3B1 mutations in monoclonal B-cell lymphocytosis. <i>Hematological Oncology</i> , 2013 , 31, 54-51.3 | 1.3 | 24 |
| 67 | The diacylglycerol kinase β /atypical PKC/ β integrin pathway in SDF-1 α mammary carcinoma invasiveness. <i>PLoS ONE</i> , 2014 , 9, e97144 | 3.7 | 24 |
| 66 | Molecular history of Richter syndrome: origin from a cell already present at the time of chronic lymphocytic leukemia diagnosis. <i>International Journal of Cancer</i> , 2012 , 130, 3006-10 | 7.5 | 24 |
| 65 | Analysis of human herpesvirus type 8 infection in AIDS-related and AIDS-unrelated primary central nervous system lymphoma. <i>Journal of Infectious Diseases</i> , 1997 , 175, 1193-7 | 7 | 23 |
| 64 | Molecular analysis of immunoglobulin variable genes in human immunodeficiency virus-related non-Hodgkin's lymphoma reveals implications for disease pathogenesis and histogenesis. <i>Haematologica</i> , 2008 , 93, 1178-85 | 6.6 | 23 |
| 63 | Molecular characterization of HHV-8 positive primary effusion lymphoma reveals pathogenetic and histogenetic features of the disease. <i>Journal of Clinical Virology</i> , 2000 , 16, 215-24 | 14.5 | 23 |
| 62 | Nuclear Localization of Diacylglycerol Kinase Alpha in K562 Cells Is Involved in Cell Cycle Progression. <i>Journal of Cellular Physiology</i> , 2017 , 232, 2550-2557 | 7 | 22 |
| 61 | B-cell receptor, clinical course and prognosis in chronic lymphocytic leukaemia: the growing saga of the IGHV3 subgroup gene usage. <i>British Journal of Haematology</i> , 2011 , 153, 3-14 | 4.5 | 21 |
| 60 | Patterns of cytokine expression in AIDS-related non-Hodgkin's lymphoma. <i>British Journal of Haematology</i> , 1998 , 103, 143-9 | 4.5 | 21 |

| | | | |
|----|--|------|----|
| 59 | HHV-8/KSHV is not associated with AIDS-related primary central nervous system lymphoma. <i>Brain Pathology</i> , 1999 , 9, 199-208 | 6 | 21 |
| 58 | Aberrant somatic hypermutation in post-transplant lymphoproliferative disorders. <i>British Journal of Haematology</i> , 2004 , 127, 362-4 | 4.5 | 21 |
| 57 | Clues to pathogenesis of Waldenström macroglobulinemia and immunoglobulin M monoclonal gammopathy of undetermined significance provided by analysis of immunoglobulin heavy chain gene rearrangement and clustering of B-cell receptors. <i>Leukemia and Lymphoma</i> , 2013 , 54, 2485-9 | 1.9 | 20 |
| 56 | Differential regulation of Notch signal transduction in leukaemia and lymphoma cells in culture. <i>Journal of Cellular Biochemistry</i> , 2003 , 88, 569-77 | 4.7 | 20 |
| 55 | Common-variable immunodeficiency-related lymphomas associate with mutations and rearrangements of BCL-6: pathogenetic and histogenetic implications. <i>Human Pathology</i> , 2000 , 31, 871-3 | 3.7 | 20 |
| 54 | Prevalence and clinical characteristics of immune thrombocytopenic purpura in a cohort of monoclonal gammopathy of uncertain significance. <i>British Journal of Haematology</i> , 2007 , 138, 249-52 | 4.5 | 19 |
| 53 | The role of cytokines in the pathogenesis and management of AIDS-related lymphomas. <i>Leukemia and Lymphoma</i> , 2000 , 38, 481-8 | 1.9 | 18 |
| 52 | Microsatellite instability in KSHV/HHV-8 positive body-cavity-based lymphoma. <i>Human Pathology</i> , 1997 , 28, 748-50 | 3.7 | 17 |
| 51 | A case of nodular sclerosis Hodgkin's lymphoma repeatedly relapsing in the context of composite plasma cell-hyaline vascular Castleman's disease: successful response to rituximab and radiotherapy. <i>European Journal of Haematology</i> , 2007 , 79, 455-61 | 3.8 | 17 |
| 50 | Characterization of variants in the promoter of EBV gene BZLF1 in normal donors, HIV-positive patients and in AIDS-related lymphomas. <i>Journal of Infection</i> , 2007 , 54, 298-306 | 18.9 | 16 |
| 49 | Immunophenotypic characterization of IgVH3-72 B-cell chronic lymphocytic leukaemia (B-CLL). <i>Leukemia Research</i> , 2006 , 30, 1197-9 | 2.7 | 15 |
| 48 | Mutations of CD79A, CD79B and EZH2 genes in immunodeficiency-related non-Hodgkin lymphomas. <i>British Journal of Haematology</i> , 2011 , 152, 777-80 | 4.5 | 14 |
| 47 | Analysis of immunoglobulin heavy and light chain variable genes in post-transplant lymphoproliferative disorders. <i>Hematological Oncology</i> , 2006 , 24, 212-9 | 1.3 | 14 |
| 46 | Characterization of Epstein-Barr virus genotype in AIDS-related non-Hodgkin's lymphoma. <i>AIDS Research and Human Retroviruses</i> , 2002 , 18, 19-26 | 1.6 | 14 |
| 45 | Alterations of negative regulators of cytokine signalling in immunodeficiency-related non-Hodgkin lymphoma. <i>Hematological Oncology</i> , 2013 , 31, 22-8 | 1.3 | 13 |
| 44 | Clinical and molecular features of mucosa-associated lymphoid tissue (MALT) lymphomas of salivary glands. <i>Head and Neck</i> , 2009 , 31, 1181-7 | 4.2 | 13 |
| 43 | Genetic lesions associated with blastic transformation of polycythemia vera and essential thrombocythemia. <i>Genes Chromosomes and Cancer</i> , 1997 , 19, 250-255 | 5 | 13 |
| 42 | Prognostic assessment of BCL2-938C>A polymorphism in chronic lymphocytic leukemia. <i>Blood</i> , 2008 , 111, 466-8 | 2.2 | 13 |

| | | | |
|----|--|-----|----|
| 41 | B-cell posttransplant lymphoproliferative disorders in heart and/or lungs recipients: clinical and molecular-histogenetic study of 17 cases from a single institution. <i>Transplantation</i> , 2006 , 82, 1013-23 | 1.8 | 13 |
| 40 | Genetic heterogeneity of AIDS-related small non-cleaved cell lymphoma. <i>British Journal of Haematology</i> , 1997 , 98, 726-32 | 4.5 | 12 |
| 39 | Early stage chronic lymphocytic leukaemia carrying unmutated IGHV genes is at risk of recurrent infections during watch and wait. <i>British Journal of Haematology</i> , 2008 , 141, 734-6 | 4.5 | 12 |
| 38 | BCL-6 in aids-related lymphomas: pathogenetic and histogenetic implications. <i>Leukemia and Lymphoma</i> , 1998 , 31, 39-46 | 1.9 | 12 |
| 37 | Post-transplant lymphoproliferative disorders: role of viral infection, genetic lesions and antigen stimulation in the pathogenesis of the disease. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2009 , 1, e2009018 | 3.2 | 12 |
| 36 | Molecular pathways in low grade B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 1997 , 26 Suppl 1, 107-13 | 1.9 | 10 |
| 35 | Downregulation of the major histocompatibility complex class I molecules by human herpesvirus type 8 and impaired natural killer cell activity in primary effusion lymphoma development. <i>British Journal of Haematology</i> , 2005 , 130, 92-5 | 4.5 | 10 |
| 34 | Expression of cyclin-dependent kinase inhibitor p27(Kip1) in AIDS-related diffuse large-cell lymphomas is associated with Epstein-Barr virus-encoded latent membrane protein 1. <i>American Journal of Pathology</i> , 2002 , 161, 163-71 | 5.8 | 10 |
| 33 | Most immunoglobulin heavy chain switch mu rearrangements in B-cell chronic lymphocytic leukemia are internal deletions. <i>FEBS Letters</i> , 2002 , 518, 119-23 | 3.8 | 10 |
| 32 | Structure activity relationship studies on Amb639752: toward the identification of a common pharmacophoric structure for DGK inhibitors. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2020 , 35, 96-108 | 5.6 | 10 |
| 31 | Multiple myeloma shows no intra-disease clustering of immunoglobulin heavy chain genes. <i>Haematologica</i> , 2012 , 97, 849-53 | 6.6 | 9 |
| 30 | Integrated DNA copy number and methylation profiling of lymphoid neoplasms using a single array. <i>British Journal of Haematology</i> , 2012 , 156, 354-7 | 4.5 | 9 |
| 29 | Genomic aberrations affecting the outcome of immunodeficiency-related diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2012 , 53, 71-6 | 1.9 | 9 |
| 28 | Kaposi's sarcoma-associated herpesvirus/human herpesvirus 8-associated polyclonal body cavity effusions that mimic primary effusion lymphomas. <i>International Journal of Cancer</i> , 2006 , 119, 1746-8; author reply 1749-50 | 7.5 | 9 |
| 27 | Mutation of BAX occurs infrequently in acquired immunodeficiency syndrome-related non-Hodgkin's lymphomas. <i>Genes Chromosomes and Cancer</i> , 2000 , 27, 177-82 | 5 | 9 |
| 26 | Molecular and clinical features of chronic lymphocytic leukemia with stereotyped B-cell receptors in a Ukrainian cohort. <i>Leukemia and Lymphoma</i> , 2010 , 51, 822-38 | 1.9 | 8 |
| 25 | Usefulness of JAK2V617F mutation in distinguishing idiopathic erythrocytosis from polycythemia vera. <i>Leukemia Research</i> , 2007 , 31, 97-101 | 2.7 | 8 |
| 24 | Thymic function and immunoglobulin mutation genotype in B-cell chronic lymphocytic leukemia patients. <i>International Journal of Cancer</i> , 2003 , 107, 958-61 | 7.5 | 8 |

| | | | |
|----|---|------|---|
| 23 | Identification of a novel DGK α inhibitor for XLP-1 therapy by virtual screening. <i>European Journal of Medicinal Chemistry</i> , 2019 , 164, 378-390 | 6.8 | 8 |
| 22 | Hormonal control of growth factor receptor expression. <i>Annals of the New York Academy of Sciences</i> , 1996 , 784, 336-48 | 6.5 | 6 |
| 21 | Hairy cell leukaemia complicated by anti-MAG paraproteinemic demyelinating neuropathy: resolution of neurological syndrome after cladribine treatment. <i>Leukemia Research</i> , 2007 , 31, 873-6 | 2.7 | 5 |
| 20 | Incidence of novel N-glycosylation sites in the B-cell receptor of lymphomas associated with immunodeficiency. <i>British Journal of Haematology</i> , 2004 , 124, 604-9 | 4.5 | 5 |
| 19 | Simian virus 40 infection in lymphoproliferative disorders. <i>Lancet, The</i> , 2003 , 361, 1565-1566 | 4.0 | 4 |
| 18 | Simultaneous diagnosis of CD3+ T-cell large granular lymphocyte leukaemia and true thymic hyperplasia. <i>Leukemia Research</i> , 2007 , 31, 1019-21 | 2.7 | 3 |
| 17 | Simian AIDS-related lymphoma growth in severe combined immunodeficiency mice is independent of karyotypic abnormalities or Bcl-6 mutations. <i>AIDS Research and Human Retroviruses</i> , 2002 , 18, 383-90 | 1.6 | 3 |
| 16 | . <i>Annals of Oncology</i> , 1997 , 8, 105-108 | 10.3 | 3 |
| 15 | IGHD3-3 fails to behave as unfavourable prognostic marker in chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2010 , 149, 299-302 | 4.5 | 1 |
| 14 | Expression of MUM1/IRF4 selectively clusters with primary effusion lymphoma among lymphomatous effusions: implications for disease histogenesis and pathogenesis. <i>British Journal of Haematology</i> , 2000 , 111, 247-257 | 4.5 | 1 |
| 13 | Molecular History of Richter Syndrome: Origin From a Common Ancestor Cell Already Present at Chronic Lymphocytic Leukemia Diagnosis. <i>Blood</i> , 2010 , 116, 2425-2425 | 2.2 | 1 |
| 12 | Identification of Key Phospholipids That Bind and Activate Atypical PKCs. <i>Biomedicines</i> , 2021 , 9, | 4.8 | 1 |
| 11 | Genome-wide DNA profiling of HIV-related B-cell lymphomas. <i>Methods in Molecular Biology</i> , 2013 , 973, 213-26 | 1.4 | |
| 10 | Biased immunoglobulin genes rearrangement in mantle cell lymphoma: Hints to identify the normal B-cell counterpart. <i>Clinical Oncology and Cancer Research</i> , 2011 , 8, 65-70 | | |
| 9 | Immunoglobulin (Ig) Variable Gene Usage Identifies a Subset of Unmutated Chronic Lymphocytic Leukemia (CLL) Patients Expressing 51p1-Like alleles and a Particularly Unfavorable Prognostic Outcome.. <i>Blood</i> , 2004 , 104, 1922-1922 | 2.2 | |
| 8 | Molecular Analysis of Immunoglobulin Variable Genes in HIV-Related Non-Hodgkin Lymphoma: Implications for Disease Pathogenesis and Histogenesis.. <i>Blood</i> , 2005 , 106, 330-330 | 2.2 | |
| 7 | Molecular Analysis of Posttransplant Lymphoproliferative Disorders (PTLD) of Donor Origin Occuring in Liver Transplant Patients.. <i>Blood</i> , 2005 , 106, 1916-1916 | 2.2 | |
| 6 | Molecular and Clinical Features of B Cell Chronic Lymphocytic Leukemia (CLL) Carrying Stereotyped B Cell Receptors: An Italian Experience.. <i>Blood</i> , 2007 , 110, 3089-3089 | 2.2 | |

- 5 Molecular, Phenotypic and Clinical Predictors of Richter Syndrome (RS) in Chronic Lymphocytic Leukemia (CLL).. *Blood*, **2007**, 110, 3086-3086 2.2
- 4 Genome Wide-DNA Profiling of HIV-Related Non-Hodgkin Lymphomas: Implications for Disease Pathogenesis and Histogenesis.. *Blood*, **2007**, 110, 561-561 2.2
- 3 The Pharmacogenetic Background of the Host Is An Independent Predictor of Outcome and Toxicity in Diffuse Large B Cell Lymphoma Treated with R-CHOP21. *Blood*, **2008**, 112, 480-480 2.2
- 2 IGH Repertoire Analysis In Multiple Myeloma (MM): Lack of Intra-Disease Homology and Occasional Clustering with Sequences of Other B-Cell Neoplasms Sharing Identical Geographical Origin. *Blood*, **2010**, 116, 2951-2951 2.2
- 1 Alteration of BIRC3 and Multiple Other NF- κ B Pathway Genes in Splenic Marginal Zone Lymphoma. *Blood*, **2011**, 118, 264-264 2.2