

Juan F Garca-Reyes

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1992070/juan-f-garcia-reyes-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

5,553
citations

43
h-index

68
g-index

144
ext. papers

6,015
ext. citations

5.7
avg, IF

5.71
L-index

#	Paper	IF	Citations
140	Direct wine profiling by mass spectrometry (MS): A comparison of different ambient MS approaches. <i>Microchemical Journal</i> , 2022 , 179, 107479	4.8	1
139	Determination of atropine and scopolamine in spinach-based products contaminated with genus <i>Datura</i> by UHPLC-MS/MS. <i>Food Chemistry</i> , 2021 , 347, 129020	8.5	5
138	Environmentally Friendly Solvents for Sample Preparation in Foodomics 2021 , 536-565		1
137	Appraisal of different clean-up strategies for the determination of fipronil and its metabolites in eggs by UHPLC-MS/MS. <i>Microchemical Journal</i> , 2021 , 166, 106275	4.8	2
136	Evaluation of a novel controlled-atmosphere flexible microtube plasma soft ionization source for the determination of BTEX in olive oil by headspace-gas chromatography/mass spectrometry. <i>Analytica Chimica Acta</i> , 2021 , 1179, 338835	6.6	0
135	Worldwide survey of pesticide residues in citrus-flavored soft drinks. <i>Food Chemistry</i> , 2021 , 365, 130486	8.5	2
134	Assessment of a specific sample cleanup for the multiresidue determination of veterinary drugs and pesticides in salmon using liquid chromatography/tandem mass spectrometry. <i>Food Control</i> , 2021 , 130, 108311	6.2	3
133	Quantitative determination of pesticide residues in specific parts of bee specimens by nanoflow liquid chromatography high resolution mass spectrometry. <i>Science of the Total Environment</i> , 2020 , 715, 137005	10.2	7
132	Direct analysis of olive oil and other vegetable oils by mass spectrometry: A review. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 132, 116046	14.6	9
131	Occurrence and Determination of Tropane Alkaloids in Food and Feed 2020 , 1-32		3
130	Ambient (desorption/ionization) mass spectrometry methods for pesticide testing in food: a review. <i>Analytical Methods</i> , 2020 , 12, 4831-4852	3.2	17
129	Analyte-Tailored Controlled Atmosphere Improves Dielectric Barrier Discharge Ionization Mass Spectrometry Performance. <i>Analytical Chemistry</i> , 2019 , 91, 3733-3739	7.8	9
128	Detection of multiclass explosives and related compounds in soil and water by liquid chromatography-dielectric barrier discharge ionization-mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 4785-4796	4.4	10
127	Basin-scale monitoring and risk assessment of emerging contaminants in South American Atlantic coastal lagoons. <i>Science of the Total Environment</i> , 2019 , 697, 134058	10.2	30
126	Use of a modified QuEChERS method for the determination of mycotoxin residues in edible nuts by nano flow liquid chromatography high resolution mass spectrometry. <i>Food Chemistry</i> , 2019 , 279, 144-149	8.5	33
125	Application of ionizing radiation in decomposition of perfluorooctanoate (PFOA) in waters. <i>Chemical Engineering Journal</i> , 2019 , 357, 698-714	14.7	27
124	Soft Argon-Propane Dielectric Barrier Discharge Ionization. <i>Analytical Chemistry</i> , 2018 , 90, 3537-3542	7.8	17

123	Dilute-and-shoot coupled to nanoflow liquid chromatography high resolution mass spectrometry for the determination of drugs of abuse and sport drugs in human urine. <i>Talanta</i> , 2018 , 182, 218-224	6.2	14
122	Monitoring the degradation of atropine and scopolamine in soil after spiking with naturally contaminated organic millet. <i>Science of the Total Environment</i> , 2018 , 625, 1088-1092	10.2	7
121	Direct olive oil analysis by mass spectrometry: A comparison of different ambient ionization methods. <i>Talanta</i> , 2018 , 180, 168-175	6.2	29
120	Use of dielectric barrier discharge ionization to minimize matrix effects and expand coverage in pesticide residue analysis by liquid chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2018 , 1020, 76-85	6.6	20
119	Experimental and theoretical determination of pesticide processing factors to model their behavior during virgin olive oil production. <i>Food Chemistry</i> , 2018 , 239, 9-16	8.5	20
118	Matrix-effect free multi-residue analysis of veterinary drugs in food samples of animal origin by nanoflow liquid chromatography high resolution mass spectrometry. <i>Food Chemistry</i> , 2018 , 245, 29-38	8.5	40
117	Sensitive Detection of Neonicotinoid Insecticides and Other Selected Pesticides in Pollen and Nectar Using Nanoflow Liquid Chromatography Orbitrap Tandem Mass Spectrometry. <i>Journal of AOAC INTERNATIONAL</i> , 2018 , 101, 367-373	1.7	10
116	High-Resolution Mass Spectrometry for the Analysis of Pesticide Residues in Food 2018 , 1-25		
115	Fast Automated Determination of Total Tocopherol Content in Virgin Olive Oil Using a Single Multicommuted Luminescent Flow Method. <i>Food Analytical Methods</i> , 2017 , 10, 2125-2131	3.4	2
114	Multiclass profiling of lipids of archaeological interest by ultra-high pressure liquid chromatography-atmospheric pressure chemical ionization-high resolution mass spectrometry. <i>Microchemical Journal</i> , 2017 , 132, 49-58	4.8	3
113	Detection of over 100 selenium metabolites in selenized yeast by liquid chromatography electrospray time-of-flight mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1060, 84-90	3.2	18
112	HRMS 2017 , 15-57		3
111	Matrix-effect free quantitative liquid chromatography mass spectrometry analysis in complex matrices using nanoflow LC with integrated emitter tip and high dilution factors. <i>Journal of Chromatography A</i> , 2017 , 1519, 110-120	4.5	13
110	Simultaneous liquid chromatography/mass spectrometry determination of both polar and "multiresidue" pesticides in food using parallel hydrophilic interaction/reversed-phase liquid chromatography and a hybrid sample preparation approach. <i>Journal of Chromatography A</i> , 2017 , 1517, 103-116	4.5	10
109	Evaluation of nanoflow liquid chromatography high resolution mass spectrometry for pesticide residue analysis in food. <i>Journal of Chromatography A</i> , 2017 , 1512, 78-87	4.5	46
108	Screening of Over 600 Pesticides, Veterinary Drugs, Food-Packaging Contaminants, Mycotoxins, and Other Chemicals in Food by Ultra-High Performance Liquid Chromatography Quadrupole Time-of-Flight Mass Spectrometry (UHPLC-QTOFMS). <i>Food Analytical Methods</i> , 2017 , 10, 1216-1244	3.4	37
107	Multicommuted flow injection method for fast photometric determination of phenolic compounds in commercial virgin olive oil samples. <i>Talanta</i> , 2016 , 147, 531-6	6.2	8
106	Evaluation of different cleanup sorbents for multiresidue pesticide analysis in fatty vegetable matrices by liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2016 , 1456, 89-104	4.5	57

105	Determination of polar pesticides in olive oil and olives by hydrophilic interaction liquid chromatography coupled to tandem mass spectrometry and high resolution mass spectrometry. <i>Talanta</i> , 2016 , 158, 222-228	6.2	37
104	Evaluation of processing factors for selected organic contaminants during virgin olive oil production: Distribution of BTEXS during olives processing. <i>Food Chemistry</i> , 2016 , 199, 273-9	8.5	6
103	Determination of Over 350 Multiclass Pesticides in Jams by Ultra-High Performance Liquid Chromatography Time-of-Flight Mass Spectrometry (UHPLC-TOFMS). <i>Food Analytical Methods</i> , 2016 , 9, 1939-1957	3.4	9
102	State of the art of environmentally friendly sample preparation approaches for determination of PBDEs and metabolites in environmental and biological samples: A critical review. <i>Analytica Chimica Acta</i> , 2016 , 905, 24-41	6.6	46
101	Study of different HILIC, mixed-mode, and other aqueous normal-phase approaches for the liquid chromatography/mass spectrometry-based determination of challenging polar pesticides. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 4857-69	4.4	27
100	A feasibility study of UHPLC-HRMS accurate-mass screening methods for multiclass testing of organic contaminants in food. <i>Talanta</i> , 2016 , 160, 704-712	6.2	32
99	Analytical, toxicological and kinetic investigation of decomposition of the drug diclofenac in waters and wastes using gamma radiation. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 20255-70	5.1	29
98	Screening and confirmation capabilities of liquid chromatography-time-of-flight mass spectrometry for the determination of 200 multiclass sport drugs in urine. <i>Talanta</i> , 2015 , 134, 74-88	6.2	14
97	Rapid determination of multiclass fungicides in wine by low-temperature plasma (LTP) ambient ionization mass spectrometry. <i>Analytical Methods</i> , 2015 , 7, 7345-7351	3.2	21
96	Sulphur, fats and beeswax in the Iberian rites of the sanctuary of the oppidum of Puente Tablas (Jaén, Spain). <i>Journal of Archaeological Science: Reports</i> , 2015 , 4, 510-524	0.7	4
95	Study of tamoxifen urinary metabolites in rat by ultra-high-performance liquid chromatography time-of-flight mass spectrometry. <i>Biomedical Chromatography</i> , 2015 , 29, 1220-8	1.7	1
94	Determination of Polyphenols in Commercial Extra Virgin Olive Oils from Different Origins (Mediterranean and South American Countries) by Liquid Chromatography-Electrospray Time-of-Flight Mass Spectrometry. <i>Food Analytical Methods</i> , 2014 , 7, 1824-1833	3.4	22
93	Monitoring of selected priority and emerging contaminants in the Guadalquivir River and other related surface waters in the province of Jaén, South East Spain. <i>Science of the Total Environment</i> , 2014 , 479-480, 247-57	10.2	100
92	Multi-residue method for the determination of over 400 priority and emerging pollutants in water and wastewater by solid-phase extraction and liquid chromatography-time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2014 , 1350, 30-43	4.5	88
91	Quantification of Se-Methylselenocysteine and Its γ -Glutamyl Derivative from Naturally Se-Enriched Green Bean (<i>Phaseolus vulgaris vulgaris</i>) After HPLC-ESI-TOF-MS and Orbitrap MSn-Based Identification. <i>Food Analytical Methods</i> , 2014 , 7, 1147-1157	3.4	20
90	Comparative evaluation of seven different sample treatment approaches for large-scale multiclass sport drug testing in urine by liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2014 , 1361, 34-42	4.5	23
89	Ambient diode laser desorption dielectric barrier discharge ionization mass spectrometry of nonvolatile chemicals. <i>Analytical Chemistry</i> , 2013 , 85, 3174-82	7.8	52
88	Application of capillary electrophoretic chips in protein profiling of plant extracts for identification of genetic modifications of maize. <i>Electrophoresis</i> , 2013 , 34, 2740-53	3.6	9

87	Gas chromatography triple quadrupole mass spectrometry method for monitoring multiclass organic pollutants in Spanish sewage treatment plants effluents. <i>Talanta</i> , 2013 , 111, 196-205	6.2	19
86	Determination of the Reaction Rate Constants and Decomposition Mechanisms of Ozone with Two Model Emerging Contaminants: DEET and Nortriptyline. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 17064-17073	3.9	18
85	Combined data mining strategy for the systematic identification of sport drug metabolites in urine by liquid chromatography time-of-flight mass spectrometry. <i>Analytica Chimica Acta</i> , 2013 , 761, 1-10	6.6	14
84	Comparative evaluation of liquid-liquid extraction, solid-phase extraction and solid-phase microextraction for the gas chromatography-mass spectrometry determination of multiclass priority organic contaminants in wastewater. <i>Talanta</i> , 2013 , 117, 382-91	6.2	30
83	The relationship of selenium tolerance and speciation in Lecythidaceae species. <i>Metallomics</i> , 2013 , 5, 1663-73	4.5	20
82	Performance of dielectric barrier discharge ionization mass spectrometry for pesticide testing: a comparison with atmospheric pressure chemical ionization and electrospray ionization. <i>Rapid Communications in Mass Spectrometry</i> , 2013 , 27, 419-29	2.2	30
81	Oxidation of chlorophene by ozonation: Kinetics, identification of by-products and reaction pathways. <i>Chemical Engineering Journal</i> , 2013 , 230, 447-455	14.7	17
80	Degradation of caffeine by conductive diamond electrochemical oxidation. <i>Chemosphere</i> , 2013 , 93, 1720854	5	50
79	Detection of main urinary metabolites of β_2 -agonists clenbuterol, salbutamol and terbutaline by liquid chromatography high resolution mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 923-924, 128-35	3.2	28
78	Overcoming matrix effects in electrospray: quantitation of β agonists in complex matrices by isotope dilution liquid chromatography-mass spectrometry using singly (13 C)-labeled analogues. <i>Journal of Chromatography A</i> , 2013 , 1288, 40-7	4.5	43
77	Ambient ion/molecule reactions in low-temperature plasmas (LTP): reactive LTP mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2013 , 27, 795-804	2.2	13
76	Simultaneous testing of multiclass organic contaminants in food and environment by liquid chromatography/dielectric barrier discharge ionization-mass spectrometry. <i>Analyst</i> , 2012 , 137, 5403-10	5	48
75	Conductive-diamond electrochemical oxidation of chlorpyrifos in wastewater and identification of its main degradation products by LC-TOFMS. <i>Chemosphere</i> , 2012 , 89, 1169-76	8.4	18
74	Comprehensive evaluation of the clean-up step in QuEChERS procedure for the multi-residue determination of pesticides in different vegetable oils using LC-MS/MS. <i>Analytical Methods</i> , 2012 , 4, 1142-2	3.2	43
73	Determination of fungicide residues in baby food by liquid chromatography-ion trap tandem mass spectrometry. <i>Food Chemistry</i> , 2012 , 135, 780-6	8.5	33
72	Retrospective screening of relevant pesticide metabolites in food using liquid chromatography high resolution mass spectrometry and accurate-mass databases of parent molecules and diagnostic fragment ions. <i>Journal of Chromatography A</i> , 2012 , 1249, 83-91	4.5	54
71	Generic sample treatment method for simultaneous determination of multiclass pesticides and mycotoxins in wines by liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2012 , 1249, 32-40	4.5	51
70	Study on the occurrence of pesticide residues in fruit-based soft drinks from the EU market and morocco using liquid chromatography-mass spectrometry. <i>Food Control</i> , 2012 , 26, 341-346	6.2	24

69	The Potential of Ambient Desorption Ionization Methods Combined with High-Resolution Mass Spectrometry for Pesticide Testing in Food. <i>Comprehensive Analytical Chemistry</i> , 2012 , 339-366	1.9	5
68	Determination of nitrotyrosine in Arabidopsis thaliana cell cultures with a mixed-mode solid-phase extraction cleanup followed by liquid chromatography time-of-flight mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 404, 1495-503	4.4	9
67	Low-molecular weight protein profiling of genetically modified maize using fast liquid chromatography electrospray ionization and time-of-flight mass spectrometry. <i>Journal of Separation Science</i> , 2012 , 35, 1447-61	3.4	7
66	Systematic bottom-up approach for flavonoid derivative screening in plant material using liquid chromatography high-resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 403, 995-1006	4.4	10
65	Pesticides: Organophosphates 2012 , 199-218		1
64	Detection of explosives and related compounds by low-temperature plasma ambient ionization mass spectrometry. <i>Analytical Chemistry</i> , 2011 , 83, 1084-92	7.8	136
63	Multiclass detection and quantitation of antibiotics and veterinary drugs in shrimps by fast liquid chromatography time-of-flight mass spectrometry. <i>Talanta</i> , 2011 , 85, 1419-27	6.2	84
62	Use of an accurate-mass database for the systematic identification of transformation products of organic contaminants in wastewater effluents. <i>Journal of Chromatography A</i> , 2011 , 1218, 8002-12	4.5	63
61	Effect of sample preparation methods on the D,L-enantiomer ratio of extracted selenomethionine. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 401, 373-80	4.4	8
60	Behavior of amoxicillin in wastewater and river water: identification of its main transformation products by liquid chromatography/electrospray quadrupole time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2011 , 25, 731-42	2.2	58
59	In-source fragmentation and accurate mass analysis of multiclass flavonoid conjugates by electrospray ionization time-of-flight mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2011 , 46, 478-88 ^{2.2}		71
58	Multiclass determination of pesticides and priority organic pollutants in fruit-based soft drinks by headspace solid-phase microextraction/gas chromatography tandem mass spectrometry. <i>Analytical Methods</i> , 2011 , 3, 2221	3.2	21
57	Screening and quantitation of multiclass drugs of abuse and pharmaceuticals in hair by fast liquid chromatography electrospray time-of-flight mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 2034-42	3.2	54
56	Potential chemical and microbiological risks on human health from urban wastewater reuse in agriculture. Case study of wastewater effluents in Spain. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2010 , 45, 300-9	2.2	19
55	Multi-residue determination of pesticides in fruit-based soft drinks by fast liquid chromatography time-of-flight mass spectrometry. <i>Talanta</i> , 2010 , 81, 1310-21	6.2	43
54	Determination of organic priority pollutants in sewage treatment plant effluents by gas chromatography high-resolution mass spectrometry. <i>Talanta</i> , 2010 , 82, 1318-24	6.2	18
53	Rapid determination of BTEXS in olives and olive oil by headspace-gas chromatography/mass spectrometry (HS-GC-MS). <i>Talanta</i> , 2010 , 83, 391-9	6.2	27
52	Screening of agrochemicals in foodstuffs using low-temperature plasma (LTP) ambient ionization mass spectrometry. <i>Analyst, The</i> , 2010 , 135, 971-9	5	92

51	Analysis of drugs of abuse in biofluids by low temperature plasma (LTP) ionization mass spectrometry. <i>Analyst, The</i> , 2010 , 135, 927-33	5	104
50	Large-scale pesticide testing in olives by liquid chromatography-electrospray tandem mass spectrometry using two sample preparation methods based on matrix solid-phase dispersion and QuEChERS. <i>Journal of Chromatography A</i> , 2010 , 1217, 6022-35	4.5	96
49	Evaluation of two sample treatment methodologies for large-scale pesticide residue analysis in olive oil by fast liquid chromatography-electrospray mass spectrometry. <i>Journal of Chromatography A</i> , 2010 , 1217, 3736-47	4.5	45
48	Solid-phase spectroscopy from the point of view of green analytical chemistry. <i>TrAC - Trends in Analytical Chemistry</i> , 2010 , 29, 654-666	14.6	39
47	Direct olive oil analysis by low-temperature plasma (LTP) ambient ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 3057-62	2.2	63
46	Analyses of selected non-authorized insecticides in peppers by gas chromatography/mass spectrometry and gas chromatography/tandem mass spectrometry. <i>Food Chemistry</i> , 2009 , 112, 221-225	8.5	32
45	Chemical evaluation of contaminants in wastewater effluents and the environmental risk of reusing effluents in agriculture. <i>TrAC - Trends in Analytical Chemistry</i> , 2009 , 28, 676-694	14.6	117
44	Desorption electrospray ionization mass spectrometry for trace analysis of agrochemicals in food. <i>Analytical Chemistry</i> , 2009 , 81, 820-9	7.8	126
43	Sample treatment and determination of pesticide residues in fatty vegetable matrices: a review. <i>Talanta</i> , 2009 , 79, 109-28	6.2	210
42	Accurate-mass databases for comprehensive screening of pesticide residues in food by fast liquid chromatography time-of-flight mass spectrometry. <i>Analytical Chemistry</i> , 2009 , 81, 913-29	7.8	139
41	Flow-Through Solid-Phase Spectroscopy: A Contribution to Green Analytical Chemistry. <i>Spectroscopy Letters</i> , 2009 , 42, 383-393	1.1	6
40	Determination of pesticide residues in fruit-based soft drinks. <i>Analytical Chemistry</i> , 2008 , 80, 8966-74	7.8	91
39	Determination of selected non-authorized insecticides in peppers by liquid chromatography time-of-flight mass spectrometry and tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 1384-92	2.2	26
38	Large-scale multi-residue methods for pesticides and their degradation products in food by advanced LC-MS. <i>TrAC - Trends in Analytical Chemistry</i> , 2008 , 27, 973-990	14.6	106
37	Large scale pesticide multiresidue methods in food combining liquid chromatography-time-of-flight mass spectrometry and tandem mass spectrometry. <i>Analytical Chemistry</i> , 2007 , 79, 7308-23	7.8	106
36	Accurate mass analysis and structure elucidation of selenium metabolites by liquid chromatography electrospray time-of-flight mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2007 , 22, 947-959	3.7	14
35	Determination of pesticide residues in olive oil and olives. <i>TrAC - Trends in Analytical Chemistry</i> , 2007 , 26, 239-251	14.6	130
34	Comprehensive screening of target, non-target and unknown pesticides in food by LC-TOF-MS. <i>TrAC - Trends in Analytical Chemistry</i> , 2007 , 26, 828-841	14.6	113

33	Multicommutated fluorescence based optosensor for the screening of bitertanol residues in banana samples. <i>Food Chemistry</i> , 2007 , 102, 676-682	8.5	15
32	Fast separation liquid chromatography-tandem mass spectrometry for the confirmation and quantitative analysis of avermectin residues in food. <i>Journal of Chromatography A</i> , 2007 , 1155, 62-73	4.5	48
31	Analyses of pesticide residues in fruit-based baby food by liquid chromatography/electrospray ionization time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 2059-2071	2.7	58
30	Application of high-performance liquid chromatography-tandem mass spectrometry with a quadrupole/linear ion trap instrument for the analysis of pesticide residues in olive oil. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 389, 1815-31	4.4	66
29	Determination of pesticides in milk-based infant formulas by pressurized liquid extraction followed by gas chromatography tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 389, 1833-40	4.4	27
28	Flow-through fluorescence-based optosensor for the screening of zinc in drinking water. <i>Analytical Sciences</i> , 2007 , 23, 1179-83	1.7	7
27	Multicommutated fluorometric multiparameter sensor for simultaneous determination of naproxen and salicylic acid in biological fluids. <i>Analytical Sciences</i> , 2007 , 23, 423-8	1.7	8
26	Application of liquid chromatography/quadrupole-linear Ion trap mass spectrometry and time-of-flight mass spectrometry to the determination of pharmaceuticals and related contaminants in wastewater. <i>Analytical Chemistry</i> , 2007 , 79, 9372-84	7.8	258
25	Identification of pesticide transformation products in food by liquid chromatography/time-of-flight mass spectrometry via "fragmentation-degradation" relationships. <i>Analytical Chemistry</i> , 2007 , 79, 307-21	7.8	112
24	Determination of postharvest fungicides in fruit juices by solid-phase extraction followed by liquid chromatography electro spray time-of-flight mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 10548-56	5.7	58
23	Identification of new selenium non-peptide species in selenised yeast by nanoHPLC electro spray Q/time-of-flight-MS/MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2006 , 21, 655-665	3.7	22
22	Analysis of herbicides in olive oil by liquid chromatography time-of-flight mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 6493-500	5.7	44
21	The potential of combining solid-phase optosensing and multicommutation principles for routine analyses of pharmaceuticals. <i>Talanta</i> , 2006 , 68, 1482-8	6.2	10
20	A multicommutated fluorescence-based sensing system for simultaneous determination of Vitamins B2 and B6. <i>Analytica Chimica Acta</i> , 2006 , 555, 128-133	6.6	44
19	Determination of thiabendazole residues in citrus fruits using a Multicommutated fluorescence-based optosensor. <i>Analytica Chimica Acta</i> , 2006 , 557, 95-100	6.6	29
18	Sensing of trace amounts of cadmium in drinking water using a single fluorescence-based optosensor. <i>Microchemical Journal</i> , 2006 , 82, 94-99	4.8	19
17	Rapid determination of diphenylamine residues in apples and pears with a single multicommutated fluorometric optosensor. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 9874-8	5.7	11
16	Development of a solid surface fluorescence-based sensing system for aluminium monitoring in drinking water. <i>Talanta</i> , 2005 , 65, 1203-8	6.2	24

15	Determination of pesticide residues in olives and olive oil by matrix solid-phase dispersion followed by gas chromatography/mass spectrometry and liquid chromatography/tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2005 , 1069, 183-94	4.5	191
14	Identification and quantitation of pesticides in vegetables by liquid chromatography time-of-flight mass spectrometry. <i>TrAC - Trends in Analytical Chemistry</i> , 2005 , 24, 671-682	14.6	86
13	Terbium-sensitized luminescence optosensor for the determination of norfloxacin in biological fluids. <i>Analytica Chimica Acta</i> , 2005 , 532, 159-164	6.6	43
12	Multi-residue pesticide analysis in fruits and vegetables by liquid chromatography-time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2005 , 1082, 81-90	4.5	165
11	Discovering metabolites of post-harvest fungicides in citrus with liquid chromatography/time-of-flight mass spectrometry and ion trap tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2005 , 1082, 71-80	4.5	96
10	Solid-phase ultraviolet sensing system for determination of methylxanthines. <i>Analytical and Bioanalytical Chemistry</i> , 2005 , 382, 158-63	4.4	15
9	Searching for non-target chlorinated pesticides in food by liquid chromatography/time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 2780-8	2.2	58
8	Flow-Through Fluorescence-Based Optosensor with On-Line Solid-Phase Separation for the Simultaneous Determination of a Ternary Pesticide Mixture. <i>Journal of AOAC INTERNATIONAL</i> , 2005 , 88, 860-865	1.7	14
7	Continuous-flow separation and pre-concentration coupled on-line to solid-surface fluorescence spectroscopy for the simultaneous determination of o-phenylphenol and thiabendazole. <i>Analytical and Bioanalytical Chemistry</i> , 2004 , 378, 429-37	4.4	11
6	Development of a single fluorescence-based optosensor for rapid simultaneous determination of fungicides benomyl and thiabendazole in waters and commercial formulations. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 2197-202	5.7	22
5	Multiwavelength fluorescence based optosensor for simultaneous determination of fuberidazole, carbaryl and benomyl. <i>Talanta</i> , 2004 , 64, 742-9	6.2	24
4	Gel-surface enhanced fluorescence sensing system coupled to a continuous-flow assembly for simultaneous monitoring of benomyl and carbendazim. <i>Analytica Chimica Acta</i> , 2003 , 493, 35-45	6.6	31
3	UV SPECTROPHOTOMETRIC FLOW-THROUGH MULTIPARAMETER SENSOR FOR THE SIMULTANEOUS DETERMINATION OF ACETAMINOPHEN, ACETYLSALICYLIC ACID, AND CAFFEINE. <i>Analytical Letters</i> , 2002 , 35, 2433-2447	2.2	28
2	Solid Phase Molecular Spectroscopy 221-244		
1	Luminescence Detection in Flow Analysis 343-393		1